

REFERENCES

- Aboul Enein, M.; Nasr, E. and Ahmed, A. (1986):* Proposed Egyptian modification of FAB (FAB-E). Egypt. Journal of Hematol., 11: 121.
- Alderson, M.R.; Tough, T.W.; Davis-Smith, T.; Braddy, S.; Falk, B.; Schooley, K.A.; Goodwin, R.G.; Smith, C.A.; Ramsdell, F. and Lynch, D.H. (1995):* Fas ligand mediates activation-induced cell death in immune T-lymphocytes. Immune Research and Development Corporation, Seattle, Washington 98101. J. Exp. Med., 181: 71-7.
- Appleby, M.W. (1992):* Defective T-cell receptor signaling in mice lacking the thymic isoform of P53 fyn. Cell, 70: 741.
- Arends, M.J.; Morris, R.G. and Wyllie, H. (1990):* Apoptosis: The role of endonuclease. Am. J. Pathol., 136: 593-608.
- Arico, M.; Cometti, A. and Bosi, G. (1993):* Langerhans cell histiocytosis and acute leukemia; unusual association in two cases. Medical Pediatr. Oncology, 21: 271.
- Asaoka, Y.; Nakumura, S.; Yoshida, K. and Nishizuuk, Y. (1992):* Protein kinase C, calcium and phospholipid degradation. TIBC; 17: 417-424.
- Bailey, C.C. (1993):* Acute lymphoblastic leukemia in Wintrobe's clinical hematology. Forester J. et al (ed.) 9th edition.
- Baserga, R. (1981):* The cell cycle. New England Journal of Medicine, 304: 453.
- Baserga, R. (1985):* The biology of cell reproduction. Cambridge, M.A., Harvard University Press. Quoted by Cotran, R.S.; Kumar, V. and Robbins, S.L. (eds): (1994). In Robbins pathologic Basis of Disease (5th ed.) p. 36.
- Beach, D.; Stillman, B. and Waston, J.D. (1991):* The cell cycle, cold spring harbor symp. On Quantitative Biology, Vol. 6. CSH press, New York.
- Bedi, A.; Barbara, A.Z.; James, P. and Jones, R.J. (1994):* Inhibition of apoptosis by bcr-abl in chronic myeloid leukemia. Blood; 83(9): 2038-2044.

## **References**

---

- Behm, F.G. (1990):** Morphologic and cytochemical characteristics of childhood lymphoblastic leukemia. *Hematol. Oncol. Clin. North Am.*, 4: 715-41.
- Behrmann, I.; Walczak, H. and Krammer, P.H. (1994):** Structure of human Apo-1 gene. *Eur. J. Immunol.*, 24: 3057-3062.
- Ben-Neriah, Y.; Daley, G.q.; Mes Masson, A.M. and Baltimore, D. (1986):** The chronic myelogenous leukemia-specific p210 protein is the product of the bcr-abl hybrid gene. *Science*; 233: 212-216.
- Bissonette, R.P.; Echeverri, F. and Mahboubi, A. (1992):** Apoptotic cell death induced by c-myc is inhibited by bcl-2. *Nature*; 359: 552-554.
- Bleyer W. (1988) :** Central nervous system leukemia. *Ped. Clin. North Am.*, 35 : 789.
- Bleyer, W.; Sather, H.; Coccia, P.; Lukens, J.; Siegel, S.; Wammond, G. (1986):** The staging of childhood acute lymphoblastic leukemia: strategies of the children's cancer study group and a three-dimensional technique of multivariate analysis. *Med. Pediatr. Oncol.*, 14: 271.
- Boxter, G.D. and Lavin, M.F. (1992):** Specific protein phosphorylation in apoptosis induced by ionizing radiation and heat shock in human lymphoid tumor lines. *J. Immunol.*, 148: 1949-1954.
- Bunin, N.J., Pui C.H., (1985) :** differing complication of hyperleukocytosis in children with acute lymphoblastic or acute non lymphoblastic leukemia. *J. Clin. Oncol.*, 3 : 1590.
- Campana, D. and Cleveland, Z.L. (1996):** Regulation of apoptosis in normal hemopoiesis and hematological disease. In: *Recent Advances in Hematology*. Edited by: Brenner M.K. and Hoffbrand A.V. 8th edition, Churchill Livingstone, Robert Stevenson House, pp: 1-20.
- Campana, D.; Hansen-Hagge, T.E. and Matutes, E. (1990):** Phenotypic, genotypic, cytochemical and ultrastructural characterization of acute undifferentiated leukemia. *Leukemia*; 4: 620-24.

## References

- Campbell, M.J., and Machin, D. (1993):** Medical statistics. A common sense approach. John Wiley & sons. New York; Brisbane; Toronto & Singapore.
- Carbonell, E.; Swansbury, J. and Min, T. (1996):** Cytogenetic findings in acute biphenotypic leukemia. *Leukemia*; 10: 1283-87.
- Cascino, I. et al. (1995):** Three function soluble forms of the human apoptosis-inducing Fas molecule are produced by alternative splicing. *J. Immunol.*, 154: 2706-2713.
- Casciola-Rosen, L.A.; Miller, D.K.; Anhalt, G.J. and Rosen, A. (1994):** Specific cleavage of the 70-KD a protein component of the small nuclear riboprotein is a characteristic biochemical feature of apoptotic cell death. *J. Biol. Chem.*, 269: 30757-30760.
- Catovsky, D. and Hoffbrand, A.V. (1999):** Acute leukemia. In: *Postgraduate Hematology*. Edited by Hoffbrand A.V., Lewis S.M., and Tuddenham I.G.D., 4th edition, Butterworth Heinemann, Oxford, Boston, p: 377.
- Champlin, R. and Golde, A.W. (1987):** Acute leukaemias. In: *Harrison's principles of internal medicine*. By: Isselbacher, K.J.; Braunwald, E.; Wilson, J.D.; Martin, J.B.; Fauci, A.S. and Kasper D.L. (Eds). McGraw Hill Book Company, Health professions division, P. 1542.
- Cheng, J.; Zhou, T.; Liu, C.; Shaprio, J.P.; Brauer, M.J.; Kiefer, M.C.; Barr, P.J. and Mountz, J.P. (1994):** Protection from Fas mediated apoptosis by a soluble form of the Fas molecule. *Science*, 263: 1759-1762.
- Cleary, M.L.; Smith, S.D. and Sklar, J. (1986):** Cloning and structural analysis of cDNAs for bcl-2 and a hybrid bcl-2 immunoglobulin transcript resulting from the t(14-18) translocation. *Cell*; 47: 19-22.
- Clem, R.J.; Fechheimer, M. and Miller, L.K. (1991):** Prevention of apoptosis by a baculovirus gene during infection of insect cells. *Science*; 254: 1388-1394.
- Cline, M.J. (1994):** The molecular basis of leukemia. *N. Engl. J. Med.*, 330: 328-36.

## **References**

---

- Cohen, J.J. (1991):** Programmed cell death in the immune system. *Adv. Immunol.*, 50: 55-85.
- Coska M., Bocsi J., Srendoe B. and Schuler D. (1997) :** Gucocotolid induced apoptosis and treatment sensitivity in acute lymphoblastic leukemia of children. *Pediat. Hematol. And Oncol.*, 14 :433- 442.
- Cotran, R.S.; Kumar, V. and Robbins, S.L. (eds) (1994):** Robbins pathologic basis of disease (5th ed). W.B. Saunders Company, P. 35 and 648.
- Couston, S.E.; Kitanaka, A. and Pui, C.H. (1996):** Clinical relevance of Bcl-2 expression in childhood acute lymphoblastic leukemia. *Blood*; 87: 1140-1146.
- Creuzig, L.L.; Ritter, J. and Schellong, G. (1990):** Identification of two risk groups in childhood acute myelogenous leukemia after therapy intensification in study AML-BFM-83 as compared with study AML-BFM-78. *Blood*; 75: 1932.
- Critchfield, J.M.; Racke, M.K.; Zuniga-Pflucker, J.C.; Cannella, B.; Raine, C.S.; Gorman, J. and Lenardo, M.J. (1994):** T-cell deletion in high dose therapy of autoimmune encephalomyelitis. Laboratory of immunology, National Institute of Allergy and Infectious Diseases, National Institutes of Health, Bethesda, MD 20892. *Science*; 25; 263: 5150, 1139-43.
- Darzynkiewicz, Z.; Bruno, S.; Del Bino, G.; Gorczyca, W.; Hotz, M.A.; Lassota, P. and Traganas, F. (1992):** Features of apoptotic cells measured by flow cytometry. *Cytometry*; 13: 795-808.
- Debatin, K.M.; Goldman, C.K. et al. (1993):** APO-1 induced apoptosis of leukemia cells from patients with adult cell leukemia. *Blood*, 81: 2972.
- Debbas, M. and White, E. (1993):** Wild-type p53 mediates apoptosis by E1A which is inhibited by E1B. *Genes Dev.*, 7: 546-554.
- De Murica, G. and De Murica, J.M. (1994):** Poly (ADP-ribosed) polymerase: a molecular nick-sensor. *TIBS*; 19: 172-176.

## References

- Dianzani, N.; Bragarda, M.; DiFranco, D. and Ramenghi, N. (1997):** Deficiency of the Fas apoptosis mutations in pediatric patients with autoimmunity lymphoproliferation. *Blood*; 89: 2871-2879.
- Dive, C. and Hickman, J.A. (1991):** Drug target interactions, only the first step in the commitment to a programmed cell death. *BRJ Cancer*, 64: 192-196.
- Dive, C.; Gregory, C.D.; Phipps, D.J.; Evans, D.L.; Milner, A.E. and Wyllie, A.H. (1992):** Analysis and discrimination of necrosis and apoptosis (programmed cell death) by multiparameter flow cytometry. *Biochem. Biophys. Acta.*, 1133: 275-285.
- Dow, L.; Change, L.; Tsiatis, A.; Meluin, S.; and Bowman, W. (1992):** Relationship of pre-treatment lymphoblastic proliferative activity and prognosis in 97 children with acute lymphoblastic leukemia. *Blood*, 59: 1197.
- Eckart, K.; Klaus, M.; Kirstin, S.; Bernhard, H.; Astrid, E. and Peter, H. (1995):** Identification of soluble APO-1 in supernatants of human B and T-cell lines and increased serum level in B and T-cell leukemias. *Blood* (85) No. 6: 1562-1569.
- Eden O., Lilleyman J., Richard S. (1991) :** Result of medical research council childhood leukemia trial MK ALL VIII. *Br. J. Hematol.*, 78 : 187-196.
- El-Balkainy, M.N.; Gad El-Mawla, N.; Tawfik, H.N. and Aboul-Enein, M.I. (1984):** Epidemiology of lymphoma and leukaemia in Egypt. In: Pathogenesis of leukaemias and lymphomas: Enviromental influences. By Hagrath, I.T.; O'Connor, G.T. and Ramoc, B. (eds) Raven Press, N.Y. P. 9.
- El-Beshlawy, A., Mokhtar N., Shams El-Din A., Kamel M., Abou-Alam M., Kaddak N., Ragab L., Abdel-Hadi S., Badawi, A. (1989) :** The immunological phenotypes of ALL in Egyptian children in correlation to clinical labortatory findings. *Pediatric Oncology Symposium*, National Cancer Institute, Cairo University, Cairo Meridian.
- El-Haddad, A. (1988):** The effect of combination chemotherapy on neutrophil functions and its impact on prognosis in ALL in Egyptian children M.D. thesis in Pediatric Oncology National Cancer Institute, Cairo University.

## References

- Emerit, I.; Lavy, A.; Pagano, G.; Pinto, L.; Calzona, R.; Zatterele, A. (1995):** Transferable clastogenis activity in plasma from patient with Fanconi anemia. *Hum. Genet.*, 96: 14.
- Evans, G.I.; Wyllie, A.H.; Gilbert, C.S.; Littlewood, T.D.; Hartmut, L.; Brooks, M. and Hancock, D. (1992):** Induction of apoptosis in fibroblasts by c-myc protein. *Cell*; 69: 119-128.
- Fadok, V.A.; Voelker, D.R.; Campbell, P.A.; Cohen, J.J.; Bratton, D.L. and Henson, P.M. (1992):** Specific recognition by macrophages of phosphatidylserine on apoptotic lymphocytes. *J. Immunol.*, 148: 2207-2216.
- Fairbairn, L.J.; Cowling, G.J.; Reipert, B.M. and Dexter, T.M. (1993):** Suppression of apoptosis allows differentiation and development of multipotent hemopoietic cell line in the absence of added growth factors. *Cell*; 74: 823-832.
- Farhi, D.C. and Luckey, C.N. (1991):** Prospective gene rearrangement studies and multiparameter analysis of acute myeloid leukemia. *Am. J. Clin. Pathol.*, 95: 702-8.
- Fauci, A.S. (1998):** Disorders of immune system, connective tissue and joint. In: *Harrison's Principles of Internal Medicine*. Edited by Fauci A.S., Brainwald E., Isselbach K.J.; Wilson J.D., Martin J.B., Kasper D.L., Hauser S.L. and Lang (eds); 14th ed; pp: 1806.
- Fauget G.B. (1974):** Lymphocyte purification, an improved methods qualitative and quantitative evaluation. *Biomedicine*; 21 : 153-157.
- Fawzi, M.; Madkour, B.; Nagi, A.; Saleh, R.J. (1998):** Soluble Fas/Apo-1/CD95 and TNF- $\alpha$  in CLL and malignant lymphoma. *The Egyptian Journal of Hematology*; 23: 629-641.
- Fernandes, R.S. and Cotter, T.G. (1993):** Activation of calcium and magnesium independent endonuclease in human leukemic cell apoptosis. *Cancer Res.*, 13: 1235-1260.
- Fesus, L.; Thomazy, V. and Falus, A. (1987):** Induction and activation of tissue transglutaminase during programmed cell death. *FEBS Lett.*, 224: 104-108.

## References

- Foon, K.A.; Gale, R.P. and Todd, R.F. III (1990):** Immunologic advances in classification of leukemia. In: Mauer AM (ed): The biology of human leukemia. P: 44, Johns Hopkins University Press, Baltimore.
- Furukawa, Y. (1998):** Cell cycle regulation of hematopoietic stem cells. Hum. Cell., 11: 81.
- Gadalla, A. (1996):** Profile of childhood cancer in the National Cancer Institute from 1975-1994. M.Sc. Thesis of Pediatric, National Cancer Institute, Cairo University.
- Gagnon, G.A.; Childs, C.C. and LeMaistre, A. (1989):** Molecular heterogeneity in acute leukemia lineage switch. Blood; 74: 2088-95.
- Gavriel, Y.; Sherman, Y. and Ben-Sasson, S.A. (1992):** Identification of programmed cell death in situ via specific labeling of nuclear DNA fragmentation. J. Cell Biol., 119: 493-501.
- Gaynon, P.; Bleyer, W.; Steinherrz, P. et al. (1990):** day 7 marrow response and outcome for children with acute lymphoblastic leukemia and unfavorable presenting features. Med. Pediatr. Oncol., 18: 273.
- Glick, A.D.; Paniker, K. and Flexner, J.M. (1990):** Acute leukemia of adults. Ultrastructural, cytochemical and histologic observations in 100 cases. Am. J. Clin. Pathol., 73: 459-70.
- Gold, R.; Schmied, M. and Rothe, G. (1993):** Detection of DNA fragmentation in apoptosis: application of in situ nick translation to cell culture systems and tissue sections. J. Histochem. Cytochem., 41: 1023-1030.
- Gougeon, M.L. and Montagnier, L. (1993):** Apoptosis in AIDS. Science; 260: 1269-1270.
- Greaves, M.F.; Brown, G.; Rapson, N.T. and Lister, T.A. (1975):** Antisera to acute lymphoblastic leukaemia cells. Clin. Immunol. Immunopathol., 4: 67.
- Greeves, M. (1997):** Etiology of acute leukaemia. Lancet, 349: 344.
- Gross, A. et al. (1999):** Bcl2 family members and the mitochondria in apoptosis. Genes Dev., 13: 1899.

## References

- Gross, M. and Dexter, M. (1991):** Growth factors in development, transformation, and tumorigenesis. *Cell*, 64: 271.
- Gruber J. and Greil R. (1994) :** A poptosis and therapy of malignant diseases of the hematopoietic system. *Int. Arch. Allergy Immunol.* 105 : 368-373.
- Hasse, D.; Feuring-Buske, M. and Konemann, S. (1995):** Evidence for malignant transformation in acute myeloid leukemia at the level of early hematopoietic stem cells by cytogenetic analysis of CD34 subpopulations. *Blood*; 86: 2906-12.
- Hammer, R.D.; Collins, R.D.; Ebrahimi, S. and Casey, T.T. (1992):** Rapid immunocytochemical analysis of acute leukemias. *Am. J. Clin. Pathol.*, 97: 876-84.
- Harutsumi, M.; Akazai, A.; Kitamura, T.; Manki, A.; Tanaka, H.; Oda, M.; Seino, Y. (1995):** A case of acute lymphoblastic leukemia accompanied with the production of parathyroid hormone related protein. *Miner Electrolyte Metab.*, 21: 171.
- Hassan, H.T. and Zander, A. (1996):** Stem cell factor as a survival and growth factor in human normal and malignant hematopoiesis. *Acta. Hematologica*; 95: 257-262.
- Hay, E.D. (1992):** The cell biology of the extracellular matrix. 2nd ed. New York, Plenum Press.
- Heaney M.L. and Golde D.W.(1996) :** Soluble cytokine receptors *Blood*, 87 : 847-857.
- Hecht, F. and Hecht, B. (1990):** Cancer in ataxia telangiectasia patients. *Cancer Genetics and Cytogenetics*; 46: 9.
- Heddle, J.A. (1965):** Randomness in the formation of radiation-induced chromosome aberration. *Genetics*, 52: 1329.
- Heldin, C.H. and Westermarck, B. (1991):** Platelet-derived growth factor and autocrine mechanisms of oncogenic processes. *Crif. Rev. Oncog.*, 2: 109.
- Henderson, E.S. (1983):** In: Gunz FW, and Henderson GS (eds): *Clinical Diagnosis of Leukemia*, 4th edition, P. 393. Grune and Stratton, New York.

## References

---

- Henderson, S.; Huen, D.; Rowe, M.; Dawson, C.; Johnson, G. and Rickinson, L. (1993):** Epstein-Barr virus-coded BHRF1 protein: a viral homologue of bcl-2, protects human B-cells from programmed cell death. *Proc. Natl. Acad. Sci. USA*; 90: 8479-8483.
- Henderson, S.; Rowe, M.; Gregory, C.; Croom-Carter, D. and Rickinson, A. (1991):** Induction of bcl-2 expression by Epstein-Barr virus latent membrane protein 1 protects infected B-cells from programmed cell death. *Cell*; 65: 1107-1111.
- Howie S.E.M., Harrison D.J. and Wyllie A.H. (1994) :** Lymphocyte apoptosis. Mechanisms and implications in disease. *Immunol. Rev.*, 142 : 141-156.
- Hussein, M.H. (1983) :** Clinico-epidemiologic study of acute lymphoblastic leukemia in Egyptian children. M.Sc. Thesis of pediatrics, Cairo University.
- Inaba, H., Komada, Y., Li Q., Zhang X.L., Tanaka, S., Azuma E., Yamamoto N., Sahurai M. (1999) :** mRNA expression of variant Fas molecules in acute leukemia cells. *Am. J. Hematol.*, 62 (3) : 150-8.
- Jansson, S.E.; Gripenberg, J. and Vuopio, P. (1992):** Classification of acute leukemia by light and electron microscope cytochemistry. *Scand. J. Hematol.*, 25: 412-16.
- Jonsson, O. (1990):** Bone pain as an initial symptoms of childhood acute lymphoblastic leukemia. *J. Ped.*, 117: 233.
- Judith, F.; Margolin David, G. et al. (1997):** Principles and practice of pediatric oncology. Pizzo, 409: 458.
- Kagi, D.; Vignaw, F.; Ledermann, B.; Burk, V. and Golstein, P. (1994):** Fas and perforin pathways as major mechanisms of T-cell mediated cytotoxicity. *Science*; 265: 528-530.
- Kamihira, S., Yamada, Y., Tomonaga, M.; Sugahara K. and Tsuruda, K. (1999) :** Discrepant expression of membrane of soluble isoforms of Fas (CD95/APO-1) in adult T-cell leukemia : Soluble Fas isoform is an independent risk factor for prognosis. *British Journal of Hematology*, 107 : 851-860.

## References

- Kato, K.; Oshima, K.; Ishihara, S. and Kikuchi, M. (1998):** Elevated serum soluble Fas ligand in natural killer cell. *Am. J. Clin. Path.*, 137: 867-88.
- Kaufmann, S.H.E.; Desnoyers, S.; Ottaviano, Y.; Davidson, N.E. and Poierer, G.G. (1993):** Specific proteolytic cleavage of poly (ADP-ribose) polymerase: an early marker of chemotherapy-induced apoptosis. *Cancer Res.*, 53: 3976-3985.
- Kerr, J.F.R. and Harmon, B.V. (1991):** Definition and incidence of apoptosis: An historical perspective. *Current communications in Cell and Molecular Biology*. Vol. 3; Cold Spring Harbor; NY Cold Spring Harbor Laboratory; P. 5-29.
- Kerr, J.F.R.; Winterford, C.M. and Harmon, B.V. (1994):** Apoptosis, its significance in cancer and cancer therapy. *Cancer*, 3: 2013-2026.
- Kerr, J.F.R.; Wyllie, A.H. and Currie, A.R. (1972):** Apoptosis: A basic biological phenomenon with wide ranging implication in tissue kinetics. *Br. J. Cancer*; 26: 1790-1794.
- Khalifa A. Mokhtar G. Gadallah M., and El-Kasheer, I. (1988) :** Clinco epidermiological study of acute childhood leukemia in Egypt. *Egypt J. Hematol.*, 13 : 167.
- Krammer, P.H.; Knipping, E.; Stricker, K.; Walzeak, H.; Behraman, I.; Mariani, S.; Matiba, B.; Fath, M.; Daniel, P.T.; Westendrop, M.O. (1994):** The role of APO-1 mediated apoptosis in the immune system. *Immunol. Rev.*, 142: 175.
- Knipping E., Debatin K.M., Stricker K., Heilig B., Eder A. and Krammer P.H. (1995) :** Identification of soluble APO-1 in supernatants of human B and T-cell lines and increased serum level in B and T-cell leukemia. *Blood*, 85 : 1562-1569.
- Kravtsov, V.D. and Fabian, I. (1996):** Automated monitoring of apoptosis in suspension cell cultures. *Lab. Invest.*, 74: 557-570.
- Kushner D. Weinstein H. and Kirkpatrick J. (1980) :** The radiological diagnosis of leukemia and lymphoma in children. *Semin. Roenlgenol.*, 115 : 316.

## References

---

- Kato, K.; Oshima, K.; Ishihara, S. and Kikuchi, M. (1998):** Elevated serum soluble Fas ligand in natural killer cell. *Am. J. Clin. Path.*, 137: 867-88.
- Kaufmann, S.H.E.; Desnoyers, S.; Ottaviano, Y.; Davidson, N.E. and Poierer, G.G. (1993):** Specific proteolytic cleavage of poly (ADP-ribose) polymerase: an early marker of chemotherapy-induced apoptosis. *Cancer Res.*, 53: 3976-3985.
- Kerr, J.F.R. and Harmon, B.V. (1991):** Definition and incidence of apoptosis: An historical perspective. Current communications in Cell and Molecular Biology. Vol. 3; Cold Spring Harbor; NY Cold Spring Harbor Laboratory; P. 5-29.
- Kerr, J.F.R.; Winterford, C.M. and Harmon, B.V. (1994):** Apoptosis, its significance in cancer and cancer therapy. *Cancer*, 3: 2013-2026.
- Kerr, J.F.R.; Wyllie, A.H. and Currie, A.R. (1972):** Apoptosis: A basic biological phenomenon with wide ranging implication in tissue kinetics. *Br. J. Cancer*; 26: 1790-1794.
- Khalifa A. Mokhtar G. Gadallah M., and El-Kasheer, I. (1988):** Clinico epidemiological study of acute childhood leukemia in Egypt. *Egypt J. Hematol.*, 13 : 167.
- Krammer, P.H.; Knipping, E.; Stricker, K.; Walzeak, H.; Behraman, I.; Mariani, S.; Matiba, B.; Fath, M.; Daniel, P.T.; Westendrop, M.O. (1994):** The role of APO-1 mediated apoptosis in the immune system. *Immunol. Rev.*, 142: 175.
- Knipping E., Debatin K.M., Stricker K., Heilig B., Eder A. and Krammer P.H. (1995):** Identification of soluble APO-1 in supernatants of human B and T-cell lines and increased serum level in B and T-cell leukemia. *Blood*, 85 : 1562-1569.
- Kravtsov, V.D. and Fabian, I. (1996):** Automated monitoring of apoptosis in suspension cell cultures. *Lab. Invest.*, 74: 557-570.
- Kushner D. Weinstein H. and Kirkpatrick J. (1980):** The radiological diagnosis of leukemia and lymphoma in children. *Semin. Roentgenol.*, 115 : 316.

## References

- Lanz Kowsky (1983):** Leukemias in Pediatric Oncology 1st ed. McGraw Hill Book Co., N.Y. London, Paris, P. 24.
- Leithauser, F.; Dhein, J.; Mechtersheimer, G.; Korets, K.; Bruderlein, S.; Henne, C.; Schmidt, A.; Debstin, K.M.; Krammer, P.H. and Moller, P. (1993):** Constitutive and induced expression of APO-1, new member of the nerve growth factor/ tumor necrosis receptor superfamily in normal and neoplastic cells. *Laboratory Investigation*, 69: 415-429.
- Lennon, S.V.; Martin, S.J. and Cotter, T.G. (1991):** Dose-dependent induction of apoptosis in human tumor cell lines by widely diverging stimuli. *Cell Prolif.*, 24:203-214.
- Levine, B.; Huang, Q.; Issac, J.T.; Reed, J.C. and Hardwick, J.M. (1993):** Conversion of lytic to persistent alpha virus infection by bcl-2 cellular oncogen. *Nature*; 361: 739-745.
- Li Q., Tsuruda, K., Sugahara K., Dateki N., Ohishi E., Yamada Y., Tomonga M., Moriuchi H., Tsuji J., Kamihira S. (2000):** Qualitative and quantitative characterization of Fas (CD95) expression and its role in primary human acute leukemia cells. *Leuk. Res.* 24 (5) : 437-444.
- Li X., Gong J., Feldman E., Seiter K., Traganons F. and Darzynkiewi C.Z. (1994):** Apoptotic cell death during treatment of leukemias. *Leukem lymph* 13:565-570.
- Lichter, P.; Walczak, H.; Weitz, S.; Behrmann, I.; Krammer, P.H. (1992):** The human APO-1 antigen map to 10q23, a region which is syntenic with mouse chromosome 19. *Genomics*, 14: 179.
- Loenan, W.A.; deVries, E.; Gravstein, L.A.; Hintzen, RQ.; Van Lier, R.A.; Borst, J. (1992):** The CD27 membrane receptor, a lymphocyte specific member of the nerve growth factor receptor family, gives rise to soluble form by protein processing that does not involve receptor endocytosis. *Eur. J. Immunol.*, 22: 447.
- Lotem, J. and Sachs, L. (1993):** Regulation by bcl-2, c-myc and p53 of susceptibility to induction of apoptosis by heat shock and cancer chemotherapy compounds in differentiation component and defective myeloid leukemic cells. *Cell Growth Diff.*, 4: 41-45.

## References

- Lowe S.W., Bodis S., Mc Clatchey A., Remington L., Ruley H.E., Fisher D.E., Housman D.E. and Jacks T. (1994) :** P 53 status and the efficacy of cancer therapy in vivo. *Science* 266 : 807-810.
- Lowell, C. (2001):** Fundamental of blood cell biology. In: Panslow TG, Stites DP, Terr AI, Imboden IB (Editors). *Medical immunology*, 10th edition, Appleton & Lange, Chap. 1, P.1-18.
- Ludwig, W.D.; Raghavachar, A. and Thiel, E. (1994):** Immunophenotypic classification of acute lymphoblastic leukemia. *Bailliere's Clinical Haematol.*, 7: 235.
- Macsween, R.N.M. and Whaly, K. (1992):** The cell cycle. In: Muir's textbook of Pathology (13th eds.), ELBS p. 355.
- Mahmoud, H.; Evans, W.; Liu, Q. (1994):** Presence of leukemic blasts in CSF at diagnosis predict CNS relapse of childhood ALL. *Med. Pediatr. Oncol.*, 23: 189.
- Malcomson, R.D.G.; Clarke, A.R.; Peter, A.; Coutts, S.B.; Howie, S.E.M. and Harison, D.J. (1997):** Apoptosis induced by  $\gamma$ -irradiation, but not CD4 ligation, of peripheral T-lymphocytes in vivo is p53-dependent. *J. Pathol.*, 181: 166.
- Margolin, Judith, F. and David, G. Poplack (1997):** Principles of Pediatric Oncology 3rd ed. Raven Publishers, Philadelphia, 1997.
- Martin, S.J. and Cotter, T.G. (1990):** Specific loss of microtubules in HL-60 cells leads to programmed cell death (apoptosis). *Biochem. Soc. Trans.*, 18: 299-301.
- Martin, S.J. and Green, D.R. (1995):** Protease activation during apoptosis: Death by thousands cuts? *Cell*; 82 349-352.
- Matutes, E.; Buccheri, V. and Morilla, R. (1993):** Immunological, ultrastructural and molecular features of unclassifiable acute leukemia. *Recent Results Cancer Res.*, 131: 41-52.
- Mauer, A.M. (1995):** Acute lymphocytic leukaemia. In: Williams Haematology. By Beutler, E.; Lichtman, M.A.; Coller, B.S. and Kipps, T.J. (eds.) 5th ed. McGraw-Hill, Inc. Health professions divisions, p. 1004.

## References

---

- McGowan, A.J.; Fernandes, R.S.; Samali, A. and Cotter, T.G. (1996):** Antioxidants and apoptosis. *Biochem. Soc. Trans.*, 24: 229-233.
- Migliorati, G.; Nicoletti, I.; Grocicchio, F. et al. (1992):** Heat shock induces apoptosis in mouse thymocytes and protect them from glucocorticoid-induced cell death. *Cell Immunol.*, 143: 348-356.
- Miller, D.; Miller, L. (1990):** Acute lymphoblastic leukemia in children: an update of clinical, biological and therapeutic aspects. *Crit. Rev. Gene Oncol. Hematol.*, 10: 131.
- Miller, D.R.; Leikin, S. and Albo, V. (1981):** Prognostic importance of morphology (FAB) classification in childhood ALL. *Br. J. Hematol.*, 48: 199-206.
- Miura, M.; Zhu, H.; Rotello, E.A. and Yuan, J. (1993):** Induction of apoptosis in fibroblasts by IL-1 $\beta$  converting enzyme a mammalian homology of the C-elegans cell death gene ced-3. *Cell*, 75: 653-668.
- Miyashita, T. and Reed, J.C. (1993):** bcl-2 oncoprotein blocks chemotherapy induced apoptosis in human leukemia cell line. *Blood*, 81: 151-156.
- Miyashita, T.; Krajewski, S.; Krajewska, M.; Gang Wang, H.; Lin, H.K. and Reed, J.C. (1994):** Tumor suppressor p53 in regulator of bcl-2 and bax gene expression in vitro and vivo. *Oncogene*, 9: 1799-1805.
- Munker, R.; Midis, G.; Owen-Schaub, L.; Andreff, M. (1996):** Soluble Fas is not elevated in the serum of patients with myeloid leukemias, myeloproliferative and myelodysplastic syndromes. *Leukemia* 10(9): 1521-30.
- Nagata, S. and Goldstein, P. (1995):** The Fas death factor. *Science*, 267: 1449-1456.
- Neta, R.; Stiefel, S.M.; Finkelman, F.; Herrmann, S. and Ali, N. (1994):** IL-12 protects bone marrow from and sensitizes intestinal tract to ionizing radiation. Department of Experimental Hematology, Armed Forces Radiobiology Research Institute, Bethesda, MD 20889. *J. Immunol.*, 153: 4230-7.

## References

- Obaya, A.J. et al.: *Mysterious Liaisons* (1999):** The relationship between C-Myc and the cell cycle. *Oncogene*; 18: 2934.
- Oehm, A.; Benhrmann, I.; Falk, W.; Pawlita, M.; Maiker, G. and Klas, C. (1994):** Purification and molecular cloning of the APO-1 cell surface antigen, a member of the tumour necrosis factor receptor family. *J. Biol. Chem.*, 267: 10709.
- Ogasawara, J.; Suda, T. and Nagata, S. (1995):** Selective apoptosis of CD4+ CD8+ thymocytes by the anti-Fas antibody. *Journal of Experimental Medicine*, 181: 485-491.
- Ohmori, T.; Podack, E.R.; Nishio, K.; Takahashi, M.; Miyahara, Y.; Takeda, Y.; Kubota, N.; Funayama, Y.; Ogasawara, H. and Ohira, T. (1993):** Apoptosis of lung cancer cells caused by some anti-cancer agents (MMC, CPT-11, ADM) is inhibited by bcl-2. Pharmacology Division, National Cancer Center Research Institute, Tokyo, Japan. *Biochem. Biophys. Res. Commun.*, 192: 30-6.
- Packham, G. and Cleveland, J.L. (1995):** C-myc and apoptosis. *Biochem. Biophys. Acta*; 1242: 11-28.
- Papoff, G.; Cascino, I.; Erano, A.; Shroce, G.; Lynch, D.H. and Rubern, G. (1996):** An N-terminal domain shared by Fas/APO-1 (CD95) soluble variants prevent cell death in vitro. *Journal of Immunology*, 156: 4622-4630.
- Poplack, D. (1985):** Acute lymphoblastic leukemia in childhood. *Pediatric Clin. North Am.*, 32: 669.
- Poplack, D. and Brouwers, P. (1985):** Adverse sequelae of CNS therapy. *Clin. Oncol.*, 4: 263.
- Poplack, D.G. (1993):** Acute lymphoblastic leukaemia. In: *Principles and practice of paediatric oncology*. By Pizzo, P.A. and Poplack, D.G. (eds). 2nd ed. Lippincott Company, Philadelphia, P. 431.
- Pui, C.H. (1996):** Acute leukemia in children. *Curr. Opin. Haematol.*, 3: 249.
- Pui, C.H.; Bowman, W.P.; Dahl, G.D.; Rao, B. and Ochs, J. (1985):** Elective testicular biopsy during chemotherapy of childhood leukemia. *Lancet*; 2: 410.

## References

- Pui, C.H.; Boyett, J.; Hancock, M.; Pratl, C.B.; Meyer, W.H.; Crist, M.W. (1995):** Outcome of treatment for childhood cancer in black as compared with white children. *JAMA*, 273: 633.
- Pui, C.H.; Ip, S.; Dodge, R.K.; Carrabis, S.; Brown, M.; Crisr, W.M.; Berard, C.W.; Kung, P.; Dahl, G.V. and Murphy, S.B. (1988):** Serum levels of CD8 antigen in childhood lymphoid malignancies, a possible indicator of increased suppressor cell activity in poor risk-patients. *Blood*, 72: 1015.
- Reed J.C., Kitada S., Takayama S., Miyashita T. (1994) :** Regulation of chemoresistance by bcl-2 oncoprotein in non Hodgkin's lymphoma and lympholytic leukemia cell lines. *Annal Oncol* 5 : 561-565.
- Reed, J.C. (1995):** BCL-2: prevention of apoptosis as a mechanism of drug resistance. *Hematol. Oncol. Clin. North Am.*, 9: 451-473.
- Reiter, A.; Schrappe, M.; Ludwig, W.D. (1994):** Chemotherapy in 998 unselected childhood acute lymphoblastic leukemia patients. Results and conclusions of the multi-center trial ALL-BFM 86. *Blood*, 84: 312.
- Rieux-Laucat, F.; Le-Desit, F.; Hivroz, C.; Roberts, I.A.G.; Debatin, K.M.; Fischer, A. and DeVillartay, J.P. (1995):** Mutation in Fas is associated with human lymphoproliferative syndrome and autoimmunity. *Science*, 268: 1347-1349.
- Rubnitz, Jeffrey, E. and A-Thomas Look (1998):** Molecular Genetics of childhood leukemias. *Journal of Pediatric Hematology/ Oncology*, 20(1): 1-11.
- Russel, N.H.; Lewis, I.J. and Martin, J. (1985):** Acute lymphoblastic leukemia presenting with raised intracranial pressure. *Arch. Dis. Childhood*, 60: 575-577.
- Sachs, L. and Lotem, J. (1993):** Control of programmed cell death in normal and leukemic cells: New implications for therapy. *Blood*, 82(1): 15-21.
- Samali, A.; Gorman, A.M. and Gatter, T.G. (1996):** Apoptosis-the story so far. *Experientia*, 52: 933-941.

## References

- Savill, J.; Dransfield, I.; Hogg, N. and Haslett, C. (1990):** Vitronectin receptor-mediated phagocytosis of cells undergoing apoptosis. *Nature*; 343: 170-173.
- Savill, J.; Fadok, V.; Henson, P. and Haslett, C. (1993):** Phagocyte recognition of cells undergoing apoptosis. *Immunol. Today*; 14: 131-136.
- Savill, J.; Smith, J.; Sarraf, C.; Ren, Y.; Abbott, F. and Rees, A. (1992):** Glomerular mesangial cells and inflammatory macrophages ingest neutrophils undergoing apoptosis. *Kidney Int.*, 212: 924-936.
- Scaffidi, C. et al. (1999):** Apoptosis signaling in lymphocytes. *Curr. Opin. Immunol.*, 11: 277.
- Scheinberg, D.A. and Golde, D.W. (1994):** The leukaemias. In: Harrison's principles of internal medicine. By Isselbacher, K.J.; Braunwald, E.; Wilson J.D.; Martin, J.B.; Fauci, AS. And Kasper, D.L. (eds). 13 ed. McGraw, Hill, Inc. Health Professions divisions, p. 1764.
- Schuler, D. and Szendes, B. (1997):** Apoptosis and acute lymphocytic leukemia in children. *J. Cell Biol.*, (5): 28-34.
- Second, M.I.C.; Cooperative Study Group (1988):** Morphologic, immunologic and cytogenetic (MIC) working classification of acute myeloid leukemias. *Cancer Genet Cytogenet.*, 30: 1-15.
- Sen, L. and Borella, N. (1975):** Clinical importance of lymphoblasts with T-markers in childhood acute leukaemia. *N. Engl. J. Med.*, 292: 828.
- Shaw, P.; Bovey, R.; Tardy, S.; Sahli, R.; Sordat, B. and Costa, J. (1992):** Induction of apoptosis by wild type p53 in a human colon tumour derived cell line. *Proc. Natl. Acad. Sci. USA*, 89: 4495.
- Shimamoto, T.; Ohyashiki, K. and Ohyashiki, J.H. (1995):** The expression pattern of erythrocyte/megakaryocyte related transcription factors GATA-1 and the stem cell leukemia gene correlates with hematopoietic differentiation and is associated with the outcome of AML. *Blood*; 86: 3173-3180.

## References

- Shimotohno, K.; Takahashi, Y.; Shmizu, N.; Gojobori, T.; Chen, I.S.Y.; Golde, D.W.; Miwa, M. and Sugimura, (1985):** Complete nucleotide sequence of an infectious clone of human T-cell leukaemia virus type II: A new open reading frame for the protease gene. *Proc. Natl. Acad. Sci. USA*, 82: 1301.
- Shu, X.O.; Ross, J.; Pandergrass, T.; Reaman, G.; Lampkin, B. and Robison, L. (1996):** Parental alcohol consumption-cigarette smoking and risk of infant leukemia. Children Cancer Group Study. *J. Natl. Cancer Institute*; 88: 24.
- Shurtleff, S.A.; Buijs, A. and Behm, F.G. (1995):** TEL/AML infusion resulting from a cryptic t(12;21) is the most common genetic lesion in pediatric ALL and defines a subgroup of patients with an excellent prognosis. *Leukemia*; 9: 1985-89.
- Sidhom, I. (1998) :** Station specific therapy of acute lymphoblastic leukemia in children. M.D. Thesis in Pediatric Oncology, National Cancer Institute. Cairo University.
- Sieter K., (2001) :** Acute lymphoblastic leukemia. *Medical Journal*. Jun (2) ; 1-24.
- Singer, C.G. and Abbas, A.K. (1994):** The Fas antigen is involved in peripheral but not thymic deletion of T-lymphocytes in T-cell receptor mice Department of Pathology, Birgham and Women's Hospital, Harvard Medical School, Boston, Masachusetts, 02115. *Immunity*; 1: 365-71.
- Slapak C. A., Mizunuma N. and Kupe D.W. (1994) :** Expression of the multidrug resistance associated protein and p-glycoprotein in doxorudicin – selected human myeloid leukemia cells. *Blood* 84 : 3113-3121.
- Suda, T.; Takahashi, T.; Golstein, P. and Nagata, S. (1993):** Molecular cloning and expression of the Fas ligand: a novel number of the tumor necrosis factor family. *Cell*; 75: 1169-1178.
- Sugahara K., Yamada Y., Hirakata Y., Matsuo Y., Tsuruda K., Tomonaga M. Maeda T., Atogami S. Tsukasaki K. and Kamihira S. (1997) :** Soluble and membrane isoforms of Fas (CD95) in Fresh Adult T-cell leukemia (ATL) cells and ATL-cell lines. *International Journal of Cancer*, 72. : 128-132.

## References

- Tamiya S., Etoh K., Suzushima H., Takatsuki K. and Matsuoka M. (1998) :** Mutation of CD95 (Fas/APO-1) gene in adult T-cell leukemia cells. *Blood*, 41 : 3935-3942.
- Tanaka, Y.; Yoshihara, K.; Itaya, A.; Kamiya, T. and Koids, S.S. (1984):** Mechanism of inhibition of  $\text{Ca}^{++}/\text{Mg}^{2+}$  dependent endonuclease of bull seminal plasma induced by ADP-ribosylation. *J. Biol. Chem.*, 259: 6579-6585.
- Thomas, N. and Bell, P.A. (1981):** Glucocorticoid-induced cell size changes and nuclear fragility in rat thymocytes. *Mol. Cell. Endocrinol.*, 22: 710-715.
- Thompson, C.B. (1995):** Apoptosis in the pathogenesis and treatment of disease. *Science*; 267: 1456-1462.
- Todd, R.; Howard, J. and Holcombe, E. (1997):** Principle and practice of pediatric oncology; Pizzo, 18: 463.
- Troy, C.M. and Shelanski, M.L. (1994):** Cell death in neurodegenerative disorders. *Proc. Natl. Acad. Sci. USA*; 91: 6384-6389.
- Trueworthy, R.; Shuster, J. and Look, T. (1992):** Ploidy of lymphoblasts is the strongest predictor of treatment outcome in B-progenitor cell acute lymphoblastic leukemia of childhood: A pediatric Oncology Group Study. *J. Clin. Oncol.*, 10: 606-13.
- Trump, B.F. and Ginn, F.L. (1969):** The pathogenesis of subcellular reaction to lethal injury. In: *Methods and Achievements in Experimental Pathology*; Vol. 4; Bajusz E. and Jasmin G. (Eds), Karger, Basel, P. 1.
- Tsangaris G.T.H., Moschovi M., Mikdrakiv., Vrachnon E. and stathopoulou F.T. (1996) :** Study of apoptosis in peripheral blood of patients with acute lymphoblastic leukemia during induction therapy. *Anticancer Reserch*. 16 : 3133-3140.
- Tsihlias, J. et al. (1999):** The prognostic significance of altered cyclin-dependent kinase inhibitors in human cancer. *Ann. Rev. Med.*, 50:401.

## References

- Tucker, M.; Meadows, A. and Boice, J.J. (1987):** Leukaemia after therapy with alkylating agents for childhood cancer. JNCI, 78: 459.
- Vaux, D.L. (1993):** Toward an understanding of the molecular mechanisms of physiological cells death. Proc. Natl. Acad. Sci., USA; 90: 786-790.
- Von Reyher U., Srater J., Kittstein W., Gswendt M., Krammer P.H. and Moller P. (1998) :** Colon carcinoma cells use different mechanism to ascape CD95-mediated apoptosis. Cancer Research, 58 : 526-534.
- Watanabe-Fukunaga, R.; Brannan, C.I.; Copeland, N.G.; Jenkins, N.A. and Nagata, S. (1995):** Lymphoproliferation disorder in mice explained by defects in Fas antigen that mediates apoptosis. Nature, 356: 314-317.
- Wattel E., Preudhomme C., Hecquet B., Vanrumbeke M., Quesnel B., Dervite I., Morel P. and Fenaux P. (1994) :** P 53 mutations are associated with resistance to chemotherapy and short survival in hematologic malignancies. Blood 84 : 3148-3157.
- Weinstein, H.I. (1988):** The acute leukemia. In: Wyngaarden JB, and Smith LH (Eds): Cecil Textbook of Medicine, P. 1001, W.B. Saunders Company.
- Whitlock, J.A. and Gaynon, P.S. (1999):** Acute lymphocytic leukemia. In: Lee, G.R.; Foerster, J.; Lukens, J. (eds): Wintrobe's clinical hematology, 10th edition. Chapter 87: 2241, Williams and Wilkins.
- Wickremasinghe, R.G. and Hoffbrand, A.V. (1999):** Biochemical and genetic control of apoptosis: Relevance to normal hematopoiesis and hematological malignancies. Blood, 93: 3587.
- Wijsman, J.H.; Jonker, R.R.; Keijzer, R.; Van De Velde, C.J.H.; Cornelisse, C.J. and Van Di Crendonck, J.H. (1993):** A new method to detect apoptosis in paraffin sections: in situ end labeling of fragmented DNA. J. Histochem. Cytochem., 41: 7-12.
- Williams G. T. (1991) :** Programmed cell death : Apoptosis and oncogenesis. Cell; 65 : 1097-1098.

## ***References***

---

- Williams, L. and Moscinski, L.C. (1993):*** Sterile transcription of immunoglobulin/ T-cell receptor genes and other evidence of early lymphoid differentiation in acute myelogenous leukemia. *Leukemia*; 7: 1423-31.
- Wyllie, A.H. (1992):*** Apoptosis. "ISI" Atlas Science: Immunology". Institute for Scientific Information, Philadelphia, PA; P: 192.
- Zaki, A. (1993):*** Impact of immunophenotyping and karyotype on achievement of complete remission in pediatric acute lymphoblastic leukaemia. M. Sc. Thesis in pediatrics, Cairo university.
- Yeazel, M.; Buckley, J. and Woods, W. (1995):*** History of maternal fetal loss and increased risk of childhood acute leukemia at early age. *Cancer*; 75: 1718.
- Zeiger, E. and Schwartz, A. (1982):*** Longevity of guard cell chloroplasts in falling leaves: Implications for stomatal function and cellular aging. *Science*; 218: 680-689.
- Zhong, L.T.; Sarafian, R.; Kane, D.J.; Charles, A.C.; Mah, S.P.; Edwards, R.H. and Bredesen, D.E. (1993):*** BCL-2 inhibits death of central neural cells induced by multiple agents. *Proc. Natl. Acad. Sci. USA*, 90: 4533-4537.
- Ziegler, J.L. (1997):*** Cancer in the immunocompromised host. In: *Medical immunology*. Edited by: Stites D.P., Terr A.J. and Parslow T.G. (9th edition), Prentice-Hal International Inc., USA; pp: 641.