

REFERENCES

- **Abboud C, and Lichtman M (Eds):** Structure of the marrow and the hematopoietic microenvironment In: Williams Hematology, (7th ed) by Beutler E, Lichtman MA, Collier B and Kipps T, McGraw Hill, 2006; chapter 1: p38-40.
- **Aboul Enein MI:** Post Graduate Lectures Of Hematology, Bone marrow microenvironment. NCI, Cairo 2003; P 401.
- **Akiyama SK and Yamada KM:** “Fibronectin” Adv-Enzymol, 1997; 59:1-57.
- **Alexander HD, Matthew SC, Cather WM and Moris T:** Routine analysis of IgV (H) mutational status in CLL patients. Leuk Lymph. 2004;45(9):1899-1904.
- **Alici S, Bavbek S, Kaytan E, Eralp Y and Onat H:** Prognostic factors in localized aggressive non Hodgkin’s lymphoma. Am J Clin Oncol 2003;26(1): 1-5.
- **Allen TD, Dexter TM and Simmons PJ (Eds):** Marrow biology and stem cell in colony stimulating factor. In: Molecular Cell Biology by Dexter TM, Garland JM, Testa NG, Marcel Dekker, New York Immunol Series 1990, 49 : 38.
- **Anderson JA, Vose JM, Bierman DJ, et al.:** Clinical features and prognosis of follicular large cell lymphoma. J Chem Oncol 1993; 11:218-224.
- **Andriko JA, Aguilera NS and Chu WS:** Waldenstrom macroglobulinemia. J Immunol 1997; 11:593.

- **Antman K and Chang Y:** Kaposi's sarcoma. N Engl M 2000; 342:1027.
- **Aoun P, Blair H, Smith L, Dave J, Lynch J and Sanger W:** FISH detection of cytogenetic abnormalities in CLL/SLL. Leuk Lymphoma 2004; 45(8):1595-1603.
- **Arber DA and George TI:** Bone marrow biopsy involvement by non Hodgkin's lymphoma frequency of lymphoma types, patterns, blood involvement and discordance with other sites. Am J Surg Pathol 2005;29(12):1549-1557.
- **Armitage I (Eds):** Non Hodgkin's lymphoma In: Blood Principle & Practical of Hematology by Handlin RI, Luis ES, Stossel TP, Lippincott Comp, Philadelphia 1995; P 813.
- **Armitage JO and Lister TA:** "Non Hodgkin's lymphoma" In Educational Book American Society of Clinical Oncology 34th annual meeting, Los Angeles, Convention Center 16-19 May 1998;337.
- **Armitage JO, Anderson R and Longo D:** "Diffuse large B-cell lymphoma" In: Text Atlas of Lymphoma 1999; P 5-12.
- **Asadullah K, Sterry W, Volk H:** Interleukin-10 therapy: Review of a new approach. Pharmacol Rev. 2003;55:241-269.
- **Ascani S, Leani P and Fronternali O:** T-cell prolymphocytic leukemia close the expression of CD8+ phenotype just by the identification of new subtype. Ann Oncol 1999; (10):69.
- **Ashton-key M:** Molecular analysis of T-cell clonality in ulcerative jejunitis and enteropathy associated T-cell lymphoma. Am J Pathol 1997; 151:493-498.

- **Attygalle A, Al-Jehani R, Diss T, et al.:** Neoplastic T-cells in angioimmunoblastic T-cell lymphoma express CD10. *Blood* 2002; 99:627-633.
- **Atwater SK (Eds):** Neoplasm of immune system. In: *Medical Immunology* (10th ed) by Stites DP, Terr AI, and Parslow TG, Appelton and Lange 2001; P:651.
- **Aviram R, Raz N, Kukulansky T and Hollander N:** Expression of L-selectin and efficient binding to high endothelial venules do not modulate the dissemination potential of murine B-cell lymphoma. *Cancer Immunol Immunother* 2001; 50(2): 61-68.
- **Aydin F, Yilmaz M, Ozdemir F, Kavgaci H, et al.:** Correlation of serum IL-2, IL-6 and IL10 level with IPI in patients with aggressive NHL. *Am J Clin Oncol* 2002; 25(6): 570-572.
- **Bagby G and Heinrich M (Eds):** Growth factors cytokines and the control of hematopoiesis: In *Hematology Basic Principle and Practice* 3rd ed by Hoffman R, Benz EJ, Shatil E, Fuire B, Cohen HJ, Silberstein LE New York, Churchill Livingstone 2000; 154-202.
- **Bain BJ Clark DM and Lampert AI (Eds):** Lymphoproliferative disorders In: *BM Pathology* 2nd ed by Clark DM and Lampert AL. Black Well Science Oxford 2001; Chapter 5: 303-305.
- **Bartolazzi A, Jakson D and Bennett K:** Regulation of growth and dissemination of human lymphomas by CD44 splice variants. *J Cell Sci* 1995;108:1723.
- **Baseggio L, Charlot C, Picollet J, et al.:** High circulating TNF- α level correlate with increase level of soluble CD14 in patients with NHL. *Hematologica*, 2001; 36 (7): P 774-775.

- **Beksac M, Arat M, Akan H, Koc H and Ozcun M:** Circulating CD44 and intercellular adhesion molecules levels in low grade NHL and B-CLL patients during interferon $\alpha 2$ treatment. *Cancer* 2000; 89:1474
- **Belanger S and Pierre Y:** Role of selectins in the triggering growth, and dissemination of T-lymphoma cells. *Blood* 2005;105(12): P 4800-4806.
- **Bernard M, Gessin R, Lefrerre F, Drenous B, Cault M, Tass P, Vrousse N, et al.:** Blastic variants of mantle cell lymphoma a rare but high aggressive type. *Leuk* 2001; 15:1785
- **Bianco P, Riminucci M, Gronthe S and Robey P:** Bone marrow stromal stem cells: nature, biology and potential applications. *Stem cells* 2001; 19(3):180-192.
- **Borland G, Ross JA and Guy K:** Forms and structure of CD44. *Immunol* 1998;93:139.
- **Bourguin PA, Rouard H, Roudo T, Thoraval F, Bellanger C, Marquet J, Defaw MH and Farcel JP:** Severe decrease in peripheral blood dendritic cell in hairy cell leukemia. *BJ Hematol* 2002; 16(3): 595.
- **Brazeil RM, Arber DA, Slovak ML, Kield SC, Unger J, Miller TP, Tubes S, Leith C, Fisher RI and Gogan TM:** The Burkitt like lymphoma South West Oncology Group Hutchinson study delineating phenotype and clinical features. *Blood* 2001; 97 (12): 3713.
- **Brenner K, Corbett S, Schnarrbauer J, et al.:** Regulation of fibronectin matrix assembly by activated Ras in transformed cells *Oncol* 2002; 19:3156.
- **Brito-Babapulle V, Matutes E, Catovsky D:** Classification of T-cell disorders *Atlas Genetic Cytogenet Oncol Hematol* 2001; 347:871.

- **Buhr T, Larger F, Schlue J, Lehmann U, Braumann D and Kreipe H:** Reliability of lymphoma classification in bone marrow trephines. *Br J Hematol* 2002;118:470-476.
- **Bunch C and Gatter K (Eds):** “lymphomas”. In: *Concise Oxford Textbook Of Medicine*, 1st ed, by Watherall DJ, Leding JG and Warell DA 2000; (1): 269-281.
- **Burger JA, Tsukada N and Kipps TJ (Eds):** The cluster of differentiation antigen In: *William Hematology* 7th ed by Beutler E, Lichtman J, Collier B, New York, Mac Graw Hill 2006;141-152.
- **Campbell AD, Wicha MS, Long MW (Eds):** Hemonectin: A granulocytic cytoadhesion molecule. In: *The Hematopoietic Microenvironment*. Hopkins University Press, Baltimore and London 1993; P 177-189.
- **Campo E, Miquel R, et al.:** Primary nodal marginal zone lymphomas of splenic and MALT type. *Am J Surg Pahtol* 1999;23(1):59-68.
- **Campo E, Raffed M and Jaff E :** Mantel cell lymphoma *Sem Hematol* 1999; 36:115-120.
- **Capello D, Fais F, Vivenza D, Migliaretti G, Chiorazze N, Gaidano G, and Ferrarini M:** Identification of three subgroup of B-CLL based upon mutation of Bcl-6 and IgV genes. *Leukemia* 2000; 14(5): 811.
- **Carbone A, Gloghini A, Gaidano G, et al.:** Bcl-6 protein expression in human peripheral T-cell neoplasms is restricted to CD30+ anaplastic large cell lymphomas. *Blood* 1997; 90:2445-2450.
- **Carlos TM, Schwartz BR, Kovach NL, Yee E , Rosso M, Osborn L and Harlan JM:** VCAM-1 mediates lymphocytes adherence to cytokine-activated cultured human endothelial cell. *Blood* 1990; 76:965-973.

- **Carson FL:** Histochemistry technology: A self instructional Text, ASCP Press, Chicago 1990; P 150-155.
- **Casciato DA (Eds):** Hematologic complications. In Manual of Clinical Oncology 3rd ed by Casciato DA and lowitz BB, Little Brown Company 1995 ; P: 536.
- **Catovsky D and Matutes E:** L-splenic lymphoma with circulating villous lymphocytes splenic marginal zone lymphoma. Semin Hematol 1999; 30:148
- **Cavalli F, Isaacson PG, et al.:** MALT lymphomas. Hematology 2001;241(1)1-30.
- **Cerroni L and Keri H:** Cutaneous follicle centre cell lymphoma, follicular type. Am J Dermatopathol 2001; 23(4):370.
- **Chan JY and Watt SM:** “Adhesion receptors on hematopoietic progenitor cells”. Br J Hematol 2001; 122:541-557.
- **Chanan A:** Bcl-2 antisense therapy in hematologic malignancies. Curr Opin Oncol 2004; 16(6): 581.
- **Chang J:** NK cell neoplasms. Ant Pathol 1998;3:77-145.
- **Chang SS, Lee C, Hamoud RA, Liu H, Lee PS, Ye H, Dogan A and Isaacson PG:** High frequency of t(11;18) in Gastric mucosa. Associated Lymphoid Tissue lymphoma in Taiwan. Br J Hematol 2003; 120(1): 97.
- **Charles A and Dinarello A:** Proinflammatory cytokines. Chest 2000; 118:503-508.
- **Chen CC, Raikow RB, Sonmez AE and Swerdlow SH:** Classification of small B-cell lymphoid neoplasm’s using a paraffin section

- immunohistochemical panel. *Applied Immunohistochemistry and Molecular Morphology* 2000;8:1-11.
- **Chen YZ, In Cardoa F, Legrand C, et al.:** Thrombospondin, a negative modulator of megakaryopoiesis. *Lab Clin Med* 1997; 129:231.
 - **Cheson BD, Horning SJ, Shipp MA, Fisher RI, Connors JM, et al.:** Report of an international workshop to standarize response criteria for non Hodgkin's lymphomas NCI Sponsored International Working Group. *J Clin Oncol* 1999; 17(4): 1244.
 - **Cheung MM, Chan JK and Wong KF:** natural killer cell neoplasms : A distinctive group of highly aggressive lymphomas / leukemias. *Semin Hematol* 2003;40:221.
 - **Chiu BC and Weisenburger DD:** An update of non Hodgkin's lymphoma. *Clin Lymphoma* 2003; 4(3):161.
 - **Chuang SS, Lin CN, shen FC, Liao PJ, et al.:** Detecting clonocal rearrangement in NHL in Taiwan by polymerase chain reaction. *Leuk lymph* 2003;44(1):117-121.
 - **Clarck BR, Gallagher JT and Dexter TM:** Cell adhesion in the stromal regulation of hemopoiesis. *Baillieres Clin Hematol* 1992; 5:619-652.
 - **Cmnt E, Michalova K, Sindelarvoa L, et al.:** Importance of prognostic factors in patients with chronic-B lymphocytic leukemia at the time of diagnosis. *Sb Leuk* 2000; 103(3): 359-370.
 - **Coiffier B:** Towards a cure in indolent lymphoproliferative disease. *Eur J. Cancer* 1995;31A : 2135.
 - **Colomo, L, Lopez GA, Peralas, MR, Ves, SJ, Martinez A, Bosch F, Colomor, D, Folini B, Monsterrat, E and Compo:** Clinical impact of

- the differentiation profile assessment by immuno-phenotype in patients with DLBCL. *Blood* 2003; 101(1) 78.
- **Compton CC, Harris N and Ross DW:** Protocol of the examination of specimen from patients with NHL. *Arch Pathol Lab Med* 1999; 1223:6874.
 - **Conconi A, Bertoni F, et al.:** Nodal marginal zone B-cell lymphomas may arise from different subsets of marginal zone B-lymphocytes. *Blood* 2001;98(3):781-786.
 - **Conconi A, Zucca E, Roggero E, Bertoni F, Bernasconi A, Mingrone W, Pedrinis E, and Cavall F:** Prognostic models of diffuse large B-cell lymphoma. *Hematol Oncol* 2000; 18 (2):61-73.
 - **Cook J, Gaing F and Swerdllows H:** Bcl-2 expression by multicolor flow cytometric analysis assists in the diagnosis of follicular lymphoma in lymph nodes and bone marrow. *AmJ Clin Pathol* 2003; 119(1):145.
 - **Cooper R, Gordon M and Weber J:** The in vivo administration of recombinant human IL-6 to patients with advanced malignancies has a profound effect on hematopoiesis. *Exp Hematol* 1993; 21:1117.
 - **Costa D, Queralt R, Aymerich M, et al.:** High levels of chromosomal imbalances in typical and small-cell variants of T-cell prolymphocytic leukemia. *Cancer Genet Cytogenet* 2003;147:36.
 - **Crist W, Shister J, Falletta J, et al.:** Clinical features and outcome of T-cell ALL in childhood with respect to alterations at the TALI locus: a Pediatric Oncology Group Study. *Blood* 1993;81:2110-2217.
 - **D'Arena G, Musto P, Cascavilla N, Dell'olio M, Renj N and Carotenuto M:** Quantitative flow cytometry for the differential

- diagnosis B-cells chronic lymphoproliferative disorders. *Am J Hematol* 2000; 64(4):275.
- **Dahmouch L, Hijazi Y, Barness E, et al.:** ATLL: a cytopathologic, immunocytochemical, and flow cytometric study. *Cancer* 2002;96:110-116.
 - **Dalleio G, Van Laer A, Means R, et al.:** Effects of thrombospondin and CD36 on erythroid colony forming in vitro. *Blood (Suppl)* 1999; 163.
 - **Damle R, Ghiotto F and Valetto A:** B-cell CLL express a surface membrane phenotype of activated, antigen experienced B-lymphocytes. *Blood* 2002;99:4087-4093.
 - **Danen EH, and Yamada KM:** “Fibronectin, integrins and growth control”. *Journal Of Cellular Physiology* 2001; 189: 1-13.
 - **Davis G, York J, et al.:** Plasmacytic differentiation in parafollicular (monocytoid) B-cell lymphoma. *Am J Surg Pathol* 1992;16:1066-1074.
 - **Dawson–Saunders, B, and Trapp R (Eds):** Basic and cinical Biostatistic 2nd ed. Lange Medical Book, Prentice-Hall International Inc 1994.
 - **De Gaetano G, Cerletti C and Evangelista V:** Recent advances in platelets polymorphnuclear leukocyte interaction. *Hemostasis* 1999; 29:41.
 - **Debili N, Wendling F, Cosman D, et al.:** The MPI receptor is expressed on the megakaryocytic lineage from late progenitors to platelets. *Blood* 1995; 85:391-401.
 - **Dennis A, Chroeotos E, and Casciato J:** Hodgkin’s and non Hodgkin’s lymphoma. *Clinical Oncology* 2002; 399:441.

- **Devereux SA and Linch DC (Eds):** Granulocyte macrophage colony stimulating factor (GM-CSF) In: Cytokines by Mire AR and Thope R, San Diego, Academic Press, 1998; P 261-275.
- **Dewald GW, Brochman SR, Paternoster SF, Bone ND, O'fallon JR, Allmer CS, James CD, et al.:** Chromosomal anomalies detection by Interphase In Situ Hybridization: Correlation with significant biological features of B-CLL. Br J Hematol 2003;121(2):287-295.
- **Diaclone Research:** A cytokine receptor of TNF- α receptor super family, as a tool for diagnosis and immunotherapy. Blood 2000; 85:1-14.
- **Diamandidou E, Cohen P and Kurocha M:** Cutaneous T-cell lymphoma. Blood 1996; 88:2385-2409.
- **Dinareello A:** Th-1 including, proinflammatory cytokines and member of the IL-1 family. J Allergy Clin Immunol 1999;103:11-24.
- **Diramonodo F, Albitar M and Huh Y:** The clinical and diagnostic relevance of CD23 expression in the chronic lymphoproliferative disease . Cancer 2002;94:1721-1730.
- **Dogan A, Attygalle D, Kyrsakon C:** Angioimmunoblastic T-cell lymphoma. Br J Hematol 2003;121:681.
- **Drillenbug P and Pals S:** Cell adhesion receptors in lymphoma disease. Blood 2000; 95 (6):900.
- **Drury RA and Walington EA:** Carleton's histological technique 5th edition. Oxford University Press, New York 1980.
- **Duggan P, Easton D, Uider J, et al.:** Bone marrow staging of patients with non Hodgkin's lymphoma by flow cytometry correlation with morphology. Cancer 2000; 88:894.

- **Dumontet C, Drai J, Berard EN, et al.:** Profiles and prognostic values of LDH isoenzymes in patients with non Hodgkin's lymphoma. *Leukemia* 1999; 13 : 811-817.
- **Elenitoba Johnson K and Kjeldsberg C (Eds):** “Non Hodgkin's lymphoma” In: *Practical Diagnosis Of Hematologic Disorders* (3rd ed) by Foucar K, McKenna R, Perkin S, Peterson L, Peterson B and Rodgers G, ASCP Press, Chicago 2000; Chapter 34: 559-661.
- **El-Far M, Fouda M, Yahya R and El-Baz H:** Serum IL-10 and IL-6 levels at diagnosis as independent predictors poor outcome in non-Hodgkin's lymphoma. *J Physiol Biochem* 2004;60(4): 253-258.
- **Elgert K:** Cells and organs of the immune system. *Immunology* New York, Brisbane, Singapore and Toronto 1996; chapter (2): 25.
- **Elliott MJ, Vardas MA, Clelland LG, Gautile JR and Lopez AF:** Interleukin-3 and GM-CSF stimulate two distinct phases of adhesion in human monocytes. *J Immunol* 1990; 145:167.
- **Engvall E, Ruoslahti E and Millor EJ:** Affinity of FN to collagen of different genetic type and fibrinogen. *J Ex Med* 1998 ; 187 : 1584-1593.
- **Eric JB and Jennifer LG:** Fibronectin receptors of phagocytes. *J Exp Med* 1998; 167: 777-783.
- **Evans LS and Hancock BW :** Non-Hodgkin's lymphoma. *Lancet* 2003; 362:139-146.
- **Farese A, Hunt P, Booe T, Moc Vittie T:** Recombinant human megakaryocyte growth and development factor stimulates thrombocytopoiesis. *Blood* 1995; 86:54-59.

- **Fayed L, Keating MJ, Reuben JM, O'Briens, Lee BN, Lerner S and Kurzrock R:** Interleukin-6 and interleukin-10 levels in chronic lymphocytic leukemia: Correlation with phenotypic characteristics and outcome. *Blood* 2001; 97 (1): 256-263.
- **Federico M, Zinzani P, Frassoldati A, Vinceti M, Mode A, Annio L, Chisesi T and Damasio E:** Risk of second cancer in patients with HCL Long term follow up. *J Clin Oncol* 2002; 20(3):638.
- **Felgar RE, Salhany KE, Macon WR, et al.:** The expression of TIA-1+ cytologic type granules and other cytolytic lymphocyte associated markers in CD30+ anaplastic large cell lymphomas (ALCL): Correlation with morphology, immunophenotype, ultrastructure and clinical features. *Human pathol* 1999, 30:228-236.
- **Fishman P:** Interleukin-3. *Med Sci* 1990; 26:414-419.
- **Fong CW, Siddiqui AH and Mark DF:** Characterization of protein complexes formed on the repressor elements of tumor TNF- α gene J. *Interferon Cytokine Research* 1995;15(10):887-895.
- **Foon KA, Ghobrial I, Geskin L and Jakobs S (Eds):** “the non Hodgkin’s lymphomas” In: *Williams Hematol* (7thed) by Beutler E, Lichtman M A, Collier BS, Kipps TJ and Seligsohn U., McGraw Hill 2006; chapter 96: P 1433.
- **Forcorin F, Sahata S, Raspadari D, Mockridge C, Lauria and Stevenson F:** Tumors cell of HCL express multiple clonally related Ig isotype via RNA splicing. *Blood* 2001;98(4):1174-1178.
- **Foussard C, Desablens B and Sensebe L:** Is the International Prognostic Index for aggressive lymphomas useful for application to stages III-IV patients. *Ann Oncol* 1997; 8 (Supp 1): 49.

- **Frisch B and Bartl R:** Biopsy interpretation of bone and bone marrow: Histology and Immunohistology in Paraffin and Plastic 2nd ed, Arnold, Hodder Headline Group, London 1999;chapter1:P1-12.
- **Gabrilove JL:** Angiogenic growth factors: Autocrine and paracrine regulation of survival in hematologic malignancies. The Oncologist 2001; 6 (Suppl 5):4-7.
- **Garcia Pardo L:** Primary structure of human plasma fibronectin. Biochem J 1997;241:98-926.
- **Garland JM and Rudin CE:** Introduction to hematopoietic stem cell In: Molecular and Cellular Biology 2nd ed, by Garland JM, Qusenberry PJ, and Hiton DJ, Marcel Dekker, Philadelphia 1997 chapter 1: P 1.
- **Gascoyne RD Adumat SA, Krajerski S et al:** Prognostic significance of Bcl-2 protein expression and Bcl-2 gene rearrangement in diffuse aggressive non Hodgkin's lymphoma. Blood 1997; 90:244-251.
- **Georgios V and Younes Y (Eds):** "Cytokines in lymphoma" In: Cytokines and Cancer by Leonidas S, Robert H and Lurie C. Cancer Center, Northwestern University Medical School, Chicago 2005; chapter 4 : 83.
- **Ghaffari S, Dougherty GJ, Landsdrop PM and Eares CJ:** Differentiation associated changes in CD44 isoforms expression during normal hematopoiesis. Blood 1995; 86:2976.
- **Giannicola A, Alexander D, Joachim T, Rudol F, Rolf S, Fritz E, Andreas L, Franco C and Thomas C:** HIV testing and newly diagnosed malignant lymphomas. Leukemia and Lymphoma 2003; 44(1): 133-138.

- **Ginsberg MH, Poienterm RG and Plow EF:** Thrombin increases expression of fibronectin antigen on platelets surface. Proc Natl Acad Sci USA 1990; 1049-1094.
- **Gisselbrech C, Canlard P, Lepage E, et al.:** Prognostic significance of T-cell phenotype in aggressive NHL. Blood 1998; 92(1): 76-82.
- **Godon A, Reau A, Talmant P, Baranger P, Genevieve F, Milpied N and Avet H:** Is t(14,18) (q32;q21) a constant finding in follicular lymphoma and interphase FISH study on 63 patients. Leuk 2003; 17(1): 255.
- **Gordon LI:** Non Hodgkin's lymphoma In: Manual of Clinical Hematol 2nd ed, Little Brown Comp. 1995; P 316.
- **Gorezyca W, Tsang P, Liu Z, et al.:** CD30 positive T-cell lymphomas co-expressing CD15: An Immunohistochemical analysis. Int J Oncol 2003;22:319.
- **Grange F, Petrella T, Barry M, Joly P, D'Incoan M, Delaunay M, Laroche L, Baget M and Wechsler J:** Bcl-2 protein expression is the strongest independent prognostic factor in primary cutaneous large B-cell lymphomas. Blood 2004;103:3662.
- **Greer JP, Macon WR and Mc Curely TL (Ed):** Non Hodgkin's lymphoma in adult. In: Wintrobe's Clinical Hematology (11th ed) by Lee GR, Foerster J, Paraskevas S, Lukens J and Rodgers GM, Williams and Wilkins, Baltimore, USA 2004; chapter 90: 2370.
- **Gruszka WA, Hamondi R, Osborne L, Matutes E and Catovsky D:** Deletion mapping on the long arm chromosome in splenic lymphoma with villous lymphocytes genes chromosomes. Cancer 2003; 36(1): 57.

- **Gupta P, Degemia TR, Braziel JJ et al.:** Structurally specific heparan sulphate support multimolecular stem cell nich. *Blood* 1998;92:4641.
- **Hadell M and Eriksson A:** A case control study of non Hodgkin's lymphoma and exposure to pesticides. *Cancer* 1999;85:1353-1360.
- **Haglund U, Julisson G, Stellan B and Coahrton G:** Hairy cell leukemia is characterized by clonal chromosomal abnormalities clustered to specific regions. *Blood* 1994; 83:2637.
- **Hammer RD, Glick AD, Greer JP, et al.:** Splenic marginal zone lymphoma: a distinct B-cell neoplasm. *Am J Surg Pathol* 1996;20:613-626.
- **Handerson AR:** Enzyme test in cardiovascular disease In *Enzyme Tests in Diagnosis* by Moss DW and Rosalis B, London 1995;P90.
- **Hanna H and Ivan J:** “Interleukin-3” In: *Cytokine* by Anthony R, Mire S and Robin T, Academic Press, London, Boston, New York and Toronto 1998; 35-52.
- **Harris ES, Mdtire TM, Prescott SM and Zimmerman GA:** The leukocyte integrins. *J Biol Chem* 2001; 275 (31):23409.
- **Harris NL, Jaffe ES and Stein ES, et al.:** A Reversed European American classification of lymphoid neoplasms: a proposal from the International Lymphoma Study Group. *Blood* 1994;84:1361-1392.
- **He B, Chadburn A, Jou E, Schattner Ej, Knowles DM and Cerutti A:** Lymphoma B-cells evade apoptosis through the TNF family. *J of Immunol* 2004; 172 : 3268-3279.
- **Herman P, Arnaut M, Brown E, et al.:** The vitronectin receptor and its associated CD47 molecules mediate proinflammatory cytokine

- synthesis in human monocyte by interactions with soluble CD23. *J Cell Biol* 1999; 144:767.
- **Horsman DE, Gascoyne RD, Coupland RW, Coldman AJ and Adomat SA:** Comparison of cytogenetic analysis and PCR for detection of t(14;18) in follicular lymphoma. *Am J Clin Pathol* 1995;103:472-478.
 - **Hosokawa Y, Yumiko Y, Ichinohasama R, et al.:** The Ikaros gene, a central regulator of lymphoid differentiation, fuses to the Bcl-6 gene as result of t(3,7)(q27,p12) translocation in patients with DLBCL. *Blood* 2000; 95 (8): 2719-2728.
 - **Howard (Eds):** Cytokines and CAMs. In: *Clinical Diagnosis and Management by Laboratory Method Text Book* (9th ed) by Frederick RD, Robest MN, Philadelphia, London, Toronto, Montreal, Sydney and Tokyo 1996; P 947.
 - **Hsu S, Waldron J, Fink L, et al.:** Pathogenic significance of IL-6 in angioimmunoblastic lymphadenopathy type T-cell lymphoma. *Hum Pathol* 1993;24:126-131.
 - **Hutchinson R, Finch C, Kepner J and Murphy SB:** Burkitt Lymphoma is immunophenotypically different from Burkitt-like lymphoma in young persons. *Ann Oncol* 2000;11(suppl-1):135-138.
 - **Hynes RO :** Cell adhesion in lymphoma and new questions trends. *Cell Biol* 1999; 9(12):133.
 - **Hynes RO and Destree AT:** Relationship between fibronectin and actin. *Cell* 1998;15:875-877.
 - **Ichikawa A, Kinoshita T and Watanab T, et al. :** Mutations of the p53 gene as a prognostic factor in aggressive B-cell lymphoma. *N Eng J Med* 1997;337:529-534.

- **Intragum T, Rotnakkariun P, Sutcharitchan P and Wannagrairoj P:** Prognostic significance of the Immunophenotype versus the International Prognostic Index in aggressive non-Hodgkin's lymphoma. Clin Lymphoma 2003; 4(1): 52-57.
- **Isaacson PG:** The current status of lymphoma classification. Br J Hematol 2000; 109:258.
- **Izumo I:** Practical utility of the REAL of lymphoid neoplasms of Japanese NHL. Jap J Cancer Res 2000; 91:351-360.
- **Jaffe ES, Harris NL, Stein H, et al.(Ed):** World Health Organization classification of tumors, pathology and genetics of tumors of hematopoietic and lymphoid tissues, Lyon: IARC Press 2001.
- **Jaffe ES:** Anaplastic large cell lymphoma: the shifting sands of diagnostic hematopathology. Mod Pathol 2001; 14:219.
- **Jane AD, Ardenne E, and Megee JO:** Fibronectin in diseases. J Pathol 1999; 142:235-251.
- **Janowska WW, Majka M, Ratajczak J and Ratajczak MZ:** "Autocrine / paracrine mechanisms in human hematopoiesis". Stem Cell 2001; 19: 99-107.
- **Jarvis LJ, Maguire JE and Le Bien TW:** Contact between bone marrow stromal cells and B-lymphocytes enhances VLA-4 / VCAM-1 independant tyrosine phosphorylation of focal adhesion kinase, paxillin in stromal cells. Blood 1997; 90(4):1626-1635.
- **Jasic O, Wrhovac R, Kusec R, Kardum M, Pandzic V, Plannic A, Morabito F, Brugiatell M and Jasic B:** Clinical tumor cell distribution pattern is prognostically relevant parameters in patients with B-CLL. Leuk Hematological 2001;86 (8): 827-836.

- **Jeffer MD, Miltor J, Herriot R, et al.:** Fine needle aspiration cytology in the investigation of non-Hodgkin's lymphoma. *J Clin Pathol* 1998 ;51:189-196.
- **Jerkeman M, Amon P, Cavallin E, Torlakovic E, Fioretos T:** Prognostic implication of Bcl-6 rearrangement in uniformly patients with DLBCL. *Internal J Oncol* 2002;20(1): 161-165.
- **Joensu H:** Comparison of S-phase fraction. WF and kiel classification in NHL, *Cancer* 1991;68:1564.
- **Johnston JB (Ed):** "T-cell lymphoblastic lymphoma" In: Wintrobe's Clinical Hematology 11th ed by Lee GR, Foerster J, Lukens J, Paraskevas F and Rodgers GM, Williams and Wilkins, Baltimore, USA 2004; chapter 92 : 2431.
- **Jones S, Horiuchi S, Topley N, Yamada N and Fuller G:** The soluble IL-6 receptors mechanisms of production and implications in disease. *FASEB J* 2001;15:43-58.
- **Kanda H, Tanaka T, Mastuymoto M, Umemoto E, Ebisuno Y, Kinoshita M, Nod M, et al.:** Endomucin, a sialomucin expressed in high endothelial venules, supports L-selectin mediated rolling. *Int Immunol* 2004;16(9): 1265-1274.
- **Kang YH, Park CJ, Seo EJ, et al.:** Polymerase chain reaction based diagnosis of bone marrow involvement in 170 cases of non Hodgkin's lymphoma. *Cancer* 2002;94(12):3073-3082.
- **Katzenberger T, Lohr A, Schwarz S, Dreyling M and Schoot J:** Genetic analysis of de novo CD5 DLBCL suggests an origin from a somatically mutated CD5+ progenitor B-cell. *Blood* 2003;101:699.

- **Kent A, Variakojis D and Peterson L:** Comparative study of MZL involving bone marrow. *Am J Clin Pathol* 2002; 117 (5): 698.
- **Khalidi HS, Chang KL and Medeiros LJ:** Acute lymphoblastic lymphoma survey of immunophenotype. French – American British Classification: Frequency of myeloid antigen expression and karyotypic abnormalities in 210 pediatrics and adults cases. *Am J Clin Pathol* 1999;111:46.
- **Khan AI, Landis RC and Malhot R:** L-selectin ligands in lymphoid tissues and models of inflammation. *Inflam.* 2003;27(5): 265-280.
- **Khoury D, Medeiros L, Rassidaki S, Oonnell, T, Abruzzo L and Lai R:** Expression of MCL-1 in mantle cell lymphoma is associated with high grade morphology, a high proliferative state and p53 overexpression. *J Pathol* 2003; 199(1):90.
- **Kim YS, Ford RJ, Fber JA, Bell RH, and Mediros LG:** B-cell CLL/SLL involving Bone marrow with an interfollicular pattern. *Am J Clin Pathol* 2000; 114 (1):41.
- **King B, Chen C, et al.:** Immunophenotype markers of follicular center cell neoplasia in diffuse large B-cell lymphomas. *Mod Pathol* 2000;13:1219-1231.
- **Kipps T J (Eds):** “Classification of malignant lymphoid disorders”. In: *Williams Hematology*, (7th ed) by Beutler E, Lichtman MA, Collier B and Kipps T, McGraw Hill 2006 chapter 90 : P 1317.
- **Klein G:** The extracellular matrix of the hematopoietic microenvironment. *Experimental* 1995;51:914.
- **Kobayashi T, Yamagnchi M, Kim S, Morikana J, Gawa S, Neno S, Shiku T and Zhang W:** Microarray reveals difference in both tumors

- and vascular specific gene expression in de novo CD5(+) and CD5(-) DL BCL. Cancer Res 2003; 63(1):60.
- **Konturek PC, Konturek SJ, Pierzchalski P, et al.:** Carcinogenesis in H. pylori infected stomach: Role of growth factor, apoptosis and cyclo-oxygenase. Med Sci 2001;7(5):1092-1107.
 - **Korkolopolou P, Angelopolou M, Kontopidou F and Tsenga A:** Prognostic relevance of apoptotic cell death in NHL. A multivariate survival analysis including Ki 67 and p53 oncoprotein expression. Histopathology 1998, 33:240.
 - **Kurosaka DS, Lebien TW and Priby JA:** Comparative studies of different stromal cell microenvironment in support of hematopoietic B-cell development. Exp Hematol 1999;27:1271.
 - **Kusumi A and Kumagai K:** Interleukin-3 go to Kagaku-Ryoho1994;21(6): 915-925.
 - **Kutok JL and Aster JC:** Molecular biology of anaplastic lymphoma kinase +ve (ALCL). J Clin Oncol 2002; 20:3691-3702.
 - **Kuzel TM, Guitort J and Rosen ST:** “T-cell lymphoma”. In: Hematology Basic Principle and Practice 3rd ed by Hoffman R, Benz EJ, Shatil E, Furie B, Cohen HJ and Silberstein LE, Churchill Living Stone, New York, London, Philadelphia 2000; P:1372-1373.
 - **Lai L, Chen F and Mchenna S:** Identification of an IL-7 associated pre-pro B-cell growth stimulating factor. J Immunology 1998; 160: 2280-2286.
 - **Laterverr L, Lindley I and Heamsker K:** Rapid mobilization of hematopoietic progenitor cells in rhesus monkeys by a single intravenous injection of IL-8. Blood 1996, 87:781.

- **Lee GR, Foester J, Lukens J, Paraskeras F, Geer JP and Rodgres GM:** “Non Hodgkin’s lymphoma” In: Wintrob’s Clinical Hematology 11th ed by Lee GR, Foerster J, Lukens J, Paraskevas F and Rodgers GM, Williams Baltimore, USA 2004; 139.
- **Lee SH, Shin MS, Kim HS, et al.:** Point mutations and deletions of the Bcl-10 gene in solid tumors and malignant lymphomas. Cancer Research 1999;59:567-577.
- **Lens D, Coignet L, Brito-Babapulle V et al.:** B-cell prolymphocytic leukemia (B-PLL) with complex karyotype and concurrent abnormalities of the p53 and C MYC gene. Leukemia 1999;13:873.
- **Lens D, Matutes E, Catorsky D, et al.:** Deletion at 11q23 and 13q14 in B-cell prolymphocytic leukemia 2000;14:427-430.
- **Levine AM:** Acquired Immunodeficiency Syndrome - related lymphoma. Blood, 1992; 80:8-20.
- **Li I, Max MT, Inghirami GT, Siaghe VK:** Identification of oligoclonal CD4 T-cells in DL BCL. Clin Immunol 2003;107(3): 160-169.
- **Li T, Hongyo T and Syaifudin M:** Gene in NK/T-cell lymphoma. Lab Invest 2000;80:493-499.
- **Liang X, Golitz LE, Smoller BR, Meech SJ, Odom LF, Williams SA and Pyder JW:** Association of CD44 with systemic anaplastic large cell lymphoma: comparison with primary cutaneous anaplastic large cell lymphoma. Am J Clin Pathol 2002;117(2): 276-282.
- **Lianos M, Alvarez H, Aleman R et al.:** Prognostic significance of Ki-67 nuclear proliferation antigen, Bcl2 protein and P₅₃ expression in follicular and diffuse large B-cell lymphoma. Med Oncol 2001;18(1):15-22.

- **Libby RT, Champlaud MF, Gibbons EP, Butgeson RE, Hunter DD, Brunken WJ, et al.:** Laminin expression in adult and developing retinae: evidence of two novel CNS laminins. *J of Neuroscience* 2000; 20: 6517-6528.
- **Lim EJ and Peh SC:** Bone marrow and peripheral blood changes in non-Hodgkin's lymphoma. *Singapore Med J* 2000; 41 (6): 279-285.
- **Lima M, Almeida J, Texeira M, et al.:** TCR α / β CD4+ large granular lymphocytosis, a new clonal T-cell lymphoproliferative disorder. *Am J Pathol* 2003; 163:763.
- **Lin AY and Toker MA:** Epidemiology of non-Hodgkin's lymphoma. In the *Lymphoma Chapter* 1998; 3: 43-61.
- **Long MW and Dixit VM:** Thrombospondin function as a cytoadhesion molecules for human hematopoietic progenitor cells. *Blood* 1990; 75:2311.
- **Lopez-Guillermo, Montserrat E, Reverter J, et al.:** Large cell lymphoma: a study of prognostic factors and assessment of five recently proposed predictive system. *Leuk Lymphoma* 1993;10: 101-109.
- **Lorincz AL:** Cutaneous T-cell lymphoma (Mycosis fungoids). *Lancet* 1996; 347:871.
- **Lossos I, Jones C and Warnke P:** Expression of a single gene, Bcl-6 strongly predicts survival in patients with diffuse large B-cell lymphoma. *Blood* 2001;98:945.
- **Loughran TP and Kadin ME (Eds):** Large granular lymphocytic leukemia. In: *Williams Hematol 7th* (ed) by Beutler E, Lichtman MA,

- Coller BS, Kipps TJ, Seligsohn U, McGraw Hill 2006; chapter 94 : P 1396.
- **Lowel C (Eds):** “Fundamentals of blood cell biology”. In: Medical Immunology 10th (ed) by Parslow T, Stities D, Terr A and Tinbden J, Appleton and Lange 2001; chapter 1: 18.
 - **Lu L, Lin Z, Shen R, et al.:** Influence of IL-3 and IL-5 on the growth of eosinophils progenitors in highly enriched human BM in absence of serum. Exp Hematol 1990; 18:1180-1185.
 - **Lucio PJ, Faria MT, Pinto AM, et al.:** Expression of adhesion molecules in chronic B-cell lymphoproliferative disorders. Hematologica 1998;83(2): 104-111.
 - **Lund JF and Terstappen LW:** Differential surface expression of cell adhesion molecules during granulocyte maturation. J Leuk Biol 1993; 54:47-55.
 - **Mac Carthy J, Silber R and Kanne T:** β_2 microglobulin. J lab Clin Med 1994; 123:495.
 - **MacIenan KA, (Eds):** Lymphoma classification, In: Malignant lymphoma 1st ed by Hancock BW, Selby PJ, MacIennan K, and Armitage JO 2000; 3-8.
 - **Macon WR, Levy NB, Kurtin PJ, et al.:** Hepatosplenic α T-cell lymphomas. A report of 14 cases and comparison with hepatosplenic $\gamma\delta$ T-cell lymphomas. Am J Surg Pathol 2000; 25:285-296.
 - **Magrath I, Stein R, Greer J and Flexner J:** Clinical features and staging In the non Hodgkin's lymphoma, large cell lymphoma as clinical and prognostic features. J Clin Oncol 1990; 8:1370.

- **Magrath I:** “Non Hodgkin’s lymphoma in children”: In ASCOP ANARAB conference on malignant lymphoma. Cairo, Egypt 1999;155-157.
- **Mancini G, Garbonara A, et al:** Immunochemical quantitation of FN by single radial immunodiffusion. *Immunochem* 1965; 2: 235-254.
- **Mangi MH, Newland AC:** “Interleukin-3” In: Hematology and Oncology: Current state of knowledge and future directions. *Cytokine Cell Mol Ther* 1999; 5(2): 87-95.
- **Mann G, Trebo M, Haaso A, Gumayer R, Lion T, Doworzak M and Gadner H:** Philadelphia chromosome +ve mature B-cell Burkitt lymphoma. *Br J Hematol* 2002;118(2):559.
- **Mann R and Bernard C:** Criteria for the cytologic subclassification of follicular lymphomas: a proposed alternative method. *Hematol Oncol* 1992;1:187.
- **Mannis A, Hisada M and La Grenade L:** Human T-lymphotropic virus type II infection. *Lancet* 1999;353:1951-1958.
- **Martinez CJ, Viscarra E, Sanchez D, Blesa D, Marugan I, Benet I, Sole F, et al.:** Loss of novel tumor suppressor gene locus at chromosome is associated with leukemic mantle cell lymphoma. *Blood* 2001; 98 (12): 3479.
- **Matutes E and Polliack A:** Morphological and immunophenotypic features of CLL *Rev Clin Exp Hematol* 2002;4:22-47.
- **Mavridis A, Tsiara S, Makis A, Chaidos A and Seferiadis K:** TNF α and β_2 microglobulin in patients with B-CLL. *J Exp Clin Cancer Res* 1998; 17(4): 445.

- **MC Donagh:** A Molecular glue. Arch Pathol Lab Med 1998;105:393-396.
- **McEver, RP (Eds):** “T-cell lymphoma”. In: Hematology Basic Principle and Practice 3rd ed by Hoffman R, Benz EJ, Shatil E, Furie B, Cohen HJ and Silberstein LE, Churchill Living Stone, New York, London, Philadelphia 2000; P 49.
- **Mckenna R (Eds):** “Acute lymphoblastic leukemia” In: Practical Diagnosis Of Hematological Disorders 3rd (ed) by Foucar K, Perkin S, Peterson L, Peterson B and Rodgers G. ASCP Press, Chicago 2000; P 443.
- **Metcalf D:** Introduction to the biology of IL-3 in perspective on IL-3 symposium, New Connaught, Romnns, Grand Hall 1992:1-2
- **Metkar S, Naresh KN, Manna PP, et al.:** Circulating levels of TNF receptor superfamily members in lymphoid neoplasia. Am J Hematol, 2000; 65 (2): 105-10.
- **Miyamoto K, Tsuji K, Maekana T and Asano S:** Inhibitory effect of IL-3 on early development of human B lymphopoiesis. Br J Hematol 2001; 114:690-697.
- **Mizorogi F, Hiramoto J, Nazato A and Takekuma Y:** HCV infection in patients with B-cell NHL Intern. Med 2000; 39 (2) : 112-117.
- **Mokhtar M:** Biology of non-Hodgkin’s lymphoma. Egyptian J of Hematology 2002; 7 : 8
- **Molica S, levato D, Cascavilla N, Levato L and Musto P:** Clinical prognostic implications of simultaneous increased levels of β_2 microglobulin in B-cell CLL. Eur J Hematol 1999; 62:2.

- **Moller MB, Nielsen O and Pedersen NT:** Frequent alteration of MDM2 and p53 in the molecular progression of recurring non-Hodgkin's lymphoma. *Histopathology* 2002;41(4):322-330.
- **Mooremeir JA:** The staging of non Hodgkin's lymphomas. *Semin Oncol* 1990; 17:43.
- **Morabito F, Balkdini L, Lhminari S, Frasso A, Nerli F, Sabbatin R , Brugiatell M and Federic M:** Prospective study of indolent follicular NHL. *Leuk Lymphoma* 2002; 43(10): 1933-1938.
- **Mori N, Yatab Y and Asai J:** (MALT) lymphoma. *Pathol Int* 1995;45:544-551.
- **Mudry RE, Fortney JE, York T, Holl BM and Gibson LF:** Stromal cells regulate survival of B-lineage leukemic cells during chemotherapy. *Blood* 2000; 96 (5):1926-1932.
- **Mukhopadhyay A; Madhusudhan T and Kumar R:** Hematopoietic stem cells: clinical requirements and development in ex-vivo expansion. *Adv Bioch Engin/Biotechnol* 2004;86:215-253.
- **Muller CE, and Derynaging E:** The stromal cells guide to the stem cell. *Stem Cell* 1995;13: 447.
- **Nathwani BN, Drachenberg MR, et al.:** Nodal monocytoid B-cell lymphoma (nodal marginal-zone B-cell lymphoma). *Semin Hematol* 1999;36(2): 128-138.
- **Nicolaides C, Dimou S and Pavlidis S:** Prognostic factors in aggressive non-Hodgkin's lymphomas. *The Oncologist* 1998; 3:189-197.
- **Niitsu N and Ljima K:** High serum soluble sCD44 is correlated with poor outcome of aggressive NHL. *Leuk Res* 2002 ; 26 (3): 241-248.

- **Nilsson SK, Debatis ME, Dooner MS, et al.:** Immune fluorescent characterization of key extra cellular matrix proteins in murine BM in situ. *J Histochem Cytochem* 1998; 46:371.
- **Oeschge S, Brauninger A, Kuppers R and Hansmann M:** Tumor cell dissemination in follicular lymphoma. *Blood* 2002;99(6):2129.
- **Ohshima K, Haraoka S, Suzumiya J, Kawasaki C, et al.:** Cytoplasmic cytokines in lymphoproliferative disorders. *Leuk Lymphoma* 2000; 38:541-545.
- **Oppenheim JJ and Ruscetti FW (Eds):** “Cytokines” in *Medical Immunology 10th* (ed) by Stites DP, Terr AL, Parslow TG, and Tinbden J, Appleton and Lange 2001; chapter 10:155.
- **Oscier D:** “Chronic lymphocytic leukemia”. *Br J Hematol* 1999; 105 (Suppl-1):1.
- **Owen RG:** Extramedullary sites of involvements in hematologic malignancies. *J Clin Oncol* 2002; 20(1) : 340.
- **Pagnano KB, Vassallo J, Lorand M, Costa F and Saad ST:** P53, Mdm2 and C-Myc overexpression is associated with a poor prognosis in aggressive non-Hodgkin’s lymphomas. *Am J Hematol* 2001; 67(2):84-92.
- **Pals S, Drillenburger P, Radaszkiewicz T and Manten H:** Adhesion molecules in the dissemination of non-Hodgkin’s lymphomas. *Acta Hematol* 1997; 97:73.
- **Papayannopoulou T, Priestley GV, Nakamoto B, Zafiropoulos V, Scott LM and Harlan JM:** Molecular pathways in bone marrow homing: dominant role of $\alpha 4 \beta 1$ over $\beta 2$ integrins and selectins. *Blood* 2001;98(8): 2403-2411.

- **Pasqualucci L, Neri A, Baldini L, Dalla-Favera R and Migliazza A:** Bcl-6 mutations are associated with immunoglobulin variable heavy chain mutations in B-CLL. *Cancer Res* 2000;60(20):5644-5648.
- **Patel DD, Hale LP, Whichard LP, Radcliff G and Haynes BF:** Expression of CD44 molecules and CD44 ligands during human thymic fetal development Expression of CD44 isoforms is developmentally regulated. *Int Immunol* 1995; 7:277.
- **Paul S, Bennett F, Callvetti J, et al.:** Molecular cloning of a cDNA encoding interleukin 11, a stromal cell derived lymphopoietic and hematopoietic cytokines. *Proc Natl Acad Sci USA* 1992; 87:7512-7516.
- **Pedersen LM, Klausen TW, Davidsen UH and Johnsen HE:** Early changes in serum IL-6 and VEGF levels predict clinical outcome following first line therapy in aggressive non-Hodgkin's lymphoma. *Ann Hematol* 2005;84(8): 510-516.
- **Pierson BA, Gupta K, Hu WS, Miller JS:** Human natural killer cells expansion is regulated by thrombospondin mediated activation of transforming growth factor beta and independent accessory cell derived contact and soluble factors. *Blood* 1996;87:180.
- **Pilarski L, Pruski E, Wizniak J, Paino D, Seeberges K, Mant M, Brown C and Belch A:** Potential role for hyaluronan and hyaluronan receptor in mobilization and trafficking of hematopoietic progenitor cells. *Blood* 1999; 83: 2918.
- **Pinotti G, Zucca E and Roggero E:** Clinical features, treatment and outcomes in a series of 39 patients with low grade gastric MALT lymphoma. *Leukemia and Lymphoma* 1997; 3:421.

- **Ponta H, Sherman L and Herrlick P:** CD44 form adhesion molecules to signaling regulators. Mol Cell Biol, 2003; 4:33.
- **Postlethwaite A and Kang A (Eds):** Fibroblasts and matrix protein in inflammation. In: Basic Principles and Clinical Correlates (3rd ed) by Gallin JI, Stryderman R, Lippincott, Williams and Willikin Philadelphia 1999;2-27.
- **Pugh W, and Mc Bride J (Eds):** Pathologic basis for the classification of NHL In: Hematology Basic Principle and Practice (3rd ed) by Hoffman R, Benz EJ, Shattil SJ, Furie B, Cohen HJ, Churchill Living stone, Philadelphia 2000; 1265.
- **Pui CH (Eds):** “ALL” In Williams Hematology (7th ed) by Beutler E, Lichtman MA, Coller BS, Kipps TJ, Seligsc H, Mc Grow Hill 2006; chapter 91 : p1326.
- **Rathore VB, Advani SH, and Nadkarni JJ:** Altered release of tumor necrosis factor alpha and its soluble receptor in NHL patients. Cancer Detection And Prevention1999; 23(3):226-231.
- **Ree H, Kadin M, and Kikutchi M:** ALID-type T-cell lymphoma with hyperplastic germinal centers. Am J Surg Pathol 1998;22:643-655.
- **Ristamaki R, Joensn H and Jalkanen S:** CD44 in NHL. Leukemia Lymphoma 1999; 33: 433-440.
- **Ristamaki R, Joensuu H, Gron-Vitra K, Salmi M and Jalkanen S:** Origin and function of circulating CD44 in non-Hodgkin's lymphoma. J Immunol 1997; 158 (6): 3000-3008.
- **Ristamaki R, Joensuu H, Hagberg H, Kalkner K and Jalkanen S:** Clinical significance of circulating sCD44 in non-Hodgkin's lymphoma. J Cancer 1998; 79:221.

- **Roitti I, Brostoff J and Male D:** Cell migration and inflammation In : Immunol 5th ed London, St Louis, Tokyo 1998; P 63.
- **Rosai J :** “Lymph node” In Ackerman’s Surgical Pathology 8th ed Publishing Mosby Inc, New York 1996; P1710-1734.
- **Rosenberg SA, Berard CW, Brown BW, et al.:** National Cancer Institute sponsored study of classification of non-Hodgkin’s lymphomas Summary and description of a Working Formulation for clinical usage. Cancer 1982; 42: 2112-2135.
- **Rossbach H, Chamizo W, Dumont D, et al.:** Isochromosome 7q translocation t(7,21) and trisomy 8 in 9-years old girl. J Ped Hematol Oncol 2002, 24:154-157.
- **Rudi B and Walter F (Eds):** “Tumor necrosis factor alpha”. In: Cytokine by Anthony R, Mire S and Robin T. Academic Press, London, Boston, New York, Tokyo and Toronto 1998; 35-46.
- **Rudiger T, Wersenburger D, Anderson J, et al.:** Peripheral T-cell lymphoma (Excluding anaplastic large cell lymphoma): Result From the NHL classification project. Ann Oncol 2002;13:140.
- **Ruoslahti E and Engvall E:** Complex of fibronectin glycosaminoglycan and collagen. Bioch Biophys Acta 1997; 631:350-356.
- **Saba TM :** Physiology physiopathology of RES. Arch Inter Med 1990; 126:1091-1102.
- **Sah SP, Matutes E, Wotherespoon A, Morilla R and Catovsky D.:** A comparison of flow cytometry, BM biopsy and BM aspirates in the detection of lymphoid infiltration in B-cell disorders. J Clin Pathol 2003;56:129-132.

- **Salhany KE, Macon WR, Choi JK, et al.:** Subcutaneous panniculitis – like T-cell lymphoma clinicopathologic, immunophenotypic, and genotypic analysis of alpha / beta and gamma / delta subtypes. *Am J Surg Pahtol* 1998;22:881-893.
- **Salles G, Bienneme J, Bastion Y, Barbier Y et al.:** Elevated circulating levels of TNF α and its p53 soluble receptors are associated with an adverse progression in lymphoma patients. *Br J. Hematol* 1996;93:352-359.
- **Sanderson GF:** Interleukin-5, eosinophils and diseases. *Blood* 1992; 79:3101.
- **Sandlund J and Behm F (Ed):** “Non Hodgkin’s lymphoma in children” In: Wintrob’s Clinical Hematology 11th ed by Lee GR, Foerster J, Lukens J, Paraskevas F and Rodgers GM, Williams and Wilkins, Baltimore, USA 2004; chapter 91: 2413.
- **Scadden T:** AIDS related lymphoma. *ASCO Educational Book*, Florida 2002.
- **Schaefer K:** Trepine for closed bone marrow biopsies. *Am J of Medicine* 1984;216.
- **Schmits R, Filmus J, Gerwin N, Senaldi G, Kiefer F, Kundig T, Wakeham A, Shahinian A, Catzavelos C, Rak J, Fulonger C, Zakarian A, et al.:** CD44 regulates hematopoietic progenitor distribution, granuloma formation and tunorigenicity. *Blood* 1997; 90 (6): 2217-2233.
- **Schop RF, Kuehl WM, Van Wier SA, Ahmann GJ, Proce – Troska TB, Nailey RJ, Jalal SM; Kyle RA and Geipp PR:** Walderstrom macroglobulinemia neoplastic cells lack immunoglobulin heavy chain

- locus translocations but have frequent 69 deletion. *Blood* 2002; 100(8): 299.
- **Seki Y, Koike T, Yano M, et al.:** Bone marrow necrosis with dyspnea in patients with malignant lymphoma and plasma level of TNF α , thrombomodulin. *Am J Hematol* 2002; 70(3):250-253.
 - **Selik RM, Chu SY, Ward JW:** Trends in infectious diseases and cancers among persons dying of HIV infection in the United States from 1987 to 1992. *Ann Intern Med* 1995; 123:933-936.
 - **Sherman LA, Harwing S and Lee J. :** In vitro formation and in vivo clearance of fibrinogen fibrin complex. *J Clin Med* 1995;80:100-104
 - **Ship MA and Harris NL (Eds):** Non-Hodgkin's lymphoma. In: Cecil Textbook of Medicine 21th ed by Goldman L and Bennett J, Philadelphia, Saunders Company 2000;1:962.
 - **Shipp MA, Harrington DP, Anderson JR, et al.:** The International non-Hodgkin's lymphoma prognostic factors project a predictive model for aggressive non Hodgkin's lymphoma. *N Engl J Med* 1993; 329:987-994.
 - **Shvidel L, Shataltrid M, Bassous L et al.:** B-cell prolymphocytic leukemia: a survey of 35 patients emphasizing heterogeneity, prognostic factor and evidence for a group with indolent course. *Leuk Lymphoma* 1999;33:169-179.
 - **Siler U, Seiffert M, Punch S, Richards A, Toroko S, Muller C, Sorokin L and Kleion G:** Characterization and functional analysis of laminin isoforms in human bone marrow. *Blood* 2000; 96:4149-4203.
 - **Smith CW (Eds):** Cellular adhesion and interactions In: Clinical Immunology Principle and Practice by Richard W, Fleisher T,

- Schartz B and Stopper W. Press Mosby Publishing, London. 1996; 176.
- **Solal-Celigny PS, Roy P, Colombate P, White J, Armitage JO, Saez RA, Au WY and Bellei M, et al.:** Follicular lymphoma International Prognostic Index. *Blood* 2004;104(5): 1258-1265.
 - **Sood R, Stewart C and Aplan P:** Neutropenia associated with T-cell large granular lymphocytic leukemia. Long Term response to cyclosporine therapy despite persistence of a normal cells. *Blood* 1998;91:3372.
 - **Spriggs DR (Eds):** TNF- α basic principles and preclinical studies In: *Basic Therapy of Cancers* ed by Devite DT, Rosenberg SA and Rusten LB, Lippincott. Philadelphia, New York, London 1991; chapter 19 : 354-397.
 - **Stenman S and Vaheri A:** Distribution of a major connective tissue protein, FN in normal human tissue. *J Exp Med*, 1998, 401:1054-1064.
 - **Stilgenbauer S and Dohner H:** Molecular genetics and its clinical relivance, *Hematol Oncol Clin North Am* 2004;18(4):827:848.
 - **Sugimoto K, Tsurumaki Y, Hoshi H, Kadowaki S, LeBousse Kerdiles MC, Smadja-Joffe F and Morik L.:** Effects of anti-CD44 monoclonal antibody on adhesion of erythroid leukemic cells (ELAM-1) to hematopoeitic supportive cells: CD44 but not hyaluronate mediated cell–cell adhesion. *Exp Hematol* 1994; 22:488-494.
 - **Sy MS, Guo YJ and Stamen Kovic I.:** Two CD44 isoforms on tumor growth in vivo. *J Exp. Med* 1991;174:859.

- **Takasaki Y, Yamdda Y, Sugahara K and Hayashi T.:** Interruption of P16 gene expression in adult T-cell leukemia / lymphoma: clinical correlation. Br J Hematol 2003;122:253.
- **Tall AR.:** C-reactive protein reassessed. N Engl J Med 2004; 350:1450-1452.
- **Tallman M, Hakimian D and Peterson L (Eds):** Hairy cell leukemia In: Hematology Basic Principles and Practic 3rd (ed) by Hoffman R, Benz EJ, Shattil SL, Furie B, Cohen HJ, Silberstein LE and McGlave P. Churchill Livingstone, Philadelphia 2000;1363.
- **Tan P, Liu Y, Santos E and Sandmai R:** Mechanism of enhancement of natural killer activity by antibody to CD44: increase in conjugate formation and release of tumor necrosis factor alpha. Cell Immunol 1995;164:255.
- **Tartaglia LA, Waber RF, Figari IS, Reynolds C, Palladino MA and Goeddel DV:** The two different receptors for tumor necrosis factor alpha mediate distinct cellular responses. Proc Natle Acad Sic USA 1991;88:9292-9296.
- **Taupin J, Minvielle S, Theze J, Jacques Y and Moreau J:** The interleukin family of cytokines and their receptor In: The Cytokine Network and Immune Function 1st ed, Oxford University Press, NY, USA 1999;P 31-40.
- **Tedder TF, Steeber DA, Chen A, Engel P:** The selectins vascular adhesion molecules. FASEB Journal 1995;9:866-873.
- **Terol M, Lopez-Guillermo A, Bosch F, Villamor N, Cid M, Campo E and Montserrat E:** Expression of β -Integrin adhesion molecule in

- NHL-Correlation with clinical and evolutive features. J Clin Oncol 1999; 17(6):1869-1875.
- **Terol MJ, Lopez G, Bosch F, et al.:** Expression of adhesion molecule ICAM-1 in NHL, relationship with tumor dissemination & prognosis. J Clin Oncol 1998;16:35.
 - **Thomassen MJ, Antal JM, Conors MJ, et al.:** Immunomodulatory effects of recombinant interleukin-3 treatment on human alveolar macrophages and monocytes. J Immunother 1993, 14: 43-50.
 - **Toyama-Sorimachi N, Miyake K and Miyasaka M:** Activation of CD44 induces ICAM-I / LFA-1 independent, Ca^{2+} , Mg^{2+} independent adhesion pathway in lymphocyte endothelial cell interaction. Eur J Immunol 1993; 23:439.
 - **Trentin L, Zambello R, Agostin C, Pizolo G and Senezato G:** Expression and function role of TNF- α receptor on leukemic cells from patients with type B-chronic lymphoproliferative disorders. Blood 1993;81:752.
 - **Trinchieri G:** Interleukin-12 and the regulation of innate resistance and adaptive immunity. Nat Rev Immunol 2003;3:133-149.
 - **Tsukada N, Aoki S, Maryama S, Kish K, Takahashi M and Azwna Y:** The heterogenous expression of CD80, CD86 and others MCABs on lymphoma. J Exp. Cancer Res 2002;16:171-176.
 - **Turel KR and Rao SG:** “Expression of the cell adhesion molecule E-cadherin by the human bone marrow stromal cells and its probable role in CD34+ stem cell adhesion”. Cell Biology International 1998;22:641-648.

- **Utsumi T, Akimaru K, Kawabuta Z, Levtan A, Tokunaga T, Tang P, Ide A, Hing MC, and Klostertaord J.:** Human pro-tumor necrosis factor alpha and molecular determinates of membrane translocations. *Mol Cell Biol* 1995;51:6398-6405.
- **Vander Pool T, Van Deventers J, Hock CE, Wolbink GJ, Aorden LA, Buller HR and Cate JW.:** Effects on leukocytes after injection of TNF α into healthy human. *Blood* 1992;79:963.
- **Vega F, Mederios L, Bueso R et al.:** Hepatosplenic gamma delta T-cell lymphoma in BM. A sinusoidal neoplasm with blastic cytologic features. *Am J Clin Pathol* 2001; 116(3): 410-419.
- **Vega F, Mederios L, Lang W, Mansour A, Ramos C and Jones D:** The stromal composition of malignant lymphoid aggregates in bone marrow variation in architecture and phenotype in different B-cell tumors. *Br J Hematol* 2002;117:196-200.
- **Verfaillie CM:** Anatomy and physiology In: *Hematology Basic Principle and Practice* 3rd ed by Hoffman R, Benz EJ, Shatil E, Furie B, Cohen HJ and Silberstein LE, Churchill Living Stone, New York, London, Philadelphia. 2000; P: 139-154.
- **Vileck G (Eds):** The cytokines: an overview In: *The Cytokine Handbook*, (3rd ed). Academic Press, London 1998;1-20.
- **Volpe G, Vitolo U, Carbone A, et al.:** “Molecular heterogeneity of B-lineage diffuse large cell lymphoma”. *Genes Chromosomes Cancer* 1996, 16:21-30.
- **Warzocha K, Beinvenu J , Coiffier B and Salles G:** Mechanism of action of TNF- α and lymphotoxin – ligand receptor system. *Eur Cytok Net* 1995; 6(2): 83-96.

- **Warzocha K, Bienvena J, Ruibeiro P, et al.:** Plasma level of TNF- α and its soluble receptors correlate with clinical features and outcome of Non-Hodgkin's lymphoma patients. *B J Cancer* 1998;77(12): 2357-2362.
- **Warzocha K, Gilles S, Bienvenu J, et al.:** Tumor necrosis factor alpha and receptor system can predict treatment outcome in lymphoma patients. *Oncol* 1997;15:499-508.
- **Weller M, Sommer N and Stevans A T :** Intrathecal synthesis of FN in bacterial and Carcinomatous meningitis. *Med Clin N Am J* 1990;69 (2) : 219-229.
- **Williams GT, Smith CA, Dexter TM and Taylor DR:** Hemopoietic colony stimulating factors promote cell survival by suppressing apoptosis. *Nature* 1990; 343:76-79
- **Williams WJ and Douglas NA (Eds):** Examination of the marrow In: *Williams Hematology 7th* (ed) by Beutler E, Lichtman ME, Coller BS and Kipps TJ, McGraw Hill, New York 2006;18.
- **Willis TG, Jadayel DM, Du MQ, Peng H, Perry AR, Abdul-Rauf M, Price M, Karran L, et al.:** Bcl-10 is involved in t(1,14)(p22,q32) of MALT B-cell lymphoma and mutated in multiple tumor types. *Cell* 1999, 96:35-45.
- **Wong C, Amato D, Rabah R, Zheng J and Fernandes B:** Differentiation of monoclonal B-lymphocytosis of undertermined significance and chronic lymphocytic leukemia (CLL) with weak CD5 expression from CD5(-) CLL. *Leuk Res* 2002; 26 (12):1125

- **Xu S, Haglund M and Venge P:** The effect of G-CSF on the degranulation of secondary granule protein from human neutrophils in vivo may be indirect. *Br J Hematol* 1996;93:558-568.
- **Xu S, Haglund M, Kakansson L and Venge P:** (G-CSF) induces production of cytokines in vivo. *Br J Hematol* 2000;108:848-853.
- **Yakushijin Y, Steckel J, Kharbonda S, Hasserian R, Neuberg D, Jiang W, Anderson I and Shipp MA:** A directly spliced exons-10 containing CD44 v promotes the metastasis and homotypic aggregation of aggressive non-Hodgkin's lymphoma. *Blood* 1998; 91 (11): 4282-4291.
- **Yamada S, Willingham Y and Yamada K:** Intracellular localization of fibronectin by immunoelectron microscopy. *J of Histochem Cytochem.* 1990; 28:953-957.
- **Yang YC (Eds):** Interleukin 3 an overview. In: *Molecular and Cellular Biology*, 2nd (ed) by Garland JM, Queensbury PJ, Hilton DJ, New York: Marcel Dekker 1997;27-254.
- **Yaris N, Buynkpamukcu M, Kansu E and Canpinar H:** Expression of adhesion molecules LFA, ICAM-1, CD44, and L-selectin in non Hodgkin's lymphomas. *Med Pediatr Oncol*, 2001; 36 (3): 359-364.
- **Yong S, Kenneth A and Allan M:** A workshop on the marrow microenvironment and hematological malignancy. *Cancer Res* 2003; 63: 7539-7541.
- **Zannettino AC, Berndt MC, Butcher BC, Vardas MA and Simmons PJ:** Primitive human Hematopoietic progenitor cells adhere to P selectin (CD62 P). *Blood* 1995;85:3466.

- **Zent R, Rose DM and Ginsberg MH (Eds):** “Integrin in hematology” In: *The Molecular Basis of Blood Diseases 3rd* by Stamatoyannopoulos G, Majerus PW, Perlmutter RM and Varmus H: Saunders Company Philadelphia 2001; P 485.
- **Zettl A, Ott G, Makulik A, et al.:** Chromosomal gains at 9q characterize enteropathy-type T-cell lymphoma. *Am J Pathol* 2002;161:1635-1645.
- **Zhu K, Levine RS, Bran EA, et al.:** Risk factors for NHL according to family history of hematolymphoproliferative malignancies. *Int J Epidemiology*, 2001; 30:818-824.
- **Zinzani P, Bend M and Martedli M, et al.:** “Anaplastic large cell lymphoma” clinical and prognostic evaluation of adult patients. *J. Clin Oncol* 1996; 14:955.
- **Zittermann S, Achino B, Agriello E, Halperin N, et al.:** Modulation of CD44 in ALL identifies functional and phenotypic differences of human B-cell precursors. *Eur J Hematol* 2001;66(6): 37-82.
- **Zucca E, Bertoni F, Roggero E and Cavalli F:** The gastric marginal zone B-cell lymphoma of MALT type. *Blood* 2000;96(2):410-419.
- **Zukerburg L, Medeiros L, Ferry J and Harris N:** Diffuse low grade B-cell lymphomas four clinical distinct subtypes defined by a combination of morphologic and immunophenotypic features. *Am J. Clin Pathol* 1993; 100:373.
- **Zver S, Kokalj N, Zagradisnik B, et al.:** T-cell prolymphocytic leukemia with new chromosome rearrangements. *Acta Haematol* 2004;111:168.