

REFERENCES

REFERENCES

- Amankwah, K.S., Prentice, R.L. and Fleury, F.J.(1977):**
The incidence of gestational diabetes. Obst. Gyn., 49: 497.
- American College of obstetricians and gynaecologists (1989):**
Intrapartum FHR monitoring. Technical Bulletin No. 132.
- Baker, J.R., Johnson, R.N. and Scott, D.J.(1985) :**
Serum fructosamine concentration as a measure of, blood glucose control in type" 1" (insulin dependent) diabetes mellitus. Br. Med. J., 290: 352.
- Baker, J.R., O'Connor, J.P. and Johnson, R. N.(1983):**
Clinical usefulness of estimation of serum fructosamine concentration as a screening test for diabetes mellitus. Br. Med. J., 287: 863.
- Barrett EJ, Defronzo R.A.(1984):**
diabetic ketoacidosis Diagnosis and treatment. In Pregnancy Diabetes and Birth 2nd ed. P.161.
- Baskett, T.F., Gray, J.H. and Prewett, S.T.(1983) :**
Antepartum assessment using fetal biophysical profile score. Am. J. Obst. Gyn., 148: 630 .
- Bastide, A., Manning, F.A. and Harman, C.R. (1986) :**
Ultrasound evaluation of amniotic fluid volume and fetal outcome of pregnancies with severe oligo-hydramnios. Am.J.Obst. Gyn., 154: 895.
- Birnholtz, J. C, and Bennaccrete, B.R. (1983) :**
The development of human fetal hearing. Science 222 :516.
- Boehm, F.H., Salyers and Shah, D.M. (1986) :**
Improved outcome of twice weekly non stress testing. Obst. Gyn., 67: 566.

- Bracero, L.A. Schulman, H. and Baxi, L.V. (1986):**
FHR characteristics that provide confidence in the diagnosis of fetal well-being. Clin. Obst. Gyn., 29:4.
- Campbell, W.A. Vintzileos, A. M. and Nochimson, D.J. (1986):**
Intrauterine versus extrauterine anagement/resuscitation of the fetus/ neonate. Clinical Obst. Gyn., 29: 33.
- Carrol P, Matz R. and Walker .M. (1983):**
Uncontrolled diabetes mellitus in adults: Expeirnce in treating diabteic ketoacidosis and hyperosmolar nonketotiic coma with low-dose insulin and uniform treatment regimen. Diabetes Care 33:1188.
- Carpenter, M.W. and coustan, D.R. (1982):**
Criteria for screening test for gestational diabetes Am. J. Obst. Gyn., 144: 768.
- Chamberlain, P.F. Manning, F.A. and Morrison, I. (1984):**
Ultrasound evaluation of amniotic fluid volume I, the relationship of marginal and decreased amniotic fluid volumes to perinatal outcome. Am.J. Obst. Gyn., 152:254
- Cohen , W. R. and yeh (1986) :**
The abnormal fetal heart rate baseline. Clinical Obst. Gyn., 29: 73.
- Cruikshank, D.P., Pitking, R.M., Reynolds, A.W., Williams, G.A. and Harris, G.K. (1980):**
Altered maternal calcium homeostasis in diabetic pregnancy J. Clin. Endocrinal. Metab., 50: 264.
- Cunningham, M.D., Desia, N.S., Thompson, S.A. and Greene J.M., (1988):**
Amniotic fluid phosphatidylglylcerol in diabetic pregnancies. Am. J. Obst. Gyn. 131:719.
- Dalton, K.J., Dawes, G.S. & Patrick J.E. (1977):**
Diurnal respiratory and other rythms of fetal heart rate in lambs. Am. J. Obst. Gyn., 127: 414.

Dawes, G.S., Visser, G.H., Goodman, J.S. and Levine D.H. (1981):

Numerical analysis of the human fetal heart rate: Modulation by breathing and movement. Am. J. Obst. Gyn. 140: 535.

Defronzo, R., Deibert, D., Hendler, R., Felig, P. and Soman, V. (1979):

Insulin Sensitivity and insulin binding to monocytes in adult onset diabetes. J. Clin. Invest. 63: 939 .

Devoe, L.D. (1980):

Clinical implications of prospective antepartum fetal heart rate testing Am. J. Obst. Gyn., 137: 983.

Devoe, L.D., Gardner, p., Dear, C. and castillo RA. (1990):

The diagnostic values of concurrent non stress testing, amniotic fluid measurement and doppler velocimetry in screening a general high-risk population, Am. J. Obst. Gyn., 163 ; 1040.

Devoe, L.D., Gardner, p. and Dear, C. (1989):

The effects of vibroacoustic stimulation on baseline heart rate in term pregnancy. Am . J. Obst. Gyn., 160: 1086.

Devoe, L.D., Mckenzie, j. and Searle N., (1985):

Non stress test dimensions & activity. Obst. Gyn., 66:617.

Donald, R., Caustan and Philip, F. (1988):

Diabetes mellitus. Medical complications during pregnancy Am.J.Med., 34:58.

Dooley, S.L.; Deppo. R.; Socol. M.L. Tamura, R.K. and Vaisrub, N. (1984) :

Urinary estriols in diabetic Pregnancy. An.J. obst. Gyn., 64:649.

Dyson, D., Blake, M. & Kassady, G (1975):

- Amniotic fluid L/S ratio in complicated pregnancies. Am.J. Obst. Gyn. 122: 772.
- Edelstone, D. 1. (1984):**
Quoted by Campbell, W.A. Vintzileos, A.M. and Nochimson, D. J. (1986): Intrauterine versus extrauterine management/ resuscitation of the fetus / neonate. Clinical Obst.Gyn., 29: 34.
- Eden, R.D., Seifert, L.S. et al., (1988) :**
Modified biophysical profile for antenatal fetal surveillance. Obst., Gyn., 71:365.
- Edersheim T.G., Hutson, J.M, and Druzin, M.L. (1987):**
Fetal heart rate response to vibratory acoustic stimulation. Am. J. Obst. Gyn., 157: 1557.
- Feling and Somern, V. (1979):**
Insulin receptors in diabetes and other conditions. Am. J. Med., 67: 913.
- Fine, J. (1967):**
Glucosuria in pregnancy. Br. Med. J., 1 :36.
- Fischer, W.M., Stude I. and Brandt, H. (1976):**
A suggestion for the evaluation of the antepartum cardiotocogram. Zeitschrift fur Geburtshilfe und Perinatologie, 180: 117. Quoted from recent advances in obst.Gyn. , (1991) chapter 9.P.163
- Flynn, A.M. and Kelly, J. (1977):**
Evaluation of fetal well-being by antepartum fetal heart rate monitoring. Br. Med. J., 93:69
- Flynn, A.M. and Kelly, J. (1982):**
Fetal monitoring in labour. In Recent Advances In Obst Gyn (14). ed . Bonnar, J., Churchill Livingstone, London, p 25
- Foster D.W. Caps A. and Philip G.k. (1984):**
Banting lecture From glycogen to ketones-andback. Diabetes (198;33:1188-1199)
- Freeman, R.K., Anderson G.8 Dorchester W. (1982):**

A prospective multi-institutional study of antepartum fetal heart rate monitoring. II. Contraction stress test versus nonstress test for primary surveillance. Am. J. Obst. Gyn., 143:778.

Freeman, R.K., Garide, P.H. and Mageotte, M.P. (1991):
FHR monitoring, 2nd ed. Baltimore, Williams and Wilkins.

Freinkel, N. (1964):
The effect of pregnancy on insulin homeostasis. Diabetes, 13: 260.

Freinkel, N. and Josimovich, J. (1987):
Americans diabetics association work-shop conference on gestational diabetes. Diabetes care, 3:399.

Gabbe, S.G, and Freeman, R.K. (1977):
Management and outcome of class "A" diabetes mellitus. Am.J.obst. Gyn., 127:465.

Galmbos, R. Hecox K. (1978) :
Clinical applications of the auditory brain stem response, Otolaryngol. Clin.Nort.Am.J. 11:7

Ganon, R. Hunse, C., Carmichal L., Fellows F. and Pattrick J. (1987):
External vibratory acoustic stimulation near term : Fetal heart rate and heart rate variability responses. Am. J. Obst. Gyn. 156:323.

Gimovsky, M.L. and Bruce, S. L. (1986) :
Aspects of FHR tracings as warning signals . Clinical obst. Gyn., 29: 51.

Gimovsky, M. L., Carities, SN. (1982):
Diagnosis and management of hypoxic fetal heart rate patterns. Clin. Perinatology. 9:313 .

Golde, S. Mentero, M. and Good-Anderson, B. (1984):
The role of non stress tests, fetal biophysical profile and contraction stress tests in the outpatient management of insulin-requiring diabetic pregnancies Am.J. Obst. Gyn., 148: 269.

Golde, S. and PLatt, L. (1985):
Antepartum testing in diabetes. Clin. Obst.
Gyn. , 28:516

Goodlin R.C., and Haesslien, H.C.(1977):
Fetal reacting bradycardia. Am. J. Obst. Gyn.,
129:845.

Goodlin, R.C.(1983) :
History of electronic fetal monitoring. In:
Modern Management of High-Risk pregnancy.ed.
lauersen,N.H.Ist.ed. plenm medical book
company,New York,217

Grimwade JC ,Walker DW, Bartlett M, Gordon S, Wood C
(1971):
Human fetal heart rate changes and movement in
response to sound and vibrations. Am.J. Obst.
and Gyn. 109 , 86.

Hadden, D.R. (1980) :
Diabetes care 3: 440.

Hammacher, K.(1968):
Quoted by Marten, C.B. (1982):Phisyology and
clinical use of fetal heart rate variability.
Clinics in perinatology ,9:347.

Harris, J. L., Krueger, T.R. and parer, J.T. (1982):
Mechanism of late decelerations of the fetal
heart rate during hypoxia, Am. J. Obst. Gyn.,
144: 491.

Hollingsworth, D.R., (1985):
Maternal metabolism in normal pregnancy
complicated by diabetes mellitus. clinical obst.
Gyn . 28 :457.

Hollingsworth, D.R. (1992):
Maternal plasma concentrations of hormones and
lipids in normal and diabetic pregnancy. In:
pregnancy, Diabetes and Birth,A manegement

guide. ed. Hollingsworth D.R. 2nd. ed. Williams
and Wilkins, Baltimore P. 37.

Hon, E.H. (1958):

The electronic evaluation of FHR, Am. J. Obst.
Gyn. 75; 125.

Huddlestone, J.F. (1984):

Management of acute fetal distress in the
intrapartum period. Clinical Obst. Gyn., 27:94.

Hutson, J.M. and Heubach, E.M. (1982):

Diagnosis and management of intrapartum reflex
fetal heart rate changes. Clinics in perinatol.,
9: 325.

Ingemarsson, E., Ingemarsson, I. & Westgren M. (1981):

Combined decelerations; Clinical significance
and relation to uterine activity obst. Gyn.,
58:35

Ingemarsson, I., Arulkumaran, S., Paul R.H. and Tambyrajra
R.L. (1988):

Fetal acoustic stimulation in early labor in
patients screened with the admission test Am.
obst. Gyn., 158:70

James, L.S., Morishima, H. O., Daniel, S.S., Bowe E.T.,
Cohen, H. and Niemann, W.H. (1972):

Mechanism of late deceleration of the fetal
heart rate. Am J. obst. Gyn, 113: 578.

Jeffery L.P., Phelan, Kester L.R. and Labudorich C.L.
(1982):

Non stress test and maternal serum glucose
determinations. Obst. Gyn. 60:434.

Johnson, T.R., Compton, A.A., Rotmensch, J., Work, B.A.
and Johnson, J.W. (1981):

Significance of the sinusoidal fetal heart rate
pattern. Am J. Obst. Gyn., 139:446.

Johnstone, F.D., Nzsrat, A. Prescott, R. (1990):

The effect of established and gestational diabetes on pregnancy outcome, Br. J. obst. Gyn.; 97:1009.

Jorge, C. Artal, R. and paul R.H. (1981):
Antepartum fetal surveillance in diabetic pregnant patients. Am.J.Obst. Gyn.,141:641.

Jost RG, Quilligan EJ, Yeh S-Y, Anderson G, (1972):
Intra-uterine electroencephalogram of the sheep fetus. Am.J.Obst. Gyn.,114:535.

Kaar, K. (1980):
Antepartum cardiotocography in the assessment of fetal outcome. Acta J. Obst.Gyn.,94:613.

Keegan, K.A. and Paul, R.H. (1980):
Antepartum fetal heart rate testing. IV. The nonstress test as primary approach. Am. J. Obst.Gyn.,136: 75.

Keegan K.A., Paul R.H., Rouchard P.M., McCart D.H. and Smith M.A. (1980):
Antepartum fetal heart rate testing.V.The non stress test as an outpatient approach ,Am. J.Obst., Gyn.136: 81.

Kirshcnbaum, D.M.(1984):
Glycosylation of protein: Its implications in diabetic control and complication.Ped. Clinics., 31 : 611.

Knopp, R.H., Chapman, M., Beergelin, R., Wahly, B.W., Warth, M.R., and Irvine, S.(1980):
Relationships of lipoprotein and lipids to mild fasting hyper-glycaemia in diabetic pregnancy.Diabetes Care, 3:416.

Krebs, H. B., Petres, R.E., Dunn, L.J., Jordaan, H.V. and Segrooeti, A. (1979):
Classification and prognosis of fetal heart rate patterns. Am. J. Obst. Gyn., 133: 762.

Krebs, H. B.Kubli, k. Carpenter, M.W. and coustan, D.R. (1982):

Antepartum monitoring of the heart rate .In:
Fetal Physiology and Medicine, ed. Beard
P.W. Nathanielsz . R.W. and Butterworth 2nd ed
London,P.655.

Kubli, F.W. Hon, E.H. Khazin, A.F.and Takemura, H. (1969a):
Observations on heart rate and pH in the human
fetus during labour. Am. J.Obst. Gyn.104: 1190.

Kubli, F., Kaeser, O. Hinselmann ,M. (1969b):
Diagnostic manegement of chronic placental
insufficiency Am.J. obst.Gym.,98:786

Kubli, K.(1984):
Antepartum monitoring of the heart rate in:
Fetal Physiology and Medicine, ed. Beard P.W.
Nathanielsz). R.W. and Butterworth 2nd ed.
London, P. 655.

Kuhlman, KA. Burns, KA.and Depp, R. (1988):
Ultrasonic imaging of normal fetal response to
external vibrating acoustic stimulation. Am.J.
Obst. Gyn. 158: 47.

Kuhlman, KA.and Depp, R.(1988):
Acoustic stimulation testing Obst. Gyn., Clin.
North Am.J. 15: 303.

Langer, O. Damus, K. Maiman, M. Divon M., Ievy J. and
Bauman, W. (1986):
A link between relative Hypomangnesmia,
hypoinsulinimia during oral glucose tolerance
tests and intra uterine growth retardation.Am.J.
Obst. Gyn., 155: 711.

Lary, S. Briassoulis, G. and Devries L. (1985) :
Hearing threshold in preterm and term infants by
auditory brain stem response. J. Pediatr. 10

Lavery, J. (1982):
Non stress fetal testing. clin. obst. Gyn. 25:
689.

Lauresen, N.H. (1983):

Fetal surveillance with non stress test In:
modern management of high-risk pregnancy
ed.Niels H.Lauresen . P.82.

- Lawson, G.W., Belcher, R., Dawes G.S. Redman C.W. G (1983):**
A comparison of ultrasound with autocorrelation
and direct electrocardiogram fetal heart rate
detector systems. Am. J. Obst. Gyn. 147:721
- Low, J. A., Pancham, S.R. and Worthington, D. N. (1977):**
intrapartum fetal heart rate profiles with and
without fetal asphyxia. Am.J. Obst. Gyn., 127:
729.
- Manning, F.A., M.D. Morrison, M.B., I.R., Lange M.B., C.R.,
Harman M.D. and P.F. C., Chamberlin M.D.(1987a):**
Fetal biophysical scoring selective use of the
N.S.T. Am J.Obst Gyn. 156: 709.
- Manning, F.A. Morrison, I., Harman C.R., Lange I.R., (1987b):**
I Meticulous fetal assessment based on fetal
B.P.P. experience in high risk pregnancies. II.
An analysis of false negative deaths. Am.
J.Obst. Gyn. 157:880.
- Manning, F. A. Morrison, I.R., Harman C.R. (1985):**
Fetal assessment based on fetal biophysical
profile scoring experience in 12620 referred
high risk pregnancies. Perinatal mortality by
frequency and etiology. Am. J. Obst. Gyn. 151:
343
- Manning, F.A., lange, J.R., Morrison I., et al (1984):**
Fetal biophysical profile score and the N.S.T. a
comparative trial. Obst. Gyn. 64: 326.
- Martin, C. B. (1982):**
physiology, and clinical use of fetal heart rate
variability. Clinics in perinatol., 9: 339.
- Mendenhall, H.W., O'Leary, J.A. Phillips K.O. (1980):**
Thenon stress test: the value of a single
acceleration in evaluation of the fetus at
risk.Am.J. Obst. Gyn.,136:87

Metzger, B.E., Phelps, R.L., Freinkel, N., and Navickas, I.A. (1980):

Effects of gestational diabetes on diurnal profiles of plasma glucose, lipids, and individual amino acids. Diabetes Care, 3: 402 .

Miller, J.M. (1983):

Antenatal fetal heart rate testing in diabetic pregnancy. Proceedings of the 3rd annual scientific meeting of the society of perinatal obstetricians. P.18.

Miller, E.; Hare, J.W; Dunn P.J. (1981):

Elevated maternal HbA in early pregnancy and major congenital anomalies in infants of diabetic mothers. N. Eng. J. Med., 304: 1331.

Michael R., Reynolds, A.W & Daniel S (1985):

antepartum Fetal heart rate monitoring in the assessment of fetal outcome in diabetic pregnancy Obst. Gyn. J. 130:511

Miodovnik, M.; Lavin, J.P.; Knowles, H.C.; Holroyde J. and Stys, S.J. (1984):

Spontaneous abortion among insulin dependent diabetic women. Am., J. Obst. Gyn., 150: 370.

Moore, T.R. (1992):

Fetal Surveillance. In: Pregnancy Diabetes and Birth. A Management Guide. Hollingsworth D.R. . 2nd. ed. Williams and Wilkins, Baltimore ., P. 208.

Nina, L.E., Pyke, D.A., Watkins, P.J., Brundenell, J. M. and Gamus, H. (1973) :

Occasional survey. Diabetic pregnancy. Br. Med. J., 13: 89.

Nordlander, E., Hanson, U. and Persson B. (1989):

Factors influencing neonatal morbidity in gestational diabetic pregnancy. Br. J. obst. Gyn., 96:671.

Ohel, G., Birkenfeld, A., Rabinowitz R. Sadosky E. (1986):

Fetal response to vibratory acoustic stimulation in periods of low heart rate reactivity and low activity. Am. J. obst. Gyn., 619:21.

- Ohel, G, Horowitz, E. and Linder, M. (1987) :**
Neonatal auditory acuity following in utero vibratory acoustic stimulation. Am. H. Obst. Gyn., 157 :440.
- Oloffson, P.; Ingemarsson, I. and Solum, .(1986):**
Fetal distress during labour in diabetic pregnancy Br. J. Obst. Gyn., 93:1067.
- O'Sullivan, J.B. and Mahan, C.M. (1963):**
Criteria for the oral glucose tolerance test in pregnancy. Diabetes, 13: 278.
- Ostlund and Hason , (1991):**
Antenatal non stress test in complicated and non complicated pregnancies in type-1-diabetic women .Eur. J.obst.Gyn., 39:13.
- Paul, R.H. and Miller, F.C.(1978) :**
Antepartum fetal heart rate monitoring clinical obst. gyn., 21: 375 .
- Paul, R. H., Suidan, A.K., S., Yeh, S., Schifrin, B. S. and Hon, E. H. (1975):**
Clinical fetal monitoring. VII. The evaluation and significance of intrapartum baseline FHR Variability. Am. J. Obst. Gyn., 123: 206.
- Pedersen, J.(1977) :**
The Pregnant diabetic and her newborn, 2nd ed., pub. Williams & Wilkins, Baltimore, P. 133, .
- Persson, B., and Lunell, N.O.(1975) :**
Metabolic control in diabetic pregnancy: Variations in plasma concentrations of glucose, free fatty acids, glycerol, Ketone bodies, insulin and human chorionic somatomammotropin during the last trimester, Am. J. Obst. Gyn., 122: 737
- Peter, S. J. Dignan, M.B and H.B.Hon (1981):**
Teratogenic risk and counseling in diabetes. Clinical Obst.Gyn., 24:150.

- Petrie, R.H., Yeh, S., Murata, Y, (1987):**
The effects of drugs on fetal heart rate variability. Am.J. obst. Gyn., 130: 294.
- Pritchard, J., Macdonald, p.C. and Gant, N.F, (1985) :**
Techniques to evaluate fetal health. williams Obstetrics. 17 th ed. Appleton- Century- Crofts, Norwalk, P: 267:.
- Pritchard, paul C., Mac Donald, Norman, F and Gant (1985):**
williams obstetrics Endocrine disorders during pregnancy .P.598
- Quirk, J. G. and Miller, F.C. (1986) :**
FHR tracing characteristics that jeopardize the diagnosis of fetal well-being Clinical Obst. Gyn., 29: 12.
- Read, J.A.and Miller, F.C. (1977):**
Fetal heart rate acceleration in resonse to acoustic stimulation as a measure of fetal well-being. Am. J. Obst. Gyn.,129: 512.
- Reaven., G.M.(1980):**
Insulin independent diabetes mellitus: Metabolic characteristics. Metabolism, 29: 445.
- Reece, E.A., Antoine, C. and Montgomery, J. (1986) :**
The fetus as the final arbiter of intrauterine stress/ distress. Clinical obst. Gyn., 29: 23.
- Reginald, C.; Tsang, .B.S; Jeanne Ballard, and colleen Braun, (1981):**
The infant of diabetic mother; today and tomorrow. Clinical obst . Gyn., 24:125
- Resnik, R., Huddleston, J.F., Freeman.and Rketal(1982):**
NST or CST what's the best for spotting the high risk fetus. Obst, gyn., 19: 92
- Roberts, A.B. and Backer, J. R.(1987):**

Relationship between fetal growth and maternal fructosamin in diabetic pregnancy . obst. Gyn., 70: 2342.

Roberts, A.B.; Backer, J.R. and James, A.G.(1988):
Fructosamine in the managment of gestational diabets. Am.J. Obst. Gyn ., 159: 66.

Rochared, F, Schifrin, B. S, Goupil, F., Legrand, H., Blottiere, J. and Sureau, C. (1976):
Non stressed fetal heart rate monitoring/the fetal bio- physical profile and its prediction value.Obs. Gyn., 62 : 271.

Ronald, Comotis., France, Desjarlais and Michel N.(1989):
Clinical use fullness of estimation of srum fructosamine concentration as a screening test for gestationl diabetes. Am.J. Obst. Gyn., 4:160.

Schneider, E.P. and Tropper, P.J. (1986):
The Variable deceleration , Prolonged deceleration, and sinusoidal fetal heart rate. Clinical Obst.Gyn., 29:64.

Smith, C.V., Nguyen, H, N., Phelan, J.P. and Paul, R.H. (1986):
Intrapartum assessment of fetal well-being : A comparison of fetal acoustic stimulation with acid- base determinations. Am. J. Obst. Gyn., 155: 726.

Smith, J.H. Anand, K.J. Cotes, P.M. and dawes G.S. (1988):
Antenatal fetal heart rate variation in relation to the respiratory and metabolic station to the respiratory and metabolic status of the compromised human fetus 95:980.

Soler, N.G. and Malins, J.M. (1978):
Diabetic pregnancy: Manegment of diabetes on the day of delivery. Daibetologia, 15:441.

Spellacy, W.N. 91983):
Diabetes and pregnancy. Clin. Obst. Gyn., 2: 35.

- Starr, A. Amile R.N., and Martin W.H. (1977) :**
Development of auditory functions in newborn infants revealed by auditory brain stem potentials. J. Pediatr. 60:831.
- Steel, J.M. and Thomson, P.(1981):**
Glycosylated haemoglobin concentrations in mothers of large babies. Br. Med. J., 282: 1357.
- Sulltiff, J.G, Huddleston, J.F. (1986):**
Antepartum biophysical and biochemical fetal evaluation. In: High risk pregnancy P. 36.
- Teramo, k. Ammala,. P. Ylinen K. and Raivio R.O. (1983):**
Pathological fetal heart rate associated with poor metabolic control in diabetic pregnancies. Obst . Gyn.,J. 61:559 .
- Trudinger, B.J. Boylan, P. (1980):**
Antepartum fetal heart rate monitoring: Value of sound stimulation. Obst. Gyn. 55: 265.
- Tsang, C.R. Kleinman, L.I. Sutherland, J.M. and Light, I.J. (1972):**
Hypocalcemia in infant of diabetic mothers. J. Pediatric., 32:384.
- Tsang, C.R. Strub, R. Brown, D.R. Steichen Hartman, C. and Chen, W.I. (1976):**
Hypomangnesmia of diabetic mothers. Br. Med. J. 6:316.
- Vanwoerden, E.E., Vangejn, H.P., Swartjes J.M., Caron F.J.M., Brons J.T.J. & Arts N.F.T. (1988):**
Fetal heart rhythms during behavioural state . Eu. J. Obst. Gyn.,28: 29.

Vintzileos, A.M., Campbell, W.A. Inggardia, C.J. and al(1983) :

Non stressed fetal heart rate monitoring in the fetal biophysical profile and its predictive value. Obs. Gyn., 62 : 271.

Walker D, Grimwade J, Wood C. (1971):

The intrauterine noise, a component of the fetal environment. Am.J.Obst. Gyn., 109:91.

Wayne, R. Cohen, MD(1986):

The Abnormal Fetal Heart Rate baseline Clinical Obst. Gyn., 29: 1.

Westgren M., Holmquist P., Svenningsen N. M., Ingemarsson I., (1982):

Intrapartum fetal monitoring in preterm deliveries, prospective study, Obst. Gyn., 60:99.

Wheeler, T., Gennser G., Lindvall R. and Murrills A.J. (1980):

Changes in the fetal heart rate associated with fetal breathing and fetal movement. Br. J. Obst. Gyn., 87:1068.

William, S.P. Leveno, K.J. Guzick, D.S.; Williams, L.M. and Whalley, P.J. (1986):

Glucose threshold for macrosomia in pregnancy complicated by diabetes. Am. J. Obst. Gyn., 154:470.

Wolfson, R. N. , Sorkin, Y. And Rosen, M. G, (1982):

Quoted by Campbell, W. A., Vintzileos, A. M. and Nochimson, D. J. (1986) : Intrauterine versus extrauterine management/resuscitation of the fetus/neonate. Clinical Obst. Gyn., 29: 35.

Woods, J.R., Plessinger, M. and Mack C. (1984):

The fetal auditory brain stem response (ABR). Pediatr. Res. 18:83.

Worth, R. and Hom, P. (1983):

Glycosylated haemoglobin in cord following normal and diabetic pregnancies. Diabetologia, 25:482.