

REFERENCES

REFERENCES

- Abdallah, P.; Mark, J.B.; and Merigan, T. (1976) :
Diagnosis of CMV pneumonia in comprised hosts.
Amer. J. Med., 61 : 326-332.
- Andrewes, C.H. (1930) :
Immunity to the salivary gland virus of guinea
pigs studied in the living animal and in tissue
culture.
Br. J. Exp. Pathol., 11 : 23 - 34.
- Armstrong, D.; Mathew, E.; and Steger, L. (1971) :
Post-transfusion cytomegaloviremia and persistence
of cytomegalovirus in blood.
Infect. Immun., 3 : 159-163.
- Ashraf, S.J.; Parande, C.M. and Arya, S.C. (1985) :
Cytomegalovirus in patients in the Gizan area
of Saudi Arabia.
J. Infect. Dis.; Vol. 152 , No.6 : 1351.
- Baron, J.; Youngblood, L.; Siewers, C.M.F. and Medsaris,
D.N. (1969) :
The incidence of cytomegalovirus, herpes simplex,
rubella, and toxoplasma antibodies in microceph-
alic mentally retarded and normocephalic children.
Pediatrics, 44 : 932 - 939.
- Belshe, R.B. (1984) :
Text Book of Human Virology.
PSG publishing company, INC : P. 887-888.

Benyesh-Melnick, M. (1969) :

Cytomegaloviruses .

In Lennette, E.H. and Schmidt, N.J. (eds).

Diagnostic procedures for viral and rickettsial infections.

4th ed. New York, American Public Health Association, Inc. p. : 701-732 .

Berenberg, W. and Nankervis, G. (1970) :

Long term follow-up of cytomegalic inclusion disease of infancy.

Pediatrics, 46 : 403 - 410.

Bernstein, M.T. and Stewart, J.A. (1971) :

Indirect hemagglutination test for detection of antibodies to CMV .

Appl. Microbiol., 21 : 84 - 89.

Booth, J.C.; Hannington, G.; Bakir, T.M.F. et al. (1982):

Comparison of enzyme-linked immunosorbent assay, radioimmunoassay, complement fixation anticomplement immunofluorescence and passive haemagglutination techniques for detecting CMV-IgG antibody.

J. Clin. Pathol. 35 : 1345-1348.

Carney, W.P.; Iacoviello, V. and Hirsch, M.S. (1983):

Functional properties of T lymphocytes and their subsets in cytomegalovirus mononucleosis.

J. Immunol., 130 : 390 - 393 .

Chin, W.; Magoffin, R.; Frieson, J.G. and Lennette, E.H. (1973):

Cytomegalovirus infection : A case with meningoencephalitis.

J.A.M.A., 225 : 740-741.

- Cole, R. and Kuttner, A.G. (1926) :
Filterable virus present in the salivary glands
of guinea pigs.
J. Exp. Med., 44 : 855-873.
- Cox, F.E. and Hughes, W.T. (1973) :
Isolation of CMV from feces and tears (abstract).
Pediatr. Res., 7 : 146.
- Cox, F.E.; and Hughes, W.T. (1974) :
Fecal excretion of CMV in disseminated cytomegalic
inclusion disease.
J. Infect. Dis.; 129 : 732-736.
- Cox, F.E. and Hughes, W.T. (1975) :
Cytomegaloviremia in children with acute lymphocy-
tic leukaemia.
J. Pediatr., 87 : 190 - 194.
- Cox, F.E.; Meyer, D. and Hughes, W.T. (1975) :
CMV in tears from patients with normal eyes and
with acute cytomegalovirus chorioretinitis.
Arch. Ophthalmol; 80 : 817 - 824.
- Diosi, P.; Babusceac, L. and David, C. (1973) :
Distinctive cytopathic properties of CMV recovered
from the female genital tract.
Am. J. Clin. Pathol., 59 : 192 - 195.
- Diosi, P.; Moldovan, E. and Tomescu, N. (1969) :
Latent CMV infection in blood donors.
Br. Med. J.; 4 : 660-662.

- Dorfman, L.J. (1973) :
Cytomegalovirus encephalitis in adults.
Neurology, 23 : 136-144.
- Dowling, P.; Menonna, J. and Cook, S. (1977) :
Cytomegalovirus complement fixation antibody in
Guillian Barre syndrome.
Neurology, 27 : 1153-1157.
- Dreesman, G.R. and Benyesh-Melnick, M. (1967) :
Spectrum of human CMV complement fixing antigens.
J. Immunol., 99 : 1106-1114.
- Drew, W.L.; Mintz, L. Sands, M. et al. (1981) :
Cytomegalovirus infection in homosexual men.
J. Infect. Dis.; 143 : 188-192.
- Eleck, S.D. and Stern, H. (1974) :
Development of a vaccine against mental retardation
caused by CMV infection in utero.
Lancet, 1 : p. 1-5.
- Embil, J.A.; Manuel, F.R.; Garner, J.B. et al. (1982):
Cytomegalovirus in the semen .
Can. Med. Assoc. J., 126 : 391-392.
- Embil, J.A.; Ozere, R.L.; and Haldane, E.V. (1970) :
Congenital CMV infection in two siblings from
consecutive pregnancies.
J. Pediat., 77 : 417-421.
- Farber, S. and Wolbach, S.B. (1932) :
Intranuclear and cytoplasmic inclusions "protozoan
like bodies" in the salivary glands and other organs
of infants.
Am. J. Pathol. 8 : 123 - 135.

Feldman, R.A. (1968) :

Cytomegaloviruses in stored urine specimens :
A quantitative study.
J. Pediatr., 73 : 611-614.

Fenner, F. (1976) :

The classification and nomenclature of viruses :
Summary of results of meetings of the international
committee on taxonomy of viruses in Madrid September.
Virology, 71 : 371 - 378.

Fiala, M.; Edmondson, L. and Guze, L.B. (1973) :

Simplified method for isolation of CMV and demon-
stration of frequent viremia in renal transplant
patients.
Proc. Soc. Exp. Biol. Med., 144 : 871-875.

Fiala, M.; Payne, J.E. and Berne, T.V. (1975) :

Epidemiology of cytomegalovirus infection after
transplantation and immunosuppression.
J. Infect. Dis., 132 : 421-433.

Fuccillo, D.A.; Moder, F.L. Catalano, L.W. et al. (1970) :

Herpesvirus hominis types I and II : A specific
microindirect hemagglutination test.
Proc. Soc. Exp. Biol. Med., 133 : 735-739.

Fuccillo, D.A.; Moder, F.L.; Traub, R.G. et al. (1971):

Microindirect hemagglutination test for cytomegal-
ovirus .
Appl. Microbiol., 21 : 104 - 107.

Gehrez, R.C.; Christianson, W.R.; Linner, K.M. et al.(1981):
Cytomegalovirus specific humoral and cellular
immune responses in human pregnancy .
J. Infect. Dis., 143 : 391 - 395.

Giraldo, G.; Beth, E.; Hammerling, U. et al. (1977) :
Detection of early antigens in nuclei of cells
infected with CMV or herpes simplex virus type 1
and 2 by anticomplement immunofluorescence, and
use of a blocking assay to demonstrate their
specificity .
Int. J. Cancer, 19 : 107-116.

Glazer, J.P.; Friedman, H.M.; Grossman, R.A. et al.(1982):
Vaccination of pediatric nurses with live attenu-
ated CMV.
Am. J. Dis. Child., 136 : 294 - 296.

Glenn, J. (1981) :
CMV infections following renal transplantation.
Rev. Infect. Dis., 3 : 1151-1178.

Goodpasture, E.W.(1929) :
Cellular inclusions and the etiology of virus
diseases.
Arch. Pathol., 7 : 114-132.

Goodpasture, E.W. and Talbot, F.B. (1921) :
Concerning the mature of "protozoan-like" cells
in certain lesions of infancy.
Am. J. Dis. Child, 21 : 415-425.

Griffiths, P.D.; Stagno, S. and Pass, R.F. et al. (1982):
Infection with CMV during pregnancy : Specific
IgM antibodies as a marker of recent primary
infection.

J. Infect. Dis.; 145 : 544-549.

Griffiths, P.D.; Stagno, S. and Reynolds, D.W. (1978):
A longitudinal study of the serological and viro-
logical status of 18 women infected with cytomeg-
alovirus.

Arch. Virol., 58 : 111 - 118.

Hanshaw, J.B. (1966) :

Cytomegalovirus complement-fixing antibody in
microcephaly.

N. Engl. J. Med., 275 : 476 - 479 .

Hanshaw, J.B. (1966) :

Congenital and Acquired CMV infection.

Pediatr. Clin. North. Am.; 13 : 279-293.

Hanshaw, J.B. (1968) :

Congenital CMV infection. In Bergsma, D. and

Krugman, S. (eds). Intrauterine infections.

Birth Defects. original Article series, Vol IV,

No. 7, New York, The National Foundation-March

of Dimes : p. 37 - 46.

Hanshaw, J.B. (1969) :

Congenital CMV infection : Laboratory methods
of detection.

J. Pediatr., 75 : 1179-1185.

Hanshaw, J.B. (1970) :

Developmental abnormalities associated with congenital CMV infection.

Adv. Teratol., 4 : 64-93.

Hanshaw, J.B. (1971) :

Congenital CMV infection a fifteen years perspective.

J. Inf. Dis., 123 : 555-561.

Hanshaw, J.B. (1973) :

Congenital CMV infection .

N. Engl. J. Med., 288 : 1406 - 1407.

Hanshaw, J.B.; Betts, R.F.; Simon, G. and Boynton, R. (1965):

Acquired CMV infection. Association with hepatomegaly and abnormal liver function tests.

N. Engl. J. Med., 272 : 602 - 609.

Hanshaw, J.B. and Dudgeon, J.A. (1978) :

Congenital cytomegalovirus. Major probl. Clin. Pediatr.

Viral diseases of fetus and newborn. Vol. 17,

Philadelphia W.B. Saunders Co., p. 97-152.

Hanshaw, J.B.; Niederman, J.C. and Chessin, L.N. (1972) :

CMV macroglobulin in cell associated herpesvirus infection.

J. Infect. Dis., 125 : 304-306.

Hanshaw, J.B.; Scheiner, A.P.; Moxley, A.; et al. (1976):

C.N.S. effects of "Silent" CMV infection, school failure and deafness after "Silent" congenital CMV infection.

N. Engl. J. Med., 295 : 468 - 470.

Hanshaw, J.B.; Schultz, F.W.; Melish, M.M. and Dudgeon,
J.A. (1973) :

Congenital cytomegalovirus infection.

In intrauterine infection.

Ciba foundation symposium 10 (new series).

Amsterdam, Associated Scientific Publishers,

P. 23-32.

Hanshaw, J.B.; Steinfeld, H.J. and White, C.J. (1968):

Fluorescent antibody test for CMV macroglobulin.

N. Engl. J. Med. 279 : 566-570.

Hayes, K.; Danks, D.M.; Gibas, H.; and Jack, I. (1972):

CMV in human milk.

N. Engl. J. Med., 287 : 177-178.

Hayward, A.R.; Herberger, M.J.; Groothuis, J.; and Levin,
M.R. (1984) :

Specific immunity after congenital or neonatal

infection with CMV or Herpes simplex virus.

J. of Immunology, Vol. 133 ; No. 5 : 2469-2473.

Ho, M. (1981) :

The lymphocytes in infections with Epstein-Barr
virus and CMV . J. Infect. Dis.; 143 : 857-862.

Ho, M.; Suwansirikul, S.; Dowling, J.N.; et al. (1975):

The transplanted kidney as a source of cytomega-
lovirus infection .

N. Engl. J. Med., 223 : 1109 - 1112.

Huang, E.S., Alford, C.A.; Reynolds, D.W. et al. (1980):

Molecular epidemiology of CMV infection in women
and their infants.

N. Engl. J. Med., 303 : 958-962.

- Huang, E.S.; Chen, S.T. and Pagano, J.S. (1973) :
Human cytomegalovirus. I-purification and
characteristics of viral DNA.
J. Virol., 12 : 1473-1481.
- Huang, Y.T.; Huang, E.S. and Pagano, J.S. (1974) :
Antisera to human CMV prepared in guinea pig :
Specific immunofluorescence and complement-
fixation tests.
J. Immunol., 2 : 528-532.
- Jesioneck, A.; Kiolemenoglou, B.; Ueber einen Befund Von
Protozoenartigen Gebilden in den organen eines
hereditarluetischen fatus.
Munchen Med. Wochensch, 1904, 51 : 1905-1908.
Quoted from Major problems in clinical pediatrics,
viral diseases of the fetus and newborn, by
Hanshaw, and Dudgeon, Vol. 17, Philadelphia, W.B.
Saunders Co., (1978) p. 97-152.
- Jordon, M.C.; Rousseau, W.E.; Noble, G.R. et al. (1973):
Association of cervical cytomegalovirus with
venereal disease.
N. Engl. J. Med., 288 : 932 - 934.
- Kanich, R.E. and Craighead, J.E. (1966) :
Cytomegalovirus infection and cytomegalic inclusion
disease in renal homotransplant recipients.
Am. J. Med., 40 : 874 - 882.
- Kantor, G.I.; Goldberg, L.S.; Johnson, B.L.; et al. (1970):
Immunological abnormalities induced by postperfu-
sion cytomegalovirus infection.
Ann. Intern. Med., 73 : 553-558.

- Kapasi, K. and Rice, G.P.A. (1986) :
Role of the monocyte in cytomegalovirus-Mediated
immunosuppression in vitro.
J. of Infect. Dis. Vol. 154; No. 5 p. 881-884.
- Kim, K.S.; Sapienza, V.J.; Carp, R.I. et al. (1976):
Analysis of structural polypeptides of purified
human CMV.
J. Virol., 20 : 604 - 611.
- Klemola, E.; Weckman, N.H.; Haltia, K. et al. (1967) :
Acta Med. Scand., 181 : 603-607.
- Knox, G.E.; Pass, R.F.; Reynolds, D.W. et al. (1979) :
Comparative prevalence of subclinical cytomegalovirus and herpes simplex virus infections in the genital and urinary tracts of low income, Urban Women .
J. Infect. Dis., 140 : 419-422.
- Kraemer, K.G.; Neiman, P.E.; Reeves, W.C.; et al. (1978):
Prophylactic adenine arabinoside following marrow transplantation.
Transplant Proc., 10 : 237-240.
- Krech, U. (1973) :
Complement fixing antibodies against CMV in different parts of the world.
Bull WHO, 49 : 103 - 106.
- Krech, U. and Tobin, J. (1981) :
A collaborative study of cytomegalovirus antibodies in mothers and young children in 19 countries.
Bull WHO, 59 : 605-610.

- Kumar, A.; Nankervis, G.A.; Cooper, A.R. et al. (1980):
Acquisition of CMV infection in infants following
exchange transfusion : A prospective study .
Transfusion, 20 : 327-331.
- Lang, D.J. (1980) :
Cytomegalovirus immunization : Status, Prospects
and problems .
Rev. Infect. Dis., 23 : 449-458.
- Lang, D.J. and Hanshaw, J.B. (1969) :
Cytomegalovirus infection and the postperfusion
syndrome : Recognition of primary infections in
four patients. N. Engl. J. Med., 280 : 1145-1149.
- Lang, D.J. and Kummer, J.F. (1972) :
Demonstration of CMV in semen.
N. Engl. J. Med., 287 : 756-758.
- Lang, D.J. and Kummer, J.F. (1975) :
Cytomegalovirus in semen : observations in selected
populations.
J. Infect. Dis., 132 : 472 - 473.
- Larke, R.P.; Wjeatley, E.; and Saigal, S. (1980):
Congenital cytomegalovirus infection in an urban
canadian community.
J. Infect. Dis., 162 : 647.
- Lee, K.F.; Nahmias, A.J. and Stagno, S. (1978) :
Rapid diagnosis of CMV infection in infants by
electron microscopy.
N. Engl. J. Med., 99 : 1266-1270.

- Leinikki, R.; Heinonen, K. and Pettay, O. (1972) :
Incidence of cytomegalovirus infections in early
childhood.
Scand. J. Infect. Dis., 4 : 1-5.
- Lennette, E.H.; and Schmidt, N.J. (1964) :
Diagnostic procedures for viral and Rickettsial
infections, 3 ed edition, New York : p.51-58.
- Loh, L. and Hudson, T.B. (1982):
Murine cytomegalovirus-induced immunosuppression.
J. Infect. Immunol., 36 : 89.
- Lowenstein, C. (1907) :
Ueber protozenartigen Gebilde in den organen
Von Kindern Zentrbl. Allg. Pathol. 18 :513-518.
Quoted from major problems in clinical ped.viral
dis. of the fetus and newborn by Hanshaw and
Dudgeon, 1978, Vol. 17, Philadelphia W.B. Saunders
Co., p. 97-152.
- Lysaught, J.N. (1962) :
Cytomegalic inclusion disease A suggested method
of more rapid diagnosis.
South. Med. J., 55 : 1246 - 1250.
- McCracken, G.H. Shinefield, H.R.; Cobb, K.; et al. (1969):
Congenital cytomegalic inclusion disease. A long-
itudinal study of 20 patients.
Amer. J. Dis. Child, 117 : 522-539.
- McIntosh, K.; Wilfert, C.; Chernesky, M. et al. (1980):
Summary of a workshop on new and useful techni-
ques in rapid viral diagnosis.
J. Infect. Dis. 142 : 793-802.

Medearis, D.N. (1964) :

Observations concerning human CMV infection and disease .

Bull. Johns. Hopkins Hosp., 114 : 181-211.

Melish, M.E. and Hanshaw, J.B. (1973) :

Congenital cytomegalovirus infection, developmental progress of infants detected by routine screening.

Am. J. Dis. Child., 126 : 190.

Meyers, E.N. and Stool, S. (1968) :

Cytomegalic inclusion disease of the inner ear.

Laryngoscope, 78 : 1904-1915.

Monif, G.R.G. and Dische, R.M. (1972) :

Viral placentitis in congenital CMV infection.

Am. J. Clin. Pathol., 58 : 445-449.

Moore, D.; Faix, R.G.; Zweig, S.E.; Kummer, J.F. and Lang, D.J. (1983) :

Cytomegalovirus-specific cell mediated immunity during pregnancy.

J. Infect. Disease, 148, No. 4 : 621.

Naragi, S.; Jackson, G.G.; Jonasson, O.M. et al. (1978):

Search for latent cytomegalovirus in renal allografts.

Infect. Immun., 19 : 699-703.

Osborn, J.E. (1981) :

Cytomegalovirus : Pathogenicity, Immunology and vaccine initiative .

J. Infect. Dis., 143 : 618-630.

Palacios, O.; Cabau, N.; Horaud, F. and Plotkin, S. (1983):
Serologic survey of antibodies to CMV in women
and infants in Lima, Peru.
J. Infect. Dis., 147 : 777.

Pass, R.F.; Dworsky, M.E.; Whitley, R.J. et al. (1981) :
Specific lymphocyte blastogenic responses in
children with cytomegalovirus and herpes simplex
virus infections acquired early in infancy.
J. Infect. Immun., 34 : 166-170.

Pass, R.F.; Mugust, A.M.; Dowrsky, M. et al. (1982) :
Cytomegalovirus infection in a day-care center.
N. Engl. J. Med., 307 : 477-479.

Pass, R.F.; Reynolds, D.W.; Whelchel, J.D. et al. (1981):
Impaired lymphocyte transformation response to
cytomegalovirus and phytohemagglutinin in recip-
ients of renal transplants : Association with
antithymocyte globulin.
J. Infect. Dis., 143 : 259-265.

Pass, R.F.; Stagno, S.; Myers, G.J. and Alford, C.A. (1980):
Outcome of symptomatic congenital CMV infection:
Results of long-term longitudinal follow-up.
Pediatrics, vol. 66, No. 5 : 758-762.

Peller, P. and Goetz, O. (1981) :
Microcephaly in : Mental retardation and congeni-
tal malformation of central nervous system. Eds.
Warkang. J.; Lamire, R.J.; Cohen, M.M.J. : Year Book
Medical Public Co. Chicago London : p. 3

- Penttinen, K.; Kaariainen, L. and Myllyla, G. (1970):
CMV antibody assay by platelet aggregation.
Arch. Ges Virusforsch, 29 : p. 189-194.
Quoted from Major problems in clinical ped., viral
dis. of the fetus and newborn by Hanshaw and Dugeon
1978, Philadelphia, W.B. Saunders Co., p. 97-152.
- Plotkin, S.A.; Farquhar, J. and Hornberger, E. (1976) :
Clinical trials of immunization with the townes
125 strain of human CMV.
J. Infect. Dis., 134 : 470-475.
- Plummer, G. (1959) :
CMV of man and animals.
Progr. Med. Virol., 2 : 171.
- Plummer, G. and Benyesh-Melnick, M. (1964) :
Plaque reduction neutralization test for human CMV.
Proc. Soc. Exp. Biol. Med., 117 : 145-150.
- Preiksaitis, J.K.; Grumet, C. and Merigan, T.C. (1981) :
CMV infection in cardiac recipients : The role of
the donor heart.
Clinical Research, 30 : 999.
- Rasmussen, L.; Kelsall, D.; Nelson, R. et al. (1982):
Virus specific IgG and IgM antibodies in normal
and immunocompromised subjects infected with CMV.
J. Infect. Dis., 145 : 191-199.
- Reller, L.B. (1973) :
Granulomatous hepatitis associated with acute CMV
infection.
Lancet, 1 : 20-22.

- Remington, J.S.; Miller, M.J. and Brownlee, I. (1968):
IgM antibodies in acute toxoplasmosis.
Diagnostic significance in congenital cases and
a method for their rapid demonstration .
Pediatrics, 41 : 1082-1091.
- Reynolds, D.W.; Huang, E. and Thames, S.D. (1973) :
Cytomegalovirus excretion and perinatal infection.
N. Engl. J. Med. 289 : 1-5.
- Reynolds, D.W.; Stagno, S.; Alford, C.A. (1979) :
Laboratory diagnosis of CMV infections in Lennette
E.H., Schmidt, N.J. (eds): Diagnostic procedures
for viral Rickettsial and chlamydial infections
ed. 5. Washington DC, American Public Health
Association, p. 399-439.
- Ribbert, H.: Ueber Protozoenartige Zellen in der Niere
Eines Syphilitischen Neugeborenen und in der
Parotis Von kindern. Centralbl. F. Allg Path U
Path Anat 1904, 15 : 945-948.
Quoted from Major problems in clinical ped. viral
dis. of fetus and newborn, by Hanshaw and Dudgeon
1978, Philadelphia W.B. Saunders Co., p.97-152.
- Rinaldo, C.R.; Black, P.H. and Hirsch, M.S. (1977) :
Interaction of cytomegalovirus with leucocytes
from patients with mononucleosis due to CMV.
J. Infect. Dis., 136 : 667-678.
- Rowe, W.P.; Hartley, J.W.; Cramblett, H.G. and Mastrota,
F.M. (1958) :
Detection of human salivary gland virus in the
mouth and urine of children.
Am. J. Hyg., 67 : 57-65.

Rowe, W.P.; Hartley, J.W.; Waterman, S.; et al. (1956) :
Cytopathogenic agent resembling salivary gland
virus recovered from tissue cultures of human
adenoids. Proc. Soc. Exp. Biol. Med. 92 : 418-424.

Saigal, S.; Lunyk, O.; Lorke, B. and Chernesty, M. (1982):
The outcome in children with congenital CMV in-
fection.
Am. J. Dis. Child, 136 : 896.

Saral, R.; Burns, W.H.; Laskin, O.L. et al. (1981) :
Acyclovir prophylaxis of herpes simplex virus
infections.
N. Engl. J. Med., 305 : 63-67.

Sarov, I.; Siqueira-Linhares, M. et al. (1981) :
Detection of spesific IgA antibodies in serum of
kidney transplant patients with recurrent CMV
infection .
Inter. Virology, 15 : 228- 234.

Schuster, V.; Matz, B.; Wiegand, H. et al. (1986) :
Detection of Human CMV in urine by DNA-DNA and
RNA-DNA Hybridization.
J. of Infect. Dis., Vol. 154 , No. 2 309-314.

Sever, J.L., Huebner, R.G.; Castellano, G.A.; and Bell,
J.A. (1963) :
Serological diagnosis "en masse" with multiple
antigen.
Am. Rev. Respir. Dis., 88 : (suppl). ; 342-359.

- Simmons, R.L.; Matas, A.J.; Rattazzi, L.C. et al. (1976):
Clinical characteristics of the lethal cytomegalovirus infection following renal transplantation. Surgery, 82 : 537-570.
- Sinha, S.K.; and Pauls, F.P. (1971) :
Cytomegalovirus complement fixation antibody response in Eskimo families.
Pediatrics, 48 : 157.
- Smith, M.G. (1954) :
Propagation of salivary gland virus of the mouse in tissue culture .
Proc. Soc. Exp. Biol. Med., 86 : 435-440.
- Smith, M.G. (1956) :
Propagation of tissue cultures of cytopathogenic virus from human salivary gland virus (SGV) disease
Proc. Soc. Exp. Biol. Med. , 92 : 424-430.
- Smith, J.D. and DeHarven, E. (1974) :
Herpes simplex virus and human CMV replication in WI-38 cells. II An ultrastructural study of viral penetration.
J. Virol., 14 : 945-956.
- Stagno, S.; Pass, R.F.; Dworsky, M.E. et al. (1982):
The relative importance of primary and recurrent maternal infection.
N. Engl. J. Med., 306 : 945-949.

- Stagno, S.; Pass, R.F.; Dworksy, M.E.; Britt, W.J. and Alford, C.A. (1984) :
Congenital and perinatal CMV infections :
Clinical characteristics and pathogenic factors
in plotkin SA, Michelson, S.; Pagano, J.S.; Rapp, F. eds. CMV, Pathogenesis and prevention of human infection.
New York : alan R. Liss, 65-85.
- Stagno , S.; Reynolds, D.; Amos, C.S. et al. (1977) :
Auditory and visual defects resulting from symptomatic and subclinical congenital cytomegaloviral and toxoplasma infection.
Pediatrics, 59 : 669-678.
- Stagno, S.; Reynolds, D.W.; Lakeman, A.; et al. (1973):
Congenital CMV infection : Consecutive occurrence due to viruses with similar antigenic compositions.
Pediatrics, 52 : 778-794.
- Stagno, S.; Reynolds, D.W.; Pass, R.F.; et al. (1980):
Breast milk and the risk of CMV infection.
N. Engl. J. Med., 302 : 1073-1076.
- Stagno, S.; Reynolds, D.; Tsiantos, A. et al. (1975):
Cervical CMV excretion in pregnant and non pregnant women : suppression in early gestation.
J. Infect. Dis., 131 : 522-527.
- Stahl, R.E.; Friedman-Kien, A.D.R.; Marmor, M. and Zolapazner, S. (1982) :
Immunologic abnormalities in homosexual men.
Am. J. Med., 73 : 171-178.

- Starr, J.G. and Gold, E. (1968) :
Screening of newborn infants for CMV infection.
J. Pediatr., 73 : 820.
- Stern, H. (1968) :
Isolation of CMV and clinical manifestations
of infection at different ages.
Br. Med. J.;1 : 665.
- Stern, H. (1977) :
CMV infection in the neonate and its prevention.
Postgrad Med. J.; 53 : 588-591.
- Stern, H.; and Elek, S.D. (1965) :
The incidence of infection with cytomegalovirus
in a normal population : A serological study in
greater London.
J. Hyg. (Camb); 63 : 79-87.
- Stern, H.; Eleck, S.D.; Booth, J.C.; and Fleck, D.G. (1969):
Microbial causes of mental retardation. The role
of prenatal infections with CMV, rubella virus,
and toxoplasma.
Lancet, 2 : 443-448.
- Stern, H. and Tucker, S.M. (1973) :
Prospective study of cytomegalovirus infection
in pregnancy.
Br. Med. J., 2 : 268-270.
- Tanaka, R.; Tanaka, A.; Oizumi, Y.; et al. (1986) :
Virus excretion and cell-mediated immunity during
CMV infection among healthy infants and children.
J. of Med. Virol., 18 : 21-27.

- Toghill, P.J.; Williams, R. and Stern, H. (1969) :
CMV infection in chronic liver disease.
Gastroenterology, 56 : 936-937.
- Vodopick, H.; Chaskes, S.J.; Solomon, A. et al. (1974):
transient monoclonal gammopathy associated with
CMV infection.
Blood, 44 : 189-195.
- Wang, P.S. and Evans, A.S. (1986) :
Prevalence of antibodies of Epstein Barr virus
and CMV in sera from a group of children in the
people's Republic china.
J. Infect. Dis., Vol. 153; No. 1 : 150-152.
- Wanner, J.L.; and Weller, T.H. (1974) :
Behavior of human CMV in cell cultures of bovine
and simian origin.
Proc. soc. Exp. Biol. Med., 145 : 379-384.
- Wanner, J.L.; Weller, T.H. and Kevy, S.V. (1973) :
Pattern of cytomegaloviral complement-fixing
antibody activity. A longitudinal study of blood
donors.
Pediatr. Res., 127 : 538-543.
- Watson, R.J. (1984) :
Herpesviruses. In Topley and Wilson's principles
of bacteriology , Virology and immunity, Vol.4,
ed. by F. Brown, and Wilson Edward Arnold .
London p. 200.

- Weller, T.H. (1971) :
The cytomegaloviruses. Ubiquitous agents with
protean clinical manifestations.
N. Engl. J. Med., 285 : 203-214.
- Weller, T.H. and Hanshaw, J.B. (1962) :
Virologic and clinical observations on cytomegalic
inclusion disease.
N. Engl. J. Med., 266 : 1233-1244.
- Weller, T.H.; Hanshaw, J.B. and Scott, D.E. (1960):
Serological differentiation of viruses responsible
for cytomegalic inclusion disease.
Virology, 12 : 130-132.
- Weller, T.H.; Macauley, J.C.; Craig, J.M. and Wirth, P. (1957):
isolation of intranuclear inclusion producing agents
from infants with illnesses resembling cytomegalic
inclusion disease.
Proc. Soc. Exp. Biol. Med. 94 : 4-12.
- Williamsson, W.D.; Desmond, D.; and Lafeyers, N. (1982):
Symptomatic congenital CMV.
Am. J. Dis. Child., 136 : 902.
- Winston, D.J.; Ho, W.G.; Howel, C.L. et al. (1980) :
Cytomegalovirus infections associated with leukocyte
transfusion.
Ann. Intern. Med., 93 : 671-675.

Winston, D.J.; Pollard, R.B.; Ho, W.G.; et al. (1982):
CMV immune plasma in bone marrow transplant
recipients.
Ann. Intern. Med., 97 : 11-18.

Yeager, A.S.; Grumet, F.C.; Hafleigh, E.B. et al. (1981):
Prevention of transfusion acquired CMV infections
in newborn infants.
J. Pediat., 98 : 281-287.