

REFERENCES

- Albey, M.B. and Murphy, A.M. (1976):
Rotavirus and acute gastroenteritis of
infants and children. Med. J. Aust. 1:82.
- Almedia, J.D.; Hall, T.; Banatvala, J.E.; Totterdell,
B.M. and Chrystie, I.L. (1978):
The effect of trypsin on the growth of
rotavirus. J. Gen. Virol. 40 : 213.
- Al-Nakib, W.; Chrystie, I.L.; Banatvala, J.E. and Al-
Sayegh, F. (1980):
Rotavirus and non-bacterial infantile
gastroenteritis in Kuwait. Int. J.
Epidemiol. 9 : 355.
- Arias, C.F.; Lopez, S. and Espejo, R.T. (1982):
Gene products of SA 11 Simian rotavirus
genome. J. Virol., 41 : 42-50.
- Babiuk, L.A.; Mohammed, K.; Spence, L.; Fauvel, M. and
Petro, R. (1977):
Rotavirus isolation and cultivation in the
presence of trypsin. J. Clin. Microbiol.
6 : 610.
- Banatvala, J.E.; Totterdell, B.; Chrystie, I.L. and
Woode, G.N. (1975):
In vitro detection of human rotavirus
(Letter) Lancet 1 : 821.

- Banatvala, J.E.; Chrystie, I.L. and Tolterdell, B.M.
(1978):
Rotaviral infections in human neonates.
J. Am. Vet. Med. Assoc., 173 : 527-530.
- Banatvala, J.E. (1980):
Acute gastroenteritis. Hexagon (Roche)
8 : 19.
- Barnes, G.L.; Doyle, L.W. and Hewson, P.H. (1982):
A randomized trial of oral gamma globulin
in low-birth-weight infants infected with
rotavirus. Lancet, i : 1371-1373.
- Barnett, B. (1983):
Viral gastroenteritis. Med. Clinics of
North Amer. 67 : 1031.
- Bastardo, J.W.; McKimm-Breschkin, J.L.; Sonza, S. and
Holmes, I.H. (1981):
Preparation and characterization of anti-
sera to electrophoretically purified SA-11
virus polypeptides. Infect. Immun. 34 :
641.
- Berger, R.; Limovic, F.H.; Just, M. and Reigel, F.
(1984):
Influence of breast milk on nosocomial
rotavirus infections in infants. Infect.
12 : 171-174.

- Birch, C.J.; Rodger, S.M.; Marshall, J.A. and Gust, I. D. (1983):
Replication of human rotavirus in cell culture. J. Med. Virol., 11 , 241-250.
- Bishop, R.F.; Barnes, G.L.; Cipriani, E. and Lund, J.S. (1983):
Clinical immunity after neonatal rotavirus infection A prospective longitudinal study in young children. N. Engl. J. Med. 309 : 72-76.
- Bishop, R.F.; Davidson, G.P.; Holmes, I.H. and Ruck, B. J. (1973):
Virus particles in epithelial cells of duodenal mucosa from children with acute non-bacterial gastroenteritis. Lancet. 2 : 1281.
- Bishop, R.F.; Davidson, G.P.; Holmes, I.H. et al. (1974):
Detection of a new virus by electron microscopy of faecal extracts from children with acute gastroenteritis. Lancet 1 : 149.
- Blacklaw, N.R. and Cukor, G. (1981):
Viral gastroenteritis agents in manual of clinical microbiology, third edition American Society for Microbiology, Washington D.S., 891-898.
- Black, R.E.; Greenberg, H.B.; Kapikian, A.Z. and Becker, S. (1982):

Acquisition of serum antibody to Norwalk Virus, and rotavirus and relation to diarrhoea in a longitudinal study of young children in rural Bangladesh. J. Infect. Dis. 145 : 483.

- Bohl, E.H.; Kohler, E.M.; Saif, L.J.; Cross, R.F. and Theil, K.W. (1978):
Rotavirus as a cause of diarrhoea in pigs. J. Am. Med. Assoc. 172 : 458.
- Bohl, E.H.; Saif, L.J.; Theil, K.W. and Cross, R.F. (1982):
Porcine pararotavirus detection, differentiation from rotavirus and pathogenesis in gnotobiotic pigs. J. Clin. Microbiol. 15 : 312.
- Brandt, C.D.; Kim, H.W.; Rodriguez, W.J.; Thomas, L.; Yolken, R.H.; Arrobio, J.O.; Kapikian, A.Z.; Parrot, R.H. and Chanock, R.M. (1981):
Comparison of direct EM, IEM and rotavirus ELISA for detection of gastroenteritis viruses in children. J. Clin. Microbiol., 13 : 976.
- Brandt, C.D.; Kim, H.W.; Yolken, R.H.; Kapikian, A.Z.; Wyatt, R.G. and Parrott, R.H. (1979):
Comparative epidemiology of two rotavirus serotypes and other viral agents associa-

ted with paediatric gastroenteritis. Am.
J. Epidem. 110 : 243.

- Bryden, A.S.; Davies, H.A.; Thouless, M.E. and Flewett,
T.H. (1977):
Diagnosis of rotavirus infection by cell
culture. Journal of Medical Microbiology
10 : 121-125.
- Bullen, J.J. (1976):
Iron binding proteins and other factors
in milk responsible for resistance to
Escherichia coli. Ciba Found Symp. 42 :
149-169.
- Carlson, J.A.K.; Middleton, P.J.; Szymanski, M.T.;
Huber, J. and Petric, M. (1978):
Fatal rotavirus gastroenteritis. Am. J.
Dis. Child. 132 : 477.
- Champsaur, H.; Eenry-Amar, M.; Goldszmidt, D.; Prevot,
J.; Bourjouane, M.; Questiaux, E. and
Bach, C. (1984a):
Rotavirus carriage, asymptomatic infection
and disease in the first two years of life.
II. Serological response. J. Infect. Dis.,
149 : 675-682.
- Champsaur, H.; Questiaux, E.; Prevot, J.; Henry-Amar,
M.; Goldszmidt, D.; Bourjouane, M. and
Bach, C. (1984b):

Rotavirus carriage, asymptomatic infection, and disease in the first two years of life. I. virus shedding. J. Inf. Dis. 149 : 667.

- Chrystie, I.L.; Totterdell, B.M. and Banatvala, J.E. (1978):
Asymptomatic endemic rotavirus infections in the newborn, Lancet. 1 : 1176.
- Clementi, M.; Pauri, P.; Bagnarelli, P.; Carloni, G. and Calegari, L. (1981):
Diagnosis of human rotavirus infections, comparison of an electrophoretic method, a modife CF test and EM for rotavirus detection. Arch. Virol., 67 : 341.
- Cukor, G. and Blacklow, N.R. (1984):
Human viral gastroenteritis. Microbiol. Rev. 48 : 157-179.
- Cushing, A.H. and Anderson, L. (1982):
Diarrhoea in breast fed and non-breast fed infants, Pediatrics, 70 : 921-925.
- Davidson, G.P.; Bishop, R.F.; Townley, R.R.W.; Holmes, I.H. and Ruck, B.J. (1975):
Importance of a new virus in acute sporadic enteritis in children. Lancet. 1 : 242.

- Davidson, G.P.; Butter, D.G.; Gall, D.C. and Hamilton, J.R. (1977):
Ion transport in enteritis caused by human rotavirus. American Society for Microbiology annual Meeting, Abstract A-20/1043.
- Delage, G.; McLaughlin, B and Bethiaume, L. (1978):
A clinical study of rotavirus gastroenteritis. J. Pediatr. 93 : 455.
- Dyall-Smith, M.; Azaad, A.A. and Holmes, I.H. (1983):
Gene mapping of rotavirus double-stranded RNA segments by Northern blot hybridization: application to segments 7, 8, and 9. J. Virol. 46 : 317.
- Editorial (1975):
Oral glucose-electrolyte therapy for acute diarrhoea. Lancet, 1 : 79.
- Editorial (1977):
Reovirus-like agent as a cause of human diarrhoeal disease. South. Med. J. 70 : 390-392.
- Elias, M.M. (1977a):
Separation and infectivity of two particle types of human rotavirus. J. Gen. Virol. 37 : 191.
- Elias, M.M. (1977b):
Distribution and titres of rotavirus

antibodies in different age groups.
J. Hyg. Comb. 79 : 373.

- Engleberg, N.C.; Holburt, E.N.; Barrett, T.J.; Gary, G.W.; Trujillo, M.H.; Feldman, R.A. and Hughes, J.M. (1982):
Epidemiology of diarrhoea due to rotavirus on an Indian Reservation: risk factors in the home environment. J. Infect. Dis. 145 : 894-898.
- Esparza, J.; Gorziglia, M.; Gil, F. and Romer, H. (1980):
Multiplication of human rotavirus in cultured cells: an electron microscopic study. J. Gen. Virol. 47 : 461.
- Estes, M.K.; Graham, D.Y. and Mason, B.B. (1981):
Proteolytic enhancement of rotavirus infectivity: molecular mechanisms. J. Virol., 39, 879-888.
- Flewett, T.H. and Woode, G.N. (1978):
The rotavirus. Brief review. Arch. Virol. 57 : 1.
- Flewett, T.H.; Bryden, A.S. and Davies, H.A. (1973):
Virus particles in gastroenteritis. Lancet. 2 : 1497.

- Flewett, T.H.; Bryden, A.S.; Davis, H.A.; Woode, G.N. Bridger, J.C. and Derrick, J.M. (1974a):
Relation between viruses from acute gastroenteritis of children and newborn calves. Lancet. 2 : 61.
- Flewett, T.H.; Davies, H.; Bryden, A.S. and Robertson, M.J. (1974b):
Acute gastroenteritis associated with reovirus-like particles. Journal of Clinical Pathology, 27, 608-614.
- Flewett, T.H.; Pryden, A.S.; Davis, H.A. and Morris; C.A. (1975):
Epidemic viral enteritis in a long-stay children's ward. Lancet. 1 : 4.
- Goldman, A.S. and Smith, C.W. (1973):
Host resistance factors in human milk. J. Pediatr., 82 : 1082-1090.
- Gordon, A.G. (1982):
Rotavirus infections and the some syndrome. J. Infect. Dis. 146 : 117.
- Grauballe, P.C.; Vestergaard, B.F.; Meyling, A. and Genner, J. (1981):
Optimized enzyme linked immunosorbent assay for detection of human and bovine Rotavirus in stools: Comparison with electron microscopy, immuno-electroosmophoresis, and fluorescent antibody techniques. INSERM Symp., Ser., 90 : 413-27.

- Greenberg, H.B.; Kalica, A.R.; Wyatt, R.G.; Jones, R.W.; Kapikian, A.Z. and Chanock, R.M. (1981):
Rescue of non cultivable human rotavirus
by gene reassortment during mixed infection with its mutants of a cultivable bovine rotavirus. Proc. Natl. Acad. Sci. USA, 78 : 420-4.
- Greenberg, H.; McAuliffe, A.; Valdesuso, J.; Wyatt, R.; Flores, J.; Kalica, A.; Hoshino, Y. and Singh, N. (1983):
Serological analysis of the sub-group protein of rotavirus, using monoclonal antibodies. Infect. Immun., 39 : 91-99.
- Gurwith, M.; Wenman, W.; Gurwith, D.; Brunton, J.; Feldham, S. and Greenberg, H. (1983):
Diarrhoea among infants and young children in Canada: A longitudinal study in three northern communities. J. Infect. Dis., 147 : 685-692.
- Gurwith, M.; Wenman, W. and Hide, D. (1982):
A prospective study of rotavirus infection in infant and young children. J. Infect. Dis. 144 : 281-224.
- Harris, C.C.; Yolken, R.H.; Korban, H. and Hsu, I.C. (1979):
Ultrasensitive enzymatic radioimmunoassay: application to detection of cholera toxin

and rotavirus, proceedings of the National Academy of Sciences USA 76, 5336-5339.

- Hasegawa, A.; Matsuno, S.; Inouye, S.; Konno, R.; Tsurukubo, Y.; Mukoyama, A. and Sato, Y. (1982):
Isolation of human rotavirus in primary cultures of monkey kidney cells. J. Clin. Microbiol., 16 : 387-390.
- Helber, J.P.; Shelton, S.; Nelson, J.D.; Leon, J. and Mohs, E. (1978):
Comparison of human rotavirus disease in tropical and temperate settings, Am. J. Dis. Child.: 132, 853.
- Hinshaw, V.S.; Bean, W.J.; Webster, R.G. and Easterday, B.C. (1978):
The prevalence of influenza viruses in swin and the antigenic and genetic relatedness of influenza viruses from man and swin. Virol., 84 : 51-62.
- Hodes, H.L. (1980):
Gastroenteritis with special refrence to rotavirus. Adv. Ped., 27 : 195-244.
- Holdaway, M.D.; Todd, B.A.; Schroeder, B.A. and Kalmakoff, J. (1982):
Rotavirus infection in New Zealand. New Zealand Med. J., 95 : 67-69.

- Holmes, T.H.; Ruck, B.Y.; Bioshop, R.F. and Davidson, G.P. (1975):
Infantile enteritis viruses: morphogenesis and morphology. J. Virol. 16 : 937.
- Holmes, I.H. (1983):
Rotavirus.. P. 359-423. In: Joklik W.K. (ed.) The reoviridae Plenum Publishing Corp., New York.
- Holmes, T.; Holmgren, J.; Merson, M.H. and Mollby, R. (1981): Epidemic Viral enteritis
Elsevier, North Holland-Biomedical press, 46-47, 28-29, 22.
- Holmes, T.H.; Ruck, B.Y.; Bioshop, R.F. and Davidson, G.P. (1975):
Infantile enteritis viruses: morphogenesis and morphology. J. Virol. 16 : 937.
- Hoshino, Y.; Wyatt, R.G.; Midthun, K. and Albert, Z. (1985):
Serotypic characterization of rotaviruses. derived from asymptomatic human neonatal infections. J. Clin. Microbiol. 21 : 425-430.
- Hovi, T.; Vaisanen, V.; Ukkonen, P. and Vonbonsdroff, C.H. (1982):
Solid phase enzyme immunoassay for rotavirus antigen: faecal protease activity as a reason for false negative results. J. Virol. Methods., 5 : 45-53.

- Hull, B.P.; Spence, L.; Bassett, D.; and Tikasingh, E. S. (1982):
The relative importance of rotavirus and other pathogenesis in the aetiology of gastroenteritis in Trinidadian children. Am. J. Trop. Med. Hyg. 31 : 142.
- Jawetz, E.; Melnick, J.L. and Adelberg, E.A. (1980):
Rotavirus (infantile gastroenteritis). Review of Medical Microbiology, 14th ed. Chap. 39 pp. 498 lange Medical Publications, California.
- Jawertz, E.; Melnick, J.L.; and Adelberg, E.A. (1983):
Review of medical microbiology, 16th edition. 235-246, 405-412, 444, 464, 480.
- Jesudose, E.S.; John, I.J.; Mathan, M. and Spence, L. (1978):
Prevalence of rotavirus antibody in the infant and children, India J. med. Res. 68 : 383-386.
- Kalica, A.R.; Garon, C.F.; Wyatt, R.G.; Mebus, C.A. and Kapildan, A.Z. (1976):
Differentiation of human and calf reo-virus-like agents associated with diarrhoea using polyacrylamide gel electrophoresis of RNA. Virol. 74 : 86.
- Kalica, A.R.; Wyatt, R.G. and Kapildan, A.Z. (1978):
Detection of differences among human and

animal rotaviruses, using analysis of viral RNA. Am. Vet. Med. Assoc. 173 : 531.

- Kapikian, A.Z.; Cline, M.L.; Greenberg, H.B.; Wyatt, R.G.; Kalica, A.R.; Banks, C.E.; James, H.D.; Flores, J. and Chanock, R.M. (1981):
Antigenic characterization of human and animal rotaviruses by immune adherence haemagglutination assay (IAHA). Evidence for distinctness of IAHA and neutralization antigens. Infect. Immun. 33, 415. 25.
- Kapikian, A.Z.; Cline, W.L.; Mebus, C.A.; Wyatt, R.G. Kalica, A.R.; James, H.D.; Vankirk, Jr.D.; Chanock, R.M. and Kim, H.W. (1975):
New complement-fixation test for the human reovirus-like agent in infantile gastroenteritis. Lancet, 1 : 1056.
- Kapikian, A.Z.; Gerin, J.L.; Wyatt, K.G.; Thornhill, T.S. and Chanock, R.M. (1973):
Density in cesium chloride of the 27 nm particle associated with acute infectious non-bacterial gastroenteritis, determination by ultracentrifugation and immune electronmicroscopy. Proc. Soc. Exp. Biol. Med., 142 : 874-877.
- Kapikian, A.Z.; Greenberg, H.B.; Wyatt, R.G.; Kalica, A.R.; Kim, H.W.; Brand, C.D.; Rodriguez,

W.J.; Parrott, R.H. and Chanock, R.M.
(1982):
Viral gastroenteritis p. 283-326, in
Viral infections of humans, by Evans
A.S., New York, Plenum Medical.

- Kapikian, A.Z.; Kim, H.W.; Wyatt, R.G.; Rodriguez, W.Y.;
Ross, S.; Cline, W.L.; Parrott, R.H. and
Chanock, R.M. (1974):
Reovirus-like agent in stoolstassociation
with infantile diarrhoea and development
of serological tests. Science 185 : 1049.
- Kapikian, A.Z.; Kim, H.W. and Wyatt, R.G. (1976):
Human reovirus-like agent as the major
pathogen associated with winter gastro-
enteritis in hospitalized infants and
young children. N. Engl. J. Med. 294 :
965-972.
- Kapikian, A.Z.; Wyatt, R.G.; Dolin, R.; Thornhill, T.S.;
Kalica, A.R. and Chanock, R.M. (1972):
Visualization by immune EM of a 27 nm
particle associated with acute infectious
non bacterial gastroenteritis. J. Viral.,
10 : 1075-1081.
- Kapildan, A.Z.; Yolken, R.H.; Greenberg, H.B.; Wyatt,
R.G.; Kalica, A.R.; Chanock, R.M. and
Kim, H.W. (1979):

Gastroenteritis viruses. In diagnostic Procedures for viral rickettsial and chlamydia infections, 5th ed. (ed. E.H. Lennette and N.Y. Schmidt) pp. 927-995 American Public Health Association.

- Killen, H.M. and Dimmock, N.G. (1982):
Identification of a neutralization specific antigen of a calf rotavirus. J. Gen. Virol. 62 : 297.
- Kimura, T. and Murakami, T. (1977):
Tubular structures associated with acute non-bacterial gastroenteritis in young children. Inf. Immun. 17 : 157.
- Kogaska, R.; Akihara, M.; Horino, K.; Chiba, S. and Nakao, T. (1979):
A morphological study of human rotavirus. Arch. Virol. 61 : 41-48.
- Konno, T.; Suzuki, H.; Kutsuzawa, T.; Imai, A.; Katsushima, N.; Sakamoto, M. and Kitaoka, S. (1977):
Human rotavirus and intussusception. N. Engl. J. Med. 297 : 945.
- Linhares, A.C.; Pinheiro, F.P.; Freitas, R.B.; Gabbay, Y.B.; Shirley, J.A. and Beards, G.M. (1981):
An outbreak of rotavirus diarrhoea among

a non-immune isolated South American Indian Community. Am. J. Epid., 113 : 703-10.

- Madeley, C.R. (1984):
Other enteric viruses. In Topley and Wilson's Principles of Bacteriology, virology and immunology, 7th ed. (ed. G.S. Wilson, A.A. Miles) Vol. 4 Chap. 100. Published by Edward Arnold.
- Maiya, P.P.; Pereira, S.M.; Mathan, M.; Bhat, P.; Albert, M.J. and Baker, S.J. (1977):
Aetiology of acute gastroenteritis in infancy and early childhood in southern India. Arch. Dis. Child., 52 : 482-485.
- Maki, M. (1981):
A prospective clinical study of rotavirus diarrhoea in young children. Acta Paediatr. Scand., 70 : 107-113.
- Martin, M.L.; Palmer, E.L. and Middleton, P.J. (1975):
Ultrastructure of infantile gastroenteritis virus. Virology 68 : 146.
- Mason, B.B.; Graham, D.Y. and Estes, M.K. (1983):
Biochemical mapping of the simian rotavirus. SA 11 Genome. J. Virol. 46 : 413.
- Massoud, B.Z.; Kassem, A.S.; Omar, N.Y. and Madkour, A. (1983):

Rotavirus and acute diarrhoea in children
in Alexandria. Gaz. Egyptian Pediatr.
31 : 129.

- Massoud, A.; Radwan, M. and El-Kholy, A. (1985):
Prevalence of rotavirus among rural children during winter months. Abstract open communication sessions of International Congress for infectious Diseases, Cairo Egypt April. 20-24.
- Mata, L.J.; Simhon, A.; Urrutia, J.J.; Kronmal, R.A. Fernandez, R. and Garcia, B. (1983):
Epidemiology of rotaviruses in a cohort of 45 Guatemalan May and Indian Children Observed from birth to the age of three years. J. Infect. Dis., 148 : 452-461.
- Matsuno, S. and Inouye, L. (1983):
Purification of an outer capsid glycoprotein of neonatal calf diarrhoea and preparation of its antisera. Infect. Immun., 39 : 155-158.
- Matthews, R.E.F. (1979):
Classification and nomenclature of viruses third report of the international committee on taxonomy of viruses. Inter. Virol., 12 : 199-206.
- Mavormichalis, J.; Evans, N.; McNeich and Flewett, T.H. (1977):

Intestinal damage in rotavirus and adenovirus gastroenteritis assessed by D-xylose malabsorption, Arch. Dis. Chil. 52 : 589-591.

- Mclean, B.S. and Holmes, I.H. (1981):
Effects of antibodies, trypsin and trypsin inhibitors on susceptibility of neonates to rotavirus infection. J. Clin. Microbio. 13 : 22-29.
- McNulty, M.S.; Allan, G.M.; Todd, A.D.; McFerran, J.B. and McCracken, R.M. (1981):
Isolation from chickens of a rotavirus lacking the rotavirus group antigen. J. Gen. Virol. 55 : 405.
- Mebus, C.A.; Kono, M.; Underdahl, N.R. and Twiehaus, M. J. (1971):
Cell culture propagation of neonatal calf diarrhoea (scours) virus. Canadian Veterinary Journal. 12 : 69.
- Middleton, P.J. (1977):
Rotavirus: clinical observations and diagnosis of gastroenteritis. In comparative diagnosis of viral diseases. Edward Kurstak and Christine Kurstak. Academic press. New York, San Francisco, London, p. 423.
- Middleton, P.J.; Petric, M.; Hewitt, C.M.; Szymanski, M.T.

and Tom, J.S. (1976):

Counter immuno electrophoresis for the
detectio of infantile gastroenteritis
virus (Orbi-group) antigen and antibody.
J. Clin. Pathol., 29 : 191.

- Middleton, P.J.; Szymanski, M.T.; Abbott, G.D.;
Bortolussi, R. and Hamilton, J.R. (1974):
Orbivirus acute gastroenteritis of infancy.
Lancet, i : 1241.
- Mourad, K.A.H.; Hablas, H.; Abd-El-Fatah, S.M.; El-Sokary,
S.; Abd El-Khaled, G. and Fauz, M. (1977):
Bacteriology of Diarrhoea in Egyptian
Children. Gaz, Egypt. Paed. Assoc.
26 : 83.
- Murphy, A.M.; Albrey, M.B. and Crewe, E.B. (1977):
Rotavirus infection of neonates. Lancet
ii, 1149-1150.
- Naguib, T.; Wyatt, R.G.; Moheildin, M.S.; Zaki, A.M.;
Imam, I.Z. and DuPont, H. (1984):
Cultivation and subgroup determination of
human rotaviruses from Egyptian infants
and young children. J. Clin. Microbiol.
19 : 210.
- Nalin, D.R.; Mata, L.; Vargas, W.; Loria, A.R.; Levine,
M.M.; Cespedes, C.D.; Lizano, C.; Simhon,
A. and Mohs, E. (1978):

Comparison of sucrose with glucose in
oral therapy of infant diarrhoea. Lancet.,
ii : 279-183.

- Nicolas, J.C.; Cohen, J.; Fortier, B.; Laurence, M.H.
and Bricout, F. (1983):
Isolation of human pararotavirus. Virol.
124 : 181.
- Palmer, E.L.; Martin, M.L. and Murphy, F.A. (1977):
Morphology and stability of infantile
gastroenteritis virus comparison with
reovirus and blue tongue virus. J. Gen.
Virol. 35 : 403.
- Paniker, C.K.J.; Mathew, S. and Mathon, M. (1982):
Rotavirus acute diarrhoeal disease in
children in southern Indian coastal town.
Bull WHO, 60 : 123.
- Paul, M.O.; Brown, F. and Erinle, E.A. (1982):
Influence of humidity on rotavirus pre-
valence among Nigerian infants and young
children with gastroenteritis. J. Clin.
Microbiol, 15 : 212-215.
- Perez-Schael, I.; Daoud, G.; White, L.; Urbina, G.;
Daoud, N.; Perez, M. and Flores, J. (1984):
Rotavirus shedding by newborn children.
J. Med. Virol., 14 : 127-136.

- Podgore, J.K.; Mourad, A.S.; Diad, A.S. and Kassim, H. (1982):
The role of rotavirus in acute watery diarrhoea in Alexandria, Egypt. J. Med. Reser. Inst. 2 : 1.
- Ørstavik, I. and Haug, K.W. (1976):
Virus specific IgM antibodies in acute gastroenteritis due to a reovirus-like agent (rotavirus) Scand J. Infect. Dis. 8 : 237-240.
- Rodger, S.M.; Schnagl, R.D. and Holmes, I.H. (1975):
Biochemical and biophysical characteristics of diarrhoea viruses of human and calf origin.. J. Virol., 16 : 1229-1235.
- Rodriguez, W.J.; Kim, H.W. and Arrobio, J.O. (1977):
Clinical features of acute gastroenteritis associated with human reovirus-like agent in infants and young children. J. Pediatr., 91 : 188-193.
- Rubenstein, A.S. and Miller, A.F. (1982):
Comparison of an enzyme immunoassay with E.M. Procedures for detecting rotavirus. J. Clin. Microbiol., 15 : 938-44.
- Ryder, R.W.; McGowan, J.E.; Hatch, M.H. and Palmer, E.L. (1977):

Reovirus like agent as a case of nosocomial diarrhoea. J. Pediatr., 90 : 698-702.

- Ryder, R.W.; Singh, N.; Reeves, W.C.; Kapikian, A.Z.; Greenberg, H.B. and Sack, R.B. (1985): Evidence of immunity induced by naturally acquired rotavirus and Norwalk virus infection on two remote Panamanian islands. J. Infect. Dis., 151 : 99-105.
- Sabra, M.; Babuik, L.A.; Gilchrist, J. and Misra, V. (1982a): Effects of tunicamycin on rotavirus assembly and infectivity. Virol., 43 : 1082-1090.
- Sabra, M.; Dereg, D.; Babuik, L.A. and Misra, V. (1982b): Genetic heterogeneity within individual bovine rotavirus isolates. J. Virol., 44 : 813-22.
- Sack, D.A.; Chowdhury, A.M.M.K.; Eusof, A.; Ali, M.A.; Merson, M.H.; Islam, S.; Black, R.E. and Brown, K.H. (1978): Oral hydration in rotavirus diarrhoea: a double blind comparison of sucrose with glucose electrolyte solution. Lancet, ii : 280-283.
- Sallam, S.A.; Hasab, A.A.; Sherif, A.A. and Mourad,

A.S. (1983):

Rotavirus diarrhoea among children below
5 years. Gaz. Egyptian Paediatr. Assoc.
31 : 1.

- Salmi, T.T.; Arstila, P. and Koivikko, A. (1978):
Central nervous system involvement in
patients with rotavirus gastroenteritis.
Scand. J. Infect. Dis. 10 : 29.
- Sambourg, M.; Goudeau, A.; Courant, C.; Pinon, G. and
Denis, F. (1985):
Direct appraisal of latex agglutination
test as a convenient alternative to enzyme
immunoassay for the detection of rotavirus
in childhood gastroenteritis, by compari-
son of two enzyme immunoassays and two
latex tests. J. Clin. Microbiol. 21 :
622-625.
- Sarkkinen, H.K. (1981):
Human rotavirus antigen detection by
enzyme immunoassay with antisera against
Nebraska calf diarrhoea virus. J. Clin.
Pathol., 34 : 680.
- Sato, K.; Inaba, Y.; Shinozaki, T.; Fujii, R. and Matu-
moto, M. (1981):
Isolation of human rotavirus in cell cul-
tures. Arch. Virol., 69 : 155-160.

- Sato, K.; Inaba, Y.; Tokuhisa, A. and Matumoto, M.
(1982):
Antigenic relationships between rotavirus
from different species as studied by Neu-
tralization and immunofluorescence. Arch.
Virol. 73 : 45.
- Saulsbury, F.T.; Winkelstein, J.A. and Yolken, R.H.
(1980):
Chronic rotavirus infection in immuno-
deficiency. P. Pediatr., 97 : 61-65.
- Shepherd, R.W.; Truslow, S.; Walkes-Smith, J.A. (1975):
Infantile gastroenteritis: A clinical
study of reovirus-like agent infection.
Lancet. 2 : 1082.
- Smith, M.L. and Holmes, I.H. (1981):
Gene-Coding assignments of rotavirus
double stranded RNA segments 10 and 11.
J. Virol. 38 : 1099-1103.
- Snodgrass, D.R.; Madeley, C.R.; Weils, P.W. and Angus,
K.W. (1977):
Human rotavirus in lambs: infection and
passive protection. Infec. Immun. 16 :
268.
- Soenarto, Y.; Sebodo, T. and Ridho, R. (1981):
Acute diarrhoea and rotavirus infection
in newborn babies and children in

Yogyakarta Indonesia from June 1978 to June, 1979. J. Clin. Microbiol., 14 : 123-129.

- Soencer, E.G.; Avendano, L.F. and Garcia, B.I. (1983):
Analysis of human rotavirus mixed electropherotypes. Immun., 39 : 569-574.
- Spence, L.; Fauvel, M.; Petro, R. and Block, S. (1977):
Comparison of counter immunoelectrophoresis and EM for laboratory diagnosis of human reovirus like agent associated with infantile gastroenteritis. J. Clin. Microbiol., 5 : 248.
- Spence, L.; Fauvel, M.; Bouchard, S.; Babiuk, L. and Saunders, S.J.R. (1975):
Test for reovirus-like agent. Lancet., ii : 322.
- Spendlove, R.S. and Schaffer, F.L. (1965):
Enzymatic enhancement of infectivity of reovirus. J. Bacteriol. 89 : 597.
- Standfield, J.P. (1978):
Acute diarrhoea among young children in: Disease of children in the subtropics and tropis- Edward Arnold- London, 474-492.
- Stannard, L.M. and Schoub, B.D. (1977):
Observations on the morphology of two

rotavirus. J. Gen. Virol. 37 : 435.

- Suzuki, H.; Kutsuzawa, T.; Kono, T. and Ishida, N. (1981):
Morphogenesis of human rotavirus type 2
Wa strain in MA-104 cells. Arch. Virol.
70 : 33.
- Suzuki, H.; Sato, T.; Kono, T.; Kitaoka, S.; Ebina, T.
and Ishida, N. (1984):
Effect of tunicamycin on human rotavirus
morphogenesis and infectivity. Arch.
Virol., 81 : 363-369.
- Theil, K.W.; Bohl, S.H. and Agnes, A.G. (1977):
Cell culture propagation procine rota-
virus. Amer. J. Vet. Resear. 38 : 176.
- Thouless, M.E.; Bryden, A.S.; Flewett, T.H.; Snodgrass,
D.R. and Harring, J.A. (1977a):
Serological relationship between rota-
virus from different species as studied
by complement fixation and neutralization
Arch. Virol., 53 : 287.
- Thouless, M.E.; Bryden, A.S. and Flewett, T.H. (1977b):
Rotavirus neutralization by human milk.
Br. Med. H., 2 : 1390-1391.
- Thouless, M.E.; Bryden, A.S. and Flewett, T.H. (1978):
Serotypes of human rotavirus. Lancet.
1 : 39.

- Todd, D. and McNulty (1976):
Characterization of pig rotavirus RNA.
J. Gen. Virol., 33 : 147-150.
- Totterdell, B.M.; Chrystie, I.L. and Banatvala, J.E.
(1980):
Cord blood and breast milk antibodies in
neonatal rotavirus infection. Br. Med. J.
1.: 828-830.
- Toyoko Kutsuzawa, Tasuke Konno, Hiroshi Sasaki, Albert
Z. Kapikian, Takusaburo Ebina and Nakao
Ishida (1982):
Isolation of human rotavirus subgroups 1
and 2 in cell culture, American Society
of Microbiology Copyright 0.
- Steele, A.D.; Alexander, J.J. and Hay, I.T. (1986):
Rotavirus-associated gastroenteritis in
black infants in South Africa. J. Clin.
Microbiol. 23/5 (992-994).
- Steel, R.B. and Torres-Medina, A. (1984):
Effects of environmental and dietary fac-
tors on man rotavirus infection in gnoto-
biotic piglets. Infect. Immun., 43 : 906-
911.
- Steinhoff, M.C. (1980):
Rotaviruses, the first five years, J.
Pediat., 96 : 611-622.

- Tufvesson, B.; Johnson, T. and Peterson, B. (1977):
Family infections by reo-like virus,
Scand, J. Infect. Dis. 9 : 257-261.
- Twist, E.M.; Kolonich, K. and Rubin, D.H. (1984):
Propagation of rotaviruses in the presence of chicken serum. J. Gen. Virol. 65 : 1207-1210.
- Urasawa, T.; Urasawa, S. and Taniguchi, T. (1981):
Sequential passage of human rotavirus in MA-104 cells. Microbiol. Immunol. (Tokyo), 25 : 1025-1035.
- Waldman, R.H.; Mach, J.P.; Stella, M.M. and Rowe, D.S. (1970):
"Secretory immunoglobulin A. in human serum Immunol., 105 : 43-47.
- Ward, R.L.; Knowlton, D.R. and Pierce, M.J. (1984):
Efficiency of human rotavirus propagation in cell cultures. J. Clin. Microbiol. 19 : 748-753.
- Weir, D.M. (1983):
Immunology P. 236-238, Livingstone C.
- WHO (1984):
Nomenclature of human rotavirus designation of subgroups and serotypes. Bull. WHO 62 : 501.

- WHO, Scientific Working Group (1980):
Rotavirus and other viral diarrhoeas,
Bull. WHO 58 : 183.
- Woode, G.N.; Bridger, J.C.; Hall, G. and Dennis, M.J.
(1974):
The isolation of a reovirus-like agent
associated with diarrhoea in colostrum-
deprived calves in Great Britian, Res.
Vet.. Sci. 16, 102.
- Woode, G.N.; Bridger, J.C.; Jones, J.M.; Flewett, T.H.
Bryden, A.S.; White, G.B.B. (1976):
Morphological and antigenic relationships
between viruses (rotaviruses) from acute
gastroenteritis of children, calves,
piglets, mice and foals. infect. Imm.
14 : 804.
- Wyatt, R.G.; Gill, V.W.; Sereno, M.M.; Kalica, A.R.;
Chanock, R.M. and Kapikian, A.Z. (1976):
Probable in vitro cultivation of human
reovirus-like agent of infantile diarr-
hoea. Lancet. 1 : 98.
- Wyatt, R.G.; James, H.D.; Bohl, E.H.; Theil, K.W.;
Saif, L.J.; Kalica, A.R.; Greenberg, H.B.;
Kapikian, A.Z. and Chanock, R.M. (1980):
Rotavirus type 2 cultivation in vitro,
Science 207, 189-191.

- Wyatt, R.G.; James, H.D.; Pittman, A.L.; Hoshino, Y.; Greenberg, H.B.; Kalica, A.R.; Flores, J. and Kapikian, A.Z. (1983):
Direct isolation in cell culture of human rotaviruses and their characterization into four serotypes. J. Clin. Microbiol. 18 : 310-317.
- Wyatt, R.G.; Kalica, A.R.; Mebus, C.A.; Kim, H.W.; London, W.T.; Chanock, R.M. and Kapikian, A.Z. (1978):
Rotaviruses associated with diarrhoeal illness animals and man. Perspect. Virol., 10 : 121-145.
- Wyatt, R.G.; Kapikian, A.Z.; Thronhill, T.S.; Kim, H.W. and Chanock, R.M. (1974):
In vitro cultivation in human foetal intestinal organ culture of a reovirus-like agent associated with nonbacterial gastroenteritis in infants and children. J. Infect. Dis. 130 : 523.
- Yolken, R.H. and Leister, F.J. (1981):
Evaluation of enzyme immunoassay for the detection of human rotavirus. J. Infect. Dis. 144 : 379.
- Yolken, R.H. and Leister, F.J. (1982):
Rapid multiple-determinant enzyme immunoassay for the detection of human rotavirus. J. Infect. Dis. 146 : 43-46.

- Yolken, R.H.; Kim, H.W.; Clem, T.; Wyatt, R.G.; Kalica, A.R.; Chanock, R.M.; Kapikian, A.Z. (1977): Enzyme-linked-immuno-sorbent-assay (ELISA) for detection of human reovirus-like agent of infantile gastroenteritis. Lancet. 2 : 263.
- Yolken, R.H.; Stopa, P.J. and Harris, C.C. (1980): Enzyme immunoassay for the detection of rotavirus antigen and antibody p. 692-699 in Manual of clinical immunology 2nd ed. by Rose N.R. and Friedman H. [ed.] American Society for Microbiology Washington, D.C.
- Yolken, R.H.; Wyatt, R.G.; Kim, H.W.; Kapikian, A.Z. and Chanock, R.M. (1978b): Immunological response to infection with human reovirus-like agent IgG and M levels by the method of ELISA. Infect. Immun. 19 : 540-546.
- Yolken, R.H.; Wyatt, R.G.; Zissis, G.P.; Brandt, C.D.; Rodriguez, W.J. (1978a): Epidemiology of human rotavirus type 1 and 2 as studied by enzyme linked immuno sorbent assay. N. Engl. J. Med. 299 : 1156-1161.
- Zaki, A.M.; DuPont, H.; Shoukry, S. and El-Alamy, M. (1985):

Aetiology of acute diarrhoea in Egypt.
Abstract open communication sessions of
International Congress for infectious
diseases. Cairo, Egypt, April, 20-24.

- Zissis, G. and Lambert, J.P. (1978):
Different serotypes of human rotavirus.
Lancet. 1 : 39.
 - Zissis, G. and Lambert, J.P. (1980):
Enzyme-linked immunosorbent assays adapted for serotyping of human rotavirus strains. J. Clin. Microbiol. 11 : 1.
 - Zissis, G.; Lambert, J.P. and Dekegel, D. (1978):
Routine diagnosis of Rotavirus in stools.
Journal of Clinical Pathology, 31, 175-178..
-