

REFERENCE

REFERENCES

- Abraham, I.B., Charles, E.D. and Joshua, F. (1982) :
Microbiology, p. 643 - 646.
W.B. Saunders Company, Philadelphia, London,
Mexico City, Sydney, Tokyo.
- Adam, E.D., and Copper, B.H. (1974) :
Evaluation of a modified wickerham medium for
identifying medically important yeasts.
Am. J. Med. Technol. 40 : 377.
- Adamson, G.D., Brown, D.J. Standard, J.V. and Henzl, M.R.
(1986) :
Three day treatment with butoconazole vaginal
suppositories of vulvovagaginal candidiasis.
J. Reprod. Med. 31 (2). P. 131 - 2.
- Akiba, T. (1961) :
Cited from Rook A., Wikinson D.S. and Eblina,
1972.
Text book of Dermatology. 2nd edition.
Blackwell, Sci. Publ., Osney, Mead, Oxford.
- Amin, A.A. (1983) :
Candida albicans in females attending gynaeco-
logic and patient clinic.
Thesis submitted for partial fulfilment of master
degree in Obstetrics and Gynaecology, Benha Facu-
lty of Medicine, Zagazig University, pp. 39:41.

Andrieu, S. Biguet, J. and Jacques, R. (1977) :

Photoinhibition of chlamydosporulation of *C. albicans*.

Sabouraudia, 15/2:207.

Andrussy, K., and J. Horvath, (1979) :

Mycotic contamination of the public baths in Hajdu county.

Egeszegtudomány, 23: 46 - 49.

Axelsen, N.H. (1971) :

Antigen-antibody crossed electrophoresis (Laurell) applied to the study of the antigenic structure of *candida albicans*.

Infect. Immun. 4: 525 - 527.

Axelsen, N. (1973) :

Quantitative immuno-electron phoretic methods as tools of a poly-valent approach to standardisation in the immuno-chemistry of *candida albicans*.

Infect. Immun. 7: 949 - 960.

Axelsen, N.H., and C.H. Kirkpatrick (1973) :

Simultaneous characterization of free *candida* antigens and *candida* precipitins in a patient's serum by means of crossed immunoelectrophoresis with intermediate gel.

J. Immunol. Methods 2: 245 - 249.

- Bailey, J.W. Sada, E. Brass, C. and Bennett, J.E. (1985):
Diagnosis of systemic candidiasis by latex agglutination for serum antigen.
J. Clin. Microbiol., 21 (5). P. 749 - 52.
- Bak, A.L., and A. Stendcup, (1969) :
Deoxyribonucleic acid homology in yeasts. Genetic relatedness within the genus candida.
J. Gen. Microbiol., 59: 21 - 30.
- Ballou, C.E. (1970) :
A study of the immunochemistry of three yeast mannans.
J. Biol. Chem. 245: 1197 - 1203.
- Barclay, D.L. (1979) :
Carcinoma of the vagina after hysterectomy for severe dysplasia or carcinoma in situ of the cervix.
Gynecol. Oncol; 8 : 1.
- Barnes, C.G. (1980) :
Medical disorders in obstetric practice.
4th. ed. Blackwell, London, P. 462.
- Benham, R.W. (1931) :
Certain monilias parasitic on man, their identification by morphology and agglutination.
J. of Infectious Dis., 49, 183.

Berkhout, C.M. (1923) :

De Schimmelgeschlachten Monilia, Oidium, Oospora,
en Torula.

Dissertation, Univ. of Utrecht.

Bertholf, M.E. and Stafford, M.J. (1983) :

Colonization of candida albicans in vagina, rec-
tum, and mouth.

J. Fam. Pract. 16(5). P. 919 - 24.

Biguet, J., P. Tran Van Ky, R. Havez, and S. Andrieu,
(1962) :

Etude électrophorétique, chromatographique et
immunologique des protéines sériques du lapin
immunisé contre candida albicans.

Ann. Inst. Pasteur (Paris), 102: 328 - 338.

Biguet, J., R. Havez, and P. Tran. Van. Ky. (1959) :

Les possibilités d'application aux champignons
pathogènes de la méthode d'Ouchterlony et de
l'immunoélectrophorèse.

Résultats encourageants d'une première tentative
concernant l'étude des antigènes de candida albi-
cans.

Mykosen, 2: 115 - 120.

- Biquet, J. Tran, V.K., Andriew, P.S. and Legaey, R. (1965):
Sabouraudia 4:148, cited in Abraham et al., (1982),
Microbiology, P. 649, W.B. Saunders Company,
Philadelphia.
- Bishop, C.T., F. Blank, and P.E. Gardner, (1960) :
The cell wall polysaccharides of *Candida albicans*,
glucan, mannan, and chitin.
Can. J. Chem. 38: 869 - 881.
- Bloomfield, N., Gordon, M.A., and Elmendorf Jr. D.F.
(1963) :
Detection of *Cryptococcus neoformans* antigen in
body fluids by latex particle agglutination.
Proc. Soc. Exp. Biol. Med.; 114: 64 - 7.
- Bortolussi, R., Worf, A.J., and Casey, S. (1982) :
The latex agglutination test versus counter immu-
noelectrophoresis for rapid diagnosis of bacte-
rial meningitis.
Can. Med. Assoc. J.; 127: 489 - 92.
- Bowman, P.I. and Ahearn, D.G. (1976) :
Evaluation of commercial system for identifica-
tion of clinical yeast isolates.
J. Clin. Microbiol. H : 49.

Briody, B.A. and Gillis, R.E. (1974) :

Microbiology and infectious diseases.

McGraw Hill Book Company, Blackiston Publication.

Brown, R.E. (1965) :

Infection in malnourished.

Trop. Geogr. Med. 17, 289.

Browne, J.C. and Dixon, G. (1980) :

Antenatal care.

11th. ed., Churchill Livingstone, London, P. 301.

Buckley, H.R. and Van Uden, N. (1963) :

Sabouraudia, 2, 205.

Buesching, W.J., Kurek, K. and Roberts G.D. (1979) :

Evaluation of the modified API 20C system for
identification of clinically important yeasts.

J. Clin. Microbiol. 9 : 565.

Bulmer, G.S. (1969) :

Introduction to medical mycology.

University of Oklahoma, Health Sciences Center,
109.

Burnie, J.P. and Williams, J.D. (1985) :

Evaluation of the Ramco latex agglutination test
in the early diagnosis of systemic candidiasis.

Eur. J. Clin. Microbiol. 4(2). P. 98 - 101.

Burrow, E. and Ferris, M. (1977) :

Quoted by Attia, M.M. (1982): Vaginal infection in late pregnancy.

Thesis submitted for partial fulfilment of master degree in Obstetrics and Gynaecology. Faculty of Medicine, Cairo University, P. 31.

Carcia, Tamayo, J. Castillo, G. and Martinez, A.J. (1982):

Human genital candidiasis: histochemistry, scanning and transmission electron microscopy.

Acta. Cytol. (Baltimore). 26(1). P. 7 - 14.

Caroline, L., F. Rosner, and Male, J. (1969) :

Elevated serum iron, low unbound transferrin and candidiasis in acute leukemia.

Blood, 34: 441 - 451.

Catchings, B.M., and D.J. Guidry, (1973) :

Effects of pH and temperature on the in vitro growth of *Sporothrix schenckii*.

Sabouraudia, 11: 70 - 76.

Catteral, R.D. (1966) :

Candida albicans and contraceptive pills.

Lancet, 2: 830.

Catteral, R.D. (1970) :

Diagnosis of vaginal discharge.

Brit. J. Vener. Dis., 46 : 122.

Catterall, R.D. (1971) :

Influence of gestogenic contraceptive pills on vaginal candidosis.

Br. J. Vener. Dis., 47: 45 - 7.

Charles, D. (1980) :

Infections in Obstetrics and Gynaecology.

Vol. 12, Editor; Friedman, E.A., W.B. Saunders Co., London, PP. 51 - 73.

Chew, W.H., and T.L. Theus, (1967) :

Candida precipitins.

J. Immunol. 98: 220 - 224.

Cline, M.J., and R.I. Lehrer, (1968) :

Phagocytosis by human monocytes.

Blood, 32: 423 - 434.

Conant, N.F., D.T. Smith, R.D. Baker, and J.L. Callaway,
(1971) :

Manual of Clinical Mycology.

3rd. ed., Saunders, Philadelphia.

Cruickshank, R., Duguid, J.P., Marmion, B.P. and Swain,
R.H.A., (1975) :

Medical Microbiology, Vol. 1, 12th ed. Churchill Livingstone, New York.

Current Obstetric and Gynecologic diagnosis and treatment
(1983) :

4th. ed. Middle East Edition. Edited by: Ralph
C. Benson. Lange Medical Publications. Los Altos,
California.

Davis, B.A. (1969) :

Vaginal moniliasis in private practice.
Obstet. Gynecol., 34 : 40.

Dennerstein, G. (1979) :

Effective treatment of vaginitis.
Curr. Ther., 20: 27 - 35.

Dexter, H. Howard, and Lois, F. Howard, (1983) :

Fungi pathogenic for Humans and Animals. Part.B:
Pathogenicity and Detection.
10th. ed. MARCEL DEKKER, INC.. 270, Madison
Avenue, New York, New York, 10016.

Diddle, A.W., Gardner, W.H., Williamson, P.J. and O'Connor,
K.A. (1969) :

Oral contraceptive medication and vulvovaginal
candidiasis.
Obstet. Gynecol., 34 : 373.

Domer, J.E. and S.A. Moser, (1978) :

Experimental murine candidiasis: Cell-mediated immunity after cutaneous challenge.

Infect. Immun. 20: 88 - 98.

Duguid, J.P., Marimon, B.P. and Swain, R.H. (1978) :

Medical Microbiology.

13th. ed. Vol. 1, E.L.B.S. P. 544.

Eddie, D.A.S. (1968) :

The laboratory diagnosis of vaginal infections caused by Trichomonas and candida species.

J. Med. Microbiol. 1 : 153.

Elegbe, I.A. and Botu, M. (1982) :

Direct microscopic versus cultural method in screening for candidosis among non gravid Nigerian women.

Mycopathologia 79 (3): 137 - 139.

Ellsworth, J.H., E. Reiss, R.L. Bradley, H. Chmel, and D. Armstrong, (1977) :

Comparative serological and cutaneous reactivity of candidal cytoplasmic proteins and mannan separated by affinity for concanavalin A.

J. Clin. Microbiol. 5: 91 - 99.

- Eschenbach, D.A., Hummel, D. and Gravett, M.G. (1985) :
Recurrent and persistent vulvovaginal candidiasis:
treatment with ketoconazole.
Obstet. Gynecol. 66 (2). P. 248 - 54.
- Evans, E.G. Lacey, C.J. Carney, J.A. (1986) :
Criteria of the diagnosis of vaginal candidosis:
evaluation of a new latex agglutination test.
Eur. J. Obstet. Gynecol. Repord. Biol. 22(5-6).
P. 365 - 71.
- Evans, E.G.V., M.D. Richardson, F.C. Odds, and K.T. Holland,
(1973) :
Relevance of antigenicity of *Candida albicans*
growth phases to diagnosis of systemic candidiasis.
Br. Med. J. 4: 86 - 87.
- Everett, E.D., F.M. La Force, and T.C. Eickhoff, (1975):
Serologic studies in suspected viseral candidiasis.
Arch. Intern. Med., 135: 1075 - 1078.
- Felman, Y.M., and J.A. Nikitas, (1979) :
Trichomoniasis, candidiasis and *Corynebacterium*
vaginal vaginitis.
N.Y. State, J. Med., 79: 1563 - 1566.

fischer, A., J.J. Ballet, and C. Griscelli, (1978) :

Specific inhibition of in vitro candida induced lymphocyte proliferation by poly-saccharidic antigens present in the serum of patients with chronic mucocutaneous candidiasis.

J. Clin. Invest. 62: 1005 - 1013.

Fleury, F.J. (1981) :

The vagina.

Clinical Obstet. Gynecol., 24 : 407.

Frisk, A., L.V. Von Stedingk, and J. Wasserman, (1974) :

Lymphocyte stimulation in candida albicans infections.

Sabouraudia, 12: 87 - 94.

Fukazawa, Y., T. Shinoda, K. Kagaya, and A. Nishikawa, (1977) :

Immune response to live and killed cells of candida albicans and related species.

In K. Iwata (Ed.), Recent Advances in Medical and Veterinary Mycology, proceedings of the Sixth Congress of the International Society for Human and Animal Mycology, University of Tokyo Press, Tokyo, PP. 67 - 73.

Gander, J.E. (1974) :

Fungal cell wall glycoproteins and peptidopolysaccharides.

Annu. Rev. Microbiol. 28: 103 - 119.

Gardner, H.L. (1967) :

Quoted by Diddle, A.W.; Williamson, P.J. and O'Connor, K.A. (1969): Oral contraceptive medications and vulvovaginal candidiasis.

Obstet. Gynecol., 34 : 373.

Gentry, L.O., T.R. McNitt, and L. Kaufman, (1978) :

Use and value of serologic tests for the diagnosis of systemic candidiasis in cancer patients: a prospective study of 146 patients.

Curr. Microbiol. 1: 239 - 242.

Gentry, L.O., Wilkinson, I.D., Lea, A.S., and Price, M.F., (1983) :

Latex agglutination tests for detection of candida antigen in patients with disseminated disease. Eur. J. Clin. Microbiol., 2: 122 - 8.

Glyn, V. Evans, Charles, J.N. Lacey, and James, A. Carney, (1986) :

Criteria for the diagnosis of vaginal candidosis: evaluation of a new latex agglutination test. Eur. J. Obstet. Gynecol. Repord. Biol., 22:365-371.

Gordon, M.A. (1975) :

Current status of serology for diagnosis and prognostic evaluation of opportunistic fungus infections. In Mycoses, Proceedings of the Third International Conference on the Mycoses, Pan Am.

Health Organ. Sci. Publ. No. 304, Washington, D.C., PP. 144 - 151.

Gordon, M.A., J.C. Elliott, (1967) :

Identification of candida albicans, other candida species and Torulopsis glabrata by means of immunofluorescence.

Sabouraudia, 5: 323 - 328.

Gough, P.M. Warnock, D.W. Richardson, M.D. Mansell, N.J.

King, J.M. (1984) :

IgA and IgG antibodies to candida albicans in the genital tract secretions of women with or without vaginal candidosis.

Sabouraudia. 22 (4). P. 265 - 71.

Gough, P.M. Warnock, D.W. Turner, A. Richardson, M.D.,

Johnson, E.M. (1985) :

Candidosis of the genital tract in non-pregnant women.

Eur. J. Obstet. Gynecol. Reprod. Biol. 19 (4).
P. 237 - 46.

Grappel, S.F., and R.A. Calderone, (1976) :

Effect of antibodies on the respiration and morphology of candida albicans.

Sabouraudia, 14: 51 - 60.

Gruby, D. (1842) :

Recherches anatomiques sur une plante erylptogame qui constituae le vrai muguet des enfants.

C.R. Acad. Sci. (Paris), 14: 634 - 636.

Gruby, M. (1964) :

Recherches anatomiques sur plante cyrptogame qui constitue le vrai muguet alles enfants.

C.R. Acas. Sci. : (Paris), 14: 637: cited from Winner and Hurley. Candida albicans. J. and A. Churchill.

Hale, L.M. (1971) :

Orbital-cerebral phycomycosis. Report of a case and a review of the disease in infants.

Arch. Ophthalmol. 86: 39 - 43.

Haley, L.D. (1971) :

Identification of yeasts in clinical microbiology laboratories.

Am. J. Med. Technical 37.

Hammerman, K.J., K.E. Powell, and F.E. Tosch, (1974) :

The incidence of hospitalized cases of systemic mycotic infections.

Sabouraudia, 12: 33 - 45.

Hansen, E.C. (1868) :

Action des ferments erlco opliques sur les diveress es peces de sucre.

Ann. Microgr., 1: 219, cited from Winner and Hurly. Candida albicans J. & A. Churchill, 1964.

Hansen, E.C. (1964) :

Action des ferments erico opliques sur les diversess es peces de sucre.

Ann. Microgr., 1: 219, cited from Winner and Hurly Candida albicans, J. & A. Churchill.

Hasenclever, H.F., Mitchell, W.O. (1964) :

A study of yeast surface antigens by agglutination inhibition.

Sabouraudia, 3: 288 - 300.

Hasenclever, H.F., W.O. Mitchell, and J. Loewe, (1961) :

Antigenic studies of candida. II Antigenic relation of Candida albicans group A and group B to Candida stellatoidea and Candida tropicalis.

J. Bacteriol. 82: 574 - 577.

Hasenclever, H.F., and W.O. Mitchell, (1961) :

Pathogenicity of *C. albicans* and *C. tropicalis*.
Sabouraudia, 1: 16 - 21.

Hesseltine, H.C. (1959) :

Quoted by Schenken, R.S. (1982): Genital discharge
Gynecologic disorders, 1st ed. Pauerstein, C.J.,
New York, PP. 242 - 243.

Hippocrates, (1964) :

Medical works, Epidemics, Book 3. Transl. by J.
Chadwick and W.M. Mac. Oxford, Blackwell, 1950.
Cited from Winner and Hurly.
Candida albicans J. & A. Churchill.

Hommel, M., T.K. Truong, and D.E. Bidwell, (1976) :

Technique immunoenzymatique (ELISA) appliquée au
diagnostic sérologique des candidoses et asper-
gilloses humaines: résultats préliminaires.
Nouv. Presse. Med. 5: 2789 - 2791.

Horsmanheimo, M., K. Krohn, (1979) :

Immunologic features of chronic granulomatous
mucocutaneous candidiasis before and after treat-
ment with transfer factor.
Arch. Dermatol., 115: 180 - 184.

Howat, R.C.L., B.W. Elito, (1979) :

Cure and relapse of candidal vaginitis following treatment with miconazole clotrimazole and nystatin in Royal Society of Medicine Int. Congress and Symposium Series No. 7D. Gough (ED), PP. 3 - 8.

Howkins, J. and Bourne, G. (1976) :

Show's text book of Gynaecology.
9th. ed., Churchill Livingstone, PP. 223 - 224.

Ho, Y.M., M.H. Ng, and C.T. Huang, (1979) :

Antibodies to germinating and yeast cells of *Candida albicans* in human and rabbit sera.
J. Clin. Pathol., 32: 399 - 405.

Huppert and Harper, M. (1975) :

Rapid methods for identification yeasts.
J. Clin. Microbiol., 2 : 21.

Hurley, R., and H.I. Winner, (1963) :

Experimental renal moniliasis in the mouse.
J. Pathol. Bacteriol. 86: 75 - 82.

Hurley, R. (1967) :

The pathogenic *Candida* species. A Review.
Rev. Med. Vet. Mycol., 6: 159 - 176.

Ivan M. Roitt, Jonathan Brojtoff, David K. Male, (1985):

Immunology.
Churchill Livingstone. Edinburgh. London. Melbourne. New York.
Gower Medical Publishing. London New York, P.16-11.

Jawetz, E. and Melnik, L.J. (1978) :

Review of medical microbiology.

13th. ed. Lang Medical Publications, California,
PP. 277 - 278.

Jeffcoate, N. (1975) :

Principles of Gynaecology.

4th. ed., Butterworth. London, P. 312.

Jeffcoate, N. (1981) :

Principles of Gynaecology.

4th. ed., Butter-worth, London, P. 312.

Joklik, W.K., Willett, H.P. and Amos, D.B., (1984) :

Zinsser microbiology.

18th. ed., Appleton-century crofts. New York,
P. 1184 - 1190.

Jones, J., and J.A. Schmitt, (1978) :

The effect of chlorination on the survival of
cells of *Candida albicans*.

Mycologia, 70: 681 - 689.

Jonshon, S.A.M., Guzman, M.G. and Aguilera, C.T. (1954):

Candida (Monilial) *albicans*. Effects of amino
acids, glucose, pH, chlortetracycline, dibasic
sodium and calcium phosphates and anaerobic condi-
tion on its growth.

Arch. Derm. Syph. (Chic.), 70 : 49.

Kabat, E.A., and M.M. Mayer, (1961) :

Experimental Immunochemistry.

2nd. ed., Thomas, Springfield, III.

Kahn, F.W., Jones, J.M. (1986) :

Latex agglutination test for detection of candida antigens in sera of patients with invasive candidiasis.

J. Infect. Dis. 153 (3). P. 579 - 85.

Kashkin, P.N., Krassilincov, N.A. and Nekachalov, V.Y.,
(1961) :

Candida complications after antibiotic therapy.

Mycopathologia (Denttaeg), 14 : 172.

Königer, G., and D. Adam, (1973) :

Serologischer Nachweis systemischer candida infektionen mit Hilfe von Antikörpertiterrelationen.
Klin. Wochenscher, 51 : 437 - 444.

Cited from Text Book: Fungi pathogenic for Human and Animals. Edited by: Dexter H. Howard and Lois F. Howard (1983).

Marcel Dekker, INC.

270 Madison Avenue, New York, New York, 10016.

Koss, L.G. and Durfee, G.R. (1961) ;

Quoted by Cohen, L. (1969): Influence of pH on vaginal discharge.

Brit. J. Vene. Dis. 45 : 241.

Kuhn, G., Friedrich, E. and Schwartz, H. (1983) :

Immunoserological diagnosis of candidosis by methods of immunofluorescence and immunodiffusion cited from Review of human and dveterinary Mycology Vol. 3, No. 1.

Land, G.A., W.C. McDonald, R.L., Stjernholm, and L. Friedman, (1975) :

Factors affecting filamentation in *Candida albicans*: relationship of the uptake and distribution of proline to morphogenesis.

Infect. Immun. 11: 1014 - 1023.

Laskownicka, Z., A. Porebaska, and K. Zemburowa, (1969):

Candida albicans antigens studied in complement fixation test and agar gel diffusion test.

Mycopathol. Mycol. Appl. 37: 357 - 368.

Lehmann, P.F., and E. Reiss, (1978) :

Invasive aspergillosis: antiserum for circulating antigen produced after immunization with serum from infected rabbits.

Infect. Immun. 20: 570 - 572.

Lehrer, N. Segal, E. Cihlar, R.L., Calderone, R.A., (1986):

Pathogenesis of vaginal candidiasis: studies with a mutant which has reduced ability to adhere in vitro.

J. Med. Vet. Mycol. 24 (2). P. 127 - 31.

Lehner, T. (1970) :

Serum flourcent antibody and immunoglobulin estimations in candidosis.

J. Med. Microbiol., 3: 475 - 481.

Lehner, T., H.B. Buckley, and I.G. Murray, (1972) :

The relationship between flourescent agglutinating and precipitating antibodies to Candida albicans.

J. Clin. Pathol. 25: 344 - 348.

Lewis, G.M. (1972) :

Textbook of Dermatology.

2nd edition Blackwell. Sci. Publ. Onsey Mead, Oxford.

Linares de, L.M. and C. Marin, (1978) :

Frequency of yeasts of the genus Candida in humans as pathogens and as part of normal flora. In, the Black Yeasts and the White Yeasts. Proceedings of the IV International Conference on the Mycoses. Pan American Health Association Washington Sci. Pub. No. 356, PP. 124 - 136.

Lodder, J., Sloof, W.C.H., and Kregervan, R.J. (1958) :

The classification of yeast. In chemistry and biology of yeasts.

Ed. AH Cook, New York, Academic Press.

Lodder, J. (1970) :

The yeasts. Taxonomic study.

2nd. edit. North Holland, Amsterdam, P. 1385.

Louria, D.B. (1965) :

Quoted by Mead, Ph. B. (1974): *Candida albicans*.
Infectious disease in Obstetrics and Gynecology.
Editor, Monif, G.R.G., Harper and Row, New York,
P. 245.

Louria, D.B. (1977) :

Experimental infections with fungi and yeasts.
Contrib. Microbiol. Immunol., 3: 31 - 47.

Maibach, H.I. and Kligman, A.M. (1962) :

The biology of experimental human cutaneous moni-
liasis.
Arch. Dermatol., 85, 233 - 55.

Marconi, P., F. Bistoni, M. Pitzurra, L. Mosci, and A.
Vecchiarelli, (1977) :

Immunogenicita in vivo di estratti 3 M KCI da
Candida albicans.

Boll. Soc. Ital. Biol. Sper. 53: 395 - 399.

Marples, M., and D.A. Somerville (1968) :

The oral and cutaneous distribution of *Candida*
albicans and other yeasts in Raratonga.
Cook Islands. Trans. R. Soc. Trop. Med. Hyg.,
62: 256 - 262.

Marples, M.J. (1965) :

The Ecology of the Human skin. Springfield, 111.,
Charles C. Thomas. Cited in John Willard Rippon
(1982) Medical mycology 2nd. edit.

The pathogenic fungi and pathogenic actinomycetes.
P. 501.

Mathur, S., G. Virella, J. Koistinen, E.O., Horger III,
T.A. Mahvi, and H.H. Fundenberg, (1977) :

Humoral immunity in vaginal candidiasis.
Infect. Immun. 15: 287 - 294.

Mead, Ph. B. (1974) :

Candida albicans. Infectious diseases in Obstet-
rics and Gynecology.

Editor, Monif, G.R.G., Harper and Row, New York,
P. 242 - 243.

Meinhof, W. (1982) :

Demonstration of typical features of individual
Candida albicans strains as a means of studying
sources of infection.

Chemotherapy. 28 Suppl. 1, P. 51 - 5.

Merz, W.G., G.L. Evans, Silva, W. (1977) :

Laboratory evaluation of serological tests for
systemic candidiasis. A cooperative study.

J. Clin. Microbiol., 5: 596 - 603.

Monif, G. (1974) :

Infectious disease in Obstetrics and Gynaecology.
Hagerstown Harper and Row, New York, P. 242.

Montes, L. and Wilborn (1968) :

Ultrastructural features of host parasite relationship in oral candidiasis.

J. Bacteriology, 96: 1349 - 1356.

Moore, G.S. and Jaciow, (1979) :

Mycology for the clinical laboratory.

1st. ed. Reston Publishing Company Virginia. PP. 257-278.

Morris, C.A. and Morris, D.F. (1969) :

Fatal opportunistic fungus disease.

British Medical Journal, 1 : 319.

Mourad, S. and L. Friedman (1961) :

Pathogenicity of Candida.

J. Bacteriol., 81: 550 - 556.

Muller, H.L. (1974) :

IgM- and IgG- Antibodies against candida polysaccharides in the serodiagnosis of candidiasis.

Bull. Soc. Fr. Mycol. Med., 3: 51 - 52.

Murray, I.G. and H.R. Buckley (1966) :

Serological studies of candida species. In H.I. Winner and R. Hurley (Eds.), symposium on candida infections, E. and S. Livingstone, Edinburgh, PP. 44 - 51.

Negroni, R. (1969) :

Inmologia de las candidiasis.

Mycopathol. Mycol. Appl. 38: 189 - 197.

Nickerson, W.J. (1954) :

An enzymat locus participating in cellular division of yeast.

J. Gen. Physiol., 37: 483 - 494.

Nickerson, W.J. (1963) :

Molecular bases of form in yeasts.

Bacteriol. Rev. 27: 305 - 324.

Norman, A.W., R.A. Demel, B. De Kruyff, and L.L.M. Van Deenen (1972) :

Studies on the biological properties of polyene antibiotics.

J. Biol. Chem. 247: 1918 - 1929.

Novak, E.R. and Woodruff, J.D. (1979) :

Text book of Gynaecol. and Obstet. Pathology with clinical and endocrine relation.

8th. ed., W.B. Saunders Co., Philadelphia-London-Toronto, P. 237.

Odds, F.G. (1979) :

Candida and Candidiasis. Cited in John Willard Rippon (1982): Medical mycology 2nd. edit. The pathogenic fungi and pathogenic actinomycetes. P. 529 W.B. Saunders Company.

Okubo, Y., Y. Honma, and S. Suzuki (1979) :

Relationship between phosphate content and serological activities of the mannans of candida albicans strains NIH A-207, NIH B-792 and J-1012. J. Bacteriol. 137: 677 - 680.

Palmer, D.F., L. Kaufman, W. Kaplan, and J.J.Cavallaro. (1977) :

Serodiagnosis of Mycotic Diseases.
Thomas, Springfield, III., P. 191.

Peat, S., Whelan, W.J., Edwards, T.E. (1961) :

Polysaccharide of bakers yeast. Part IV: Mannan.
J. Chem. Soc. 1: 29 - 34.

Pedersen, G.T. (1964) :

Yeasts isolated from the throat, rectum and vagina in 60 women examined during pregnancy and $\frac{1}{2}$ to 1 year after labour.
Acta Obstet. Gynecol. Scand; 42 (suppl 6): 47-51.

Peeters, F., Snauwaert, R., Segers, J., Van Custam, J. and Amery, W. (1972) :

Observations on Candida vaginitis, vaginal pH, microbiology and cytology.
Amer. J. Obstet. Gynec., 112 : 80.

Pepys, J., J.A. Faux, J.L. Longbottom, D.S. McCarthy, and
F.E. Hargreave (1968) :

Candida albicans precipitins in respiratory disease in man.

J. Allergy, 41: 305 - 318.

Phaff, H.J. (1971) :

Structure and biosynthesis of the yeast cell envelope.

In A.H. Rose and J.S. Harrison (Eds.), *The Yeasts*, Vol. 2, Academic, New York, PP. 135 - 210.

Plass, E.D., Hesseitine, H.C. and Borts, L.H. (1930) :

Monilia vulvovaginitis.

Amer. J. Obstet. Gynecol., 23 : 320.

Poor, A.H., and J.E. Cutler (1979) :

Partially purified antibodies used in a solid-phase radioimmunoassay for detecting candidal antigenemia.

J. Clin. Microbiol. 9: 362 - 368.

Porter, K.G., D.G. Sinnamon, and R.R. Gillies (1977) :

Cryptococcus neoformans specific oligoclonal immunoglobulins in cerebrospinal fluid in cryptococcal meningitis.

Lancet, 1 : 1262.

Reess, M. (1977) :

Ueber den Soorpilz.

S.B. Phys. Med. Soz. Erlangen, 9: 190 - 193.

Reid, J.D., Jores, M. and Mand Carter, E.P. (1953) :

A simple clear medium for demonstration of chlamydospores of *Candida albicans*.

Amer. J. Clin. Path., 23 : 938.

Reiss, E., Stone, S.H., Hasenclever, H.F. (1974) :

Serological and cellular immune activity of peptidoglucomannan fractions of *Candida albicans* cell walls.

Infect. Immun. 9: 881 - 90.

Reynold, R. and A.I. Braude (1956) :

Filament-inducing property of blood for *Candida albicans*; its nature and significance.

Clin. Res. Proc., 4 : 40.

Rippon, J.W. (1982) :

Medical mycology, the pathogenic fungi and the pathogenic actinomycetes.

2nd. edit. P. 487 - 512.

Roberts, G.D. (1976) :

Lab. diagnosis of fungal infection.

Human Path., 7 : 161.

Robin, C.P. (1853) :

Histoire Naturelle des Vegetaux. Parasites qui
croissent-sur l'homme et sur les animaux vivants.
Paris. Bailliere.

Rogers, T.J., and E. Balish (1978) :

Suppression of lymphocyte blastogenesis by Candida
albicans.

Clin. Immunol. Immunopathol. 10: 298 - 305.

Rohatiner, J.J. and Grimble, A. (1970) :

Candidiasis and oral contraceptive.

J. Obstet. Gynaecol. Brit. CW 1th., 77 PP. 1013-
1015.

Sandler, B. (1979) :

Lactobacillus for vulvovaginitis.

Lancet, 2: 791 - 792.

Schmidt, J., W. Hartmann, A. Wurstlin, and H. Deicher,
(1971) :

Akutes Nierenversagen durch immunhämolytische
Anämie nach Genuss des Kahlen Kremlings (Paxillus
involutus).

Dtsch. Med. Wochenschr. 96: 1188 - 1191.

Schopfer W.H. and Guillored M. (1964) :

Les besorns en facteurs de croissance de vgttrois
especies et varietes de genre Candida, la produc-
tion de lactoflamine.

Arch. Sci. Phys. nat (15) 26, suppl 232.

Cited from Winner and Hurly Candida albicans,
J. & A. Churchill.

Seelig, M.S. (1966) :

The role of antibiotics in the pathogenesis of
Candida infections.

Am. J. Med. 40: 887 - 917.

Segal, E., R.A. Berg, P.A. Pizzo and J.E. Bennett (1979):

Detection of Candida antigen in sera of patients
with candidiasis by an enzyme-linked immunosorbent
assay-inhibition technique.

J. Clin. Microbiol. 10: 116 - 118.

Segal, E. Soroka, A. and Lehrer, N. (1984) :

Attachment of candida to mammalian tissues. Cli-
nical and experimental studies.

Zentralbl. Bakteriol. Mikrobiol. Hyg [A]. 257(2).

P. 257 - 65.

Singer, J.M., Plotz, C.M. (1956) :

The latex fixation test, I. Application to the
serological diagnosis of rheumatoid arthritis.

Am. J. Med.; 21: 888 - 92.

Sobel, J.D. (1985) :

Epidemiology and pathogenesis of recurrent vulvo-vaginal candidiasis.

Am. J. Obstet. Gynecol. 1. 152 (7 pt 2). P. 924-35 (Review).

Sobel, J.D. Muller, G. and Buckley, H.R. (1984) :

Critical role of germ tube formation in the pathogenesis of candidal vaginitis.

Infect. Immun. 44(3). P. 576 - 80.

Sohnle, P.G., M.M. Frank, and C.H. Kirkpatrick (1976) :

Deposition of complement components in the cutaneous lesions of chronic mucocutaneous candidiasis.

Clin. Immunol. Immunopathol. 5: 340 - 350.

Solomkin, J.S., E.L. Mills, G.S. Giebink, R.D. Nelson, R.L.

Simmons, and P.G. Quie, (1978) :

Phagocytosis of *Candida albicans* by human leucocytes: Opsonic requirements.

J. Infect. Dis. 137: 30 - 37.

Staib, F., S.K. Mishra, G. Grosse, and T. Abel (1977) :

Ocular cryptococcosis experimental and clinical observations. Zentralbl. Bakteriол. Parasitenkd.

Infektionskr. Hyg., Abt. 1: Orig. A 237:378-394.

Stallybrass, F.C. (1964) :

Candida precipitins.

J. Pathol. Bacteriol. 87: 89 - 97.

Steinbuck, M. Audran, R. (1969) :

The isolation of IgG from mammalian sera with the aid of caprylic acid.

Arch. Biochem. Biophys.; 134: 279 - 84.

Stenderup, A., and A.L. Bak (1968) :

Deoxyribonucleic acid base composition of some species within genus candida.

J. Gen. Microbiol., 52: 231 - 236.

Sternberger, L.A. (1968) :

Electron microscopic immunochemistry.

15 : 139.

Stickle, D., L. Kaufman, S.O. Blumer and D.W. McLaughlin (1972) :

Comparison of a newly developed latex agglutination test and an immunodiffusion test in the diagnosis of systemic candidiasis.

Appl Microbiol. 23: 490 - 499.

Stockman, L., R.M. Baude, Barelay, L.D. (1974) :

Specificity of the latex test for cryptococcal antigen: A rapid simple method for elimination interference factors.

J. Clin. Microbiol. 16: 965 - 967.

Sunayama, H. (1970) :

Studies on the antigenic activities of yeasts.
IV. Analysis of the antigenic determinant groups
of the mannan of *Candida albicans* serotype. A.
Jpn. J. Microbiol. 14: 27 - 39.

Sunayama, H. and S. Suzuki (1970) :

Studies on the antigenic activities of yeasts.
VI. Analysis of the antigenic determinants of the
mannan of *Candida albicans* serotype B-792.
Jpn. J. Microbiol. 14: 371 - 379.

Sweet, C.E. and L. Kaufman (1970) :

Application of agglutinins for the rapid and accurate
identification of medically important *Candida*
species.
Appl. Microbiol., 19: 830 - 836.

Sweet R.L. (1985) :

Importance of differential diagnosis in acute
vaginitis.
Am. J. Obstet. Gynecol. 1, 152 (7 pt 2). P. 921-3.

Sylvia, M., Edwards, J.M.B. and Riddel, R.W. (1953) :

Yeasts in the vaginal flora, their incidence and
importance,.
Lancet, 2 : 1230.

Syverson, R.E., H.R. Buckley and C.C. Campbell (1975) :
Cytoplasmic antigens unique to the mycelial or
yeast phase of *Candida albicans*.
Infect. Immun. 12: 1184 - 1188.

Syverson, R.E., H.R. Buckley and J.A. Gibian (1978) :
Increasing the predictive value of the precipitin
test for the diagnosis of deep-seated candidiasis.
Am. J. Clin. Pathol. 70: 826 - 831.

Taschdjian, C.L., Burchall, J.J., Kozinn, P.J. (1960) :
Rapid identification of *Candida albicans* by fila-
mentation on serum and serum substitutes.
Am. J. Dis. Child; 99: 212 - 5.

Taschdjian, C.L., G.B. Dobkin, L. Caroline and P.J. Kozinn
(1964) :
Immune studies relating to candidiasis. II. Experi-
mental and preliminary clinical studies on anti-
body formation in systemic candidiasis.
Sabouraudia, 3: 129 - 139.

Tashjian, J.H., Coulam, C.B. and Wshington, J.A. (1976) :
Vaginal flora in asymptomatic women.
Mayo. Clin. Proc.; 51: 557 - 61.

Teti, G. Burdash, N.M. Corey, K. Fava, C. (1985) :
Detection of group B streptococci by agglutination
testing from selective broth cultures.
Ann. Clin. Lab. Sci. 15 (4). P. 292 - 8.

Timonen, S., Mayer, B. and Happonen, H. (1966) :

Vaginal mycosis.

Acta Obst. et Gynec. Scand. 45, 232.

Tran Van Ky, P., J. Biguet and S. Andrieu (1963) :

Etude par l'électrophorèse et la double diffusion
en gélose des substances antigéniques excrétées
dans le milieu de culture de *Candida albicans*.
Sabouraudia 2: 164 - 169.

Tran Van Ky, P., T. Vaucelle, S. Andrieu, C. Torck and F.
Floc'h (1969) :

Caractérisation de complexes enzymes-antienzymes
dans les extraits de levures du genre *Candida*
après immunoélectrophorèse en agarose.
Mycopathol. Mycol. Appl. 38: 345 - 357.

Tsuchiya, T., Y. Fukazawa, M. Taguchi, T. Nakase and T.
Shinoda (1974) :

Serologic aspects on yeast classification.
Mycopathol. Mycol. Appl. 53: 77 - 92.

Tsuchiya, T., Y. Fukazawa and S. Kawakita (1961) :

Serological classification of the genus *Candida*.
In I. Donomae (Ed.), studies on candidiasis in
Japan., Research Committee on candidiasis, Educa-
tion Ministry of Japan, Tokyo, PP. 34 - 46.

Umenai, T. and H. Chiba (1977) :

Evaluation of the antigen specific to the mycelial phase of *Candida albicans* in the serodiagnosis of candidiasis.

Tohoku J. Exp. Med. 123: 395 - 396.

Valerie Hopwood, Evg Evans and J.A. Carney (1985) :

Rapid diagnosis of vaginal candidosis by latex particle agglutination.

J. Clin. Pathol. 38: 455 - 458.

Van Cutsem J., Van Gerven F., Zaman R., and Janssen P.A.

(1983) :

Terconazole- a new broad-spectrum antifungal.

Chemotherapy. 29 (5). P. 322 - 31.

Venezia, R.A. and R.G. Robertson (1974) :

Efficacy of the candida precipitin test. Verification with a protoplast antigen preparation.

Am. J. Clin. Pathol. 61: 849 - 855.

Walker, L. and Huppert, M. (1959) :

A rapid available technique for identification of *C. albicans*.

Amer. J. Clin. Pathol. 31 : 551.

Warren, R.C., M.D. Richardson and L.O. White (1978) :

Enzyme-linked immunosorbent assay of antigens from *Candida albicans* circulating in infected mice and rabbits: the role of mannan.

Mycopathologia, 66: 179 - 182.

Westphal, H.J., and U. Kaben (1977) :

Isolierung von Antigenfraktionen aus *Candida albicans*.

Mykosen, 20: 297 - 300.

Wickerham, L.J. (1951) :

Taxonomy of Yeasts.

Technical Bulletin No. 1029 U.S. Department of Agriculture. Washington D.C.

Cited from Rippon Medical Mycology, 82.

Wickerham, L.J. (1957) :

Apparent increase in frequency of infection involving *Torulopsis glabrata*.

J.A.M.A., 165: 47 - 48.

Wiener, M.H. and W.H. Yount (1976) :

Mannan antigenemia in the diagnosis of invasive *Candida* infections.

J. Clin. Invest. 58: 1045 - 1053.

Winner, H.I. (1966) :

Symposium on candida infection.

3rd. ed. Editro, Winner, H.I. and Hurley, R.
Livington-Edinburgh, P. 6.

Winner, H.I. and R. Hurley (1964) :

Candida albicans.

Little, Brown, Boston.

Winner, H.I. and R. Hurley (1961) :

Candida albicans.

Boston, Little, Brown and Co.

White, R.G. and Timbury, M.C. (1973) :

Essential of immunology and microbiology.

2nd. ed. Pitman, Co., London, P. 319.

Witkin, S.S. Yu, I.R. and Ledger, W.J. (1983) :

Inhibition of Candida albicans - induced lympho-
cyte proliferation by lymphocyte and sera from
women with recurrent vaginitis.

Am. J. Obstet. Gynecol. 1. 147(7), P. 809 - 11.

Yu, B.H. and D. Armstrong (1977) :

Serological tests for invasive aspergillosis and Candida infections in patients with neoplastic disease.

In K. Iwata (Ed.), Recent advances in Medical and Veterinary Mycology, Proceedings of the Sixth Congress of the International Society for Human and Animal Mycology, University of Tokyo Press, Tokyo, PP. 47 - 58.

Zopf, W. (1890) :

Die Pilz im Morphologischer, Physiologischer ,
Biologischer Beziehung.

Breslau, Trewendt.