

C O N T E N T S

	Page
I- INTRODUCTION AND AIM OF WORK.	1
II- REVIEW OF LITERATURE.	4
- Isolation and identification.	4
- Mechanism of virulence and pathogenesis . .	9
- Transmission of <u>Pseudomonas aeruginosa</u> infection	23
- The role of <u>Ps. aeruginosa</u> in epidemiology.	25
- Typing of <u>Ps. aeruginosa</u>	28
- Pyocins	30
- Methods of typing of <u>Ps. aeruginosa</u> . . .	37
- Relationship of bacterial enzyme production and pyocin typing	41
- Antibiotic resistance of <u>Ps. aeruginosa</u> . .	44
III- MATERIALS AND METHODS	51
IV- RESULTS	62
V- DISCUSSION.	92
VI- SUMMARY	107
VII- REFERENCES.	111
VIII- ARABIC SUMMARY	

LIST OF TABLES

	Page
Table (1) : Characterisation of major known virulence factors of <u>Pseudomonas aeruginosa</u>	10
Table (2) : Inhibition patterns of 105 pyocin types pyotypes of Govan and Gillies method (active pyocin typing method).	58
Table (3) : Sources and places of isolation of 50 strains of <u>Ps. aeruginosa</u> .	64
Table (4) : Antibiotic resistance patterns of the isolated strains of <u>Ps. aeruginosa</u> .	66
Table (5) : Pyocin typing of the isolated strains of <u>Ps. aeruginosa</u> by using Gillies and Govan's method.	69
Table (6) : Correlation between antibiotic resistance pattern and pyocin typing using Gillies and Govan's method.	70

- Table (7): Correlation between geographic and clinical sources and pyocin typing of the isolated strains of Ps. aeruginosa using Gillies and Govan method. 72
- Table (8): Correlation between the most predominant pyocin types by Gillies and Govan's method and antibiotic resistance patterns. 74
- Table (9): Properties of the selected Ps. aeruginosa strains for the proposed pyocin typing set. 76
- Table (10): Inhibition patterns of 20 strains of Ps. aeruginosa using both Govan indicator strains and selected ones - the first week. 78
- Table (11): Inhibition patterns of 20 strains of Ps. aeruginosa using both Govan indicator strains and the selected ones - the second week. 79
- Table (12): Inhibition patterns of 20 strains of Ps. aeruginosa using both Govan indicator strains and the selected ones in the third week. 80

	Page
Table (13): Inhibition patterns of 20 strains of <u>Ps. aeruginosa</u> using both Gowan indicator strains and the selected ones in the fourth week.	81
Table (14): Inhibition patterns of 20 strains of <u>Ps. aeruginosa</u> using both Gowan indicator strains and the selected ones in the fifth week.	82
Table (15): Reproducibility (% R) of indicator strains of <u>Ps. aeruginosa</u> .	83
Table (16): Pyocin typing of the isolated strains of <u>Ps. aeruginosa</u> by using selected indicator strains.	85
Table (17): Correlation between antibiotic resistance and pyocin typing of the tested <u>Ps. aeruginosa</u> strains by using selected indicator strains.	87
Table (18): Correlation between geographic and clinical sources and pyocin typing of the isolated strains of <u>Ps. aeruginosa</u> using the selected indicator strains.	89