

## References

REFERENCES

1. Al-Doory, Y. (1980):

Candida Laboratory Medical Mycology.  
Lean and Febiger. Philadelphia, P.P.  
259 - 268.

2. Aly, R. and Maibach, H.I. (1976) :

Effect of antimicrobial Soap containing  
chlorhexidine on the microbial flora of  
the skin.  
Appl. Environ. Microbiol., 31 : 931-935.

3. Baird-Parker, A.C. (1963):

A classification of micrococci and  
staphylococci based on physiological  
and biochemical tests.  
J. Gen. Microbiol., 30 : 409 - 427.

4. Bak, A.L. and Stendcup, A. (1969):

Deoxyribonucleic acid homology in yeasts.  
Genetic relateness within the genus Candida.  
J. Gen Microbiol, 59 : 21 - 30.

5. Barber, M. (1961):

Hospital infection. Yesterday and today.  
J. Clin. Path., 14 : 2.

6. Beare, J.N. and Rook, A. (1979):

The Newborn.

In Rook, A.; Wilkinson, D.S. and Ebling,  
F.J.G. (eds):

Textbook of Dermatology. 3rd ed. Vol. 1.  
Blackwell Scintefic publication, Oxford.  
London.

Edinburgh. Melbourne. P.P. 185 - 212.

7. Bound, J.P. (1956):

Thrush napkin rashes.

Br. Med., 1 : 782 - 784.

8. Brown, C.P. and Wilson, P.H. (1964):

Diaper region irritations. Pertinent  
facts and methods of prevention.

Clinic. Pediat. (Phila), 3 : 409 - 413.

9. Brooks, D.B.; Hubbert, R.M. and Sarkany, I. (1971):  
Skin flora of infants with napkin rash.  
Br. J. Dermatol., 85 : 250.
10. Burgoon, C.F.; Urbach, F. and Grover, W.D. (1961):  
Diaper dermatitis.  
Pediat. Clin. North. Am., 18 : 835 - 856.
11. Carr, D.L. and Kloos, W.E. (1977):  
Temporal study of the Staphylococci and  
Micrococci of normal infant skin.  
Appl. Environ. Microbiol., 34 : 673 - 680.
12. Colman, G. (1968):  
The application of computers to the classification of Streptococci.  
J. Gen. Microbiol., 50 : 149.
13. Cooke, J.V. (1921) :  
The etiology and treatment of ammonia  
dermatitis of the gluteal region of  
infants.  
Am. J. Dis. Child, 22 : 481.

14. Curry, J.C. and Borovian, G.E. (1976):  
Selective medium for distinguishing  
Micrococci from Staphylococci in clinical  
laboratory.  
J. Clin. Microbiol, 4 : 455 - 457.
15. Cruickshank, R.; Duguid, J.P.; Marmion, B.P.  
and Swain, R.H.A. (1973):  
Escherichia coli : klebsiella; Proteus:  
Providencia. Medical Microbiology. 12 th ed.  
Vol. I Microbial infection. Ch. 29. The  
English Language book society, and churchill  
living stone. Edinburgh.  
London and Newyork P.P. 327 - 328.
16. Dixon, P.N; Warin, R.P. and English, M.P (1969):  
Role of Candida albicans infection in napkin  
rashes.  
Br. Med. J., 2 : 23.
17. Dixon, P.N.;Warin,R.P.; and English,M.P.(1972):  
Alimentary Candida albicans and napkin rashes.  
Br. J. Dermatol., 86 : 458.

18. Durham, D.R. and Kloos, W.E. (1978):

A comparative study of the total cellular fatty acids of staphylococcus species of human origin.

Int. J. Syst. Bacteriol., 28 : 223 - 228.

19. Fergusson, A.G.; Fraser, N.G. and Grant, P.W(1966):

Napkin dermatitis with Psoriasiform " Ide ".

A Review of 52 cases.

Br. J. Dermatol., 78 : 289.

20. Finegold, S.M. and Martin, W.J. (1982):

Diagnostic Microbiology. 6th ed. The c.v.

Mosby Company. Toronto, London P. 305.

21. Freeman, B.A. (1973):

Coliformis bacilli.

Burrows Test-book of Microbiology. 21 ed.

W.B. Saunders Company Philadelphia London.

Toronto P. 500.

22. Gross, R.J. and Holmes, B. (1984):

Enterobacteriaceae.

In : Parker, M.T. (ed.): Topley and Wilson's  
Principles of Bacteriology, Virology and  
immunity. 17 th ed. Vol. 2. Ch. 29 P.P.  
173 - 182.

23. Hurwitz, S. (1981):

Cutaneous disorders of the newborn.

Clinical Pediatric dermatology. A Textbook  
of skin disorders of childhood and  
Adolescence.W.B. Saunders Company.  
Philadelphia, London. Toronto. Sydney,  
P.P. 6 - 33.

24. Jacobs, A.H. (1978):

Eruptions in the diaper area.

Ped. Clin. North. Am., 25: 209 - 223.

25. Jawetz, E.; Melnick, L.J. and Adelberg, A.E. (1982):

Enteric Gram-negative microorganism. Review  
of Medical Microbiology. 11 th ed. Los Altos,  
California, P. 230.

Kapica, L. and Blank, F. (1957):

Growth of *Candida albicans* on keratin as  
sole source of nitrogen.

*Dermatologica*, 115 : 81 - 105.

26. Kligman, A.M. (1965):

The bacteriology of normal skin.

In : Maibach, H.I. and Hildick-Smith, G (eds):

Skin bacteria and their role in infection.

New York, McGraw-hill p. 13.

27. Kloos, W.E. (1981):

The identification of *Staphylococcus* and  
*Micrococcus* species isolated from human skin.

In : Maibach, H.I. and Aly, R. (eds.): Skin.

Microbiology. Relevance to clinical infection.

Springer, Verlag. New York.

Heidelberg. Berlin. p.p. 3 - 10.

28. Kloos, W.E. and Musselwhite, M.S. (1975):

Distribution and persistence of *Staphylococcus*  
and *Micrococcus* species and other aerobic  
bacteria on human skin.

*Appl. Microbiol*, 30 : 381 - 395.

29. Kloos, W.E.; Schleifer, K.H. and Smith R.F.(1976):  
Characterization of *Staphylococcus* Sp. and  
its Subspecies.  
Int. J. Syst. Bacteriol, 26 : 22 - 37.
30. Kloos, W.E.; Tornabene, T.G. and Schleifer, K.H.  
(1974):  
Isolation and characterization of Micrococci  
from human skin, including two new species.  
*Micrococcus lylae* and *Micrococcus Kristinae*-  
Int. J. Syst. Bacteriol, 24 : 79 - 101.
31. Koblenzer, P.J. (1973):  
Diaper dermatitis. An overview with emphasis  
on rational therapy based on etiology and  
pathodynamic.  
Clin. Pediat., 12 : 386 - 392.
32. Kocur, M.; Parcova, Z. and Martience, T. (1972):  
Taxonomic status of *Micrococcus Leuteus* and  
designation of the neotype strain.  
Int. J. Syst. Bacteriol, 22 : 218 - 223.

33. Kozinn, P.J., Taschdjian, C.L. and Burchall,

J.J. (1961):

Diaper rash a diagnostic anachronism.

J. Pediat., 59, 1 : 75 - 80.

34. Lever, W.F. and Schaumburg-Lever, G. (1983) :

Fungal Diseases (Candidiasis). Histopathology  
of the skin. 6 th ed. J.P. Lippincott Company.

Philadelphia - London - Mexico City.

New York. St. Louis Saopaulo. Sydney, P. 332.

35. Leyden, J.J. and Kligman, A.M. (1978) :

The role of microorganisms in diaper dermatitis

Arch. Dermatol., 114 : 56.

36. Leyden J.J.; Katz, S.; Stewart, R. and Kligman,

A.M. (1977):

Urinary ammonia and ammonia - producing  
microorganisms in infants with and without

diaper dermatitis.

Arch. Dermatol., 113 : 1678.

37. Leyden J.J. (1986):

Diaper dermatitis.

Dermatol Clin; 4 (1) : 23 - 31.

38. Maibach, H.I. and Kligman, A.M. (1962):

The biology of experimental human cutaneous  
moniliasis (*Candida albicans*).

Arch. Dermatol. 85 : 233 - 257.

39. Marples, M.J. (1965):

The Ecology of the Human skin.

Springfield, Illinois : Thomas. P. 15.

40. Marples, M.J. (1966):

Some observations on the ecology of *Candida*  
*albicans*, a potential mammalian pathogen.

proceedings of the New Zealand Ecological  
Society, 13 : 29.

41. Montes, L.F.; Pittilo, R.F.; Hunt, D.; Narkates, A.J.

and Dillon, H.C. (1971):

Microbial flora in infant's skin: Comparison of  
types of microorganisms between normal skin and  
diaper dermatitis.

Arch. Dermatol., 103 : 640 - 648.

46. Noble, W.C. and Somerville, D.A. (1974):

The fungal flora. Microbiology of Human skin.

W.B. Saunders company Ltd. London.

Philadelphia. Toronto P.P. 206 - 219.

47. Ogasawara - Fujita, K. and Saraguchi, K. (1976):

Classification of Micrococci on the basis  
of deoxy bonucleic acid homology.

J. Gen. Microbiol. 94 : 97 - 106.

48. Parker, M.T. (1984) :

Systemic bacteriology. In : Wilson, G.;

Miles, A. and Parker, M.T (eds): Topley and

Wilson's principles of Bacteriology ,

Virology and Immunity. 7 th ed. Vol. 2.

Edward Arnold p.p. 173 - 182, 218.

49. Pitcher, D.G. and Jackman, P.J.H. (1981):

The current status of aerobic cutaneous  
coryneform bacteria.

In : Maibach, H.I. and Aly, R. (eds): Skin

Microbiology, Relevance to clinical infection.

Springerverleg. New York. Heidelberg

Berlin P.P. 19 - 22.

50. Rapp, G.W. (1955) :

The etiology of urine diaper rash.

Arch. Pediat., 72 : 113.

51. Repora, A. and Leyden, J.J. (1981) :

Napkin (diaper) dermatitis and gastro-intestinal carriage of *Candida albicans*.

Br. J. Dermatol., 105 : 551 - 555.

52. Repora, A.; Marples, R.R. and Kligman, A.M. (1973):

Experimental *Candida albicans* infection.

Arch. Dermatol., 108 : 69.

53. Rippon, J.W. (1982):

Candidiasis and the pathogenic yeasts.

Medical Mycology. The pathogenic fungi and pathogenic actinomycetes. 2 nd ed. W.B.

Saunders Company Philadelphia-London.

Toronto, Mexico City.

Riode Janeiro. Sydney. Tokyo. P.P.

484 - 525.

54. Schleifer, K.H. and Kloos, W.E. (1975) :

A simple test system for the separation  
of Staphylococci from Micrococci.

J. Clin. Microbiol, 1 : 337.

55. Schleifer, K.H; Meyer, S.A. and Rupprecht, M.

(1979):

Relatedness among Coagulase-negative  
Staphylococci deoxyribonucleic acid reas-  
sociation and comparative immunological  
studies.

Arch. Microbiol., 122 : 93 - 101.

56. Smith, R.F. (1969) :

Characterisation of human cutaneous lipophilic  
Diphtheroids.

J. Gen. Microbiol, 55 : 433.

57. Smith, R.F. and Willett, N.P. (1968):

Lipolytic activity of human cutaneous bacteria.

J. Gen. Microbiol, 52 : 441.

58. Somerville, D.A. (1969) :

The normal flora of the skin in different age groups.

Br. J. Dermatol., 81 : 248 - 257.

59. Stratford, B.; Gallus, A.S.; Mathiesson, A.M. and

Dixon, S. (1968):

Alteration of Superfacial bacterial flora in Severely ill patients.

Lancet, 1, 68.

60. Somerville, D.A. (1973):

A taxonomic scheme for aerobic Diphtheroids from human skin.

J. Med. Microbiol, 6 : 215 - 224.

61. Somerville, Miller, D.A. Noble, W.C. (1974):

Resident and transient bacteria of the skin.

J. Cut. Pathol., 1 : 260 - 264.

62. Stendcup, A. and Bak, A.L. (1968):

Deoxyribonucleic acid base composition of  
some species within genus Candida.

J. Gen. Microbiol, 52 : 231 - 236.

63. Sweet C.E. and Kaufman, L. (1970):

Application of agglutinins for the rapid and  
accurate identification of medically  
important Candida Species.

Appl. Microbiol, 19 : 830 - 836.

64. Taschdjian, C.L and Kozinn, P.J. (1975):

Laboratory and Clinical Studies on Candidiasis  
in the newborn infant.

J. Pediat., 50 : 426.

65. Taplin, D.; Rebell, G. and Zaias , N. (1963):

The human skin as a source of Mima-Herella  
infections.

J. Am. Med. Assoc., 186 : 952.

66. Taschdjian, C.L.; Reiss, F. and Kozinn, P. J.

(1960):

Experimental vaginal Candidiasis in Mice :

Its implications for Superficial Candidiasis  
in humans.

J. Invest. Dermatol. 34 : 89 - 94.

67. Van Unden, N. and Buckley, H. (1970):

Genus Candida Berkhout. In : Lodder, J. (ed):

The yeasts. A Taxonomic study. 2nd ed. North-  
Holland Publishing Company. Amsterdam.

London. P.P. 893 - 1061.

68. Wei: berg, A.N. and Swartz, M.N. (1971):

General consideration of bacterial diseases.

In : Fitz patrick, T.B.; Eisen, A.Z.;

Wolff, K.; Freedbergh, I.M. and Austen,

K.F. (eds): Dermatology in General Medicine

1st ed. McGraw-Hill Book Company .

N.Y. St. Louis. Toronto PP. 1415 - 1417.

69. Weston, W.L.; Lane, A.T. and Weston, J.A. (1980):

Diaper dermatitis: Current concepts.

J. Pediat. 66 : 532 - 536.

70. Winner, H.I. (1969):

The transition from commensalism to para-

sitism. Br. J. Dermatol., 81, Suppl. 1 :

62 - 68.

71. Zahorsky, J. (1915):

The ammonical diaper in infants and Young  
children.

Am. J. Dis. Child., 10 : 436.