

References

REFERENCES

- * Abdel Sattar, N.A.; Sadek, S.H.; Sallam, M.S. and Abdel Dayem, M.K.: Apo-B and certain other lipid parameters in coronary atherosclerosis. Thesis submitted for partil fulfilment of M.D. of Clinical Pathology, 1986.
- * Abrams, J.J.; Ginsberg, H. and Grundy, S.M.: Metabolism of cholesterol and plasma triglycerides in non ketotic diabetes mellitus, 31: 903, 1982.
- * Alaupovic, P.: Apolipoproteins and lipoproteins Atherosclerosis, 13: 141, 1971.
- * Albers, J.J.; Cheung, M.C. and Hazzard, V.R.: High-density-lipoproteins in myocardial infarction survivors. Metabolism, 27: 479, 1978.
- * Albrink, M.J. and Man, E.B.: Serum triglycerides in coronary artery disease. Arch. Intern. Med., 103: 4, 1959.
- * Allain, C.C.; Poon, L.S.; Chan, C.S.G.; Richmond, W. and Fu, P.C.: Enzymatic determination of total serum cholesterol. Clin. Chem., 20: 270, 1974.
- * Anderson, O.O.: Insulin antibody formation. Acta. Endocrinol., (Kbh), 71: 126, 1972.
- * Anderson, O.O.: Insulin antibody formation. II. The influence of species difference and method of administration. Acta Endocrinol. (Kbh), 72: 33, 1973.
- * Anderson, O.O.: Clinical significance of anti-insulin antibodies. Acta Endocrinol. (Kbh) (Suppl), 205: 213, 1976.
- * Anderson, R.G.W.; Goldstein, J.L. and Brown, M.S.: Localization of LDL receptors on plasma membrane of normal human fibroblasts and their absence in cells from familial hypercholesterolaemic homozygote. Proc. Natl. Acad. Sci. USA, 73: 2434, 1976.
- * Arslanian, S.A.; Becker, D.J.; Rabin, B.; Atchison, R.; Eberhardt, M.; Cavender, D.; Dorman, J. and Drash, L.: Correlates of insulin antibodies in newly diagnosed children with IDD before insulin therapy. Diabetes, 34: 926, 1985.
- * Aversa, M.R.; Rini, G.B.; Difede, G.; Montalto, G.; Novo, S. and Natarbartolo, A.: Apolipoprotein pattern in Type II diabetics. Boll. Soc. Ital. Biol. Sper., 14: 914, 1982.
- * Avogaro, P.; Bon, G.B.; Gazzolato, G. and Rorai, E.: Relationship between apolipoproteins and chemical components of lipoproteins in survivors of myocardial infarction. Atherosclerosis, 37: 69, 1980.
- * Avogaro, P.; Bon, G.B.; Gazzolato, G. and Quinici, G.B.: Are apolipoproteins better discriminators than lipids for atherosclerosis? Lancet, 1: 901, 1979.

- * Ayrault, J.M.; Alix, J.F. and Polonovski, J.: Some considerations of methodology and standarization of apo-A-I immuncassay. *Biochemie*, 60: 65, 1978.
Quoted from *Clin. Chem.*, 29, 3: 415, 983.
- * Bagdade, J.D.; Bierman, E.L. and Porte, D. Jr.: Influence of obesity on the relationship between insulin and triglyceride levels in endogenous hypertriglyceridaemia. *Diabetes*, 20: 664, 1971.
- * Baker, N.N.; Delahunty, T. and Jakson, R.L. The primary structure of human plasma HDL Glutamine I (apo A-I) *Proc. Natl. Acad. Sci. USA*, 71: 3631, 1974.
- * Barnett, A.H.; Eff, C.; Leslie, R.D.G. and Pyke, D.A.: Diabetes in identical twins- a study of 200 pairs. *Diabetologia*, 20: 87, 1981.
- * Bar-On, H.; Landau, D. and Berry, E.: Serum-high-density-lipoprotein and University Group Diabetes Program results. *Letter. Lancet*, 1: 761, 1977.
- * Bar-On, H.; Roheim, P.S. and Eder, H.A.: Serum lipoproteins and apolipoproteins in rats with streptozotocin-induced diabetes. *J. Clin. Invest.*, 57: 714, 1976.
- * Basso, J.V. and Havel, R.J.: Hepatic metabolism of free fatty acids in normal and diabetic dogs. *J. Clin. Invest.*, 49: 537, 1970.
- * Beach, K.W.; Brunzell, J.D.; Conquest., L.L. and Strandness, D.E.: The correlation of atherosclerosis obliterans with lipoproteins in insulin-dependent and non-insulin-dependent diabetes. *Diabetes*, 28: 836, 1979.
- * Bennion, L.J. and Grundy, S.M.: Effects of diabetes mellitus on cholesterol metabolism in man. *N. Engl. J. Med.*, 196: 1365, 1977.
- * Berenson, G.S.; Srinivasan, S.R.; Frerichs, R.R. and Webber, L.S.: Serum high density liopoprotein and its relationship to cardiovascular disease risk factor variables in children. The Bogalusa heart study. *Lipids*, 14: 91, 1979.
- * Berg, K.; Børresen, A.L. and Dahlen, G.: Serum high-density-lipoprotein and atherosclerotic heart disease. *Lancet*, 1: 499, 1976.
- * Berman, M.; Hall, M.; Levy, R.I.; Eisenberg, S.; Bilheimer, D.W.; Phain, R.D. and Goebel, R.H.: Metabolism of apo-E and apo-C lipoprotein in man. Kinitic studies in normal and hyperipoproteinaemic subjects. *J. Lipid Res.*, 19: 38, 1978.
- * Bernstein, R.S.; Grant, N. and Kipris, D.M. Hyper-insulinaemia and enlarged adipocytes in patients with endogenous hyperlipoproteinemia without obestiy or diabetes mellitus. *Diabetes*, 24: 207, 1975.
- * Berson, S.A.; Yalow, R.S. and Bauman, A.: Insulin metabolism in humans. Circulating insulin-binding globulian in insulin treated diabetics. *J. Clin. Invest.*, 35: 170, 1956.

- * Bersot, T.P.; Mahley, R.W.; Brown, M.S. and Goldstein, J.L.: Interaction of swine lipoproteins with the low density lipoprotein receptor in human fibroblast. *J. Biol. Chem.*, 251: 2395, 1976.
- * Biesbroeck, R.C.; Albers, J.J.; Wahl, P.W.; Weinberg, C.R.; Bassett, M.L. and Bierman, E.L.: Abnormal composition of HDL in NIDD. *Diabetes*, 31: 126, 1982.
- * Blum, C.B.; Levy, R.I.; Eisenberg, S.; Hall, H.; Goebel, R.H. and Berman, M.: High density lipoprotein metabolism in man. *J. Clin. Invest.*, 60: 795, 1977.
- * Boden, G.; Shimoyama, R.; Ray, T.K. and Savage, R.C.: Effect of Anti-insulin receptor antibodies on in vivo- insulin metabolism. *Diabetes*, 34: 342, 1985.
- * Boucher, B.J. and Yudkin, J.: Diabetic control and HDL cholesterol levels. *Lancet*, 2: 269, 1978.
- * Bottazzo, G.F.; Dean, B.M. and Gorsuch, A.N.: Complement fixing islet cell antibodies in Type I diabetes. Possible monitors of active beta-cell damage. *Lancet*, 1: 668, 1980.
- * Bottazzo, G.F.; Florin-Christensen, A. and Doniach, D.: Islet cell antibodies in diabetes mellitus with autoimmune polyendocrine. *Lancet*, 2: 1279, 1974.
- * Böttiger, L.E. and Carlson, L.A.: Risk factor for ischaemic vascular death for men in the Stockholm prospective study. *Atherosclerosis*, 36: 389, 1980.
- * Boyles, J.K.; Pitas, R.E.; Wilson, E.; Mahley, R.W. and Jaylor, J.M.: Apolipoprotein E associated with astrocytic glia of the CNS and with nonmyelinating glia of the peripheral nervous system. *J. Clin. Invest.*, 76: 1501, 1985.
- * Bradby, G.V.H.; Valente, A.J. and Walton, K.W.: Serum high-density lipoproteins in peripheral vascular disease. *Lancet*, 1: 1271, 1978.
- * Brewer, H.B.; Fairwell, T.; Larue, A.; Ranon, R.; Houser, A. and Bronzert, T.J.: The amino acid sequence of human apo-A, on apolipoprotein isolated from high density lipoproteins. *Biochem. Biophys. Res. Commun.*, 80: 623, 1978.
- * Brewer, H.B.; Lux, S.E.; Ranon, R. and John, K.M.: Amino acid sequence of human apo-LP-GLn-II (apo-A-II), an apolipoprotein isolated from high-density lipoprotein complex. *Proc. Natl. Acad. Sci. USA*, 69: 1304, 1972.
- * Brunzell, J.D.; Chait, A. and Bierman, E.L.: Pathophysiology of lipoprotein transport. *Metabolism*, 27: 1109, 1978.
- * Brunzell, J.D.; Hazzard, W.R.; Motulsky, A.G. and Bierman, E.L.: Evidence for diabetes mellitus and genetic forms of hypertriglyceridemia as independent entities. *Metabolism*, 24: 1115, 1975.

- * Brunzell, J.D.; Porte, D.Jr. and Bierman, E.L.: Reversible abnormalities in postheparin lipolytic activity during the late phase of release in diabetes mellitus. *Metabolism*, 24: 1123, 1975.
- * Burslem, J.; Schonfeld, G. and Howald, M.A.: Plasma apoprotein and lipoprotein lipid levels in vegetarians. *Metabolism*, 27: 711, 1978.
- * Calvert, G.D.; Graham, J.J. and Mannik, T.: Effects of therapy on plasma high-density lipoprotein-cholesterol concentrations in diabetes mellitus. *Lancet*, 2: 66, 1978.
- * Caraway, W.T. and Watts, N.B.: Diagnostic strategies of D.M.; *Fundamentals of clinical chemistry*, Tietz, N.W., 3rd (ed). 422-446, 1987. W.B. Saunders Company. Philadelphia. London-Toronto.
- * Carlson, L.A. and Böttiger, L.E.: Ischaemic heart disease in relation to fasting values of plasma triglycerides and cholesterol. *Lancet*, 22: 865, 1972.
- * Carvajal, E.; Quesada, X. and Gonzaler, P.: HDL cholesterol in IDD children. *Acta Diabetol. Lat.*, 20: 289, 1983.
- * Castelli, W.P.; Doyle, J.T.; Gordon, T.; Hames, C.G.; Hyortland, M.C.; Hully, S.B.; Kagan, A. and Zukel, W.J.: HDL cholesterol and other lipids in coronary heart disease. The cooperative lipoprotein phenotyping study. *Circulation*, 55: 767, 1977.
- * Cerami, A.; Vlassara, H. and Brownlee, M.: Protein glycosylation and pathogenesis of atherosclerosis. *Metabolism*, 34: 37, 1985.
- * Chait, A.; Bierman, E.L. and Albers, J.J.: Low density lipoprotein receptor activity in skin fibroblasts cultured from diabetic donors. *Diabetes*, 28: 914, 1979.
- * Chait, A. and Brunzell, J.D.: Severe hypertriglyceridaemia: role of familial and acquired disorders. *Metabolism*, 32: 209, 1983.
- * Chance, R.E.; Root, M.A. and Galloway, J.A.: The immunogenicity of insulin preparations. *Acta Endocrinol. (Kbh)* 80 (Suppl. 205): 185, 1976.
- * Christy, M.; Deckert, T. and Nerup, J.: Immunity and autoimmunity in diabetes mellitus. *Clin. Endocrinol. Metab.*, 6: 305, 1977.
- * Cobb, S.A. and Saunders, J.L.: Enzymatic determination of cholesterol in serum lipoproteins separated by electrophoresis. *Clin. Chem.*, 24(7): 1116, 1978.
- * Cohn, P.F.; Gabbay, S.I. and Weglicki, W.B.: Serum lipid levels in angiographically defined coronary artery disease. *Ann. Intern. Med.*, 84: 241, 1976.
- * Coronary Drug Project Research Group: Clofibrate and niacin in coronary heart disease. *J.A.M.A.*, 231: 360, 1975.
- * Cramp, D.G. and Tickner, T.R.: Lipoproteins and atheroma (letter). *Lancet*, 2: 1086, 1977.

- * Cramp, D.G.; Tickner, T.R. and Willis, M.R.: Controlled storage of biological energy: the role of plasma lipoproteins. *Lancet*, 2: 176, 1976.
- * Crouse, J.R.: Progress in coronary artery disease risk-factor research: what remains to be done. *Clin. Chem.*, 30(7): 1125, 1984.
- * Cudworth, A.G. and Woodrow, J.C.: Evidence for HLA linked genes in "juvenile" diabetes mellitus. *Br. Med. J.*, 3: 133, 1975.
- * Curtiss, L.K. and Witztum, J.L.: A novel method for generating region-specific monoclonal antibodies to modified proteins. *J. Clin. Invest.*, 72: 1427, 1983.
- * Curtiss, L.K. and Witztum, J.L.: Plasma Apolipoproteins AI, AII, B CI and E are glycosylated in Hyperglycemic Diabetic Subjects, *Diabetes*, 34: 452, 1985.
- * Deckert, T. and Grundahl, E.: The antigenicity of pig insulin. *Diabetologia*, 6: 15, 1970.
- * DiMaria, U.; Iavicoli, M. and Andreani, D.: Circulating immune complexes in diabetes. *Diabetologia*, 19: 89, 1980.
- * Dobersen, M.J.; Scharff, J.E.; Ginsberg-Fellner, F. and Notkins, A.L.: Cytotoxic antibodies to beta cells in the serum of patients with insulin-dependent diabetes mellitus. *N. Engl. J. Med.*, 30: 1493, 1980.
- * Dotherer, R. and Wieland, O.H.: Increased glycosylation of serum albumin in diabetes mellitus. *Diabetes*, 29: 417, 1980.
- * Dunn, F.L.; Pietri, A. and Raskin, P.: Plasma lipid and lipoprotein levels with continuous subcutaneous insulin infusion in Type I diabetes mellitus. *Ann. Intern. Med.*, 95: 426, 1981.
- * Eckel, R.H.; Albers, J.J.; Cheung, M.C. and Bierman, E.L.: High density lipoprotein composition in insulin-dependent diabetes mellitus. *Diabetes*, 30: 132, 1981.
- * Eisenberg, S.; Bilheimer, D.W. and Levy, R.I.: Metabolic conversion of human plasma VLDL low LDL. *Biochim. Biophys. Acta.*, 326: 361, 1973a.
- * Eisenberg, S.; Bilheimer, D.W. and Levy, R.I.: The metabolism of VLD lipoprotein protein studies on the transference of apoproteins between plasma lipoproteins. *Biochim. Biophys. Acta.*, 280: 94, 1972
- * Eisenberg, S. and Levy, R.I.: Lipoprotein metabolism. *Adv. Lipid Res.*, 13: 1, 1975.
- * Eisenberg, S.; Patsch, J.R.; Sparrow, J.T.; Gotto, A.M. and Olivercrona, T.: VLDL: removal of apo C-II and C-III₁ during lipolysis in vitro. *J. Biol. Chem.*, 254: 12603, 1978.
- * Eisenberg, S.; Windmuller, H.G. and Levy, R.I.: Metabolic fate of rat and human lipoprotein apolipoproteins in the rat. *J. Lipid Res.*, 14: 446, 1973b.

- * El Rabat, K.A.; Tawardrous, G.A.; Hifny, A.; El-Sheikh, A.A. and Tabl, A.S.M. Lipoprotein and apolipoprotein pattern in patients with coronary artery disease. Thesis submitted in partial fulfilment of the M.Sc. degree in Cardiology, Benha Faculty of Medicine 1987.
- * Elkeles, R.S.; Wu, J. and Hambely, J.: Haemoglobin A_{1c}, blood glucose, and high-density-lipoprotein cholesterol in insulin-requiring diabetics. *Lancet*, 2: 547, 1978.
- * Enholm, C.; Huttunen, J.K. and Kinnunen, P.: Effect of oxandrolone treatment on the activity of lipoprotein lipase, hepatic stage, phospholipase A1 of human postheparin plasma. *N. Engl. J. Med.*, 292: 1314, 1975.
- * Esders, W. and Michrina, C.A.: Purification and properties of L- α -glycerophosphate oxidase from streptococcus faecium ATCC 12755. *J. of Bio. Chem.*, 254: 2710, 1979.
- * Falko, J.M.; O'Dorisio, T.M. and Cataland, S.: Improvement of high-density lipoprotein-cholesterol levels. Ambulatory Type I diabetes treated with subcutaneous insulin pump. *J.A.M.A.*, 147: 37, 1982.
- * Falko, J.M.; Witztum, J.L.; Schonfeld, G. and Bateman, J.: Dietary treatment of type V hyperlipoproteinaemia fails to normalize low levels of high density lipoprotein cholesterol. *Ann. Intern. Med.*, 91: 750, 1979.
- * Fajans, S.S.; Cloutier, M.C. and Crowther, R.L.: Clinical and etiologic heterogeneity of idiopathic diabetes mellitus. *Diabetes*, 27: 1112, 1978.
- * Felker, T.E.; Fainaru, M.; Hamilton, R.L. and Havel, R.J.: Secretion of the arginine-rich and A-I apolipoproteins by the isolated perfused rat liver. *J. Lipid Res.*, 18: 465, 1977.
- * Firth, R.G.; Bell, P.M.; Marsh, H.M.; Hansen, I. and Rizz, R.A.: Postprandial hyperglycaemia in patients with noninsulin-dependent diabetes mellitus. Role of hepatic and extrahepatic tissues. *J. Clin. Invest.*, 77: 1525, 1986.
- * Flier, J.S. and Roth, J.: Diabetes mellitus. Introduction. In: K.L. Melmon, H.F. Morelli (Eds.): *Clinical pharmacology: Basic Principles in Therapeutics.*, 515-523, 1978. 2nd Ed. New York, Macmillan Publishing Co.
- * Folling, I.: Insulin anti-insulin complexes. *Acta Endocrin (Kbh) (Suppl.)*, 205: 1999, 1976.
- * Fulthorpe, A.J.; Roitt, I.M.; Doniach, D. and Couchman, K.G.: Tanned red cell agglutination test for detection of antiinsulin antibodies. *J. Clin. Path.*, 14: 654, 1961.
- * Furman, R.H.; Stanbar, S.S.; Alaupovic, P.; Bradford, R.H. and Howard, P.: Studies of the metabolism of radioiodinated human serum alpha lipoprotein in normal and hyperlipidaemic subjects. *J. Lab. and Clin. Med.*, 63: 193, 1964.
- * Galloway, J.A. and Root, M.A.: New forms of insulin. *Diabetes*, 21(Suppl): 637, 1972.

- * Ganda, O.P.: Pathogenesis of macrovascular disease in the human diabetic. *Diabetes*, 29: 931, 1980.
- * Ganda, O.P.: Pathogenesis of macrovascular disease including the influence of lipids: *Joslin's Diabetes Mellitus 12th (ed.)*, 217-239, 1985. Lea and Febiger Philadelphia.
- * Ganda, O.P. and Gleason, R.E.: Hypertriglyceridaemia: a frequent concomitant of abnormal glucose tolerance in non-obese adults. *Diabetes* 26(suppl. 1): 398, 1977.
- * Ganda, O.P.; Hayes, E.J. and Soeldner, J.S.: Alterations in high-density lipoprotein cholesterol (HDL-c) and its relationship to control of diabetes (DM). Program. 10th Congress of the International Diabetes Federation. Vienna, Austria. Sept. 9-14, p. 72, 1979.
Quoted from *Joslin's Diabetes mellitus 12th (ed)*, 385-386, 1985. Lea and Febiger, Philadelphia.
- * Ganong, W.F.: Endocrine function of the pancreas and the regulation of carbohydrate metabolism: Review of medical physiology. 10th (ed). 264-283, 1981. Lange medical publications Los-Altos California.
- * Garcia, M.J.; McNamara, P.M.; Gorton, T. and Kannel, W.B.: Morbidity and mortality in diabetes in the Framingham population. Sixteen year follow-up study. *Diabetes*, 23: 105, 1974.
- * George, F. and Cahill, Jr.: General concepts of diabetes *Joslin's Diabetes Mellitus*, 12th ed. 3-11, 1985. Lea and Febiger Philadelphia.
- * Glickman, R.M. and Green, P.H.R.: The intestine as a source of apolipoprotein A-I: *Proc. Natl. Acad. Sci. USA*, 74: 2569 1977.
- * Glomset, J.A.: The plasma lecithin cholesterol acyltransferase reaction. *J. Lipid Res.*, 9: 155, 1968.
- * Glueck, C.J.; Kelly, K. and Mellies, M.J.: Hypercholesterolaemia and hyper- α -lipoproteinaemia in school children. *Pediatrics*, 62: 478, 1978.
- * Glueck, C.J.; Stein, E.A.; Kashyap, M.L. and Steiner, P.M.: Persistent hypoalphalipoproteinaemia during therapy of familial Type V hyperlipoproteinaemia. *Clin. Res.*, 27: 680A, 1978.
- * Golksbourt, U. and Medali, J.H.: High-density lipoprotein cholesterol and incidence of coronary heart disease. *Am. J. Epidemiol*, 109: 296, 1979.
- * Goldstein, J.L. and Brown, M.S.: The low density lipoprotein pathway and its relation to atherosclerosis. *Ann. Rev. Biochem.*, 46: 897, 1977a.
- * Goldstein, J.L. and Brown, M.S.: Atherosclerosis: The low density lipoprotein hypothesis. *Metabolism*, 26: 1257, 1977b.
- * Goldstein, J.L. and Brown, M.S.: Lipoprotein receptors, genetic defence against atherosclerosis. *Clin. Res.*, 30: 417, 1982.

- * Gomen, B.; Baenziger, J. and Schonfeld, G.: Nonenzymatic glycosylation of low density lipoproteins in vitro. Effects on cell interactive properties. *Diabetes*, 30: 875, 1981.
- * Gordon, T.; Castelli, W.P. and Hjortland, M.C.: High-density lipoprotein as a protective factor against coronary heart disease. The Framingham study. *Am. J. Med.*, 62: 707, 1977a.
- * Gordon, T.; Castelli, W.P. and Hjortland, M.C.: Diabetes blood lipids, and the role of obesity in coronary heart disease risk for women. The Framingham Study. *Ann. Intern. Med.*, 87: 393, 1977b.
- * Gordon, T.; Kanamel, W.B.; Hjortland, M.C. and McNamara, P.M.: Menopause and coronary heart disease. *Ann. Intern. Med.*, 89: 157, 1978.
- * Gotto, A.M.: High density lipoproteins: Biochemical and metabolic factors. *The Am. J. of Card.*, 52(4): 1983.
- * Gotto, A.M.; Gorry, G.A. and Thompson, J.A. Relationship between plasma lipid concentration and coronary artery disease in 496 patients: *Circulation*, 56: 875, 1977.
- * Gotto, A.M.; Levy, R.I.; John, K. and Fredrickson, D.S.: On the protein defect in abetalipoproteinaemia. *N. Engl. J. Med.*, 284: 813, 1971.
- * Greenfield, M.S.; Doberne, L. and Rosenthal, M.: Lipid metabolism in NIDDM, effect glipizide therapy. *Arch. Intern. Med.*, 142: 1498, 1982.
- * Greenfield, M.; Kolterman, O.; Olefsky, J. and Reaven, G.: Mechanism of hypertriglyceridaemia in diabetic patients with fasting hyperglycaemia. *Diabetologia*, 18: 441, 1980.
- * Grundy, S.M.: Low density lipoprotein cholesterol and apolipoprotein B, Mechanism of atherogenicity. *Am. J. Cardiol.*, 54: 20c, 1984.
- * Grundy, S.M.; Mok, H.Y.; Zech, L.; Steinberg, D. and Berman, M.: Transport of very low density lipoprotein triglycerides in varying degrees of obesity and hypertriglyceridaemia. *J. Clin. Invest.*, 63: 1274, 1979.
- * Grunfeld, C.; Jones, D.S. and Shigfnga, J.K. Autoantibodies against the insulin receptor. *Diabetes*, 34: 205, 1985.
- * Harper, H.A.: The chemistry and functions of the hormones. Review of physiological chemistry. 17th ed. 462-480, 1979. Lange medical publications Los Altos, California.
- * Havel, R.J.: Familial dysbetalipoproteinaemia. *The Medical Clinics of North America*, 66(2): 319, 1982.
- * Havel, R.J. and Kane, J.P.: Primary dysbetalipoproteinaemia: Predominance of a specific apoprotein species in triglyceride rich lipoproteins. *Proc. Natl. Acad. Sci. USA*, 70: 2015, 1973.

- * Henry, J.B.: Clinical diagnosis and management by laboratory methods, 17th (ed). 1: 184, 283, 1984. Todd. Sanford and Davidson. W.B. Saunders Company.
- * Herbert, P.N. and Henderson, L.O.: Plasma-triglycerides do not regulate high-density lipoprotein concentrations. *Lancet*, 1: 1368, 1979.
- * Hirvonen, E.; Mätkönen, M. and Manninen, V. Effects of different progestogens on lipoproteins during postmenopausal replacement therapy. *N. Engl. J. Med.*, 304: 560, 1981.
- * Hjermann, I.; Enger, S.C. and Helgeland, A.: The effect of dietary changes on high density lipoprotein cholesterol. The Oslo study. *Am. J. Med.*, 66: 105, 1979.
- * Hollenbeck, C.B.; IdaChen, Y.D.; Greenfield, M.S.; Lardinois, C.K. and Reaven, G.M.: Reduced plasma HDL cholesterol concentration need not increase when hyperglycaemia is controlled with insulin in NIDD. *Journal of Clinical Endocrinology and Metabolism* 62(3): 605, 1986.
- * Holman, R.R. and Turner, R.C.: Maintenance of basal plasma glucose and insulin concentrations in maturity-onset diabetes. *Diabetes*, 28: 227, 1979.
- * Hopf, U.; Assman, G.; Schafer, H.E. and Capurso, A.: The intestine is a source of apo-A-I, *Gut*, 20: 219, 1979.
- * Howard, B.V.; Reitman, J.S.; Vasquez, B. and Zech, L.: Very-low-density lipoprotein triglyceride metabolism in Non-insulin-dependent Diabetes Mellitus. *Diabetes*, 32(3): 271, 1983.
- * Howard, C.F. Jr.: Diabetes and lipid metabolism in non-human primates. *Adv. Lipid Res.*, 13: 91, 1975.
- * Huang, S.W. and Maclaren, N.I.: Insulin-dependent diabetes: a disease of autoaggression. *Science*, 192: 64, 1976.
- * Huff, M.W.; Fidge, N.H.; Nestel, P.J.; Billington, T. and Watson, B.: Metabolism of C-apolipoproteins: Kinetics of C-II CIII, and C III₂, and VLDL-apolipoprotein B in normal and hyperlipoproteinaemic subjects. *J. Lipid Res.*, 22: 1235, 1981.
- * Hui, D.Y.; Innerarity, T.L. and Mahley, R.W.: Lipoprotein binding to canine hepatic membranes, metabolically distinct apo-E and apo-B, E receptors. *J. Biol. Chem.*, 256: 5646, 1981.
- * Hulley, S.; Ashman, P. and Kuller, L.: HDL-cholesterol-levels in the multiple risk factor. Intervention trial by the MRFIT Research Group. *Lipids*, 14: 119, 1979.
- * Innerarity, T.L.; Pitas, R.E. and Mahley, R.W.: Receptor binding of cholesterol induced high-density lipoproteins containing predominantly apoprotein E to cultured fibroblasts with mutations at the low density lipoprotein receptor locus. *Biochemistry*, 19: 4359, 1980.

- * Jackson, R.; Morris, M.A.; Haynes, B. and Eisenbarth, G.S.: Increased circulating Ia-antigen bearing T cells in Type I diabetes mellitus. *N. Engl. J. Med.*, 306: 785, 1982.
- * Jackson, R.L.; Morrisett, J.D. and Gotto, J.: Lipoprotein structure and metabolism. *Physiol. Rev.*, 56: 259, 1976.
- * Jackson, R.L.; Morrisett, J.D.; Sparrow, J.T.; Segrest, J.P.; Pownall, H.J.; Smith, L.C.; Hoff, H.F. and Gotto, A.M.: The interaction of apolipoprotein-serine with phosphatidylcholine. *J. Biol. Chem.* 249: 5314, 1974.
- * James, T.M.; Davis, J.E. and McDonald, J.M.: Comparison of haemoglobin A_{1c} and haemoglobin A₁ in diabetic patients. *Clinic. Biochem.*, 14: 25, 1981.
- * Kahn, C.R.: Pathophysiology of diabetes mellitus. *Joslin's Diabetes Mellitus*. 12th ed. 43-49, 1985 (Lea and Febiger Philadelphia).
- * Kahn, C.R. and Flier, J.J.: Immunologic aspects of endocrine disease. In: C.W. Parker (ed.): *Clinical Immunology*, 2: 115-866, 1980. Philadelphia, W.B. Saunders, Co.
- * Kaldany, A.: Autoantibodies to islet cells in diabetes mellitus. *Diabetes*, 28: 102, 1979.
- * Kaldany, A.; Busick, E.J. and Eisenbarth, G.S.: Diabetes mellitus and the immune system. *Joslin's Diabetes Mellitus*. 12th ed. 51-61, 1985, Lea and Febiger. Philadelphia.
- * Kane, J.P.; Hardman, D.A. and Paulus, H.E.: Heterogeneity of apolipoprotein B: isolation of a new species from human chylomicrons, *Proc. Natl. Acad. Sci. USA*, 77: 2465, 1980.
- * Kane, J.P.; Sata, T.; Hamilton, R.L. and Havel, R.J.: Apoprotein composition of very low density lipoproteins of human serum. *J. Clin. Invest.*, 56: 1622, 1975.
- * Kannel, W.B.; Castelli, W.P. and Gordon, T.: Cholesterol in the prediction of atherosclerotic disease. New perspectives based on the Framingham study. *Ann. Intern. Med.*, 90: 85, 1979.
- * Kannel, W.B.; Castelli, W.P.; Gordon, T. and McNamara, P.M.: Serum cholesterol, lipoproteins and the risk of coronary heart disease. The Framingham study. *Ann. Intern. Med.*, 74: 1, 1971.
- * Kaye, J.P. and Galton, D.J.: Triglyceride-production rates in patients with type IV hypertriglyceridaemia. *Lancet*, 1: 1005, 1975.
- * Kessaniemi, Y.A. and Grundy, S.M.: Overproduction of low density lipoprotein associated with coronary heart disease. *Arteriosclerosis*, 3(1): 40, 1983.

- * King, E.J.; Pillai, S.S. and Beal, D.: Modification of Folin Wu for blood sugar estimation. *Lancet*, 1: 310, 1941.
Quoted from, Varely, H.; Cowenlack, A.H. and Bell, M.: *Practical clinical Biochemistry*, vol. I, 86-88, 1980. Churchill Livingstone Medical Division of Longman Group Limited.
- * Kissebah, A.H.; Alfarsi, S.; Evans, D.J. and Adams, P.W.: Integrated regulation of very low density lipoprotein triglyceride and apolipoprotein-B kinetics in non-insulin-dependent diabetes mellitus. *Diabetes*, 31: 217, 1982.
- * Kissebah, A.H.; Alfarsi, S.; Evans, D.J. and Adams, P.W.: Plasma LDL transport kinetics in NIDDM. *J. Clin. Invest.*, 71: 655, 1983.
- * Klöppel, G. and Freytag, G.: Insulin antibodies and immune insulinitis in rabbits immunized with bovine or porcine insulin components. *Horm. Metabol. Res.*, 7: 25, 1975.
- * Kolata, G.B.: Controversy over study of diabetes drugs continues for nearly a decade. *Science*, 203: 896, 1979.
- * Kolterman, O.G.; Gray, R.S. and Griffin, J.: Receptor and post-receptor defects contribute to the insulin resistance in non-insulin-dependent diabetes mellitus. *J. Clin. Invest.*, 68: 957, 1981.
- * Kostner, G.: Studies on the composition and structure of human serum lipoproteins. Isolation and partial characterization of apolipoprotein A-III. *Biochem. Biophys. Acta*, 336: 383, 1974.
- * Kostner, G. and Alaupovic, P.: Studies of the composition and structure of plasma lipoproteins. *Biochemistry*, 11: 3419, 1972.
- * Kostner, G. and Holasek, A.: Characterization and quantification of the apolipoproteins from human chyle chylomicrons. *Biochemistry*, 11: 1217, 1972.
- * Kumar, D.: Anti-insulin IgE in diabetics. *J. Clin. Endocrinol. Metab.*, 45: 1159, 1977.
- * LaRosa, J.C.; Levy, R.I.; Herbert, R.; Lux, S.F. and Fredrickson, D.S.: A specific apoprotein activator for lipoprotein lipase. *Biochem. Biophys. Res. Commun.*, 41: 57, 1970.
- * Lawson, P.; Home, P.D. and Bergenstal, R.: Observation of blood lipid and intermediary metabolite concentrations during conventional insulin treatment. *Diabetes*, 34: 27, 1985.
- * Lendrum, R.; Walker, G. and Cudworth, A.C.: Islet cell antibodies in diabetes mellitus. *Lancet*, 2: 1273, 1976.
- * Lernmark, A.; Freedman, Z.R. and Hofmann, C.: Islet cell surface antibodies in juvenile diabetes mellitus. *N. Engl. J. Med.*, 299: 375, 1978.

- * Levine, J.; Falk, B. and Henriquez, M.: High-density lipoproteins-correlation with cardiovascular disease in haemodialysis patients. *Trans. Am. Soc. Artif. Organs.*, 24: 43, 1978.
- * Levy, R.I.: Cholesterol, lipoproteins, apolipoproteins and heart disease: Present status and future prospects. *Clin. Chem.*, 27(5): 653, 1981.
- * Lippel, K.; Tyrler, H.; Eder, H.; Gatto, A.Jr. and Vahouny, G.: Relationship of hypertriglyceridaemia to atherosclerosis. *Arteriosclerosis*, 1(6): 406, 1981.
- * Lisch, H.J. and Sailer, S.: Lipoprotein patterns in diet, sulphonylurea and insulin treated diabetics. *Diabetologia*, 20: 118, 1981.
- * Lopes-virella, M.F.; Sherer, G.K. and Lees, A.M.: Surface binding, internalization and degradation by cultured human fibroblasts of low density lipoproteins isolated from Type I (Insulin-dependent) diabetic patients: changes with metabolic control. *Diabetologia*, 22: 430, 1982.
- * Lopes-Virella, M.F.L.; Stone, P.G. and Colwell, J.A.: Serum high-density lipoprotein in diabetic patients. *Diabetologia*, 13: 285, 1977.
- * Lopes-Virella, M.F.; Wohltmann, H.J.; Loadholt, C.B. and Buse, M.G.: Plasma lipids and lipoproteins in young insulin-dependent diabetic patients: relationship with control. *Diabetologia*, 21: 216, 1981.
- * Lux, S.E.; Hirtz, R.V.; Shrager, R.I. and Gotto, A.M.: The influence of lipid on the conformation of human plasma high density apolipoproteins. *J. Biol. Chem.*, 274: 2598, 1972.
- * MacCuish, A.C. and Irvine, W.J.: Autoimmunological aspects of diabetes mellitus. *Clin. Endocrinol. Metab.*, 4: 435, 1975.
- * Mahley, R.W.: Cellular and molecular biology of lipoprotein metabolism in atherosclerosis. *Diabetes*, 30(Suppl.2): 60, 1981.
- * Mahley, R.W.; Hui, D.Y.; Innerarity, T.L. and Weisgraber, K.H.: Two independent lipoprotein receptors on hepatic membranes of dog, swine and man. Apo-B, E and apo-E receptors. *J. Clin. Invest.*, 68: 1197, 1981.
- * Mahley, R.W.; Weisgraber, K.H. and Innerarity, T.L.: Atherogenic hyperlipoproteinaemia induced by cholesterol feeding in the Patas monkey. *Biochemistry*, 15: 2979, 1976.
- * Maislos, M.; Mead, P.M.; Gaynor, D.H. and Robbins, D.C.: The source of the circulating aggregate of insulin in Type I diabetic patients is therapeutic insulin. *J. Clin. Invest.*, 77: 717, 1986.
- * Mann, J.I.; Inman, W.H.W. and Thorogood, M.: Contraceptive use in older women and fatal myocardial infarction. *Brit. Med. J.*, 2: 445, 1976.
- * Mao, S.J.T.; Jackson, R.L.; Gotto, A.M. and Sparrow, J.T.: Mechanism of lipid-protein interaction in the plasma lipoproteins: Identification of a lipid-binding site in apolipoprotein A-II. *Biochemistry*, 20: 1676, 1981.

- * Marble, A. and Ferguson, B.D.: Diagnosis and classification of DM and nondiabetic melitus. Joslin's Diabetes Mellitus. 12th ed. 332-351, 1985. Lea and Febiger Philadelphia.
- * McConathy, W.J. and Alaupovic, P.: Studies on the isolation and partial characterization of apolipoprotein D and lipoprotein D in human plasma. *Biochemistry*, 15: 515, 1976.
- * Menez, J.F.; Meskar, A.; Lucas, D.; Darragon, T.; Flach, H.H. and Bardon, L.G.: Glycosylated haemoglobin and serum proteins; Semi-automated estimation. *Clin. Chem.*, 27: 1947, 1981.
- * Menzel, H.J.; Kladetzky, H.G. and Assman, C.: Apolipoprotein A-IV isoform, isoelectric focusing identification. *J. Lipid Res.*, 23: 915, 1982.
- * Miller, N.E.; Forde, O.H.; Thelle, D.S. and Mjas, O.D.: The Tromso heart study. High density lipoprotein and coronary heart disease: a prospective case-control study. *Lancet*, 1: 965, 1977.
- * Miller, G.J. and Miller, N.E.: Plasma high-density lipoprotein concentration and development of ischaemic heart-disease. *Lancet*, 1: 16, 1975.
- * Miller, N.E.; Rao, S. and Lewis, B.: High-density lipoprotein and physical activity. *Lancet*, 1: 111, 1979.
- * Morrisett, J.D.; David, J.S.K.; Pownall, H.J. and Gatto, A.M.: Interaction of an apolipoprotein (apo LP-alanine) with phosphatidyl choline. *Biochemistry*, 12: 1290, 1973.
- * Morrisett, J.D.; Jackson, R.L. and Gotto, A.M.: Lipoprotein structure and function. *Annu. Rev. Biochem.*, 44: 181, 1975.
- * Morrison, J.A.; de-Groot, I. and Kelly, K.A.: High and low density lipoprotein cholesterol levels in hypercholesterolaemic school children. *Lipids*, 14: 99, 1979.
- * Nakai, T. and Whayne, T.F.: Catabolism of canine apolipoprotein A-I, purification, catabolic rate, organs of catabolism and the liver subcellular catabolic site. *J. Lab. Clin. Med.*, 88: 63, 1976.
- * Nathan, D.M.: Labile glycosylated haemoglobin contributes to haemoglobin A_{1c} as measured by liquid chromatography or electrophoresis. *Clin. Chem.*, 27: 1261, 1981.
- * National Diabetic Data Group. Classification and diagnosis of diabetes mellitus and other categories of glucose intolerance. *Diabetes*, 28: 1039, 1979.
- * Nerup, J.; Anderson, O.O. and Bendixen, C.T.: Antipancreatic cellular hypersensitivity in D.M. *Diabetes*, 20: 124, 1971.
- * Nicholson, J.; Gartside, P.S. and Siegel, M.: Lipid and lipoprotein distributions in octo- and nonagenarians. *Metabolism*, 28: 51, 1979.

- * Nikkilä, E.A.: Triglyceride metabolism in diabetes mellitus: *Prog. Biochem. Pharmacol.*, 8: 271, 1973.
- * Nikkilä, E.A.: High density lipoproteins in diabetes. *Diabetes*, 30: 82, 1981.
- * Nikkilä, E.A.; Hormila, P.: Serum lipids and lipoproteins in insulin-treated diabetes. Demonstration of increased high density lipoprotein concentrations. *Diabetes*, 27: 1078, 1978.
- * Nikkilä, E.A.; Huttunen, J.K. and Enholm, O.: Postheparin plasma lipoprotein lipase and hepatic lipase in diabetes mellitus. Relationship to plasma triglyceride metabolism. *Diabetes*, 26: 1, 1977.
- * Noma, A.; Yokosuka, T. and Kitamura, K.: Plasma lipids and apolipoproteins as discriminators for presence and severity of angiographically coronary artery diseases. *Atherosclerosis*, 49(1): 1, 1983.
- * Olofson, S.; McConathy, W.J. and Alaupovic, P.: Isolation and partial characterization of a new acidic apolipoprotein (apolipoprotein F) from high density lipoproteins of human plasma. *Biochemistry*, 17(6): 1032, 1978.
- * Ostrander, L.D. Jr.; Lamphiear, D.E. and Block, W.D.: Physiological variables and diabetic status. Findings in Tecumseh, Michigan. *Arch. Intern. Med.*, 140: 1215, 1980.
- * O'Sullivan, J.B.: Age gradient in blood glucose levels. *Diabetes*, 23: 713, 1974.
- * Page, I.M. and Mamuddin, M.: Effect of venous occlusion on serum cholesterol and total protein concentration- A warning. *Circulation*, 25: 651, 1962.
- * Pearson, T.A.; Bulkley, B.H. and Achuff, S.C.: The association of low levels of HDL cholesterol arteriographically defined coronary artery disease. *Am. J. Epidemiol.*, 109: 285, 1979.
- * Pelkonen, R.; Nikkilä, E.A. and Koskinen, S.: Association of serum lipids and obesity with cardiovascular mortality. *Finn. Med. J.*, 2: 1185, 1977.
- * Prager, R.; Scherthaner, G.; Kostner, G.M.; Muhlhauser, I.; Zechner, R. and Dorda, W.: Effect of bezafibrate on plasma lipids, apolipoprotein AI, AII and B and LCAT activity in hyperlipidemic non insulin dependent diabetics. *Atherosclerosis*, 43: 321, 1982.
- * Rapoport, J.; Aviram, M.; Chaimovitz, C. and Brook, J.G.: Defective high-density lipoprotein composition in patients on chronic haemodialysis. A possible mechanism for accelerated atherosclerosis. *N. Engl. J. Med.*, 299: 1326, 1978.
- * Reaven, G.M. and Bernstein, R.M.: Effect of obesity on the relationship between very low density lipoprotein production rate and plasma triglyceride concentration in normal and hypertriglyceridaemic subjects. *Metabolism*, 27: 1047, 1978.

- * Reaven, G.M.; Chen, Y.D.I., Coulston, A.M.; Greenfield, M.S.; Hollenbeck, C.; Liu, G. and Schwartz, H.: Insulin secretion and action in NIDDM. *Am. J. Med.*, 75: 85, 1983.
- * Reaven, G.M. and Greenfield, M.S.: Diabetic hypertriglyceridaemia. Evidence for three clinical syndromes. *Diabetes* 30(Suppl. 2): 66, 1981.
- * Rhoads, G.G.; Gulbrandsen, C.L. and Kagan, A.: HDL cholesterol and coronary artery disease. *Med. Clin. N. America*, 36: 911, 1979.
- * Robertson, R.P.; Gavareski, D.J. and Henderson, J.D.: Accelerated triglyceride secretion. A metabolic consequence of obesity. *J. Clin. Invest.*, 52: 1620, 1973.
- * Romics, L.; Karadi, I.; Rozenberozki, M. and Kammerer, L.: Effect of metabolic control of serum lipid and lipoprotein levels on IDDM. *Acta Med. Acad. Sci.*, 39(3-4): 117, 1982.
- * Root, M.A.; Chance, R.E. and Galloway, J.A.: Immunogenicity of insulin. *Diabetes*, 21: 657, 1972.
- * Rössner, S.; Kjellin, K.G. and Mettinger, K.I.: Normal serum cholesterol but low HDL-cholesterol concentration in young patients with ischemic cerebrovascular disease. *Lancet*, 1: 571, 1978.
- * Rubenstein, A.H.; Kuzuya, H. and Horowitz, D.L.: Clinical significance of circulating C-peptide in diabetes mellitus and hypoglycaemic disorders. *Arch. Intern. Med.*, 137: 625, 1977.
- * Rubenstein, B.: Protein content and composition of human HDL subfractions. *Atherosclerosis*, 33: 415, 1979.
- * Ruffer, W.A.: Two simple indices for identifying obesity compared. *J.R. Am. Diet. Assoc.*, 57: 326, 1970.
- * Sacks, F.M.; Castelli, W.P. ; Donner, A. and Kass, E.H.: Plasma lipids and lipoproteins in vegetarians and controls. *N. Engl. J. Med.*, 292: 1148, 1975.
- * Santen, R.J.; Willis, P.W. and Fajans, S.S.: Atherosclerosis in diabetes mellitus. Correlations with serum lipid levels adiposity, and serum insulin level. *Arch. Intern. Med.*, 130: 833, 1972.
- * Saudek, C.D. and Brach, E.L.: Cholesterol metabolism in diabetes. I. The effect of diabetic control on sterol balance. *Diabetes*, 27: 1059, 1978.
- * Saudek, C.D. and Young, N.L.: Cholesterol metabolism in diabetes mellitus. The role of diet. *Diabetes*, 30(suppl. 2): 76, 1981.
- * Schaefer, E.J.; Eisenberg, S. and Levy, R.I.: Lipoprotein apoprotein metabolism. *J. of Lipid. Res.*, 19: 667, 1978a.

- * Sniderman, A.D.; Wolfson, C. and Teng, B.: Association of hyperapobetalipoproteinemia with endogenous hypertriglyceridemia and atherosclerosis. *Ann. Intern. Med.*, **97**: 83, 1982.
- * Sopko, G.; Leon, A.S.; Jacobs, D.R.; Foster, J.N.; Moy, J.; Kuba, K.; Anderson, J.T.; Casal, D.; McNally, C. and Frantz I.: The effects of exercise and weight loss on plasma lipids in young obese men. *Metabolism*, **34**: 227, 1985.
- * Sosenko, J.M.; Breslow, J.L.; Miettinen, O.S. and Gabbay, K.H.: Hyperglycaemia and plasma lipid levels. A prospective study of young insulin-dependent diabetic patients. *N. Engl. J. Med.*, **302**: 550, 1980.
- * Srikanta, S.; Ganda, O.P.; Eisenbarth, G.S.; Soeldner, J.S.: Islet cell antibodies and β cell function in monozygotic triplets and twins initially discordant for Type I D.M. *N. Engl. J. Med.*, **308**: 322, 1983.
- * Stalenhoef, A.F.H.; Demacker, P.N.M.; Lutterman, J.A. and Van't Laar, A.: High-density lipoprotein and maturity-onset diabetes. *Lancet*, **1**: 325, 1978.
- * Stanton, K.: HDL cholesterol in diabetes and heart disease. *Lancet*, **2**: 638, 1978.
- * Statland, B.E. and Winkel, P.: Variation of cholesterol and total lipid concentration in sera of healthy young men. *Am. J. Clin. Path.*, **66**: 941, 1976.
- * Steinbrecher, U.P. and Witztum, J.L.: Glycosylation of LDL to an extent comparable to that seen in diabetes slows their catabolism. *Diabetes*, **33**: 130, 1984.
- * Steiner, G. and Reardon, M.F.: A new model of human VLDL metabolism based on simultaneous studies on its apo-B and triglycerides. *Metabolism*, **32**: 342, 1983.
- * Stiller, C.R.; Lauparis, A.; Dupre, J.: Cyclosporine for treatment of early Type I diabetes: preliminary results. *N. Engl. J. Med.*, **308**: 1226, 1983.
- * Stout, R.W.: Blood glucose and atherosclerosis. *Arteriosclerosis*, **1**: 227, 1981.
- * Streja, D.; Steiner, G. and Kwiterovich, P.O. Jr.: Plasma high-density lipoproteins and ischemic heart disease. Studies in large kindred with familial hypercholesterolaemia. *Ann. Intern. Med.*, **89**: 871, 1978.
- * Tan, M.H.; Wilmhurst, E.G.; Gleason, R.E. and Soeldner, J.S.: Effect of posture on serum lipids. *N. Engl. J. Med.*, **289**: 416, 1973.
- * Taskinen, M.R. and Nikkilä, E.A.: Lipoprotein lipase activity of adipose tissue and skeletal muscle in insulin-deficient human diabetes. *Diabetologia*, **17**: 351, 1979.
- * Tattersall, R.B. and Fajans, S.S.: Diabetes. A difference between the inheritance of classic juvenile onset and maturity onset diabetes of young people, **24**: 44, 1975.
- * Tattersall, R.B. and Pyke, D.A.: Diabetes in identical twins. *Lancet*, **2**: 1120, 1972.

- * Whitehouse, F.W.; Arky, R.A. and Bell, D.: Policy statement: The UGDP controversy. *Diabetes*, 28: 168, 1979.
- * Wilson, P.W.; Garrison, R.J.; Castelli, W.P.; Feinleib, M.; McNamara, P.M. and Kannel, W.B.: Prevalence of coronary heart disease in Framingham offspring study: Role of lipoprotein cholesterol. *Am. J. Cardiol.*, 46: 649, 1980.
- * Windmueller, H.G.; Herbert, P.N. and Levy, R.I.: Biosynthesis of lymph and plasma lipoprotein apoprotein by isolated perfused rat liver and intestine. *J. Lipid. Res.*, 14: 215, 1973.
- * Wingerd, J.: HDL cholesterol and diabetes. *Lancet*, 23: 676, 1978.
- * Witztum, J.L.; Dillingham, M.A. and Giese, W.: Normalization of triglycerides in Type IV hyperlipoproteinaemia fails to correct low levels of high density lipoprotein cholesterol. *N. Engl. J. Med.*, 303: 907, 1980.
- * Yaari, S. and Goldbourt, U.: Associations of serum HDL and total cholesterol with total, cardiovascular, and cancer mortality in a 7-year prospective study of 10,000 men. *Lancet*, 1: 1011, 1981.
- * Zampogna, A.; Luria, M.H.; Manubens, S.I. and Luria, M.A.: Relationship between lipids and occlusive coronary artery disease. *Arch. Intern. Med.*, 140: 1067, 1980.
- * Zannis, V.I. and Breslow, J.L.: Characterization of a unique human apolipoprotein E variant associated with Type III hyperlipoproteinaemia. *J. Biol. Chem.*, 255(5): 1759, 1980.
- * Zannis, V.I. and Breslow, J.L.: Human very low density lipoprotein apolipoprotein E isoprotein polymorphism is explained by genetic variation and post-translational modification. *Biochemistry*, 20: 1033, 1981.
- * Zilversmit, D.B.: Atherogenesis: a postprandial phenomenon. *Circulation*, 60: 473, 1979.