

REFERENCES

- Ally, A.I., Bannette, W.E., Horrobin, D.F., Karmali, R.A., Karmazyn, M., Manku, M.S., and Nicolaou, K.C. : Prostacyclin inhibit, intracellular calcium release. J. Physiol. 276:40, (1978).
- Anderson, R.J., Berl, T., McDonald, K.N., and Schrier, R.W. : PGs . effect on blood pressure, renal blood flow, sodium and water excretion, kidney int. 10:205, (1976).
- André, R. : Prostaglandins and the digestive system. The prostaglandins, Volu. 3 (P.W. Ramwell, ed.,). PP. 225-266, Plenum Press, New York, (1977).
- Anggard, E., Canesson, C.; and Samuelsson, B.: The distribution of 15-hydroprostaglandin, dehydrogenase and prostaglandins Δ 13 reductase in tissue of the swine. Acta. Physiol. Scand. 81:346-404, (1971).
- Anggard, E. and Samuelsson, B.: Biosynthesis of PGs from arachidonic a. in guinea pig lung. J. of biological chemistry , 240:3518, 1965.
- Arze, R.S., and Wand, M.K. : Prostacyclin safer than heparin in haemodialysis. Lancet 2 : 50, (1981).
- Bach L.F. : Thymic hormones : biochemistry and biological and clinical activities. Ann. Rev. Pharmacol. Toxicol. 17:281-91, (1977).
- Barrowman, F.A., Bennett, A., Hillenbrand, P., Rolles, K., and Wright, J.T., : Diarrhoea in thyroid medullary carcinoma. Role of PGs and therapeutic effect of nutmeg. Br. Med. J. 3:11, (1975).
- Baum, T., Wendt, R.L., Peters, J.R., Butz, F., and Shropshire, A.T.: Eur. J. Pharmacol. 25:92, (1974).

- Bayer, T.D., Zia, P., and Reynolds, T.B. : Effect of indomethacin and PGA_1 on renal function and plasma renin activity in alcoholic liver disease. *Gastroenterology* 77:215, (1979).
- Behrman, R.H. : PGs in hypothalamo-pituitary and ovarian function. *Ann. Rev. Physiol.* 41:685, (1979).
- Bennett, A.; Charler, E.M.; Mc Donald, A.M.; Simpson, J.S.; Stamford I.F., Zebro, T.: PGs and breast cancer, *Lancet* 2:644-6, (1977).
- Bergstrom. S., Carlson L.A. : Inhibitory action of PGE_1 on the mobilization of free fatty acids and glycerol from human adipose tissue in vitro. *Acta. Physiol. Scand.* 63:195-6, (1965).
- Bergstrom S.; Carlson, L.A., and Oro L.: *Acta. Physiol. Scand.* 67:185-193, (1966).
- Bernard, M.J. and Charles, W.P.: Physiologic implications of PG radio immune assay. *Metabolism* 22 (8) : 1129, (1973).
- Berridge M.J., : The interaction of cyclic nucleotides and calcium in the control of cellular activity. *Adv. Cyclic Nucleotide Res.* 6:1-98, (1975).
- Bianco, S., Robuschi, M., Geserani, R., Gandolfi, C., and Kamburoff, P.L., : Prevention of a specifically induced bronchoconstriction by PGL_2 and 20-methyl PGI_2 in asthmatic patients. *Pharmacol. Res. Commun.* 10:657, (1978).
(Quoted from Schulman et al., 1981).
- Bourne, H.R.: Cholera enterotoxin failure of anti-inflammatory agents to prevent cyclic AMP accumulation . *Nature*, 241:399, (1973).
- Bourne, H.R. ; Lichenstein, L.M., Melon, K.L.; Henney, C.S.; Weinstein, Y., and Shearer, G.M. *Science* 184:19, (1974).

- Bowman, W.C., and Rand M.J. : Textbook of pharmacology . Second ed. P.P. 12:33, (1980).
- Brody I.: Treatment of recurrent furunculosis with oral zinc. Lancet 2:1358, 1977.
- Brown, M.R., and Hedge , G.A. : In vivo effects of PGs on TRH induced TSH secretion. Endocrinology 95:1392, (1974).
- Bruke, V., Michael, G., Suharyone, and Sunoto: Reduction by aspirin of intestinal fluid loss in acute childhood diarrhoea. Lancet 2:157. (1980).
- Burch, J.W., Stanford, N., and Majerns, P.W.: Inhibition of platelet PG synthetase by oral aspirin . J. Clin. Invest. 61:314, (1978).
- Byczkowski, J.Z., Korolkiewicz K.Z.: The sites of action of indomethacin in rat liver mitochondria. Pharmacol. Res. Commun. 9:259-68, (1977).
- Cantell K. : Prospects for the clinical use of exogenous interferon . Med. Biol. 55:69-73, (1977).
- Carlson, L.A., Ekeland, L.G., Oro, L., : Circulatory and Respiratory effects of different doses of PGE₁ in man. Acta. Physiol. Scand. 75:161, (1969).
- Cassin, S., Tod M., Philips J., Frisinger J., Jordan J., and Gibbs C. : Effects of PGD₂ on perinatal circulation, Am. J. Physiol. 240:H755, (1981).
- Challis, J.R.G., Dilley S.R., Robinson J.S. et al.: PGs in the circulation of the fetal lamb, prostaglandins 11:1041, (1976).
- Chase, H.P., Williams, R.L., Celo D., and Dupont, J.: Increased PG synthesis in childhood diabetes mellitus. Journal of Paediatrics 94:185-189, (1979).
- Cheung, L.V., Tabiz, W. Moore, R.K.: Gastric PGE output during basal and stimulated acid secretion in normal subjects and patients with peptic ulcer. Gastroenterology, 68:873, (1975).

- Ciabattoni, G., Pugliese, F., Cinotti, G., Stirati, G., Ronci, R., Gastrucci, G., Piévucci, A., and Patvono, C. : Characterization of furoxemide induced activation of the renal PG system . Eur. J. Pharmacol. 60:181. (1979).
- Clyman R.I., Mauray, F. Roman, C., Heymann M.A., and Payne B.: Effect of gestational age on ductus arteriosus response to circulating PGE₂. J. of Paed. 902-911, (1983).
- Coceani, F., Pace, Asciak C.R.: PGs and the central nervous system. PGs pp. 1-36.
- Coe, J.Y., and Silove, E.D. (1979): Oral PGE in pulmonary atresia. Lancet 1 : 1971.
- Coe, J.Y., Smith, R.R., Yacoub, M., (1982): Management of Tricuspid atresia with orally administered PGE₂. Journal of Paed. 100:496, 1982.
- Coker, S.J., Parvatt, J.R., Ledingham, I. MCA, and Zeitlin, I.J. : Thromboxane and prostacyclin release from ischaemic myocardium in relation to arrhythmias. Nature 291:323, (1981).
- Copas, J.L., Gardiner, P.J., and Wilson, S.A.: TR. 4979, 9 selective relaxant prostanoid receptor agonist in the airways. Br. J. Pharmacol. 74:795 p., (1981).
- Corey, E.J. and Vania, R.h.: Specific reduction of E PGs to F PGs and PGE₂ to PGE₁, J. of American Chemical Society, 90, 3247, (1971).
- Craft I.L., Scrivener, R., and Dewhurst, C.J.: Prostaglandin F₂ levels in the maternal and fetal circulation, in late pregnancy, J. Obstet. Gynaecol., Br. Commonw. 80:616, (1973).
- Cummings, J.H. : Newman, A., Misiewicz, J.J., Milton, G.T., and Billings, J.A. : Effect of I.V. PGF₂ on small intestinal function in man Nature 343:169, (1973).

- Cuthbert, M.F. : PGs and respiratory smooth muscle in : the PGs (M.F. Cuthbert, ed.) PP. 253-285, Lippincot, Philadelphia, (1973).
- Dadak C.H., Liethner, Ch., Sinzinger H., and Silberbauerk. (1980): Diminished PGI₂ formation in umbilical arteries of babies born to women who smoke. Lancet 1981 1:182, 1980.
- Dalton, C., Hope, W.C., : Cyclic AMP regulation and PG biosynthesis in fat cells, PGs 6:227-72, (1974).
- Daniels, E.G. and Pike, J.E.: Isolation of PG₁: PG symposium of Worcester foundation for experimental biology P. 379, Interscience, New York, (1968).
- Danker, A.J. Brentjens, J.R., Van der Hem, G.K., and Arisz, L. : Treatment of nephrotic syndrome with indomethacin, Nephron 22:374, (1978).
- Danon, A. and Assaulive, G.: Inhibition of PG biosynthesis by corticosteroids requires R.N.A. and protein synthesis. Nature : 273:552, (1978).
- Danon, A., Change L.C.T., Sweetman B.J., Nies A.S., Oates J.A.: Synthesis of PGs by the rat renal papilla in vitro: Biochem. Biophys. Acta. 388:71-83, (1975).
- Das, U.N., Padma, M.C. Ishad, M., Habibullah, C.M.: Amoebiasis and PGs. Med. Hypothesis, in press (1978).
- Day N.A., Attallah A.A., and Lee J.B.: Presence of PGA and F in fetal kidney (letter to the editor). Prostaglandins 5 : 491, (1974).
- De Deckene E.A.M., Nugteren D.H., Ten Hoorf : Prostacyclin is the major PG released from isolated perfused rabbit and rat heart. Nature 268:160-3, (1977).

- Deth, R.C., Van Breemen C. : Agonist-induced release of intracellular Ca^{++} in the rabbit aorta. J. Membrane Biol. 30:363-80, (1977).
- Dodge J.A., Hamdi, I., and Walker, S., : Department of child health, and department of obstetrics and gynaecology, Welsh National School of Medicine Health Park, Cardiff. CF4 4 x W, (1975).
- Donker, A.J.M., Arisz, L., Brentzjens, J.R.H., Vander Him, G.K., and Hollemans, H.J.G.: The effect of indomethacin on kidney function and plasma renin activity in man. Nephron 17:288, (1976).
- Dunham, E.W., Haddox, M.K., and Goldberg, N.D.: Proc. Natl. Acad. Sci. U.S.A. 71:815, (1974).
- Dunn, M.J., and Hodd, V.L. : PGs and the kidney. Am. J. Physiol. 233: F 169 (1977).
- Dunn, M.J. : Renal PGs: influences on excretion of Na and water, the renin angiotensin system, renal blood flow and hypertension in hormonal function of the kidney (B. Brenner and J. Stein, eds.), pp. 89-114, Churchill Livingstone, New York, (1979).
- Dunn, M.J., and Zambraski, E.J.: The effects on the kidney of drugs which inhibit PG synthesis, kidney int. 18:609, (1980).
- Eakins K.E.: PGs and the eye, pp 63-81 in PGs: Physiol. Pharmacol. and path. aspects., ed. Smmkarim, MTP, Pancaster, UPP, Baltimore, (1976).
- Euler V.S. Van: On the specific vaso dilating and plain muscle stimulating substance from accessory genital glands in man and certain animals (prostaglandin) and (vesiglandin). J. Physiol. (London) 88 :213-234, (1936).

- Feedman M.L., Karparkin, S. : Elevated platelet count and Megathrombocyte in sickle cell anaemia. Blood 46:579, (1975).
- Feigen, L.P., Chapnick, B.M., Flemming, J.E., Flemming, J.M., and Kadowitz, P.J. : Renal vascular effects of endoperoxide analogues, PGs, and arachidonic acid, Am. J. Physiol. 233:4572, (1977).
- Ferriera, S.H., Moncada, S. and Vane, J.R.: PG generation maintains the smooth muscle tone of the rabbit isolated jejunum. Br. J. of Pharmacology 44:328, (1972).
- Fish, J.E., Ankin, M.G., Adkinson, N.F.Jr., and Peterman, V.I. : Indomethacin modification of immediate type immunologic airway responses in allergic asthmatics and non asthmatics subjects. Am. Rev. Respir. Dis. 123:609, (1981).
- Fishman, A.P., and Giuseppe, G.P. : Handling of bio-active materials by the lung. N. Engl. J. Med. 17:884, (1974).
- Flamenbaum, W., and Kleinman, J.G. : PGs and renal function. In : The PGs, Vol. 3. (P.W. Ramwell, ed.), pp 267-328, Plenum Press, New York, (1977).
- Freedom, R.M., Olley, P.M., Coceani, F., and Roue, R.: The PG challenge test to unmask total anomalous pulmonary venous connections in asplenia syndrome Br. Heart. J. 40:91, (1978).
- Fung, W.P., Karim, S.M.M., and Tye, C.Y. : Effect of 15(R)-15 methyl prostaglandin E₂ methyl ester on healing of gastric ulcer: controlled endoscopic study. Lancet 2:10, (1974).
- Ganong, W.F.: Pulmonary function in : Review of medical physiology. W.F. Ganong, ed. pp. 482-493, Lange, (1977).

- Gastro-Gago M., Parón, P. , Rodrigo R, Diaz A. letter:
PG synthetase. Inhibitor in cong. Chloride
diarrhoea. Arch Dis. Child.; 56:238,(1981).
- Gerald, R.Z. : Renal prostaglandins. Am. J. Med.
58:14,(1975).
- Gersony, W.M., Peckham, G.J., Ellison, R.C., Miettinen,
O.S., and Nadas A.S.: Effects of indomethacin
in premature infants with PDA. Results of a
national collaborative study. J. of Ped.
89:895-906, (1983).
- Gill, J.R., Frolich, J.C., Bowden R.E., Taylor, A.A.,
Keiser, H.R., Seyberth, H.W., Oates, J.A.,
and Bartter, F.C. : Bartter's Syndrome:
A disorder characterized by high urinary PGs
and dependence of hyper reninemia on PG
synthesis. Am. J. Med. 61:43, (1976).
- Glazer, G. and Bennet, A.: PG release in canine acute
Hgic pancreatitis . Gut. 17:82,(1976).
- Goldberg, N.D. Hosp. Pract. 9 : 127, (1974).
- Goldblatt, M.W. : Properties of human seminal fluid
J. Physiol. (London), 84,208,218,(1935).
- Goldstein, I.M., Malstern, G.L., Kaplan, H.B.: TX
generation by stimulated human granulocytes-
inhibition by glucocorticoids and superoxide
desmutase. Clin. Res., 25,318 A, (1977).
- Gordon D, Bray, M.A., Norley J.: Control of lymphokine
secretion by PGs. Nature 262 : 401-2, (1976).
- Gorman R.R. : Modulation of human platelet function
by PGI₂ and TXA₂. Fed. Proc. 38:83,(1979).
- Greenberg J., Frempong, A.O., Halus, J., Way, C., and
Schwartz E.: Trial of low doses of aspirin as
prophylaxis in sickle cell disease. J. Ped.
102:781, (1983).

- Greene H.L. : Trace metals in parenteral nutrition.
87-97 in zinc metabolism, ed. G.J. Brewer ,
As Prisod, Liss, New York, (1977).
- Gots, R.E., Formal, S.B., and Gianella, R.A.: Indo-
methacin inhibition of salmonella typhi murium,
shigella flexneri, and cholera mediated rabbit
ileal secretion . J. Infect. Dis. 130,280,(1974).
- Gould, S.R., and Brash, A.R. : Increased PG production
in ulcerative colitis. Lancet 2:98, (1977).
- Graham, R.M., and Campbell, W.B. : Speculative approaches
in hypertension : concepts and drugs of future.
Fed. Proc. 40:2291, (1981).
- Green, K., Hedqvist, P., and , N.: Increased plasma
levels of 15-keto-13-14 dihydro. PGF_2^x offer
allergen provoked asthma in man. Lancet 2:1419,
(1974).
- Gryglewski, R.J., Panczenko, B., Korbut, R., Grondzinska,
L., and Ocetkiewicz, A. : Corticosteroids inhibit
PG release from perfused mesenteric blood vessels
of rabbit and from perfused lungs of sensitized
guinea pig. PGs 10:343 (Quoted from Mathé et al.,
1977 b) ,(1975).
- Hagen A.A., Gerber, J.N., Sweelg C.C., Whita R.D., and
Robertson, J.T., : Levels and disappearance of
 PGF_2^x in C.S.F.. A clinical and Experimental
Study Stroke 8:672, (1977).
- Hagen, A.A., White, R.P., Terrango N.A., and Robertson,
J.T.: Synthesis of PGs by bovine cerebral arteries.
Fed. Proc. 37:383, (1978).
- Halliday, H.L., Hirata, T., and Brady ,J.P., Indomethacin:
Therapy for large patient ductus arteriosus in
the very low birth weight infant. J. Paediatrics
64:154-159, (1979).
- Hamberg, M., and Samuelsson, B.: Detection and isolation
of an endoperoxide intermediate, PG. Biosynthesis,
Proc. Natl. Acad. Sci. U.S.A. , 70:894-903,(1973).

- Hamberg, M., and Samuelsson, B.: On the metabolism of prostaglandins E_1 and E_2 in man. J. Biol. Chem. , 246, 6713, 6721, (1971).
- Hamberg, M.; Svensson, J.; and Samuelsson, B.: Thromboxane, a new group of biologically active compounds derived from prostaglandin endoperoxide, Proc. Natl. Acad. Sci. U.S.A., 72, 2994, 2998, (1975).
- Hamberg, M., Svensson, J. and Samuelsson, B.:
Thromboxanes: A new group of biological active compounds derived from prostaglandin and peroxides Proc. Natl. Acad. Sci. U.S.A. 72:2994, (1975).
- Hambidge K.M., Walravens P.A., and Neldner, K.H.:
The role of zinc in the pathogenesis and treatment of acrodermatitis enteropathica. 329-340 in zinc metabolism, ed. G.J. Brewer, A.S. Prasad, Liss, New York, (1977).
- Harper, A.M., McCulloch, J., Mac-Kenzi, E.T., and Pickard, J.D. : Migraine and blood brain barrier Lancet 1:1034, (1977).
- Harris, R.H. Ramwell, P.W. and Gilmer, P.J. ;
Cellular mechanisms of prostaglandin action. Ann. Rev. Physiol. 41:653, (1979).
- Hedqvist, P. : Acta. Physiol. Scand. 345. (Suppl.), 1, (1970).
- Hindsale, J.G., Engel, J.J., and Wilson D.E. :
PGE in peptic ulcer disease. PGs 6:495.
(Quoted from André, 1977), (1974).
- Hirose, T., and Said, S.I.: Clin. Res. 19:512, (1971).
- Hittleman, K.J.; and Butcher R.W. : Cyclic AMP and the mechanism of action of the prostaglandins. in the prostaglandins M.F.(Cuthbert, ed.) pp. 151-165 (1973).

- Horrobin, D.F. : Prostaglandins (D.F. Horrobin,ed.)
395 pp. Churchill Livingstone, (1978).
- Horrobin, D.F. : Schizophrenia as a PG deficiency
disease. Lancet 1:936, (1977).
- Horrobin D.F., Karmali R.A., Karmazyn,M., Morgan R.O.,
Manku M.S., Ally A.I., : Zinc, aerodermatitis,
acne and PGs. Br. Med. J. 2:190-191,(1977).
- Horrobin,D.F., Manku, M.S., Cunnane, S.C., Karmazyn M.,
Ally, A.I., Morgan, R.O., Karmali R.A.: Zinc,
penicillamine and PGE₁. Arthritis Rheum.,
in press, (1978).
- Horrobin, D.F., Manku M.S., Karmali, R.A., Karmazyn M.,
Morgan R.O., Ally A.I., Menezes J.: Human inter-
form stimulates synthesis of PG-like J. Med.
Sci. 5 : 554, (1977).
- Horrobin, D.F., Manku, M.S., Karmali R.A., Oka,M.,
Ally A.I., Morgan, R.O., Karmazyn M., Cunnano,
S.C.: TXA₂: A key regulator of PG biosynthesis
and of interaction, between PGs, calcium and
cyclic Nucleotides. Med. Hypotheses 4 : 178-86,
(1978).
- Horton, E.W.(1972): Prostaglandins. Proc. R. Soc.
London Ser. B. 182:411.

(Quoted from McGift, 1981).
- Horton, E.W. and Main, I.H.M.: Identification of PGs
in the central nervous tissue of the cat and
chicken. Br. J. of Pharmacology and Chemotherapy
24,470, (1967).
- Horton,E.W., Main, I.H.M. ,Thompson, C.T. and Wright,
P.M.: Effect of orally administered PGE₁ on
gastric secretion and gastrointest. Motility
in man gut. 9, 655,(1968).

- Hoult, J.R.S., and Moore, P. : Thyroid disease, Asthma, and PGs. Br. Med. J. 1:366,(1978).
- Hsu, J.M., : Zinc deficiency and alterations of free amino acid levels in plasma, urine and skin extract 73-83 zinc metabolism, ed. F.J. Brewer As prasad, Liss, New York, (1977).
- Hyman, A.L.: J. Pharmacol. Exp. Ther. 178 : 549, (1971).
- Hyman, A.L., Spannhake, E.W., and Kadowitz, P.J.(1978): PGs and the lung. Am. Rev. Respir. Dis. 117:121.
- Ito ,H., Momose, G., Katayama T., Takagishi, H., Ito, L., and Takei ,Y. : Effect of PG on the secretion of human growth hormone J. Clin. Endocrinal. Metabel. 32:857, (1971).
- Isakson, P.C., Raz, A., Denny S.E., Wyche, A., and Neeldeman, P. : Hormonal stimulation of arachidonate release from isolated perfused organs: Relationship to prostaglandin biosynthesis, Prostaglandins 14:853,(1977).
- Jacobs K.F., Jacobs, M.M., : PG treatment of psoriatic skin Rocky Mt. Med. J. 71:507-10, (1974).
- Jaffe, B.M., and Conden, S. : PGE and PGF in endocrine diarrhoeagenic synaromes. Ann. Surg. 187:516.
- Jonsson, K., Wallace, S., Jacobson E.D., Anderson J.H., Jornoza, J., Granmayeh M.: The use of PGE₁ for enhanced visualization of the splanchnic circulation. Radiology. 125:373-8,(1977).
- Jullian, L. : PG synthesis inhibitors in prophylaxis of food intolerance . Lancet 2 : 157 ,(1978).
- Jullius R., Schuekind, M., Sprinkle T., : Acrodermatitis enteropathica with immune deficiency . J. Paediatr. 83:1007-11,(1973).

- Junstad U., Wennmalm A.: Release of PG from rabbit isolated heart following vagal nerve stimulation or acetyl choline infusion. Br. J. Pharmacol. 52:375-9, (1974).
- Kadowitz, P.J., Joiner, P.D., and Hyman, A.L. : Physiological and pharmacological roles of PGs. Ann. Rev. Pharmacol. 15:285, (1975).
- Kadowitz P.J., Sweet C.S., Brody M.J.: Differential effects of PGE_1 , E_2 , F_1 and F_2 on adrenergic vasoconstriction in the dog hindpaw. J. Pharmacol. Exp. Therap. 177:671-9, (1975).
- Kadowitz, P.J., Sweet, C.S., and Brody, M.J. : J. Pharmacol. Exp. Ther. 176:167, (1971).
- Kaminiski, D.L. Ruwart, M.J., William, V.L.: The effect of PGA_1 , E_1 on canine hepatic bile flow. J. Surg. Rec. 18:381, (1975).
- Kantrowitz F., Robinson D.R., McGuire M.B., Levine L.: Corticosteroids inhibit. PG production by rheumatoid synovia. Nature 258:737, (1975).
- Karim, S.M.M., and Adaikan, P.G.: The effect of Loperamide on PG induced diarrhoea in rat and man, PGs , 13,321-331, (1977).
- Karim, S.M.M., and Fung, W.P.(1976): Effects of some naturally accuring PGs and synthetic analogues on gastric secretion and ulcer healing in man. Adv. Prostag. Thrombox. Res. 2 : 529.
(Quoted from : Zurier, 1980).
- Karim, S.M.M., Hillier, K., and Devlin, J. : J. Pharm. Pharmacol. 20:749, (1968).
- Karim, S.M.M., Sandler, M. and Williams, E.D. : Distribution of PGs in human tissues. Br. J. Pharmacol. 31 : 340, (1967).

- Kasabach, H.H., and Merritt K.K., : Capillary Hemangioma with extensive purpura, report of a case. Am. J. Dis. Child. 59:1063,(1940).
- Kaye Z., Zipser, R.D., Mayeda, S., Zia, P.K., and Horton, R.: Renal PGs and Na balance in normal man, PGs. Med. 2 : 123, (1979).
- Kenimer, J.G., Goldberg, V., and Blecher, M. (1977): The endocrine system . Interaction of PGs with adenylyl cyclase cAMP. System, in : the PGs, Volu. 3 (p.w. Ramwell, ed.) pp. 77-109, Plenum Press, New York,(1977).
- Khan, A. , Priis, J., and Trudove, S.C.: An Experiment to determine the active therapeutic moiety of sulphasalazine . Lancet 2 : 892,(1977).
- Kimberg, D.V., Field, M., Gershon, E.: Effects of PGs and cholera enterotoxin on intestinal mucosal cyclic AMP accumulation evidence against on essential role for PG in the action of the toxin . J. Clin. Invest. 53 : 941, (1974).
- Kimberly, R.P., Bawden, R.E., Keiser, U.P.: Reduction of renal function by newer nonsteroidal anti-inflammatory drugs. Am. J. Med. 64:804,(1978).
- Kindahl, H. : Metabolism of thromboxane B₂ in the cynomolgus monkey. Prostaglandins , 13,619-629, (1977).
- Klein, D.C., and Raisz L.A., : PG stimulation of bone resorption in tissue culture. Endocrinology 86 : 1436, (1970).
- Klinenberg, J.R. and Miller, F.: Effect of corticosteroids on blood salicylates concentration J.A.M.A. 194,601, (1965).
- Knapp, H.R. Oelz, O., Jackson-Roberts, L., Sweetman, B.J., Oates, J.A., and Reed, P.A.,: Ionophores stimulate PG and TXA₂ biosynthesis. Proc. Natl. Acad. Sci. U.S.A. 74:4251, (1977).

- Kochar, M.S., and Itskovitz, H.D. : Treatment of idiopathic orthostatic hypotension. (Shy Droger Syndrome) with indemethacin . Lancet 1 : 1011, (1978).
- Koerper et al.: Koerper M.A., Addiego J.E., de Lorimier A.A., Lipow, H., Price D., and Lubin, B.H.: Use of aspirin and Dipyridamole in children with platelet trapping syndromes. J. of Poed. 102 : 311,(1983).
- Konturek, S.J., Obtulowicz, W., Oloky,J.,Sito,E., Wilkon, S., and Dembinska ,A.K. : Distribution of PGs in gastric and duodenal mucosa of a healthy subjects and duodenal ulcer patients: effects of aspirin and paracetamol. Gut 22:283, (1981).
- Kuehl, F.A., Cirillo, V.G.J., Ham,E.A., and Humes, J.L. Adv. Biosci. 9:155,(1973).
- Kuehl, F.A., and Egan, R.W. : PGs, arachidonic acid, and inflammation. Science 210:978,(1981).
- Kuehl, F.A. and Humes J.L.: Direct evidence for a prostaglandin receptor, its application to prostaglandin measurement, Proc. Natl. Acad. Sci. U.S.A., 69:480,(1972).
- Kulkarni, P.S.; Eerkins H.U.T., Saber W.L., Eakins K.E.: Microsomal preparations of normal bovin iris, clirry body generate PGI_2 like but not TXA_2 like activity. PGs 14:689-700,(1977).
- Kurland, J.I., and Bockman, R.: PGE production by human blood monocytes and mouse peritoneal macrophages. J. Exp. Med. 147:952, (1978).
- Kurzrok, R., and Lieb C.C., : Biochemical studies of human semen 11. The action of semen on the human uterus. Proc. Soc. Exp. Biol. Med. 28,268-272, (1930).

- Lambert B., Champion, S., Jacquemin C.,: Relation-
ship between PG biosynthesis and the effect of
insulin on hormone stimulated lipolysis in rat
adipose tissue. Biochem. Biophys. Acta. 431:132-8,
(1976).
- Lancet : Osteolytic metastases . Lancet 2 : 1063,
(1976).
- Lancet : Antiinflammatory drugs and tumours growth.
Lancet 1:420, (1979).
- Lancet : PGs and immunity . Lancet 2:24,(1981a).
- Lands, W.E.M. : The biosynthesis and metabolism of
PGs . Ann. Rev. Physiol. 41:633, (1979).
- Lehnert, B.E., and Schachter, E.N. : The pharmacology
of respiratory care. (B.E. hehnert, and E.N.
Schachter, eds), pp. 183-189, the C.V. Mosby,
(1980).
- Leksell L.G. : Influence of PGE₁ on cerebral mechanisms
involved in the control of fluid balance .
Acta. Physiol. Scand. 98:85-93, (1976).
- Levine, L. and Van Vunakin, H.:Antigenic properties
of PGs, Biochem. Biophys., Res. Commun. 4,1171,
(1970).
- Lewis, A.J., and Eyre, P. : PGs 2 : 35, (1972).
- Lindsey, H.E., and Wyllie, J.H.: Br. J. Surg. 57:738,
(1970).
- Liold, Still, J.D., and Dermers, L. : PGE and entero-
colitis (Abst.) Paediatric Research, 10,357,
(1976).
- Lowe J.N.I., Stoughton, R.B.: Essential fatty acid
defficient hariless monse: a model of chronic
epidermal hyperproliferation. Br. J. Dermatol.
96:155-62, (1977).
- Lucas, A. and Mitchell M.D.,: PGs in human milk-archives
of Diseases in Childhood, 55,950-952,(1980).

- Malik K.U., McGift J.C.: Cardiovascular actions of PGs pp. 103 - 200 in PGs (1976).
- Malike, K.U. : PGs modulation of adrenergic nervous system. Fed. Proc. 37:203-207, (1978).
- Markelonis G., Garbus J., : Alterations of intracellular oxidative metabolism as stimuli evoking PG biosynthesis. PGs 10:1087-1106, (1975).
- Mathé, A.A., and Hedqvist, P. : Effect of PGF_2^α , E_2 on airways conductance in healthy subjects and asthmatic patients. Am. Rev. Respir. Dis. 111:313.
- Mathé, A.A., and Hedqvist, P. : Effects of PGF_2^α , PGE_2 on airways conductance in healthy subjects and asthmatic patients. Am. Rev. Respir. Dis. 111:313, (1975).
- Mathé, A.A., Hedqvist, P., Strandberg K., and Leslic, C.A.: Aspects of PG function in the lung first of two parts. N. Engl. J. Med. 296:850, (1977a).
- Mathé, A.A., Hedqvist, P., Strandberg, and Leslic, C.A. : Aspect of prostaglandin function in the lung (second of two parts). N. Engl. J. Med. 296:910, (1977b).
- Mathé, A.A., and Levine, L. : An observation published in Mathé, (1977).
- McCormick J.N., Neill W.A. Sim A.K.: Immunosuppressive effect of linoleic acid. Lancet 2:508, (1977).
- McGiff, T.C. : Prostaglandins, prostacyclin and thromboxanes. Ann. Rev. Pharmacol. Toxicol. 21:479, (1981).
- McGift, J.C., and Iskovitz, H.D.: Circ. Res. 33:479, (1973).
- McGift, J.C., Terragno N.A., Strand, J.C., Lee, J.B., and Lonigro, A.J. : Nature 223:742, (1969).

- McGift, J.C., and Worng, P.Y.-K: Compartmentalization of PGs and prostacyclin within the kidney . Implications for renal functions. Fed. Proc. 38:89, (1979).
- Mcqueen, D.S. : Life Sci. 12 : 163, (1973).
- Mehta, P., Mehta, J.: Abnormalities of platelet aggregation in sickle cell disease. J. of Paed. 96:209, (1980).
- Mennie, A.T., Dalley, V.W., Dinnen, L.C., and Collier, H.O.J.: Treatment of radiation induced gastrointestinal distress with acetyl salicylate Lancet 2:942, (1975).
- Michond, M.C., and Hogg, J.C.: Fed. Proc. 33:366, (1974).
- Milton, A.S.: Modern views on the pathogenesis of fever and the mode of action of antipyretic drugs. J. Pharmacol. Pharmacol. 28:393-99, (1976).
- Milton, A.S., Wendlandt, S.: A possible role for PGE_1 as a modulator for temp. regulation in the C.N.S. of the cat. J. Physiol. London 207:76-77 P. (1970).
- Minford, A.M.B., Barr D.G.D.: PG synthetase inhibitor in an infant with congenital chloride diarrhoea. Arch. Dis. Child. , 55, 70-2, (1980).
- Mitchell, M.D., Flint A.P.F., Bibby, J.: Plasma concentration of PGs during human pregnancy influence of normal and preterm labour. J. Clin. Endocrinol. Metab. 46:947-51, (1978).
- Moncada, S., Bunting, S., Mullane, K.: Imidazole or selective inhibitor of thromboxane synthetase. PGs B; 611, (1977).
- Moncada, S., Bunting, S., Vane J.R., Mullane, K., Thorogood, P., Raz, A., Needleman, P.: Imidazole: A selective antagonist of thromboxane synthetase. PGs 13:611-18, (1977).

- Moncada, S.; Gryglewski, R.; Bunting, S.; and Vane, J.R.: An enzyme isolated from arteries transforms PG endoperoxides to an unstable substance that inhibits aggregation. *Nature* . 263:663-665, (1976).
- Moncada, S., Gryglewski, R.J., Bunting, S., Vane, J.R.: A lipid peroxide inhibits the enzyme in blood vessel microsomes that generates from PG , endoperoxide, the substance (PGX) which prevents platelet aggregation. *PGs* 12:715-37, (1976).
- Moncada, S., and Vane, J.R.: The role of prostacyclin in vascular tissue *Fed. Proc.* 38:66,(1979).
- Moncada, S., and Vane, J.R.: Pharmacology and endogenous roles of per endoperoxides, TXA_2 and prostacyclin, *Pharmacol. Rev.* 30:293, (1979).
- Monku, M.S., Horrobin, D.F. : Indomethacin inhibits responses to all vasoconstriction in the rat mesenteric vascular bed. Restoration of responses by PGE_2 . *PGs* 12:369-76, (1976).
- Muirhead, E.E., Byers, L.W., Desideria, D.M., Brooks, B., and Brosius, W.M.: Antihypertensive lipids from the kidney: Alkyl ether analogues of phosphatidyl choline. *Fed. Proc.* 40 : 2285, (1981).
- Needleman, P., and Kaley, G. : Cardiac and coronary PG synthesis and function. *N. Engl. J. Med.* 304:685, (1978).
- Nakano, J. : General pharmacology of PGs : in: *The PGs* (M.F. Cuthbert, ed.), pp. 23-124, Lippincott, Philadelphia , (1973).
- Nasjletti, A. McCift, J.C., and Colina-Chourio, J.: Inter-relations of the renal kallikrein-kinin system and renal PGs in the conscious rat. influence of minerals corticoids, *Circ. Res.* 43:799, (1978).

- Newball, H.H., Keiser, H.R., and Lanfant, G.J.:
Clin. Res. 22:510, (1974).
- Nielson, L., Hesse, B., and Christensen, P.: On the
pathogenetic role of PGs in Bartter's syndrome.
Acta. Med. Scand. 625:135, (1979).
- Nishikawa, K., Norrison, A., and Needleman, P.:
Exaggerated PG biosynthesis and its influence
on renal resistance in the isolated hydronephrotic
rabbit kidney, J. Clin. Invest 59:1143, (1977).
- Noel, S., and Cassin, S. : Maturation of contractile
response of ducts arteriosus to oxygen and
drugs. Am. J. Physiol. 231:240, (1976).
- Oates, J.A., Wherton, A.R., Gerkens, J.F., Branch, R.A.,
Hollifield, J.W., and Frolich, J.C.: The parti-
cipation of PGs in the control of renin release,
Fed. Proc. Fed. Am. Soc. Exp. Biol. 38:72, (1979).
- Okrasinski H. : Lithium acne; Dermatologica 154:251-3,
(1977).
- Olley, P.M. and Coceani, F.: PGs and the ductus arteriosus.
Ann. Rev. Med. 32:375, (1981).
- Pace. Asciak C., and Miller D.: PGs during development I.
Age dependant activity profiles of prostaglandin
15-hydroxy dehydrogenase and 13-14 reductase in
lung tissue from late prenatal, early postnatal
and adult rats. Prostaglandins 4:351, (1973).
- Palmer, M.A., Piper, P.J. and Vane, J.R.: Br. J.
Pharmacol. 40:581, p. (1970).
- Pasargi Klian, M. Bianco, S., and Allerga, L.:
Clinical, functional, and pathological aspects
of bronchial reactivity to $\text{PGF}_2\alpha$, E_2 and E_1 -
in : advances in PGs and thromboxane research
(Samuelsson, Paoletti, eds.) pp. 461-475 Raven
Press, New York, (1976).

- Patterson, R., Harris, K.M., and Greenberger, P.A.:
Effects of PGD₂ and prostacyclin on the
airways of rhesus monkeys. J. Allerg. Clin.
Immunol. 65 : 269, (1980).
- Pelus, L.M., Strausser, H.R.: PGs and the immune
response. Life Sci. 20:903-13, (1977).
- Peterson, D.A.; Gerrard J.M.; Rose, G.H.R.: Inhibition
of ferrous iron induced oxidation of arachidonic a.
by endomethacin. PGs and medicine 2;97, (1979).
- Pickard J.D., MacKenzie, E.T.: Inhibition of PG
synthesis and the response of the baboon-cerebral
circulation to CO₂.
Nature New Biol. 245:187, (1973).
- Pickard, J., Tamrver A., Stewart M.: Depart. Neuro-
surgery, Inst. Neurol.Sci., South. Gen. Hosp.
G.B.R, Bran Res., (1980).
- Piper, P.J., and Vane, J.R.: Nature 223:29, (1969).
- Piper, P.J., and Walker, J.L. : The release of
spasmogenic substances from human chopped lung
tissue and its inhibition. Br. J. Pharmacol.
47:291, (1973).
- Pong, S.S., and Levine L.: PG biosynthesis and meta-
bolism as measured by radioimmune assay in the
prostaglandins, Vol. 3 (p.w. Ramwell, ed.)
pp. 41-76 Plenum Press, N.Y., (1977).
- Powell, E.D., and Field R.A., : Diabetic retinopathy
and rheumatoid arthritis . Lancet 2:17, (1964).
- Puglisi, L., : Adv. Biosci. 9 : 219, (1973).
- Rainsford K.D.: Gastrointestinal and other side effects
from use of aspirin and related drugs. Biochemical
studies on the mechanism of gastrototoxicity .
Agents actions (Suppl. 1): 59-70, (1977).
- Rane, A., Olez, O., Frolich, J.C.: Relation between plasma
concentration indomethacin and its effect on PG
synthesis and platelet aggregation in man.
Clin. Pharmac. Ther. 23, 658, (1978).

- Rao, C.V.; Griffin, L.P., and Carman, F.R.: $\text{PGF}_2\alpha$ binding sites in human corpora lutea. J. Clin. Endocrinol. Metabol. 44:1032, (1977).
- Rawlins, M.D., Loff, R.H., Cranston, W.I.: Regional brain salicylate conc. in afebrile and febrile rabbits. Biochem. Pharmacol. 22:2639-42, (1973).
- Robert, A.: An intestinal disease produced experimentally by a PG deficiency gastroenterology 69:1045, (1975).
- Robert, A., Nezamis, J.E., Lancaster, C.: Cytoprotection by PGs in rats. Protection of gastric necrosis produced by alcohol, HCl, NaOH, hypertonic NaCl and Thermal injury. Gastroenterology, 77:433, (1979).
- Robert, A., Nezamus, J.E. and Lancaster, C.: Effect of 16,46 dimethyl PGE_2 on gastric emptying in: Samuelsson B, ed. Advances in PG and thromboxane res. New York, Raven Press, p. 946, (1976).
- Robert, A., Nylander, B. and Anderson, S.: Marked inhibition of gastric secretion by two PG analogues given orally to man. Life Science 14,533, (1974).
- Roberts, L.J.; Sweetman, B.J.; Morgan, J.L.; Payne, N.A. and Oates, J.A.: Identification of the major urinary metabolite of thromboxane B_2 in the monkey. Prostaglandins, 13,631-647, (1977a).
- Robinsen, D.R.; Mc Guire, M.B., Bastian, D.: The effects of anti-inflammatory drugs on PG. production by rheumatoid synovial tissue. PGs and medicine 1,461, (1978).
- Robinson D.R., McGuire M.B., Levine L.: PGs in the rheumatic diseases. Ann. N.Y. Acad. Sci. 256:318-29, (1975).

- Robinson, H.J., and Vane J.R., eds.: PG synthetase inhibitors. New York: Raven 395 p.p., (1974).
- Romman, R.J., and Kauker, M.L.: Renal effect of PG synthetase inhibition in rats: Micropuncture studies, Am. J. Physiol. 235: F-111, (1978).
- Rothwell, K. : Dose related inhibition of chemical carcinogenesis in mouse skin by Coffeine. Nature 252:69-70, (1974).
- Rudick, J., Gorda, M.; Dreiling, D.A. and Janwitz, H.D.: effect of PGE₁, on pancreatic exocrine function. Gastroenterology. 60:272, (1971).
- Said, S.I., Yoshida, T., Kitamura, S.; and Nerim, C.: Pulmonary alveolar hypoxia : Release of PGs and other humonal mediators . Science 185:1181, (1974).
- Samter, M. and Beers, R.F. : Intolerance to aspirin: Clinical studies and consideration of its pathogenesis. Ann. Intern. Med. 68:975, (1968).
- Samuelsson, B.: Quantitative aspects on PG synthesis in man. Adv. Biosci, 9:7, (1973).
- Samuelsson, B., Borgeal, P., Hammar Strim, S. and Murphy, R.C. : Leukotrienes: A new group of biologically active compound in advancis. PGs and thromboxane research. Vol. 6 (Samuelessan, Ramwell, and Politt, eds.) p.p. 1-17 Raven Press New York (1980).
(Quoted from McGift, 1981).
- Sandler, M. : Migraine: A pulmonary disease ? Lancet 1:618 , (1972).
- Sautoro M.G., Philpott, G.W., Jaffe, B.M.: Inhibition of tumour growth in vivo and in vitro by PGE. Nature 263:777, (1976).
- Scaramuzzi, O.E., Baile, C.A.; and Mayer, J.: PGs and food intake of rats. Experientia 27:256-57, (1971).

- Schulman, E.S., Newball, H.H., Demers L.M., Fitz.Patrick F.A., and Adkinson, N.F., Jr. : Anaphylactic release of TXA_2 , PGD_2 and PGI_2 from human lung parenchyma. Am. Rev. Respir. Dis. 124:402, (1981).
- Seyberth, H.W., Serge, G.V., Hamet, P., Polts, J.T., and Oates, J.A. : Characterization of the group of hypercalcaemic PG synthesis inhibitors. Clin. Res. 24:488 A, (1976).
- Shafran, I., Maurer, W., and Thomas, F.B.: PGs and chron's disease. N. Engl., J. Med. 296:694, (1977).
- Sharon, P., Ligumsky, M., Rachmilewitz, D., and Zor, U.: Role of PGs in ulcerative colitis: enhanced production during active disease, and inhibition by sulfasalazine. Gastroenterology 75:638, (1978).
- Siegel, A.M., Smith, J.B., Silver, M.J. : Binding of prostaglandins by platelets. Fed. Proc. 37:260, (1978).
- Siegler, R.L.; Walker, M.B., Crouch, R.H.; Christenson, P. and Jubiz, W., :Salt lake city, utah. J. of Pediatrics 734-737, November (1977).
- Singer, F.R., Sharp, C.F.Jr., and Rude, R.k.,: Pathogenesis of hypercalcaemia in malignancy, Miner. Electrolyte Metab. 2:161, (1979).
- Sivakoff, M., Pure, E., Hsueh, W., and Needleman, P. : Prostaglandins and the heart . Fed. Proc. 38:78, (1979).
- Smith, A.P. : Response of aspirin-allergic patients to challenge by some analgesics in common use. Br. Med. J. 111:494, (1971).
- Smith, A.P. : A comparison of the effects of PGE_2 and salbutamol by I.V. infusion on the airways obstruction of asthmatic patient. Br. J. Clin. Pharmacol. 1:399, (1974).

- Smith, A.P. : PGs and the Resp. System. pp.83-102:
PGs : physiological pharmacological and
pathological aspects, ed. S.M.M. Karim, M.T.P.,
Lan Caster, U.P.P., Baltimore, (1976).
- Smith, W.L., Bell, T.G., and Needleman, P. : Increased
renal tubular synthesis of PGs in the rabbit
kidney in response to ureteral obstruction
PGs 18:269, (1979).
- Smith, A.P.; and Cuthbert, M.F.: The antagonistic
action of PGF_2^α and E_2 aerosols on bronchial
muscle tone in man. Br. Med. J. 3 : 212, (1922).
- Smith, A.P., Cuthbert, M.F., and Dunlop, L.S.:
Effects of inhaled PGE_1 , E_2 and F_2^α on the
airways resistance of healthy and asthmatic man.
Clin. Sci. Mol. Med. 38:421, (1975).
- Stewart, A.M. : PG inhibitors, symposium on PGs. Medical
Clinic of North America, Vol. 65(41 B.W. Saunders
Co. Philadelphia, p. 16, (1981).
- Stitt, J.T. : PGE_1 fever induced in rabbits. Physiol.
London 232:163-79, (1973).
- Stokes, J.B., and Kokko, J.P., : Inhibition of Sod.
Transport by PGE_2 across the isolated, perfused
rabbit collecting tubule, J. Clin. Invest.
59:1099, (1977).
- Slone, K.J., Mather, S.T. and Gibson, R.P.: Selective
inhibition of PG biosynthesis by Gold Salts and
Phenylbutazone. PGs 10:241, (1975).
- Strandbe K., Hagermar O. : PGE_2 in blister fluid of
bullous diseases and experimental suction
bisters. Acta. Derm. Ven. 59:487-92, (1977).
- Stuart, M.J., Garrad, J.M. and White, J.G.: Effect of
cholesterol on production of thromboxane B_2 by
platelets in vitro. N. Engl. J. Med. 302:6, (1980).

- Sun, F.F. and Taylor, B.: Metabolism of prostaglandins in rats, *Biochemistry*, 17 , 4096-5101, (1978).
- Svanvik, J., Thornell, E., Wood, J.R.: Effect of PGE₂ on gall bladder function in the cat. *J. Physiol.*, 305:104, (1980).
- Sweatman, W.J., and Collier, H.O. : Effects of PGs human bronchial muscles. *Nature* 217,69, (1968).
- Szezeklik, J. Dubiel, J.S., Mydik, M., Pyzik, Z., karol, R., and Horzela, T.: Effect of PGE₁ an pulmonary circulation in patients with pulmonary hypertension. *Br. Heart J.* 40:1397, (1978).
- Szczeklik, A., Gryglewski, R.J., and Czerniawska, M.G.: Relations of inhibition of PG biosynthesis by analgesics to asthma attacks in aspirin sensitive patients. *Br. Med. J.* 1:67
- Szezeklik, J. Szczeklik, A., and Nizankowski, R.: Prostacyclin for pulmonary hypertension. *Lancet* 2 : 1076, (1980).
- Teitz, C.C., Chrisman, O.D.: The effect of salicylate and chloroquine on the PG induced antinuclear damage: The rabbit knee. *Clin. Orthop.* 108:264-74, (1975).
- Tesch, H.; and Konig, W. (1980): Phospholipase A₂ and arachidonic acid: A common link in the generation of the eosinophil chemotactic factor from human P.M.N. by various stimuli. *Scand. J. Immunol.* 11:409, (1980).
- Tiggeler, R.G.W.L., Kaene, R.A.P., and Wijdeveld, P.G.A.B.: Inhibition of furosemide-induced natriuresis by indomethacin in patients with the nephrotic syndrome. *Clin. Sci., Mol. Med.* 52:149, (1977).
- Tonnesen, M.G., Jubiz, W., Moore J.G., and Frailey, J.: Circadian variation of PGE production in human gastric guice. *Am. J. Digest. Dis.* 19:644, (1974).

- Vane, J.R.: Inhibition of PG synthesis as a mechanism of action for aspirin like drugs. *Nature* 231,232, (1971).
- Veale, W.L., Cooper, K.E., and Pittman, Q.T. : Role of PGs in fever and temp. regulation in: the PGs, Vol. 3 (p.w. Ramwell, ed.), 145-168, Plenum Press, New York, (1977).
- Waitzman, M.B.: PGs and diabetic retinopathy *Exp. eye Res.* 116:307-13, (1973).
- Wallach, D.P.: The enzyme conversion of arachidonic a-to PGE_2 with acetone powder preparation in bovine seminal vesicles. *Life sciences (Oxford)*4, 361, (1965).
- Walshe, J.J., and Venuto, R.C. : Acute oliguric renal failure induced by indomethacin possible mechanism, *Ann. Intern. Med.* 91:42, (1979).
- Warnburg. O.: The metabolism of tumours. London, (1930).
- Weber, P.C., Scherer, B., and Larsson, C.: Increase of free arachidonic acid by furosemide in man as the cause of PG and renin release, *Eur. J. Pharmacol.* 41:329, (1977).
- Weinstein, Y., Melman, K.L., Buorne, H.R., and Sela, M. : Specific leucocyte receptors for small endograms hormones. *J. Clin. Invest.* 52:1349, (1973).
- Weksler B.B., Marcus, A.Z., Jaffe E.A.: Synthesis of PGI_2 by cultured human and bovine endothelial cells. *Proc. Nat. Acad. Sci. U.S.A.* ,714:3922-6, (1977).
- White, G.J. : *Fed. Proc.* 33:590, (1974).
- Wiles, P.G., Solomon, L.R., Lawher, W., and Mallick, N.P. : Inherited plasma factor deficiency in haemolytic uraemia syndrome. *Lancet* 1:1105, (1981).

- Williams E.D., Karim S.M.M., Sandler M.: PGs secretion by medullary carcinoma of the thyroid. *Lancet* 1 : 22, (1968).
- Willoughby, D.A., and Dieppe, P.: PGs in the inflammatory response. In: *The role of PGs in inflammation* (G.P. Lewis, London, ed.) pp. 14-25, Hans Huber, Bern, (Provided by Ciba Geigy), (1975).
- Wilson, et al. : Wilson, D.E. of Hulya, K. : Gastrointestinal effects of PG in symposium on PG. *Medical clinics of north America*. Vol. 65(4) J.W.B. Saunder, (1981).
- Wolfe, L.S., and Coceani, F. : The role of PGs in the C.N.S. . *Ann. Rev. Physiol.* 41:669,(1979).
- Wong, P.Y.K. ;Lee, W.H.; Quilley, C.P. and McGift J.C.: Metabolism of prostacyclin for Matrin of an active metabolite in the liver. *Fed. Proc.* 40:2001, (1981).
- Wong, P.Y.K., Tervagno A., Tervagno N.A., McGift, J.C.: Dual effect of bradykinin on PG metabolism: relationship to the dissimilar vascular actions of kinins. *PGs* 43 : 1113-25, (1977).
- Yoneda, T., and Mundy, G.P., : PGs are necessary for O.A.F. production by activated peripheral blood leucocytes. *J. Exp. Med.* 149:279 (1979).
- Yun, J.C.H., Kelly, G.D., Bartter, F.C., and Smith, G.W.: Role of PGs in the central of renin secretion in the dog (II), *life Sci*, 23:945, 11,1978.
- Zansman, R.M., Keiser, H.R., and Handler, J.S. : A hypothesis for the molecular mechanism of action of chlorpropamide in the Treatment of Diabetes Mellitus and diabetes insipidus. *Fed. Proc.* 13 : 2728,(1977).

- Zibott, U.A., and Hsia, S.L., : Effects of PGE_2 on Rat skin: inhibition of sterol ester biosynthesis. Clearing of scaly lesions in E.F.A. deficiency . J. Lipid Res. 13:458, (1972).
- Zenser, T.V., and Davis, B.B.: Effects of PGs on rat renal adenylate cyclase-cyclic AMP systems, PGs 14:437, (1977).
- Zipser, R.D., Hoefs, J.C., Speckart, P.F., Zia, P.K., and Horton, R. : PGs: Modulators of renal function and pressor resistance chronic liver disease . J. Clin. Endocrinol. Metabol. 48:895, (1979 a).
- Zurier, R.B. : PGs: their potential in clinical medicine. Postgrad. Med. 68:70 (1980).