

REFERENCES

REFERENCES

- Aref, G; Badr El-Din, A; Taufik, M, and Dovidar, M. :
Changes in serum potassium concentrations after exchange transfusion in newborn infants.
Alexandria Journal of Pediatrics, 2: 49-53; 1988.
- Armanini, D; Kulnle, U. and Strassert, T. : Aldosterone receptor deficiency in pseudo-hyperaldosteronism.
N. Eng. J. Med, 313: 1178, 1985.
- Bada, H.S.; Chua, C. and Salmon, J.H. : Changes in intracranial pressure during exchange transfusion.
J. Pediatr, 94: 129, 1979.
- Badr El-Din, A; El-Amrawy, SH; Hafez, E. and Baghgh, E. : Blood glucose levels in neonates during the early hours of life.
Alexandria Journal of Pediatrics, 3: 631-639, 1992.

- Bajpai, P.C.; Sugden, D.; Stern, L.; et al : Serum ionic magnesium in exchange transfusion.

J. Pediatr, 70: 193, 1967.
- Berhman, R.E.

Blood transfusion in Behrman, R.E.; Kliegman, R.; Nelson, W.E. and Naughan, V.C. (editors).

Nelson Textbook of Pediatrics. 14th ed, p 483.

W.B. Saunders Company, USA, 1992.
- Blanchette, V.S.; Hardie, M.J. and Heickhds : Hyperkalaemia after neonatal exchange transfusion. Risk elimenated by washing red cells concentrates.

J. Pediatr, 150: 31, 1984.
- Bossi, E; Meister, B. and Pfenninger, J. Exchange transfusion for severe neonatal speticemia.

Pediatrics, 67(6): 941-2, 1981.
- Bowry, T.R.

Immunology simplified. 2nd ed, p 197.

English Language Book Society, Oxford University Press, 1986.

- Bunker, J.P; Benedixen, H.H, and Murply, A.J : Hemodynamic effects of intravenously adminstered sodium citrate.

New England J Med 266: 372, 1962.

- Cashore, W.; Stern, L. :

The management of hyperbilirubinemia.

Clin Perinatol 11: 339, 1984.

- Chambers, T.L.; Griffith, R.W. :

Fluid therapy in childhood. Shapter 2, p 11-13, 1987.

- Cloherty, J.P :

Neonatal hyperbilirubinemia in Cloherty, J.P and Stark, A.R. (eds).

Manual of neonatal care.

Little, Brown and Company. Boston, Toronto, London, 2nd ed, 1985.

- Cohen, A.R. :

Haematology.

In Polin R.A. and Ditmor M.F. (eds)

Pediatric secrets, pp 151-176. The C.V. Mosby Co, St. Louis, Toronto, London, 1989.

- Casterino, A.J.; Graskay, S.A.; Corcoran, L.; Polin, R.A. and Banmgar, S :
Sodium restriction versus daily maintainace replacement in very low birth weight premature neonates. A randomized, blind therapeutic trait.
J. Pediatr, 120(1): 99: 105, 1992.

- Dacie, J.V. and Lewis, S.M. :
Basic hematology techniques in practical hematology textbook, p 22-81.
Churchill Livingstone, Edinburgh, London, Melbourne and New Yorik, 10 ed.,
1992.

- Doyle, P.E., Eidelman, A.L., Lee, K.S., and Daum, C. :
Exchange transfusion and hypernatraemia; Possible role in intracranial haemorrhage.
J. Ped. 92: 848-49, 1978.

- Ellis, M.I.; Hey, E.N. and Walker, W. :
Neonatal death in babies with rhesus isoimmunization.
Q. J. Med 48: 211, 1979.

- Epstein, M.F.; Leviton, A; Kuban, C.K.; Pagano, M; et al:
Bilirubin, intraventricular hemaorrhage, and phenobarbital in very low birth weight babies.
Pediatr, 83, 350, 1988.
- Fok, T.F.; Leuns, K.W. and Tsang, S.S. :
Use of peripheral vessels for exchange transfusion.
Arch Dis Child, 65; 676, 1990.
- Glasgow I.A, and Overall I.C. :
The foetus and neonatal infants. In : Behrn R and Vaughan V.C., Nelson Textbook of Pediatrics, P 425.
W.B. Saunders Co, Philadelphia, 13th ed, 1987.
- Gowenlock, A.H.; McMurrey, I.R. and McLauchlan, D.M. :
Electrolytes and acid-base distrubances. Varley's Pratical biochemistry, 6th ed,P561.
Heinemann Medical Books Ltd, London, 1988.
- Greisen G and Pryds, O. :
Neonatal hypoglycemia (Letter).
Lancet, 1: 1322-33, 1989.

- Harkavy, K.L. and Jose, P.A. :
Renal function in infants <1250 gm (VLBW) in the first 3 days of life.
Ped Res; 18: 362, 1984.

- Hayward, A.R.
Immunity. In : Boyd and Battaglia F.C. (eds).
Perinatal Medicine pp 286-302.
Butterworth and Co, 1983.

- Hoffbrand, A.V. and Lewis, S.M. :
Clinical blood transfusion in :
Postgraduate haematology, 2nd ed, pp 365-366.
Heinennmann Professional Publishing Ltd, 1983.

- Hoffbrand, A.V. and Lewis, S.M. :
Antigens in Human blood in : Postgraduate haematology, 3rd ed, pp 230-367.
Heinennmann Professional Publishing Ltd, 1989.

- Hovi, L. and Simes, M.A. :
Exchange transfusion with heparinized blood is a safe procedure.
Acta Paediatr Scand, 74: 360-5, 1985.

- Hyde, R.M.

The National Medical series for independent study. Immunology, 2nd ed, p 27.

Harwal Publishing Company, Malvers, Pennsylvania, 1992.

- Johson, L.; Garica, M.L.; Figueroa, E. and Sarmiento, F.

Kernicterus in rats lacking glucuronyl transferase.

II. Factors which alter bilirubin concentration and frequency of kernicterus.

Am. J. Dis. Child, 101, 322, 1961.

- Keitt, A.S.

Red cell maturation and survival in Nathan D.G. and Oski, F.A., (eds).

Hematology of infancy and childhood. First published, pp. 34-36.

W.B. Saunders Company, Philadelphia, 1974.

- Kevy, S. :

The storage of erythrocytes, in Nathan D.G. and Oski, F.A., (eds).

Hematology of infancy and childhood. First published,

W.B. Saunders Company, Philadelphia, 1974.

- Khor, A.; Tulassar, T.; Rascher, W.; Bald, M. and Maschan, T. :

A trial natriuretic peptide, volume and blood pressure regulation during exchange transfusion of the neonates.

Acta, paediatr, 30: 101, 1990.

- Lehman, H.P. and Henry, J.B. :

In clinical diagnosis and management by laboratory methods, 17th ed.

J.B. Henry, Ed. pp 1431, 1438.

Saunders, Philadelphia, 1984.

- Levine, R.L.; Fredricks W.R.; and Rapapost, S. T. :

Entry of bilirubin into the brain due to opening of the blood brain barrier.

Pediatr 67: 255, 1982.

- Levinson, S.A. and Hume, D.M.

Effect of exchange transfusion with fresh whole blood on refractory septic shock.

Am. Surg., 38: 49, 1972.

- Lester, R.; Hammaker, L., and Schmid, R. :

A new therapeutic approach to unconjugated hyperbilirubinaemia.

Lancet, 2: 1257, 1982.

- Maisels, M.J., Li, T.K., Piecheki, J.T., Werthman, M.W.
The effect of exchange transfusion on serum ionized calcium.
Pediatrics 53: 683, 1974.
- Maisels, M.J.; Friedman, Z.; Marks, K.H., et al.
Calcium homeostasis in exchange transfusion.
Pediatr. Res. 11: 537, 1977.
- Manroe, B.L.; Weinberg, A.G; Rosenfeld, C.R. and Broune, R.
The neonatal blood count in health and disease.
J. Pediatr, 95: 89, 1979.
- Marks, V.; Rose, F.C. (eds).
Hypoglycaemia, 2nd ed, p 33.
Blackwell Scientific, Oxford, 1981.
- Newman, T.B., and Maisels, M.J.
Evaluation and treatment of jaundice in the term newborn.
A Kinder, Gentler Approach.
Pediatr, 89: 809, 1992.

- Oski, F.A. and Naiman, J.L. :

Hematologic problems in the newborn, 3rd ed, p 102.

Philadelphia, Saunders, 1982.

- Polin R.A. and ditmor M.E.

From textbook of pediatric secrets pp 22-42.

The C.V. Mosby Co, St. Louis, Toronto, London, 1989.

- Prod, Hom L.S.; Choffort, J.M. and French, N. :

Care of the seriously ill neonate with hyaline membrane disease and with sepsis
(Sclerema neonatorum).

Pediatr, 53: 170, 1974.

- Ravel R.

Clinical laboratory medicine, 5th ed.

Year Book Medical Publishers, Inc. Chicago, London, Boca Raton, 1989.

- Robertson, N.R.C.

A manual of neonatal intensive care.

First Published, Chapter 11, p 156.

Edward Arnold, Publishers Ltd, London, 1981.

- Roberton, N.R.C.
Metabolic effects of exchange transfusion.
Ibid : 73-83, 1986.

- Rosen, F.S.; Cooper, M.D.; Wedywood, R.J.P. :
The primary immunodeficiencies.
New Engl J Med, 311: 235-42 and 300-304, 1984.

- Scanlon, J.W. and Krakaur, R. :
Hyperkalaemia following exchange transfusion.
J. Pediatr 96: 108, 1980.

- Schiff, D; Arando, J.V.; Colle, E. and stern, L. :
Metabolic effects of exchange transfusion, delayed hypoglycaemia following
transfusion with citrated blood.
J. Pediatr 79: 589, 1971.

- Schots, J.; Rarve, H.; Boeychans, A., et al :
Method-dependent differences in apparent sodium concentrations in plasma after
exchange transfusion with citrated blood.
Clinical Chemistry 38: 558-562, 1992.

- Schwartz, R. :
Neonatal hypoglycaemia.
Back to basics in diagnosis and treatment.
Diabetes 40 (suppl 2): 71-73, 1991.

- Setzer, E.S.; Ahmed, F; Goldberg, R.N. et al :
Exchange transfusion using washed frozen plasma for treatment of severe
hyperkalaemia in the neonate.
J. Pediatr. 104; No. 3; 443-6, 1984.

- Shafer., A.W.; Tague, L.L., Welch, M.H. and Guenther, C.A. :
2,3 Diphosphoglycerate in red cells stored in acid citrate-dextrose and citrate-
phosphate dextrose :
Implications regarding delivery of oxygen.
J. Lab. Clin. Med., 77: 430, 1971.

- Sharma, R.K, Lake, B.G., Makowski R and Earnshav D. Immunoglobulins in
some diseases.
Microbiol Immunol 33(7): 519-25, 1986.

- Shinefield, H.R. and McGaken :
Changes in the pattern of neonatal septicemia and meningitis.
Am. J. Dis. Child., 112: 133, 1966.
- Shull D.C.
Determination of total and direct bilirubin in liver disease.
Clin Chem., 26: 22, 1980.
- Smith, C.H. and Miller, D.R. :
Blood disease of infancy and childhood.
3rd ed, Chapter 10, pp 140-52.
The C.V. Mosby and Company, Sait Louis, 1972.
- Steven, L. and Hochung T.U.
Automated method for exchange transfusoin. A new Modification.
J. Pediatric, 102: 119: 1983.
- Tollner, U., Pohlandt, F., Heinze, F. and Henrichs, I. :
Treatment of septicemia in the newborn infants. Choice of initial antimicrobial
drugs and the role of exchange transfusion.
Acta Paediatr Scand, 66: 605, 1977.

- Trang, R.C.; Light, L.J., Sutherland, L.M. and Kleinman, L. :
Possible pathogenetic factors in neonatal hypocalcaemia of prematurity.
J. Pediatr, 83: 423, 1973.

- Vain, N.E.; Mazlumian, J.R.; Ward, O.S. and Cha, E.C.
Role of exchange transfusion in the treatment of severe septicemia.
Pediatr, 66: 693-7, 1980.

- Valaes T, DP.
Bilirubin toxicity. The problem was solved a *gentle* *transfusion*.
Ped. 89(5): 819, 1992.

- Valentine, G.H.
Exchange transfusion by continuous drip using heparinized blood.
Lancet, vol 1, 10: 11b2, 1962.

- Van, D.C.J. and Absolom, D.R.
Haemagglutination and closest distance of approach of normal, neuroaminidase
and papain treated erythrocytes.
Vox Sanguinis, 47, 250-256, 1984.

- Vohr BR.
New approaches to assessing the risk of hyperbilirubinaemia.
Clin Perinatol, 17: 293, 306, 1990.
- Wieland, P.; Due, G.; Bin Swanger, U. and Fisher, J.A. :
Parathyroid hormone response in newborns infants during exchange transfusion
with blood supplemented with citrate and phosphate. Effect of I.V. calcium.
Pediatr. Res. 13: 963, 1979.
- Williams, W.J.
The patient with hemolytic disease in Williams WJ, Bonther, E., Erslev, A.J. and
Lichtman, M.A. (eds).
Haematology, 4th ed. p.p 35-42.
Mc Grow Hill Book Company, New York, 1992.
- Whitby, L.G.; Smith, A.F. and Benchett G.J.
Clinical chemistry in Paediatrics in lecture notes on clinical chemistyr, 4th ed, p
399-422.
Billing, Sons Ltd, London, 1988.

- Yoder M.C. and Polin R.A. :
Immunotherapy of neonatal septicemia.
Ped. Clin, North, Am 33(3): 461-499, 1986.

- Zilva, J.E.; Pannall, R.R. and Mayne, P.P.
Clinical chemistry in diagnosis and treatment, 5th ed, pp. 397-359.
Edward Arnold Ltd, London, 1988.