

References

- **Applebaum FR, Clift RA, Buckner CD.** "Allogeneic marrow transplantation for acute non-lymphoblastic leukemia after first relapse". *Blood* 1988; 61:949.
- **Arico M, Maggiore G, Silini E. et al.** 'Hepatitis C Virus infection in children treated for acute lymphoblastic leukemia'. *Blood* 1994;84:2919.
- **Armata J, Grzeskowiak K, Melanowska J, Balwierz W, Najbar-Pabian A, Pawlik-Niesytto E.** 'Prognosis in acute lymphoblastic leukemia in children preceded by an aplastic phase'. *Leuk. Lymphoma*. 1994;13:517.
- **Aur R, Simone J, Husto H, Verzosa M.** 'A comparative study of central nervous system irradiation and intensive chemotherapy early in remission of childhood acute lymphoblastic leukemia'. *Cancer* 1992;29 :382.
- **Avet-Loiseau H, Mechinaud F, Harousseau J-L.** 'Clonal hematologic disorders in Down Syndrom'. *J Pediatr Hematol Oncol* 1995;17:19.
- **Balis FM, Poplack DG.** 'Central nervous system pharmacology of anti-leukemic drugs'. *AM J pediatric Hematol Oncol* 1989;11:74.
- **Ball ED, Mills LE, Cornwell GI.** "Autologous bone transplantation for acute myeloid leukemia using monoclonal antibody-purged bone marrow". *Blood* 1990; 75:1199.
- **Barrett A, Horowitz M, Pollock B, et al.** 'Bone marrow transplants from HLA-identical siblings as compared with chemotherapy for children with acute lymphoblastic leukemia in second remission'. *N Engl J Med* 1994;331:1253.
- **Bernadette F. Rodak.** 'Leukocyte Disorders and Ancillary studies'. *Diagnostic Hematology* 1995; 27:402.
- **Bernstein M, Whitehead V, Devine S, et al.** 'Ifosfamide with mesna uro-protection and etoposide in recurrent, refractory acute leukemia in childhood. A pediatric oncology group study'. *Cancer* 1993;72:1790.
- **Bessho F, Kinumaki H; yokota S, Hayashi y, Kobayashi M, Kamoshita S.** 'Liver function studies in children with acute lymphocytic leukemia after cessation of therapy'. *Med Pediatr Oncol* 1994;23:111
- **Betz SA, Foucar K, Head DR, Chen IM, Willman CL.** "False positive flow cytometric platelet glycoprotein IIb/IIIa expression in myeloid leukemias secondary to platelet adherence to blasts" *Blood* 1992;79:2399
- **Bleyer W, Sather H, Coccia P, Lukens J, Siegel S, Hammond G.** "The staging of childhood acute lymphoblastic leukemia :strategies of the children's cancer study group and a

three-dimensional technique of multivariate analysis". *Med Pediatr Oncol* 1986; 14:271.

- **Bleyer W, Sather H, Nickerson H, et al.** 'Monthly pulses of vincristine and prednisone prevent bone marrow and testicular relapse in low risk childhood acute lymphoblastic leukemia a report of the CCG-161 study by the children's cancer study group'. *J Clin Oncol* 1991;9:1012.

- **Bleyer W.** 'Biology and pathogenesis of CNS leukemia'. *Am J Pediatr. Hematol Oncol.* 1989;11:57.

- **Boulwood J, Lewis S, Wainscoat JS.** "The 5q-syndrome". *Blood* 1994;84:3253

- **Brauner R, CaltaBiano p, Rappaport R, Leverger G, Schaison G.** 'Leydig cell insufficiency after testicular irradiation for acute lymphoblastic leukemia'. *Horm Res* 1992;30:111.

- **Buhrer C, Hartmann R, Fengler R, et al.** 'Importance of effective central nervous system therapy in isolated bone marrow relapse of childhood acute lymphoblastic leukemia'. *Blood* 1994;83:3468.

- **Bunin N, Pui C-H, Hustu O, Rivera G.** "Unusual extramedullary relapse in children with acute lymphoblastic leukemia". *J Pediatric* 1986; 109:665.

- **Bunin NJ, Pui C -H.** "Differing complications of hyperleukocytosis in children with acute lymphoblastic or acute non-lymphoblastic leukemia". *J Clin Oncol* 1985; 3:1590.

- **Busca A, Anasetti C, Anderson G, et al.** 'Autologous bone marrow transplantation for treatment of acute leukemia'. *Blood* 1994;83:3077.

- **Butcher M, Frenck R, Emperor J, et al.** "Molecular evidence that childhood monosomy 7 syndrome is distinct from juvenile chronic myelogenous leukemia and other childhood myeloproliferative disorders". *Genes chromosomes Cancer* 1995;12:50

- **Campana D, Pui CH.** 'Detection of minimal residual disease in acute leukemia: Methodologic advances and clinical significance'. *Blood* 1995;85:1416.

- **Campos L, Guyotat D, Archimbaud E, et al.** "Clinical significance of multidrug resistance P-glycoprotein expression on acute nonlymphoblastic leukemia cells at diagnosis". *Blood* 1992;79:473

- **Cave H, Guidal C, Rohrlich P, et al.** 'Prospective monitoring and quantitation of residual blasts in childhood acute lymphoblastic leukemia by polymerase chain reaction study of and T cell receptor genes'. *Blood* 1994;83:1892.

- **Champlin R E, Ho WG, Gale R.** "Treatment of acute myelogenous leukemia :a prospective controlled trial of bone marrow transplantation vs. consolidation chemotherapy ". *Ann Intern Med* 1985; 102:28.

- **Cheson B, Cassileth P**, "Head D. Report of the national Cancer Institute-sponsored workshop on definitions of diagnosis and response in acute myeloid leukemia" *J Clin Oncol* 1990;8:813.
- **Chessells J, Eden O, Bailey C, Lilleyman J, Richards S**. 'acute lymphoblastic leukemia in infancy: experience in MRC UKALL trials report from the medical research council working party on childhood leukemia'. *Leukemia* 1994; 8:1275.
- **Chessells J**. 'Central nervous system directed therapy in acute lymphoblastic leukemia'. *Clin Haematol* 1994;7:349.
- **Chessells J**. 'Diagnostic value of testicular biopsy in acute lymphoblastic leukemia'. *J Pediatr*. 1996;108:331.
- **Ching- Hon Pui, MD**. "Acute lymphoblastic leukemia". *Pediatr. Clinics of North America* 1997;4: 831.
- **Creutzig U, Harbott J, Sperling C, et al**. "Clinical significance of surface antigen expression in children with acute myeloid leukemia: results of study AML-BFM-87". *Blood* 1995; 86:3097.
- **Creutzig U, Ritter J, Budde M**. "Early deaths due to hemorrhage and leukostasis in childhood acute myelogenous leukemia". *Cancer* 1990; 60:3071.
- **Creutzig U, Ritter J, Zimmermann M, Schellong G**. "Dose cranial irradiation reduce the risk for bone marrow relapse in acute myeloid leukemia study BFM-87". *J Clin Oncol* 1993; 11:279.
- **Creutzig U, Ritter J, Schellong G**. "Identification of two risk groups in childhood acute myelogenous leukemia after therapy intensification in study AML-BFM-83 as compared with study AML - BFM-78". *Blood* 1990; 75:1932.
- **Crist W, Carroll A, Shuster J, et al**. 'Philadelphia chromosome positive ALL : Clinical and cytogenetic characteristics and treatment outcome . A pediatric Oncology group study'. *Blood* 1990;70:4892-4894.
- **Crist W, Pullen J, Boyett J, et al**. "Acute Lymphoid leukemia in adolescents: clinical and biologic features predict a poor prognosis. A pediatric oncology group study". *J Clin Oncol* 1988; 6:34.
- **Dahl G, Dunussi K, Mogul M, et al**. 'A Pediatric oncology Group phase 11 trial of mitoxantrone, etoposide and cyclosporine A (MEC) therapy for relapsed and refractory acute myeloid leukemia". *Blood* 1993; 82(suppl 1) :195a.
- **Dahl GV, Grier H, Sikic B, Weinstein H, Arcenci R**. "Multidrug resistance reversal utilizing mitoxantrone, etoposide and continuous infusion cyclosporine in pediatric ANLL". *Haem and Blood Trans, Acute leuk*. Springer-Verlag 1994:490.
- **Davey FR, Nelson DR**. 'leukocytic disorders . in Henry JB : *Clinical Diagnosis and management by laboratory methods* Philadelphia: WB Saunders 1991:693.
- **Devaraj P, Foroni L, Sekhar M, et al**. 'E2A/HIF fusion cDNAs and the use of RT-PCR for the detection of minimal residual

- disease in t(17;19) (q22;13) acute lymphoblastic leukemia'. *Leukemia* 1994;8:1131.
- **Dow L, change L, Tsiatis A, Melvin S, Bowman W.** 'Relationship of pre-treatment lymphoblasts proliferative activity and prognosis in 97 children with acute lymphoblastic leukemia'. *Blood* 1992;59:1197.
 - **Donald H. Mahoney, Samuel Hellman, Steven A, et al.** 'Cancer Principles & Practice of oncology'. Devita 1996;96:1565.
 - **Emerit I , Lavy A , Pagano G, Pinto L , Calzona R , Zatterele A .** 'Transferable clastogenis activity in plasma from patient with fanconi anemia'. *Hum Genet* 1995; 96:14.
 - **Feychting M, Ahlbom A.** 'Magnetic fields and cancer in children residing near Swedish high voltage power lines' *Am J Epidemiol.* 1993; 138:467.
 - **Finklestein j ,Miller D, Feusner J, et al .** 'Treatment of overt isolated testicular relapse in children on therapy for acute lymphoblastic leukemia .A report from the children's cancer group'. *Cancer*1994;73:219.
 - **frank M. Ballis, jobns tlolcenberg, David G polpack ,et al.** "principles & practice of pediatric oncology" .pizzo1993.
 - **Frei E.** 'Acute leukemia in children. 'Model for the development of scientific methodology for clinical therapeutic research in cancer'. *Cancer* 1988; 53:2013.
 - **Gale R, Butturini A.** 'Bone marrow transplantation in acute lymphoblastic leukemia' In: Champlin R, ed. Bone marrow transplantation, vol50. Boston: Kluwer Academic Publishers, 1990:223.
 - **Gaynon P, Bleyer W, Steinherz P, et al.** "Day 7 marrow response and outcome for children with acute lymphoblastic leukemia and unfavorable presenting features". *Med Pediatr Oncol*1990;18:273.
 - **Gelber R, Sallan S, Cohen H, et al.** 'Central nervous system treatment in children acute lymphoblastic leukemia long term follow up of patients diagnosed between 1973and 1985'. *Cancer* 1993;72:261.
 - **George S, Ochs J, Mauer A, et al.** 'The importance of an isolated central nervous system relapse in children with acute lymphoblastic leukemia'. *J Clin oncol* 1985;3;776.
 - **Goldberg MA, Ginsburg D, Mayer RJ.** "Is heparin administration necessary during induction chemotherapy for patients with acute promyelocytic leukemia?" *Blood* 1987; 69:187.
 - **Goldman JM, Schmitz N, Niethammer D, et al** 'Allogenic and autologous transplantation for haematological disease solid tumors, and immune disorders'. *Current practice in Europe in* 1998. *Bone Marrow Transplantation* 21:1-7, 1998.
 - **Gorin NC, Aegerter P, Aubert B.** "Autologous bone marrow transplantation for acute myelocytic leukemia in first

- remission: a European survey of the role of marrow purging". *Blood* 1990; 75:1606.
- **Grignani F, Fagioli M, Alcalay M, et al.** "Acute promyelocytic leukemia: from genetic to treatment". *Blood* 1994; 83:10.
 - **Guerrasio A, Rosso C, Martinelli G, et al.** "polyclonal haemtopoieses associated with long-term persistence of the AML-ETO transcript in-patients with FAB M2 acute myeloid leukemia in continuos clinical remission". *Br J Haematol* 1995; 90: 364.
 - **Gurney JG, Severson RK, Davis S, et al** 'Incidence of cancer in children in the United States'. *Cancer* 75:2186, 1995.
 - **Harutsumi M, Akazai A, Kitamura T, Manki A, Tanaka H, Oda M, Seino Y.** 'Acase of acute lymphoblastic leukemia accompanied with the production of parathyroid hormone related protein'. *Miner Electrolyte Metab* 1995; 21:171.
 - **Heil G, Gunsillium E, Raghavachar A, et al.** 'Ultra-structural demonstration of peroxidase expression in acute unclassified leukemias: correlation of immunophenotype and treatment outcome'. *Blood*1991;77:1305.
 - **Henze G, Fengler R, Rieter A, Ritter J, Riehm H.** 'Impact of early intensive reinduction therapy on event-free survival in children with low-risk ALL'. *Haematol Blood Transfusion* 1990;33:483.
 - **Hinkle A, Dinndorf P, Bulas D, Kapur S.** 'relapse of acute lymphoblastic leukemia in the inferior rectus muscle of the eye'. *cancer* 1994;73:1757.
 - **Hoffbrand A, Derxler H, Ganeshaguru K, Piga A, Wickremasinghe R.** 'Biochemical aspects of acute leukemia'. *Clin Haematol* 1990 ;15:669.
 - **Hsiao M, Yeargin J, Ku D, Haas M.** 'Nonhereditary P 53 mutations in T-cell acute lymphoblastic leukemia are associated with the relapse phase' *Blood* 1994:83.
 - **Hurwitz CA, Mounce KG, Grier HE.** 'Treatment of patients with acute myelogenous leukemia: review of clinical trials of the past decade". *J Pediatric Hematol Oncol* 1995; 17:185.
 - **Hurwitz CA , Schell MJ, Pui CH, Crist WM, Behm F, Mirro J.** 'Adverse prognostic features in 251 children treated for acute myeloid leukemia'. *Med Pediatr Oncol.* 1993;21;1.
 - **Jankovic M, Brouwers P, Valsecchi M,etal** 'Association of 1800 cGy irradiation with intellectual function in children with ALL. ISPACC: International Study Group on Psychosocial Aspects of Childhood Cancer'. *Lancet*1994;344:2224.
 - **Judith F, Margolin David G,et al.** "Principles and practice of pediatric oncology". *Pizzo* 1997;409:458.

- **Katz J, Pollock B, Jacaruso D, Morad A.** 'final attained height in patients successfully treated for childhood acute lymphoblastic leukemia'. *J pediatr* 1993;123:546.
- **Koizumi S, Shimizu H, Asami K, et al.** 'Assessment of testicular biopsy after cessation of maintenance chemotherapy in childhood acute lymphoblastic leukemia: a report from children's cancer and leukemia study group'. *J Hematol* 1994;60:137.
- **Koren G, Ferrazinee G, Sulh H, et al.** "Systemic exposure to mercaptopurine as a prognostic factor in acute lymphoblastic leukemia in children". *Normal. Engl J Med* 1990;323:17.
- **Kovarik P, Shrit M, Yuen B, Radvany R, Schumacher H.** 'Hand mirror variant of acute lymphoblastic leukemia : evidence for mixed leukemia'. *Am J Clin Pathol* 1992;98:526.
- **Krischer JP, Steuber CP, Vietti TJ.** "Long-term results in the treatment of acute non-lymphocytic leukemia: a pediatric Oncology Group study." *Med Pediatr Oncol* 1989; 17:1401.
- **Kumar P, kun L, Husto H, et al.** 'Survival outcome following isolated central nervous system relapse treated with additional chemotherapy and craniospinal irradiation in childhood acute lymphoblastic leukemia. *Int J radiat Oncol Biol Phys* 1995;31:477.
- **Lenarksy C, Weinberg K, Peterson J.** "autologous bone marrow transplantation with 4-hydro-peroxy-cyclophosphamide purged marrow's for children with acute-nonlymphoblastic leukemia in second remission". *Bone Marrow Transplant* 1990; 6:425.
- **Liesner RJ, Leiper AD, Hann IM, Chessells JM.** "Late effects of intensive treatment for acute myeloid leukemia and myelodysplasia in childhood". *J Clin Oncol* 1994; 12:916.
- **Lipshultz S, Colan S, Gelber R, et al.** 'Late cardiac effects of doxorubicin therapy for acute lymphoblastic leukemia in childhood'. *N Engl J Med* 1991;324:808.
- **Liu P, Tarle SA, Hajra A, et al.** "Fusion between transcription factor CBFB/PEBP2B and a myosin heavy chain in acute myeloid leukemia ". *Science* 1993; 261:1041.
- **Lo CF, Pelicci PG, D' Adamo F, et al.** "Polyclonal hematopoietic reconstitution in leukemia patients at remission after suppression of specific gene rearrangements ". *Blood* 1993; 82:606
- **Ludwig W-D, Bartram C, Harbott J, et al.** "Phenotypic and genotypic heterogeneity in infant acute leukemia". *Leukemia* 1989;3:431.
- **Ludwig WD, Reiter A, Loffler H, et al.** 'Immunophenotypic features of childhood and adults acute lymphoblastic leukemia L. experience of the German multicenter trials ALL. BFM and GMALL' ,*Leukemia. Lymphoma* 1994; 13 (Suppl 1):71.

- **Mahmoud H, Evans W, Liu Q, et al.** "Presence of leukemic blasts in CSF at diagnosis predict CNS relapse in childhood ALL". *Med Pediatr Oncol* 1994;23:189.
- **Mahmoud HH, Ridge, SA, Behm FG, et al.** "Intrauterine monoclonal origin of neonatal concordant acute lymphoblastic leukemia in monozygotic twins" *Med Pediatr Oncol* 1995;24:77.
- **Mahoney D, Nitscke R, Lauer S, et al.** "Neurotoxicity in children with acute lymphoblastic leukemia receiving intensive methotrexate schedules: A pediatric oncology group study". *Proc Am Soc Clin Oncol* 1996;14.
- **Marco Zecco, Andrea Pession, Chiara Messina, Federico Bonetti, et al.** "Total body irradiation, Thiotepa, and Cyclophosphamide as a conditioning regimen for children with ALL in first or second remission undergoing BMT with HLA-identical siblings". *Journal of Clin Oncol* 1999;17:1838.
- **Mc Clain K, Leach C, Jenson H, et al.** "Association of Epstein-Barr virus with Leiomyosarcomas in young people with AIDS". *N Engl J Med* 1995;332:12.
- **Meyers S, Lenny Normal, Hiebert SW.** "The t(8;21) fusion protein interferes with AML-1B-dependent transcriptional activation". *Mol Cell Biol* 1994;15:1974.
- **Miller D, Miller L.** "Acute lymphoblastic leukemia in children: an update of clinical, biological, and therapeutic aspects". *Crit Rev Oncol Hematol* 1990; 10:131.
- **Miwa H, Kita K, Saya H, et al.** "Structural alterations of the P53 gene in human leukemias". *Leukemia Res.* 1992;16:1105.
- **Miyamura K, Tanimoto M, Morishima K, et al.** "Detection of Philadelphia chromosome positive acute lymphoblastic leukemia by polymerase chain reaction: possible eradication of residual disease by marrow transplantation". *Blood* 1992; 79:1366.
- **Nachman J, Palmer N, Sather H, et al.** "open wedge testicular biopsy in childhood acute lymphoblastic leukemia after two years of maintenance therapy: diagnostic accuracy and influence on outcome: a report from children's cancer study group". *Blood* 1990;75:1051.
- **Neglia J, Meadow A, Robison L, et al.** "Second neoplasms after acute lymphoblastic leukemia in children". *N Engl Med* 1991;325:1330.
- **Nesbit MEJ, Buckley JD, Feig SA, et al.** "Chemotherapy for induction of remission of childhood acute myeloid leukemia followed by marrow transplantation or multiagent chemotherapy: a report from the children's Cancer Group". *J Clin Oncol* 1994; 12:127.
- **Nies B, Bodey G, Thomas L, Brecher G, Freireich E.** "The persistence of extramedullary leukemic infiltrates during bone marrow remission of acute leukemia". *Blood* 1985;26:133.

- **Synold T, Relling M, Boyett J, et al.** 'Blast cell methotrexate polyglutamate accumulation in vivo differs by lineage, ploidy, and methotrexate dose in acute lymphoblastic leukemia'. *J Clin Invest* 1994;94:1996.
- **Tallman MS, Andersen J, Schiffer CA, et al.** 'Phase 111 randomized study of ALL-trans retinoic acid, daunorubicin and cytosine arabinoside as induction therapy and ATRA observation as maintenance therapy for patients with previously untreated acute promyelocytic leukemia'. *Blood* 1995;86:125a
- **Thirman MJ, Gill HJ, Burnett RC, et al** "Rearrangement of the MLL gene in acute lymphoblastic and acute myeloid leukemias with 11q23 chromosomal translocations" *Normal. Engl J Med* 1993;329:909.
- **Todd R, Howard J and Holcombe E** . 'Principle and practice of pediatric oncology'. Pizzo 1997; 18:463.
- **Trueworthy R, Shuster J, Look T, et al.** "Ploidy of Lymphoblasts is the strongest predictor of treatment outcome in progenitor cell acute lymphoblastic leukemia". *J Clin Oncol* 1992;10:606.
- **Tubergen D, collen J, Boyett J, et al.** Blasts in CSF with a normal cell count do not justify alteration of therapy for acute lymphoblastic leukemia in remission; a children's cancer group study.
- **Tubergen D, Gilchrist G, Coccia P, et al.** "The interaction of central nervous system therapy and systemic therapy in the prevention of CNS relapse in acute lymphoblastic leukemia". *Proc Am Soc Clin Oncol* 1991; 10:233.
- **Uderzo C, Zurlo M, Adamoli L, et al.** 'Treatment of overt isolated testicular relapse in childhood acute lymphoblastic leukemia: an italian multicenter study'. *J Clin Oncol* 1990;8:672.
- **Uderzo R, Rondelli R, Dini G, et al.** 'High dose vincristine, fractionated total body irradiation and cyclophosphamide as conditioning regimen in allogeneic and autologous bone marrow transplantation for childhood acute lymphoblastic leukemia in second remission: a 7-year Italian multicentre study'. *Br J Haematol* 1995;89:790.
- **Van Hoeven K, Factor C, Krees Y, Wood Ruff J.** 'Visceral-myogenesis tumors. A manifestation of HIV infection in children'. *Am J Surg Pathol* 1993;17:1176.
- **Vellenga E, Young DC, Wagner K, Wiper D, Ostapovicz D, Griffin JD.** "The effects of GM-CSF and G-CSF in promoting growth of clonogenic cells in acute myeloblastic leukemia." *Blood* 1987; 69:1771.
- **Verdi C, Hutter J, Grogan T.** "Immunophenotyping to detect and characterize acute lymphoblastic leukemia in testicular biopsies". *Pediatric Pathol.* 1989;9:117.

- **Viana M, Muro M, Ramos G, et al.** Malnutrition as a prognostic factor in ALL: a multivariate analysis. *Arch Dis Child* 1994;71:304.
- **Von der weid N, Wagner B, Angst R, et al.** Treatment of relapsing acute lymphoblastic leukemia in childhood. III. Experiences with 54 first bone marrow, nine isolated testicular, and eight isolated nervous system relapses observed 1985-1989. *Med Pediatr Oncol* 1994;22:361.
- **Wang JC, Beauregard P, Soamboonsrup P, Neame PB.** "Monoclonal antibodies in the management of ALL". *Am. J Hematol* 1995;50:188.
- **Wells RJ, Woods WG, Buckley JD, et al.** 'Treatment of newly diagnosed children and adolescents with acute myeloid leukemia: a Children's Cancer Group study'. *J Clin Oncol* 1994; 12:2367.
- **wexler L , Andrich M , Venzon D, .et al.** Randomized trial of the cardioprotective agent ICRF-187 in pediatric sarcoma patients treated with doxorubicin. *J Clin Oncol* 1996;14:362.
- **Whitehead V, Vuchich M, Lauer S, et al.** 'Accumulation of high level of methotrexate polyglutamates in lymphoblasts from children with hyperdiploid B-lineage acute lymphoblastic leukemia A pediatric oncology group study'. *Blood* 1992;80:1316.
- **Wiersma S, Ortega J, Sobel E, Weinberg K.** "Clinical importance of myeloid-antigen expression in ALL of childhood". *N Engl J Med* 1991;324:800.
- **Wiersma S, Ortega J, Sobel E, Weinberg K.** "Clinical importance of myeloid-antigen expression in acute lymphoblastic leukemia in children". *N. Engl J Med.* 1991;324:800.
- **William M, William S, Richard E, Robert M, Hal B.** 'The Leukemias. Nelson 2000; Vol4:502:1543- 1548.
- **Woods WG, Koblinsky N, Buckley J, et al.** "Intensively timed induction therapy followed by autologous or allogeneic bone marrow transplantation for children with acute myeloid leukemia or myelodysplastic syndrome: a children's Cancer group pilot study". *J Clin Oncol* 1993; 11:1448.
- **Woods WG, Koblinsky N, Buckley J, et al.** 'Timing intensive induction therapy improves post-remission outcome in acute myeloid leukemia irrespective of the use of bone marrow transplantation'. *Blood* 1994; 84:232a.
- **Wright J, Poplak D, Bakhski A, et al.** 'Gene rearrangements as markers of clonal variation and minimal residual disease in acute lymphoblastic leukemia'. *J Clin Oncol* 1987; 5:735.