

REFERENCES

Adam EJ, Ignots Pl. Sonography of the thymus in healthy children frequency of visualization, size and appearance AJR 161: 153-155, **1993**

Agapitos E, et al. Prenatal death and the thymus gland. Archives D' anatomie et de cytologic pathologiques 42 (3-4) 163 – 170, **1994**

AL-Salem Alt. Ectopic thymic tissue stimulating a posterior mediastinal mass. Eur J pediatr. Surg; 2:106-7, **1992**

Askin, -D-F; Young, -S. the thymus gland. Neonatal-Netw, 20 (8) : 7-13, Dec. **2001**

Baarlen Jv, schuurman HJ, Hurber J. Acute thymus involution in infancy and childhood: a reliable marker for duration of acute illness. Hum. Pathol ; 19:1155-60, **1988**

Barke, -R-A, Rey, -s; chapin, -R.b; Charbonneau, -R. the Role of programmed cell death (apoptosis) in thymic involution following sepsis. Arch- surg. 129(12): 1256-61, Dec. **1994**

Barton L., Hodgman JF and Pavlova Z: cause of death in the extremely low birth Weight infant. Pediatrics 103 :446-451, **1999**

Beck – Sague CM., Azimi P., Fonseca SN. And Baltimore RS : Blood stream infections in neonatal intensive care unit patients:

results of a multicenter study. *Pediatr Infect Dis. J* 13: 1110 - 1116, **1994**

Bellanti JA, Zeligs BJ, and pung Y. Immunology of the fetus and newborn 5th ed., Avery G, Fletcher MA, and MacDonald M, eds. Philadelphia: Lippincott Williams and Wilkins, 1093-1122, **1999**

Bennet R., Eriksson M. And Zetterstrom R. : increasing incidence of neonatal septicemia, causative organism and predisposing risk factors. *Acta paediatrica scand* 70:207, **1981**

Bergr C., uehlinger J. Ghelfi D, et al., : comparison of C. Reactive protein and white blood cell count with differential in neonates at risk for septicemia, *Eur J pediatr* 154:133-144, **1995**

Bokyoung K. Han, Yean- Limsuh and Hye- Kyung yoon, intrathymic anatomy in infants, *pediatr. Radiol* 31: 474-469, **2001**

Bonyhadi ML et al. "HIV induces thymus depletion in vivo" *Nature*, 363 (6431) : 728-32, June 24, **1993**

Buck C., Bundschu J. Gallati H., Bartmann P. Pohlandt F. interleukin – 6 : a sensitive parameter for the early diagnosis of neonatal bacterial infection *93:54*, **1994**

Burn J, et al. the clinical significance of 22q11 deletion in developmental mechanisms of heart disease, Clark EB,

Markwald RR, Takoo A, eds. Armond., New York: future, 559-567, **1995**

Cacciaguerra S, Rizzol, Tranchina MG, et al. Ultrasound features of ectopic cervical thymus in a child *pediatr. Surg. Int* 13:597-599, **1998**

Caffey J, di libertic C. Acute atrophy of the thymus induced by adrencorticosteriods : observed reontgenographically in living human infants : a preliminary report *AJR* 82 : 530 – 450, **1959**

Carlson B. Human embryology and developmental Biology St loues mosby – year book, 307-317, **1999**

Carty H. Ultrasound of the normal thymus in the infant : a simple method of resolving a clinical dilemma. *Br J Radiol*, 63 (753) : 737-8, **1990**

Chapman S. the sail sign. *British Journal of Hospital medicine* 46(6): 399-400, **1991**

Chasnoff IJ (ed) : chemical dependency and pregnancy clin prenatal 18:1, **1991**

Chen, -C-M, Yu, -K-Y, Lin, -H-c, Yeh, -G-C-, Hsu, H-H, Thymus size and its relationship to perinatal events. *Acta-pediatr.* 89 (8) : 975-8, Aug. **2000**

Chevalier p., sevilla R., zalles L., et al., study of thymocytes in Bolivian preschool children during recovery from severe protein energy malnutrition *J.Nut. immunol* , (3), 27, **1994**

Christensen RD., Harper TE., Rothstein G. : Granulocyte-macrophage progenitor cells in term and preterm neonates. J pediatr 109 : 1047-1051, **1986**

Cooper AP. The anatomy of the thymus gland London, England Longman, Rees, Orme, Green and Brown; 1- 48, **1833**

Corbett JV. Laboratory tests and diagnostic procedures. Upper saddle falls, New Jersey: prentice Hall, 54, **2000**

Cotran R.S., Kumar V., Collins T. Robbins pathologic Basis of disease W.B. company, Philadelphia – London – Toronto – Montreal – Sydney – Tokyo 234-236; **1999**

Crotti A. the thymus gland: crotti A, eds thyroid and thymus philadelphia, pa : lea and febriger : 607 –693, **1922**

Damjanov and Linder : Anderson's pathology (tenth edition)115-117, **1996**

DaSilva O., Ohlsson A. and Kenyon C.: Accuracy of leukocyte indices and c-reactive protein for diagnosis of neonatal sepsis : a critical review pediatr infect Dis – J 14 ; 363-366, **1995**

De felice C, et al., small thymus in very low birth weight infants born to mothers with subclinical chorioamnionitis journal of pediatrics 135 (3) :384- 386, **1999**

De Mello Coelho, et al., Growth hormone and its receptor are expressed in human thymic cells Endocrinology 139 (9) : 3837-3842, **1998**

DeBeats MH, Vincent A. Myasthenia Gravis. In Bona CA, Siminovitch KA, Zanetti M, theofilopoulos AB, editors : The molecular pathology of Autoimmune disease chur, Switzerland, Harwood Academic Publishers, **1993**

De-Felice C, Latini, G, Del-Vecchio, Small thymus at birth : a predictive radiographic sign of bronchopulmonary displasia pediatrics. 110 (2p+1) : 386-8, **2002**

DeGeer G, Webb WR, Gamsu G. Normal thymus. Assessment with MRI and CT. Radiology 158 : 313-317, **1986**

Demezuks, and Aurias A. DiGeorge syndrome related syndromes associated with 22q 11.2 deletions : A review Annals of genetics 38 (2) : 59-76, **1995**

Digeronimo R.J. : lack of efficacy of the urine culture as part of the initial work up of suspected neonatal sepsis pediater. Infect. Dis. J g : 764. **1992**

Dillon HC., Khores S., Grang BM. : Group B streptococcal carriage and disease a 6 year prospective study. J pediater. 110 31, **1987**

Edwards MS., Rench MA., Hall MA and Baker C. : flbronectin levels in premature infants with late onset sepsis. Journal of perinatology 13: 8-13, **1993**

Ehls, Gering B., Bartmann P., Hogel l. And pahlandt F. : C-reactive protein is a useful marker for guiding duration of

antibiotic therapy in suspected neonatal bacterial infection. Pediatrics 99:216-221, **1997**

Evans ME., Schaffner W., federspiel CF. et al ., : sensitivity specificity, and predictive value of body srface cultures in a neonatal intesive care unit. JAMA 259 : 248, **1988**

Fanaroff AA, Korores SB, Wright LL, et al., : incidence presenting features, risk factors and significance of late onset septicemia in very low birth weight infants. Pediatr. Infect Dis 17: 593-598, **1998**

Fejgin M., Amiel A., Kaneti H. et al ., : fulminate sepsis due to group B beta hemolytic streptococci following branscervical chronic villisampling clin infect Dis 17 : 142, **1993**

Finelli L., Livengood JR. and Saiman L. : Surveillance of pharyngeal colonization : detection and control of serious bacterial illness in low birth weight infants. Pediat. Infect Dis J 13: 854 - 859, **1994**

Fukunaga T, etal., thymus of abused neglected children forensic science international 53 (1) :69 – 79, **1992**

Gaynes RP, Edwards JR, Jarvis WR, etal., : Nosocomial infections among neonates in nigh risk nurseries in the united states pediatrics 93 : 357 - 361, **1996**

Gerdes JS. : clinicopathologic approach to the diagnosis of neonatal sepsis : clin perinatol 18:361-381, **1991**

Gerdes JS. And polin RA: sepsis screen in neonates with evaluation of plasma fibronectin. *Pediatr infect Dis J* : 443-46, **1987**

Gladstone IM., Ehrenk rantz RA., Edberg SC. And Baltimore RS. : A ten year review of neonatal sepsis and comparison with the previous fifty year experience *pediatr infect. Dis. J.* (9): 819 - 825, **1990**

Green M., Dashfsky B. Wald ER., lofet s. and hager Guthrie R. : comparison of two antigen assays for rapid intrapartum detection of vaginal group B streptococcal colonization. *J of clin Microbiology* 31 : 78-82, **1993**

Gross j. and Flye. M. “The thumus regulator of cellular immunity”. Austin: R.G. Landers Co. 56-63, **1993**

Guo, -R-F, Huber –lang, -M; wang, -x; Sarma , -v; etal; protective effects of anti – C5a in sepsis induced thymocytes apoptosis, *J-clin- invest;* 106 (10) : 1271-80, Nov. **2000**

Guseinovs, AlijevM and kurbanov. New data on thymus pathophysiology in children. *Thymus* 16(1) : 5 : 58, **1990**

Guyton Ac, and Hall JHE. *Texbook of medical physiology*, 10th ed. Philadelphia : WB Saunders. 402-412, **2000**

H. Hasselbalch, A.K. Ersboll, D.L. Jeppesen and M.B Nielsen. thymus size in infants from birth untill 24 months of age evaluated by ultrasound. *Acta Radiology* 40; 41-44, **1999**

Han BK, Babock DS, oestreich AE. Normal thymus in infancy:sonographic characteristics. Radiology 170 : 471-474, 1989

Han, -B-K, Yoon, H-K, Suh, Y-L, thymic ultrasound II, diagnosis of aberrant cervical thymus, pediater-Radiol, 31 (7), 480-7, July 2001

Hankins GV. And chalas E. : Group B streptococcal infections in pregnancy. ACOG recombination. ACOG Newsletter May 1993

Hansen T, Carbet A, and Avery MA. Malformations of the mediastinum and lung parenchyma in Avery's disease of the Newborn, 7th ed., Taeusch HW, and ballard R, eds. Philadelphia: WB saunders, 668 –682, 1998

Harris Mc., Costarino ATJ. And sullivan JS. : Cytokin elevations in critically ill infants with sepsis and necrotizing enterocolitis. J of pediater 124 : 104 – 111, 1994

Hassall AH, Vanarsdale. Illustrations of the microscopic anatomy of the human body in health and disease. In: Hassall AH, eds. Microscopic anatomy of the human body in health and disease. London, England: Wood; 1-79, 1846

Hasselbalch , -H; Jeppesen, -D-L, Ersboll, -A-K; Nielsen, -M-B. thymus size in preterm infants evaluated by ultrasound Acta – Radiol. 40 (1) : 37 –40, 1999

Hasselbalch,-H; nielsen; -M-B; jeppesen ,-D; pedersen, -J-F;Karkov,-J. sonographic measurement of thymus in infant. Eur-Radiol. 6 (5) : 700 –3, **1996**

Haubrich WS: Medical meanings philadelphia, Pa: American college of physicians, 225; **1997**

Hegyi T., Carbone T., Anwar M. et al., : the Apgar Score and its components in the preterm infant pediatrics 101 : 77 – 81, **1998**

Hendrickson M, et al., Congenital cysts in children mostly misdiagnosed. Journal of pediatric surgery 33 (6): 821-824,**1998**

Hewson. W. Experimental Inquires III in : cadell T, eds experimental Inquires into the properties of the blood, London, England; 1-1223, **1777**

Hodge S., Hodge G., Flower R. etal., : surface activation markers of T lymphocytes : role in the detection of infection in neonates. Clin Exp immunol 113:33-38, **1998**

Hodgman JE. : sepsis in noenate : perinatol Neonatal 5-45, **1981**

Jerome O. klein M.D. Bacterial sepsis and meningitis in Jacks. Remington, jerome O.Dlien (eds). Infectious disease of the fetus and newborn infants. 5th ed. Philadelphia, WB sanders, Chapter 21:944-966, **2001**

Kennon C., Overture Gf., beasman S., Sierra E. and Smith KJ., Bran B. : Granulocyte colony stimulating factor as a marker for bacterial infection in neonates. H. of pediatr 128:765-769. **1996**

Kissing c, husband j, Nicholas D, Eversman W. Benign thymic enlargment in adult after chemotherapy : CT demonstration in adult after chemotherapy: CT demonstration: ladilolgy 163:67-70, **1992**

Kornestein M. controversies regarding the pathology of thymomas. Path Annu 27 part (2) 1-15, **1992**

Kornestien M. and deBlois G.G. the normal thymus texthook of pthology of the thymus and mediastinum (volume thirty three) W.B. Saunders company Philadelphia – London- Toronto – Montreal – Sydney and Tokyo (3) : 14 – 29, **1995**

Koumanidou C. vakaki M, Theophanopoulou M, etal; aberrant thymus in infants : sonographic evaluation. Pediatr Radiol 28:987-989, **1998**

Kouttab N. et al., “Thymomodulin : Bilolgical properties and clinical applications. “Med.Oncol. and tumor pharma cother.6, 5-9,**1989**

Kowalski K. perinatal and loss and bereavment. In perinatal Nursing, Simpson K, and Greehan P, eds. Philadelphia: Lipp incott Williams and Wilkins, 476-492, **2001**

Larocca, et al., Morphological and immunohistochemical study of Down syndrome thymus. American journal of American genetics (supplement 7) : 5225 - 5230, **1990**

Levy-Mozziconacci A, et al., Clinical and molecular study of digeorge sequence. European journal of pediatrics 153 (11) : 813-820, **1994**

Ma DDF, Ho AH, Hoffbrand AV. Effects of thymosin on glucocorticoid receptor activity and glucocorticoid sensitivity of human thymocytes clin Ex immunol 55:273-80, **1984**

Maberry MC. And Gilstrap LC. : intrapartum antibiotics therapy for suspected intra – amniotic infection impact on the fetus and neonate clin obstet Gynecol 34:345, **1991**

MacFarlane DE.: Neonatal group B Streptococcal septicaemia in a developing country acta paediatr scand 76: 470, **1987**

Magalini Sergio I and Magalini sabina C. Dictionary of medical syndromes (fourth edition). Lippincot –Raven Pyblishers, Philadelphia –New York; 227 –228, **1997**

Maisels. MJ. And kring E.: risk of sepsis in newborns with sever hyperbilirubinemea pediatrics 90:741, **1992**

Marieb EN. Human anatomy and physiology. Redwood city, California: Benjamin, Cummlings, 715-722,**1995**

Markert ML, et al., Transplantation of thymus tissue incomplete DiGeorge syndrome. New England Journal of medicine 341(16): 1180-1189, **1999**

Mastuda Y., Maruyama H. and Kuraya K. : Relationship between granulocyte elastic levels and perinatal infection Gynecologic and obstetric investigations 39:162 – 166, **1995**

May MT. Galen on the usefulness of the parts of the body Ithaca, Ny: cornell university press; 30, **1968**

McCabe KM., Khan G., Zhang YH., Mason EO. And McCabe ER: Amplification of bacterial DNA using highly conserved sequences: automated analysis and potential for molecular triage of sepsis: pediatrics 95:165-169, **1995**

McDuffie M and Hayward AR. T-cell development, in fatal and Neonatal physiology, Polin RA, and Fow WW, eds. Philadelphia; WB Saunders, 1427-1431, **1992**

McMinn R.M.H. last's Anatomy, Regional and Applied (ninth edition) Churchill Livingstone Edinburgh – London – Madrid – Melbourne – New York and Tokyo; 262 –263, **1994**

Meyers A, Pebe N, Cranley W, McCarten K. Decreased thymus size on chest radiography: a sign of pediatric human immunodeficiency virus infection? Pediatrics: 90:90-102, **1992**

Monneret G., Labaune JM. Isaas C., Biens' enu F., Purer G. and Bienvenu J. : Procalcitonine and C-Reactive protein levels in neonatal infection *Acta paediatrics* 86 : 209-212, **1997**

Muller – Hermelink H.K., Marx A., Kirchner T. thymus and mediastinum - In : Damjanov I, Linder J (eds) *Anderson's pathology Vol I*, 10th edn. Mosby-Year Book, St Louis, pp 1218-1255, **1996**

Murphy M et al., Tumor necrosis factor – alpha and IFN-gamma expression in down syndrome. *Journal of immunology* 149 (7): 2506-2512, **1992**

Naeye RI. And Blanc WA. : Relation of poverty and race to antenatal infection *N Engl J Med* 282-555, **1970**

Ohlsson A., Baiely T. and Takieddine F. : Changing etiology and outcome of neonatal septicemia in Riyadh, Saudi Arabia. *Acta paediatrica scand* 75:540, **1986**

Paul W.E. *Fundamental immunology* (Third edition). Raven Press, New York; 97-98, **1993**

Porter L, Carter WE. Internal secretions In : Porter L, Carter WE eds. *Management of sick infant* 2nd ed. St. Louis, Mo : Mosby-year book; 394 – 402, **1924**

Pourcyrorens M., Bada HS., Korones SB., Barrett FF., Jennings Sw and lokey T. : Acute phase reactants in neonatal bacterial infection in *journal of perinatology* 11 : 319 – 325, **1991**

Powell KR. : Evaluation and management of febrile infants younger than 60 days of age. *Pediatr infect Dis J* 9 : 153, **1990**

Puri J., Revathi G., Faridi : MM., Talwar V., Kurnan A. and Parkash B : Role of body surface cultures in predication of sepsis in a neonatal, intensive care unit. *Annals of Tropicall pediatrics* 15 : 307 – 311, **1995**

Quintanilla – Martinez L., Wilkins E. W., Ferry J.A., Harris N.L. thymoma : Morphologic subclassification correlates with invasiveness and immunohistologic features in a study of 122 cases. *Hum pathol*; 24 : 958, **1993**

Reidemann, N-C; Guo, R-F; Landes, -I-J; Keller, -K; Sarma, -V-J; padgaonkar, -V, Zetoune, F-S; ward, P-A, C5a Receptor and thymocyte apoptosis in sepsis. *Faseb-J.*, 16 (8), 887-8, June **2002**

Reiff, MI. and Osborn LM. : clinical estimation of liver size in newborn infants. *Pediatrics* 71 : 46, **1983**

Rennie JM. And Robertson NRC. : Textbook of neonatology. Third edition PP. 1117 – 1138, **1999**

Rodwell RL., Tudehope DI. And Gray PH. : Hematologic Scoring system in early diagnosis of sepsis in neutropenic newborns. *Pediatr infant Dis J* 12 : 372 – 376, **1993**

Roitt I : Essential immunology, 8th edn. Blackwell scientific publications Ltd., London 575-580, **1994**

Sanghvi KP and Tudehope DI. : Neonatal bacterial sepsis in a neonatal intensive care unit : a 5 year analysis. J pediater child health 32 : 333, **1996**

Schelonka RL., Yoder BA., Hall RB. et al., : Differentiation of segmented and band neutrophils during the early newborn period J pediater 127 : 298 – 300, **1995**

Schuchat A., Oxtoby M., Cochi S. et al., : Population based risk factors for neonatal group B streptococcal disease : results of a cohort study in metropolitan Atlanta J infect Dis. 162 : 672, **1990**

Schwesendki J., McIntyre L. And Bauer CR. : Lumbar puncture frequency and CSF analysis in the neonate. Ann J Dis child 145: 54, **1991**

Seelen RA. : Urosepsis with jaundice due to hemolytic Escherichia coli. Ann. J Dis child 126 : 414, **1973**

Seigel MJ, Glazer HS. Wiener JT, et al., Normal and abnormal thymus in childhood : MR imaging Radiology 172 : 367 – 371, **1989**

Shimonkevitz RP, et al., transient expression of IL. 2 receptor precedes the differentiation of immature thymocytes. Nature 329 (6135) : 157, **1987**

Shimosato Y, Mukai K. Tumors of the mediastinum. Atlas of tumor pathology, third series, fascicle 21 Washington, D.C., Armed forces institute of pathology; 23 – 31, **1997**

Siegel R, Gardners, and Merenstein G. Families and crisis : theoretical and practical considerations. In handbook of neonatal intensive care, 4th ed., Merenstein GB, and Gardner S, eds. St. Louis : Mosby – Year book ; 6476 – 672, **1998**

Simon C., Schroder H., Beyer C. and Zerbst T. : Neonatal sepsis in an intensive care unit and results of treatment. Infection 19 : 146 – 148, **1991**

Singer Cs. Galen on anatomical procedures London, England : Oxford University press ; 250, **1956**

Steiner GM. Neonatal imagining. In textbook of Neonatology, 3rd ed., Rennie JM, and Robertson NLC, eds. Edinburgh : Churchill Livingstone ; 1334, **1999**

Sztein M. etal., “Modulation of interleukin 2 receptor expression on normal human lymphocytes by thymic hormones.” Proc. Nat Acad. Sci. USA. 83,6107-11, **1986**

Taeusch, H. and Avery : Pocket companion to accompany Avery’s disease of the newborn. 7th ed pp. 184. **2000**

Thibodeau GA, and patton KT. Anatomy and physiology St. Louis : Mosby – year book; 572, 708 – 709, **1996**

Toti, - P; De – Felice, - C; Stumpo, - M; et al., acute thymic involution in fetuses and neonates with chorioamnionitis. Hum-pathology . 31 (9) : 1121 – 8 , sept . 2000

Versikari R, Janas M, Gronroos P, et al., : Neonatal septicaemia. Arch Dis child 60 : 542, 1985

Waltz R. and C. Khan “Grow young with HGH”. Harper Collins 233-351, 1997

Washburn TC., Medearis DN Jr. and child B. : sex differences in susceptibility to infections. Pediatrics 35 : 57, 1965

Wells WJ, et al., Neonatal thymectomy : does it affect immune function ? Journal of thoracic and cardiovascular surgery 115 (5) : 1041-1046, 1998

Williams P.L., Warwick R., Dyson M. and Bannister L.H. functioning of the lymphocytic system; Gray’s anatomy thirty seventh editions. Oxford University Press; 229, 336, 624, 833-6, 1992

Winfred I. The incidence of neonatal infections in the nursery unit at Ahmadu Bello University teaching Hospital, Zaria, Nigeria East Afr. Med. J 61 : 197, 1984

Wiswell TE. And Hachey WE. : Multiple sites blood cultures in the initial evaluation for neonatal sepsis during the first week of life. Pediatr. Infect. Dis J 10 : 365, 1991

Yamasaki, M. Studies on the thyroid and thymic arteries of Japanese adults and fetuses. *Anat. Anz.*, Jena; 169:213-221, **1989**

YuE, and Lee I. Reticular network of the human thymus. *Journal of Korean Medical science* 8 (6) : 431-436, **1993**

Zatz M. and Goldstein A. "Mechanism of action of thymosin." *J. immunol.* 134, 1032-38, **1985**