

- Bates J.A. (1999b):** Abdominal ultrasound. Pathology of the liver and portal venous system. Churchill Livingstone. Chap. 4: 71-107.
- Beljaars L., Molema G., Schuppan D. et al. (2000):** Successful targeting to rat hepatic stellate cells using albumin modified with cyclic peptides that recognize the collagen type VI receptor. J Biol Chem., 275: 12743-1275.
- Beljaars L., Molema, G., Schuppan D. et al. (2000) :** Successful targeting to rat hepatic stellate cells using albumin modified with cyclic peptides that recognize the collagen type VI receptor. J Biol Chem, 275: 12743- 12751.
- Bellamy E.A. Bossy M.C. and Cosgrove D.O. (1994):** Ultrasound demonstration of changes in the normal portal venous system following a meal. Br. J. Radiol. 57: 147.
- Benyon R.C., Lredale J.P., Goddard S., et al. (1996):** Expression of tissue inhibitor of metalloproteinases-1 and 2 is increased in fibrotic human liver Gastroenterology 110: 821- 831.
- Billington C. (1991):** Joint destruction in arthritis: Metalloproteinases in the spotlight. Arthr Rheum, 34: 1073- 1075.
- Bissel D.M. and Maher (1999):** Sex and hepatic fibrosis. Hepatology, 29: 988 -989.
- Bissel D.M. and Maher J.J. (2002):** Hepatic fibrosis and cirrhosis. In : Boyer TD, Zakim MD (editors). Hepatology, text book of liver disease, 4th edition. London : Saunders, 395-416.
- Bode W., Fernandez- Catalan C., Tschche H. et al. (1999):** Structural properties of matrix metalloproteinases. CMIS, 55: 639- 652.

- Bode W., Reinemer P., Huber R. et al. (1994):** The X-ray crystal structure of the catalytic domain of human neutrophil collagenase inhibited by a substrate analogue reveals the essentials for catalysis and specificity. *EMBO, J.* 13: 1263-1269.
- Boigk G., Stroedter L., Herbst H. et al. (1997):** Silymarin retards collagen accumulation in early and advanced biliary fibrosis secondary to complete bile duct obliteration in rats. *Hepatology* 26: 643- 649.
- Bolondi L., Bassi S.L., Gaiani S. et al. (1991):** Changes of Doppler waveform of hepatic veins. *Radiology* 178: 513.
- Bolondi L., Gandolfi L., Arienti V. et al. (1982):** Ultrasonography in the diagnosis of portal hypertension: diminished response of portal vessels to respiration *Radiology*, 142: 167.
- Borden P. and Heller R.A. (1997):** Transcriptional control of matrix metalloproteinases and tissue inhibitor of metalloproteinases. *Crit Rev Eukaryot Gen. expression*, 7: 159- 178.
- Bosch J., Pizeueta P., Feu F. et al.(1992):** Pathophysiology of portal hypertension. *Gastroenterol clin. north. Am*, 21: 1-14.
- Boyd R.S. and Balkwill F.R. (1999):** MMP-2 release & activation in ovarian carcinoma, the role of fibroblasts. *British, J cancer*, 80: 315- 321.
- Brodersen, R. (1999):** Structure of bilirubin. *Scand J. Lab invest.* 30: 95-106.

- Buter G., Atkinson J., Will H. et al. (1998):** The TIMP2 membrane type1 metalloproteinase receptor regulates the concentration and efficient activation of progelatinase. *A J Biol Chem*, 27: 871- 880.
- Cardanel J.F., Rufat F. and Degos F. (2003):** practice of liver biopsy in france: rance: results of prospective nationwide survey. For the group of epidemiology of the French association for the study of the liver (AFEF). *Hepatology*, 32: 477-481.
- Case J.P., Lafyat R., Remumers, E.F. et al.(1989):** Stromelysin expression in rheumatoid synovium: a transformation associated metalloproteinase secreted by phenotypically invasive synoviocytes. *Am J Pathol*, 135: 1055- 1064.
- Cawston E., Billington C., Poter Y. et al. (1999):** MMPs in the rheumatic disease. *J pathol*, 180: 115- 117.
- Chen C.H., Chen P.J., Chu J.S., Yeh K.H. et al. (2003):** Fibrosing cholestatic hepatitis in a hepatitis B surface antigen carrier after renal transplantation. *Gastroenterology*, 107: 1514- 1518.
- Chowhury J.R., Wolkoff A.W., Chowdhury N.R. et al. (1995):** jaundice and disorders of bilirubin meabolim. In: scriver, C.R. Beaudet A.L., Sly W.S. et al (eds): the metabolic and molecular bases of inherited disease, 7th edition ,New York, 2161- 2210.
- Cioni G., D'Alimonte P., Crestani, A. et al. (1992):** Duplex- Doppler assessment of cirrhosis in patients with chronic compensated liver disease. *J. Gastronenterol. Hepatol.*, 7 (4): 388.

- Clark I.M., Powell I.K., Ramsey P.L. et al. (1993):* The measurement of collagenase, tissue inhibitor of metalloprotease and collagenase tissue inhibitor of metalloproteinase complex in synovial fluids from patients with osteoarthritis and rheumatoid arthritis. *Arthr Rheum*, 36: 372- 380.
- Clark, M. and Kumar, P. (1998):* Liver biliary tract and pancreatic diseases, 4th edition, *J. Gastroenterol. Hepatol.* 5: 287- 352.
- Colli A., Faguelli M., Andreoletti M. et al. (2003):* Severe liver fibrosis or cirrhosis, accuracy of US for detection analysis of 300 cases. *Radiology*, 227: 89- 94.
- Courtory P.J., Lowwbart C., Feldman G. et al. (1991):* Synchronous increase of the same hepatocytes during the reaction. *Interut. Acad of path.*, 44: 105.
- Crawford J.L. and Gollan J.I. (1993):* Bilirubin metabolism and pathophysiology of jaundice. In: Sciff, L., Sciff, E.R. (eds). *Diseases of the liver.* (Philadelphia: lippincott) ,42- 84.
- Dluzniewska J., Zolich D., Polanski J. et al. (2002):* Hepatocyte growth factor levels in liver and blood and postoperative liver cell proliferation in patients with benign and malignant liver tumours after partial hepatectomy. *Med. Svi. Monit.* Oct 8 (10): 690-6.
- Dobryszcka S. Wanda, A. Zolizlaw R. and Bozenna L. (1997):* Haptogloblin: An acute phase reactant. *Arch. Immunol. Ther. Exp.* 33 (5): 617 – 22.

- Douglas D.A., Schi Y.E. and Sang Q.A. (1997):** Computational sequence analysis of tissue inhibitor of metalloproteinase family. *J Prot Chem*, 16: 237- 252.
- Dufour J.F., DeLellis R. and Kaplan MM. (1997):** Reversibility of hepatic fibrosis in autoimmune hepatitis. *Ann intern Med* 127: 981- 985.
- Ebata M., Fukuda Y., Nakano I. et al. (1997):** Serum levels of tissue inhibitor of metalloproteinase-2 in patients with liver disease (17): 293- 299.
- El Badawy S., Iskander I.R. and Assad S. (1994):** The proteins inhibitor complexes in septicaemia, Fulminant hepatic failure and cardiac shock: Value for diagnosis and therapy control in DIC/F syndrome. *Behring Inst. Mitt.* 45 (79): 87-103.
- Ellis G. and Goldberg D.M. (1997):** Serum enzyme tests in diseases of the liver and biary tree. *Am J. Clin. pathol.* 70: 248- 258.
- Fisher L. Gill C.W. Farrester M.G. et al. (1996):** Quantitation of acute phase proteins post operatively. Detection and monitoring of complications. *Am. J. Clin. path.*: 66- 840.
- Freije J., DieBalbin M., Sanchez M. et al. (1994) :** Molecular cloning and expression of collagenase-3, a novel human matrix metalloproteinase produced by breast carcinomas. *J Biol Chem*, 269: 16766- 16773.

- Fridman R., Bird Re, Hoyhtya M. et al.(1996):** Expression of human recombinant 72 KDa gelatinases & tissue inhibitor of metalloproteinase 2: characterization of complex & free enzyme. Biochem J, 289: 411- 416.
- Friedman S.L. (1996):** Cirrhosis of the liver and its major sequelae. In cecil Textbook of Medicine 20th ed. Bennett and Plum (ed.) W.B. Saunders Company, 788- 796.
- Friedman S.L. (1999):** Cytokines and fibrogenesis. Semin liver dis, 19: 129-140.
- Friedman S.L. (1999):** Fibrogenesis and the role of hepatic stellate cells: new insights and prospects for therapy. J. Gastroenterol. Hepatol, 614: 618.
- Friedman S.L., editor. (2001):** the hepatic stellate cell. Semin liver Dis. New York, vol 21: 307- 452 .
- Friedman S.L., Marti P. and Munaz S.J. (1996):** Liver function testes and the objective evaluation of the patients with live diseases. In: Zakir D. Boyer T.D. (eds). Hepatology, a text book of liver diseases,53 : 791- 833.
- Gaiani S., Gramantieri L., Venturoli N. et al. (1997):** What is the criterion for differentiating chronic hepatitis from compensated cirrhosis? A prospective study. J. Hepatol., 27: 979- 85.
- Garbisa S., Ballin, M., Daga- Gordini D. et al. (1986):** Transient expression of type IV collagenolytic metalloproteinase by human mononuclear phagocytes. J Biol Chem, 261: 2369- 2375.

- Goldberg, D.M. (2000):** Structural, functional, and clinical aspects of gamma glutamyl transpeptidase. *CRC Crit. Rev. Clin. Lab. Sci.*, 12: 1- 58.
- Gomez D.E. Alonso D.F. Yoshiji H. et al. (1997):** Tissue inhibitor of metalloproteinases: structure, regulation & biological function. *Eur. J. Cell Biol*, 74: 111- 122.
- Gordon J.L. Drummond A.H. and Galloway W.A. (1993):** Metalloproteinase inhibitors as therapeutics. *Clin Exp Rheumatol*, 11 (suppl. 8): 591- 594.
- Gowenlock A.H., McMurray J.R. and Mclauchlan D.M. (1998):** Liver function tests in : practical clinical biochemistry. 6th edition, Hienenoun medical books, London, 442.
- Goyal A.K., Phkharna D.S. and Sharma S.K. (1990):** Ultrasonic diagnosis of cinhosis: Reference to quantitiative measurements of hepatic dimensions. *Gastrointest Radiol.*, 15(1). 32.
- Grant E.G. (1992):** Duplex ultrasonography: Its expanding role in non invasive vascular diagnosis. *Radiol. Clin. North. Am.* 23-563.
- Grant M., Caballero S., Tarnuzzer et al.(1998):** Matrix metalloproteinase expression in human retinal microvascular cells. *Diabetes*, 47: 1311- 1317.
- Hamasaki M. (1996):** Haptoglobin is essential in diagnosis of hemolytic anemia. *Nippon Rinsho. Sep* 54(9): 2407-2410.

- Hammel P., Couvelard A., O'toole D. et al. (2001) :** Regression of liver fibrosis after biliary drainage in patients with chronic pancreatitis and stenosis of the common bile duct. *N Engl J Med.*, 344: 418-423.
- Harvey S.R., Nayak S.K., Markus G., Ouhamouch M. et al. (1997):** Cancer cell release: A covalent complex containing disulphide domains from urinary plasminogen activator, neural cell adhesion molecule and haptoglobin alpha and beta chains. *Arch. Biochem. Biophys.*, 345 (2): 289 – 98.
- Henry I.B., Nelson D.A., Tomar R.T. et al. (1994):** Clinical diagnosis and management by laboratory methods. 17th Ed. WB. Saunders company Philadelphia, London, Toronto, Montreal, Tokyo, 210.
- Herbst H., Wege T., Milani S. et al. (1997):** Tissue inhibitor of metalloproteinase-1 and 2: RNA expression in rat and human liver fibrosis. *Am J Pathol*, 150:1647- 1659.
- Herron G.S., Werb Z., Dwyer K. et al. (1986):** Secretion of metalloproteinases by stimulated capillary endothelial cells. *J. Biol chem.*, 261: 2814- 2828.
- Hirata M., Akbar S.M., Horiike N. et al. (2001):** Non invasive diagnosis of the degree of hepatic fibrosis using ultrasonography in patients with chronic liver disease due to hepatitis C Virus. *Eur. J. Clin. Invest.* Jun, 31 (6): 528-535.

- Hunge C.H., Lu SN, Wang J.H. et al. (2003):** Correlation between ultrasonographic and pathologic diagnosis of hepatitis B and C virus related cirrhosis. J. gastroenterol, 38: 53-175.
- Imbert- Bismut F., Ratziu V., Pieroni L. et al. (2001) :** Biochemical markers of liver fibrosis in patients with hepatitis C virus infection : A prospective study. Lancet, 357: 1069- 1075.
- Iredal J.P. Murphy G. Hembry R.M. et al. (1992):** Human hepatic lipocytes synthesize tissue inhibitor of metalloproteinases-1 (TIMP-1): Implications for regulation of matrix degradation in liver. J Clin Invest, 90: 282-287.
- Iredale J.P., Benyon R.C., Arthur M.J.P. et al. (1995):** Tissue inhibitor of metalloproteinase-1 messenger RNA expression. clin sci, 89: 83-88.
- Iredale J.P., Goddard S., Murphy G. et al. (1996):** Tissue inhibitor of metalloproteinase-1 and collagenase expression autoimmune chronic active hepatitis and activated human hepatic lipocytes. Clin Sci 89:75-81.
- Ishak K., Baptista A., Bianchi, L. et al. (1995):** Histological grading and staging of chronic hepatitis J Hepatol, 22: 696- 699.
- Ito A., Gshowaki H., Sato T. et al. (1996):** Human recombination interleukin -1 α mediated stimulation of procollagenase production and suppression of biosynthesis of tissue inhibitor of metalloproteinases in rabbit utrine cervical fibroblasts. Eur Biochem Soc, 234: 326- 330.

- Iwao T., Toyonaga A., Ikegami M. et al. (1995):** Echo Doppler measurements of portal vein and superior mesenteric artery blood flow in humans: Inter and intra- observer short term reproducibility. *J. Gastroenterol, Hepatol*, 11 (1): 40-46.
- Jones S.L. (1998):** Role of haptoglobin in diagnosis of HELLP syndrome. *Molecular hematology* 11 (3): 147- 171.
- Kitada T., Seki S., Ikeda K. et al. (2000):** Clinicopathological characterization of prion: A novel marker of activated human hepatic stellate cells. *J. Hepatol.*, 33: 751.
- Klahr S. and Morrissey J.J. (2000):** The role of vasocative compounds, growth factors and cytokines in the progression of renal disease. *Kidney Int* .,57 (Suppl 75): 7-14.
- Knodell R.G., Ishak K.G., Black W.C. et al. (1981):** Formulation and application of a numerical scoring system for assessing histological activity in asymptomatic chronic active hepatitis. *Hepatol*, 1: 431-435.
- Kono H., Rusyn I. Yin M. et al. (2000):** NADPH oxidase- derived free radicals are key oxidants in alcohol- induced liver disease. *J Clin invest.*, 106: 867- 872.
- Koslin, D.B. and Berland, L.L. (1987):** Duplex Doppler examination of the liver and portal venous system. *J. Clin Ultrasound*, 15: 675.

- Kossakowska A.E., Edward D.R., Lee S.S. et al. (1998):** Altered balance between matrix metalloproteinases and their inhibitors in experimental biliary fibrosis. *AMJ pathol.*, 153 1895-1902.
- Kuwashima Y. Uehara T., Kishi K. et al. (1995):** Basement membrane status undifferentiated carcinomas of the ovary: immunohistochemical distribution of type IV collagen and laminin. *Eur J Gynecol oncol*, 16: 181- 189.
- Lafortune M., Matricardi L., Denys A. et al. (1998):** Segment 4 (the quadrate lobe): A Barometer of cirrhotic liver disease at US. *Radiology*, 206: 157- 160.
- Lein M., Gollen B., Okamoto T. et al. (1997):** *Int. J. Biochemistry. Cell Biol.*, 29: 241.
- Leyland H., Gentry J., Arthur M.J.P. et al. (1996):** The plasminogen activating system in hepatic stellate cells. *Hepatology*, 24: 1172-1178.
- Li J., Rosman A.S., Leo M.A. et al. (1999):** Tissue inhibitor of metalloproteinase is increased in the serum of precirrhotic and cirrhotic alcoholic patients and can serve as a marker of fibrosis. *Hepatology*, 19: 1418- 1423.
- Liaw Y.F., Chein R.N., Yeh et al. (1999):** Liver fibrosis *J. Hepatology*, 30 : 567-72.
- Lichtinghagen R., Huegel O., Seifert T. et al. (2000):** Expression of matrix metalloproteinase- 2 , 9 and their inhibitors in peripheral blood cells of patients with chronic hepatitis C. *Clin Chem*, 46: 183- 192.

- Lieber C.S. (1999):** Role of S- adenosyl- L – methionine in the treatment of liver diseases. J Hepatol., 30: 1155- 1159.
- Luo, K.X. (1996):** Serodiagnosis of liver fibrosis. Linchuany, Gandanbing Zazhi, 12:1-2.
- Lyanagi T., Emi Y. and Ikushuro S. (1998):** Biochemical and molecular aspects of genetic disorders of bilirubin metabolism. Biochem. Biophys. Acta 1407: 173- 184.
- Mandelson R.M. and Kelsey P.J. (1995):** Ultrasound and liver disease. Aust. Fam. Physician 24 (3):360.
- Marc G.G. and Edward D.(2005) :**Assessment of liver fibrosis : Palpate , poke or pulse ? liver biopsy or non invasive test.AMJ Hepatol .. 234-235.
- Martinez- Noguera A., Montserrat E., Torrubia S. et al. (2002):** Doppler in hepatic cirrhosis and chronic hepatitis. Semin Ultrasound CT and MRI, 23: 19-36.
- Massova I., Kotra L.P., Fridman R. et al. (1998):** Matrix metalloproteinases: structures, evolution & diversification. FASEB J, 12: 1075- 1095.
- Mc Cayughan G.W., Gorrell M.D., Bishop G.A. et al. (2000):** Molecular pathogenesis of liver disease: An approach to hepatic inflammation, cirrhosis and liver transplant tolerance. Lmmunol Rev, 174: 172- 191.
- Menwissen J.A.P. and Heirwegh K.P.M. (1992):** Bilirubin metabolism in Bilirubin, eds. Heriwegh, K.P.M. and Brown, S.B. (CRC, Boca Raton, FL), Vol. 2: 39- 83.

Merican I. (2000): Liver fibrogenesis J gastroenterol. Hepatol, 13:71-80.

Moriyasu F., Nishida A., Ban N. et al. (1986a): « Congestion index » of the portal vein AJR ,146 : 735.

Moriyasu F., Nishida A., Ban N. et al. (1986c): Clinical application of an ultrasonic duplex system in the quantitiative measurement of portal blood flow. J. Clin. Ultrasound., 14: 579.

Moriyasu F., Nishida O., Ban N. et al. (1986b) : Measurement of portal vascular resistance in patients with portal hypertension. Gastroenterol., 90: 710.

Moseley R.H. (1996): Evaluation of abnormal liver function tests. Med. Clin. N. Am., (80): 887- 906.

Moshage H. (1997): Cytokines and the hepatic acute phase response. J. Pathol., 181: 257- 66.

Murawaki Y., Yamada S., Ikuta Y. et al. (1999): Clinical usefulness of serum matrix metalloproteinase-2- concentration in patients with chronic viral liver disease. J Hepatol., 30: 1090- 1098.

Murphy G., William J., Potyl S. et al. (1995 a): MMPs and their inhibitors. Acta orthop Scand, 66:53-66.

Muzzillo C., Clak T.M., Plumpton T.A. et al. (1993): Clin. Chim. Acta., 240: 137-154.

Naji A.A., Zakim D., Rahemtulla A. et al. (1997): Dietary saturated fatty acids down- regulate cyclooxygenase- 2 and tumor necrosi factor alfa and reverse fibrosis in alcohol- induced liver disease in the rat. Hepatol., 26: 1538- 1545.

- Nan J.X., Park E.J., Kang H.C. et al. (2001):** Anti- fibrotic effects of a hot- water extract from salvia miltiorrhiza roots on liver fibrosis induced by biliary obstruction in rats. *J Pharm Pharmacol*, 53: 197- 204.
- Naveu S., Poynard T. Benattar C. et al. (1994):** Alpha-2-macroglobulin and hepatic fibrosis: Diagnostic interest. *Dig Dis Sci*, 39: 2426- 2432.
- Naylor M., Davies B., Balkwill F. et al. (1994):** Expression of activity of matrix metalloproteinases & their regulators in ovarian cancer. *Int J Cancer*, 58: 50- 56.
- Nelson D.R., Lauwers G.Y., Lau J.Y. et al. (2004):** Interleukin 10 treatment reduces fibrosis in patients with chronic hepatitis C. A pilot trial of interferon nonresponders. *Gastroenterol.*, 118: 655- 660.
- Niedbala M.J., Crickard K. and Bernacki R.J. (2003):** In vitro degradation of extracellular matrix by human ovarian carcinoma cells. *Clin Exp Metastasis*, 5: 181- 197.
- Oberti F., Valsesia E., Pilette C. et al. (1997):** Non- invasive diagnosis of hepatic fibrosis or cirrhosis. *Gastroenterol*, 113,1609- 1616.
- Overall C.M., Wranal J.L. and Sodek J. (1991):** Transcription and post-transcriptional regulation of gelatinase type IV collagenase by transforming growth factor- β 1 in human fibroblasts. *J Biol Chem*. 266: 14064- 14071.

- Ozaki, C.F., Anderson J.C., Lieberman R.P. et al. (1988):** Duplex ultrasonography as non invasive technique for assessing portal haemodynamics. *Am. J. Surg.*, 155:70.
- Parola M., Leonarduzzi G., Biasi F. et al. (1992):** Vitamin E dietary supplementation protects against carbon tetrachloride- induced chronic liver damage and cirrhosis. *Hematology*, 16: 1014- 1021.
- Pei D., Weiss S., Kiter et al. (1995):** Furin dependent intracellular activation of the human stromelysin 3 zymogen. *Nature*, 375: 244- 248.
- Persijn J.P. and Van der Slik W. (1996):** A new method for determination of gamma glutamyl transpeptidase in serum. *J. Clin. Chem. Clin. Biochem.*, 18: 421-427.
- Platt, J.F., Rubin, J.M., Bowerman, R.A. et al. (1998):** The inability to detect disease on the basis of renal echogenicity. *American Journal of Roentgenology*, 151: 317- 319.
- Potdar P.D., Andrews K.L., Netteshei P. et al.(1997):** Expression and regulation of GGT related enzyme. *Am. J. Physiol. Nov*, 273 (5): 1082- 1089.
- Poupon R.E. and Huet P.M. (1996) :** A randomized trial comparing colchicine and ursodeoxycholic acid combination to ursodeoxycholic acid in primary biliary cirrhosis. UDCA- PBC study Group. *Hepatology*, 24: 1098- 1103.

- Poynard T., Bedossa P. and Opolon P.(1997):** Natural history of liver fibrosis progression in patients with chronic hepatitis C. The Obsvirc, Metavir, Clinivir, and Dosvirc groups. *Lancet*, 349: 825-832.
- Putnam, F.W. (1995):** Haptoglobin. In : The plasma proteins vol. (2) 2nd ed. FW. Putnam, ED. New York, Academic press, 2.
- Robert, S., Reture, B., Nerter, G. et al. (1996) :** Diabetes mellitus. Cecil textbook of medicine, 20th edition : 1258- 1278.
- Rosenberg N., Burt A., Becka M. et al. (2002):** Automated assay of serum markers of liver fibrosis predict histologic hepatic fibrosis. *Hepatology*, 32: 183A.
- Rossi E., Adams L., Prins A. et al. (2003) :** Validation of the fibrotest biochemical markers score in assessing liver fibrosis in hepatitis C patients. *Clinical chemistry*, 49 (3): 450- 454.
- Ryhanen L., Stenback F., Ala- Kokko L. et al.(1996):** The effect of malotilate on type III and type IV collagen, laminin and fibronectin metabolism in dimethylnitrosamine- induced liver fibrosis in the rat. *J Hepatology*, 24: 238- 245.
- Sato H., Takino T., Okada Y. et al. (1996):** A matrix metalloproteinase expressed on the surface of invasive tumor cells. *Nature*, 370: 61-65.
- Schiano T.D., Kim- Schluger L., Gondolessi G. et al. (2001):** Adult living donor liver transplantation: the hepatologist's perspective. *Hepatology*, 33: 3-9.

- Schmassmann A., Zufer M., Lever M. et al. (1993):** Recurrent bleeding after variceal haemorrhage: Predictive value of portal venous duplex sonography. *A.J.R.*, 11:41.
- Schwoebel A. (1997):** Hyperbilirubinemia: New approach to an old problem. *J. Perinat. Neonatal. Nurs*, 11: 78- 97.
- Scmid R. and McDonagh A.F. (1995):** *Ann. N.Y. Acad. Sci.*, 244: 355-552.
- Scoutt, L.M., Zawin, M.L. and Taylor K.J.W. (1990):** Doppler ultrasound: Clinical applications. *Radiology*, 174: 309.
- Sherlock S., and Dooley J. (2002):** Hepatic cirrhosis, Disease of the liver and biliary system "Eleventh edition" saunders company, London, 21: 365- 380.
- Shi Z., Wakil A.E. and Rockey D.C. (1997):** Strain- specific differences in mouse hepatic wound healing are mediated by divergent T helper cytokine responses. *Proc Natl Acad Sci USA*, 94: 10663-10668.
- Simpson K.J., Lukacs N.W., Colletti L. et al. (1997):** Cytokines and the liver. *J. Hepatol.* 27: 1120.
- Subramanyam B.R., Balthasar E.J., Raghavendra N. et al. (1993) :** Sonographic evaluation of patients with portal hypertension. *Am. J. Gastroenterol.*, 78: 369.
- Suchy F.J. (1994):** Abnormalities in bilirubin level in children. In: *Liver diseases in children.* (Mosby- year book, Inc.). Fourth edition, 225- 230.

- Sutton H.E., (1990):** The haptoglobins. In: Steinberg, A.G. and Bearn A.G.(ed) Progress in medical genetics. 3rd Edition, 163- 216.
- Taylor K.J.W. (1988):** Gastrointestinal duplex Doppler ultrasound. Clinics in diagnostic ultrasound. Kurtz A.B. and Goldberg, B.K. (ed).23.
- Tchelepi H., Ralls P.W., Radin R. et al. (2002):** Sonography of diffuse liver disease. ultrasound Med, 21: 1023-1032.
- Tincaini E., Cioni G., Cristani A. et al. (1993):** Duplex Doppler ultrasonographic comparison of the effects of propranolol and isosorbide-5- mononitrate on portal haemodynamics. J. Ultrasound Med., 12:255.
- Tuney D., Aribal M.E., Ertem D. et al. (1998):** Diagnosis of liver cirrhosis in children based on colour Doppler ultrasonography with histopathological correlation. Pediatr. Radiol. No., 28 (11): 859-64.
- Walsh K.M., Timms P., Campbell S. et al. (1999):** Plasma level of tissue inhibitor metalloproteinase-1 and -2 (TIMP1 and TIMP2) as non invasive markers of liver disease. Dig Dis Sci., 26: 593-605.
- Wange B.E. (1998):** Liver fibrosis: diagnosis and evaluation of disease severity. Zhonghua Ganzangbing Zazhi, 6: 193- 194.
- Weill F.S. (1989):** An anatomic guide in examination of the upper abdomen. Echoangiography. In: Weill F.S. ultrasound diagnosis of digestive disease. Berlin: Springer- Verlag, 43- 72.
- Weinreb J., Kumari, S., Phillips, G. et al.(1982):** Portal vein measurements by real time sonography. A.J. A., 139: 497.

- Wilhelm S., Collier I., Marmer A. et al. (1998):** SV 40 transformed human lung fibroblasts secrete type IV collagenase which is identical to that secreted by normal human macrophages. J Bio Chem, 264: 17213- 17221.
- Williams, B., Schrier R., Ramsy T. et al. (1990):** Characterization of glucose induced in situ protein kinase C activity cultures smooth muscle cells. Diabetes, 41: 1464- 1472.
- Winwood P.J., Schuppan D., Iredale J.P. et al. (1995):** Kupffer cell derived 95- kd type iv collagenase/ gelatinase B: Characterization and expression in cultured cells. Hepatol., 22: 304-15.
- Xu Y., Wang B. and Cao H. (1999):** An ultrasound scoring system for the diagnosis of liver fibrosis and cirrhosis. Chin. Med. J., 112: 1125- 1128.
- Ye B., Gramer D.W., Skates S.J. et al. (2003):** Haptoglobin alpha subunit as a potential serum marker in ovarian carcinoma, identification & characterization using proteomic profiling and mass spectrometry. Clin. cancer res., 9 (8): 2904-11.
- Zweible W.J. (1995):** Sonographic diagnosis of hepatic vascular diseases. Semin Ultrasound, CT, MRI, 16 (1): 34.