References

- Ament ME (1988): Fiberoptic upper intestinal endoscopy in infants and children, Pediatric Clin North, Am. 35:141.
- American Academy of pediatrics (1992): Guideline for monitoring and management of pediatric patients during and after sedation for diagnostic and therapeutic procedures, pediatrics. 89:1110.
- Benheim A et al., (1993): Routine use of transoesophageal echocardiography and color-flow imaging in the evaluation and treatment of children with congenital heart disease, Echocardiography, 10:583.
- Brennan P and Young ID (2001): Congenital heart malformations: Etiology and associations. Semin Neonatol 2001; 6: 17-25.
- Carol L. Lake, (1993): Paediatric Cardiac an aesthesia second edition ch, (13:233, 13:237-238,15:253-254).
- Cherqui M, Brusset A, Linu N, et al., (1997): intra operative transesophageal echocardiography assessment of vascular anastomosis in lung transplantation: A report on 18 cases chest; 111:1229-35.
- Colin KL and Monika Rutkowski (1999): Tarnsoesophageal imaging of the mid to distal left pulmonary artery in congenital heart disease. Journal of American society of echocardiography vol. 12. Number August.
- Daniel Schmidlin, Marc-Andre Bernath, Michel Hurni, et al., (2003):
 Intaoperative transesophogeal echocardiography in pediatric congenital Cardiac Surgery: Anesth Analg; 97: 1275-82.

- Daniel WG et al., (1991): Safety of transoesophageal echocardiography: a multi-center survey of 10,419 examinations, Circulation, 83:817.
- David A, Gremse, Sujata Kumar, et al., (1997): Conscious sedation with high dose medazolam for pediatric gastrointestinal endoscopy: www.sma.org/smj/97aug.htm.
- Durongpisitkul and Colleague (2000): Utility of transesphogeal echocardiography in congenital heart disease, J Med. Assoc. Thail. Nov; 83 Suppl. 2: 546-53.
- Erbel R, et al., (1988): Improved diagnostic value of echocardiography in patients with infective endocarditis by transoesophageal approach: a prospective study, Eur Heart J. 9:43.
- Feigenbaum H (1994): Feigenbaum H. Echocardiography. Philadephia: Lea and Febiger, pp 1-67.
- Feigenbaum Harvey (1994): Echocardiography, transesophogeal echocardiography. Lea and Febiger, 106-114, 5th edition.
- Feltes-TF and Friedman RA (1994): Transoesophageal echocardiographic detection of atrial thrombi in patients with non fibrillation atrial tachy-arrhythmias and congenital heart disease, J Am-coll-cardio. Non. 1:24(5)1365-70.
- Fleischer DE (1989): Monitoring the patient receiving conscious sedation for gastrointestinal endoscopy: issues and guidelines. Gastrointestinal Endoscopy. 35-262.
- Fleischer DE and Goldstein SA (1990): Transesophogeal Echocardiography: what the gastro-enterologist thinks the cardiologist should know about endoscopy. J. Am. Soc. Endocardiogr, 3:428.

- Frommelt MA and Frommelt PC (1999): Advances in echocardiographic diagnostic modalities for the pediatrician. Clinics of North America, 45:427-440.
- Frommelt PC, Lewis DA and Pelech AN (1998): Intra-operative transgastric echo assessment during left ventricular outflow tract surgery: A reliable predictor of residual obstruction. Echocardiography, 15:581-585.
- Fyfe DA (1992): Guidelines for transesophogeal echocardiography in children. From the committee on standards for pediatric transesophogeal echocardiography, Society of pediatric echocardiography. J Am Soc echocardiogr. 5:640.
- Geoffery J and Stevenson MD (1999): Adherence to physician training guide lines for pediatric trans esophageal echocardiography affects the outcome of patients undergoing repair of congenital cardiac defects. Journal of American Society of echocardiography. Vol. 12, No. 3, March.
- Geoffery J and Stevenson MD (1999): Incidence of complications in pediatric transesophogeal echocardiography: experience of 1650 cases. Journal of the American Society of echocardiography. Vol. 12, No. 6; June.
- Gillum RF (1994): Epidemiology of congenital heart disease in the United States. Am Heart J., 127: 919-927.
- Goldmunts E (2001): The genetics of cong. Heart disease. Clin Perinatal; 28:1-10.

- Habermehl JW (1995): Transesophogeal echocardiography using a 4mm probe VLOSP administrator, Last modified October 4th.
- Hanaa Fereig, Taha abd El Aziz and Wafi Eteibe (1998): Comparison between transthoracic and tarns-esophageal echocardiography in diagnosis of adult atrial septal defect. Egypt Hart J 50(1):1136:13. March.
- Heard and Colleague (2001): Anesthetic technique for transesophageal in children poechatr. Anaesth., Jan, 11(2): 181-6.
- Humpl T, McCrindle BW and Smallhorn JF (2003): The role of transesophageal echocardiography in children with suspected infective endocarditis. J. Am. Coll. Cardiol. 2003, Jun 4; 41(11):2068-71.
- Ian R and Thomson (1997): Basic Transesophogeal echocardiography. Anesthesia. Org/winterlude/w.
- Jan Poelarert and Karl Skarvan (2000): Transesophageal echocardiography in anesthesia, 1st (ed). BM J Books (P2-3, 129 and 145).
- Joyce J.J, Hwang EY, Whiles H.B, et al., (2004): Reliability of intraoperative transesophageal echocardiography during tetralogy of foliat repair. Echocardiography May; 17(4):319-27.
- Karanaugh-McHugh A, Tobias JD, Doyle T, Heitmiller ES and Meagher C (2000): Transesophogeal echocardiography in pediatric congenital heart disease: Cardiol Rev; 8(5): 288-306.
- Khandheria, Tajik, Freeman, et al., (1994): Transesophageal echocardiography textbook 1st edition. Patient preparation, Chapter(2): 9-24.

- Kollmeyer I.J, Collard CD, Fox JA, et al., (2001): The safety of intraoperative transesophogeal echocardiography: Anesth Analg May; 92(5): 1126-30.
- Lame J, Neirotti RA, Lubbers WJ, et al., (1993): Usefulness of biplane transesophageal echocardiography in neonates, infants and children with congenital heart disease. Am J Cardiol. 72:699-706.
- Lame J, Neriotti RA, Nijveld A, et al., (1991): Transesophogeal echocardiography in pediatric patients: Preliminary results, J Am Soc. Echocardiogr, 4:43-50.
- Maeno YV, Benson LN, Mclaughlin PR et al., (2000): Bynamic morphology of the secoundum atrial septal defect evaluated by three dimensional transesophageal echocardiography. Heart; 53 (6): 673-7, Jun.
- Magni G, Hijazi Z, Pandian NG et al., (1997): Two and three dimensional transesophageal echocardiography in patient selection and assessment of atrial septal; defect closure by new DAS-angle wings device circulation 96:1722-1728.
- Marcus B, Wang PC, Winfield J, et al., (1994): Out patients transesophageal echocardiography with intravenous propofol anesthesia in children and adolescents. J. Am. Soc. Echocardiography, 6:205-210.
- Marcus B, Wang PC, Winfield J, et al., (1994): Transoesophageal echocardiography in the post operative child with an open sternum. Ann thoracic surgery, 58:253-236.

- Mark Morales J (2001): Aneurysms of the left atrium are rare abnormalities. Best evaluated by transesophageal echocardiography. Ann Thorac Surg, 71:719-22.
- Melendez LI, et al., (1991): Incidence of bacteremia in transesophogeal echocardiography: A prospective study of 140 consecutive patients, J Am Coil Cardiol, 18:1650.
- Meyer RA (1995): Basic concepts of transesophageal echocardiography.

 In heart disease in infants and adolescence, edited by Pine JW,
 Williams and Wilkins, 5th edition, pp 255-266.
- Michael A, Green, et al., (1999): Transesophageal Echocardiography in critically ill patients: indications and therapeutic impact. Journal of Hofman heart institute. Vol. 116, No. 5, November.
- Michael S and Jose C (1998): Transoesophageal Echocardiography in critically ill patients: indications and therapeutic impact the journal of Hoffman heart institute of Connecticut December Vol. 2 No. 4.
- Miller-Hance WC and Silverman NH (2000): Transesophageal echocardiography (TEE) in congenital heart disease with focus on the adult. Cardiol-Clin. Nov; 18(4): 861-92.
- Nora J.J and Nora AH (1997): Genetic epidemiology of congenital heart disease. Prog. Med. Genetics, 5: 91-6.
- Omran H, Jung W, et al., (1999): Imaging of thrombi and assessment of left atrial appendage function: a prospective study comparing transthoracic and transesophageal echocardiography. Heart. J. 81:192-198.

- O'Shea J, D'ambra SI and Magro C (1991): Effects of prolonged transesophageal echocardiographic imaging and probe manipulation.
- Ozkutlu S, Bilgic A, et al., (2001): Preliminary pediatric transesophageal echocardiography experiences. Turk J Pediat; 43(3):201-4.
- Park MK (2003): Special tools in evaluation of cardiac patients, In pediatric cardiology 3rd edition edited by Dolores Meloni., Mosby. Page 53.
- Pearlman A, et al., (1992): Guideline for optimal physician training in transesophogeal echocardiography, J Am Soc Echocardiogr, 5:187.
- Pedra SR, Pedra CA, Assef JE et al., (1999): Percutaneous Closure of atrial septal defects. The role of transesophageal echocardiography. Arg Brass cardiol; 72(1):59-69, Jan.
- Phoon CK and Colleagues (1999): Transesophageal imaging of the mid to distal left pulmonary artery in congenital heart disease, J Am Soc Echocardiogr. Aug; 12(8): 663-8.
- Radigas PC, Meyer FJ, Hasler GB, et al., (1982): Intraoperative 2-dimensional echocardiography: Ejection of microbubbles from the left ventricle after cardiac surgery. Am J Cardiol 50:1130-1132.
- Rei-Yeuh chang, Hai Kuo, Rou-Sei Rim, et al., (1996):
 Transoesophageal Echocardiography Image of Double-Chambered
 Right ventricle. J of American Society of Echocardiography vol.
 No. 3 May-June.
- Richard EB, Robert MK and Hael BJ (2000): Nelson textbook of pediatrics. 17th edition, W.B. Saunder Company. Page 1499-1550.

- Ritter Samuel B (1991): Transesophageal Real-Time echocardiography in infants and children with congenital heart disease. J Am Coll Cardiol. 18:569-80.
- Ritter SB and Hillel Barag J (1989): Transesophogeal real-time Doppler flow imaging in congenital heart disease: experience with a new pediatric transducer probe. Bynamic cardiovascular imaging 2:92.
- Roess DP, Jaek OH, Carole AW, et al., (1996): Diagnosis of sinus versus atrial septal defect with transoesophaeal echocardiography. Circulation, 94:1049.
- Rohmann S, et al., (1991): Prediction of rapid versus prolonged heating of infective endocarditis by monitoring vegetation size, J Am Soc Echocordiogr. 4:465.
- Rosenfeld HM, Gentles TL, Wernovsky G, et al., (1998): Utility of intraoperative transesophageal echocardiography in the assessment of residual cardiac defect. Pediatr, Cardiol. Jul-Aug; 19(4): 346-51.
- Samuelso PN (1987): pulmonary and systemic desaturation. In Reves JD (ed): Common Problems in Cardiac Anesthesia. New York: Year Book Medical, pp 90-96.
- Seward JB (1989): Transesophogeal echocardiography: technique, anatomic correlation, implementation, and clinic application, Mayo Clinic Proc. 65:649.
- Seward JB (1993): Multiple transesophageal echocardiography: image orientation, examination technique, anatomic correlation, and clinical applications, Mayo clinic proc. 68:523.

- Seward JB (1994): Critical appraisal of transesophageal echocardiography: Limitations and pitfalls. In: Freeman WK, Seward JB, Kandheria BK, et al., editors. Transesophageal echocardiography. Boston: little, Brown and Co. page 55-101 and 129-51.
- Sheil ML and Bains DB (1999): Intra-operative transoesophageal echocardiography for pediatric cardiac surgery an audit of 200 cases. Anestesia intensive care. Dec; 27(6): 591-5.
- Silverman NH and Wiles HB (2004): Nelson textbook of pediatric, 17th edition, W.B. Saunders company.
- Sloth E (1997): Transesophageal multiple imaging of the pulmonary artery: a comparison of MRI and multiplane transesophogeal two-dimensional echocardiography. Cardiovasc Res. June, 34(3):582-9.
- Sloth E, Hasenkam JM, Sorensen KE, et al., (1996): Pediatric multiple transesophogeal echocardiography in congenital heart disease: New possibilities with a miniaturized Probe. Journal of the American Society of Echocardiagraphy. Vol. 9, No. 5. September-Oct.
- Sloth E, Pedersen EM, Nygaard H, et al., (1997): Multiplane transesophogeal Doppler echo cardiographic measurements of the velocity profile in the human pulmonary artery, J Am Sco Echocardiogr, 10:838-845.
- Snider A Rebecca, Serwer GA and Ritter SB (1997): Specialized Echocardiographic techniques in Echocardiography in pediatric heart disease, Mosby, 2nd edition, chapt 4 page 99-118.

- Sousa L(1999): The sinus venosus type of interatrial communication: Its diagnosis by transesophageal echocardiography. Rev port cardiol 18 (2): 149-53, Feb.
- Spencer KT et al., (1997): Transnasal transoesophageal echocardiography. J. Am Soc Echocardiogr 10:758-837.
- Stacey ED, Thomas SK, Kevin MS, et al., (1995): Guidance of radiofrequencey catheter ablation by transoesophageal echocardiography in children with palliated single ventricle. The American, J of Cardiol. Vol. 76, 1312-1312, Dec.
- Sterenson GJ (1999): Adherence to physician training guide lines for pediatric transesophageal echocardiograph affects the outcome of patients undergoing repair of congenital cardiac defects. Journal of American Society of echocardiography, Vol. 12, No. 3. March.
- Sterenson GJ (1999): Incidence of complications in pediatric transesophageal echocardiography: Experience of 1650 cases.

 Journal of the American Society of Echocardiography. Vol. 12. No. 6, June.
- Stevenson JG (1995): Role of intraoperative transesophageal echocardiography during repair of congenital cardiac defects. Acta paediatr, Supp, 410:23-33.
- Stumper O, Fraser AG, Ho SY, et al., (1990): Transsophageal echocardiography in the longitudinal axis: Correlation between anatomy and images and its clinical implications. Br hear J, 64:282-8.
- Stumper OFW (1990): Transesophageal echocardiography in children with congenital heart disease: an initial experience. Am Coll Cardiol. 16:431.

- Stumper Oliver (1991): Transesophageal Echocardiography monitoring of interventional cardiac catheterization in children, American College of Cardiology J, 18: 1506-1514.
- Sutherland GR and Stumper OF (1995): Transesophageal echocardiography in congenital heart disease. Acta paediatr suppl; 410:15-22.
- Tarek S, Khalil, AbdelLatif M et al., (1997): Value of transthoracic and transoesophageal echocardiography in evaluation of patients with cerebrovascular embolic events. Egypt heart J 49 (2): 119-125.
- Thomson IR, Vletter WB, Brommersma P, et al., (1992): Multiplane transesophageal echocardiography: latest evaluation in an imaging revolution. J Am Soc Echocardiogr., 361-7.
- Ungerleder RM, Greeley WJ, Sheikh KH et al., (1990): Routine use of post operative epicardial echocardiography and Doppler colour flow imaging to guide and evaluate repair of congenital heart disease: a prospective study. J. Thorac. Cardiovasc. Surg.; 100: 297-309.
- William K, Freeman et al., (1994): (TEE) Transesophageal echocardiography textbook 1st edition.
- Wolfe IT, Rossi A and Ritter SB (1993): Transoesophageal echocardiography in infants and children: use and importance in the cardiac intensive care unit, Am Soc Echacardiogr. 6:286.
- Zhu W and Colleague (2000): Measurement of atrial septal defect size: a comparative study Pedietr Cardio; 21(5):465-9. Sep-Oct.