

REFERENCES

- Adelroth, E.; Morris, M.M.; Hargreave, F.E. and O'Byrne, P.M (1988):*
Airway responsiveness to leukotrienes C₄ and D₄ to methacholine in patients with asthma and normal controls.
N. Engl. J. Med.; 315 : 480-484.
- American Thoracic Society (1962) :*
Definitions and classification of chronic bronchitis, asthma and pulmonary emphysema.
American Rev. Resp. Dis., 85 : 762-768.
- Anderson, S.D.; Schoeffel, M. and Finney, M. (1983):*
Evaluation of ultrasonically nebulized solutions for provocation.
Thorax, 38 : 284.
- Asad, S.I.; Kemeny, D.M.; Youlten, L.J.F.; Frankland, A.W. and Lessof, M.H. (1984):*
Effect of aspirin in "aspirin-sensitive" patients. Br. Med. J., 288 : 745-748.
- Azzawi, M.; Bradley, B.; Jeffrey, P.K.; Frew, A.; Wardlaw, A.; Knowles, G.; Assoufi, B.; Colins, J.; Durhams, and Kay, A.B. (1990):*
Identification of activated T-lymphocytes and eosinophils in bronchial biopsies in stable atopic asthma.
Am. Rev. Respir. Dis.; 142 : 1407-13.
- Bakke, P.S.; Baste, V. and Gulsvik, A. (1991) :*
Bronchial responsiveness in a Norwegian community.
American review of respiratory disease. 143, 17-22.
- Ballantyne, J. and Groves, J. (1979):*
Scott-Brown's Disease of the Ear, Nose and Throat, 4th Edition, Vol.3. Chapter 11, P. 225.
Published by Butterworth, London, Boston, Sydney, Wellington Durban, Toronto.

Barnes, P.J.; Dale, M.M. and Dollerg, C.T. (1981):

Inhaled prazosin in asthma.

Thorax, 36 : 378-381.

Barnes, P.J.; Basbavon, C.B. and Nadel, J.A. (1983):

Autoradiographic localization of autonomic receptors in airway smooth muscle : marked differences between large and small airways.

Am. Rev. Respir. Dis.; 127 : 758-762.

Barnes, P.J. (1986):

Neural control of human airways in health and disease.

Am. Rev. Respir. Dis.; 134 : 1289: 1314.

Barnes, P.J. (1989):

Neuropeptides in the lung, localization, function and pathophysiologic implications.

J. Allergy Clin. Immunol.; 79 : 285-295.

Barnes, P.J. (1991):

Mechanisms of asthma.

Int. Medicine, 89 : 3694-3702.

Barry Zimmerman, M.D.; David Stringer, M.D.; Stephen Feanny, M.D.; Henk Hak, M.D.; John Melauplin, M.D. and Henery Levison, M.D. (1987):

Prevalence of abnormalities found by sinus x-rays in childhood asthma : lack of relation to severity of asthma
Toronto Canada, J.of Allergy Clinical Immunol., 80 : 268-73.

Bass, R.M.; Potter, E.V. and Barney, P.I. (1974):

Immunofluorescent localization of immunoglobulins in nasal polyps.

Arch. Otolaryngol., 99 : 446.

Baumgarten, C.; Kunkel, G.; Rudolph, R.; Staud, R.D.; Sperner, I. and Gelderblom, H. (1980):

Histopathological examination of nasal polyps of different etiology.

Archives of Otorhino Laryngology, 226 : 187-197.

- Beasley, C.R.; Roche, W.R.; Roberts, A.J. and Holgate, S.T. (1989):**
Cellular events in the bronchi in mild asthma after
bronchial provocation.
Am. Rev. Respir. Dis.; 139 : 806-817.
- Bennett, J.D. and Chowdhury, C.R. (1993):**
Nasal polyps; a preliminary diagnosis.
J. of Royal Army Medical Corps; 139 (3): 112-4.
- Berdal, P. (1954):**
Serological examination of nasal polyp fluid.
Acta Otolaryngologica, 115.
- Bierman, C.W. (1984):**
A comparison of late reactions to antigen and exercise.
J. Allergy Clin. Immunol., 673 : 654-659.
- Bierman, C.W.; Pierson, W.E. and Sharpe, M. (1987):**
Ketotifen reduces bronchial hyperreactivity in children.
J. Allergy Clin. Immunol., 79 : 184.
- Bierman, C.W. and Shapire, G.G. (1989)**
clinical expression of bronchial hyperreactivity in children.
Clinic. Rev. Allergy, 7 : 301-320.
- Bisgaard, H. (1984):**
Leukotrienes and prostaglandins in asthma.
Allergy, 39 : 413-420.
- Blair, H. (1977):**
Natural history of childhood asthma : 20 years follow-up.
Arch. Dis. Child., 52 : 613.
- Boulet, L.P.; Cartier, A.; Thomson, N.C.; Roberts, R.S.; Dolovich,
J. and Hargreave, F.E. (1983):**
Asthma and increase in non-allergic bronchial
responsiveness from seasonal pollen exposure.
J. Allergy Clin. Immunol., 71 : 399-406.

- Bousquet, J.; Chanez, P.; Lacoste, J.Y.; Barneon, G.; Ghavanian, N.; Enader, I.; Verge, P. Ahlstedt, S.; Simony-La Fontaine, J. Godard P. and Michel, F.B. (1990):**
Eosinophilic inflammation in asthma.
N.Engl. J. Med.; 323: 1033-9.
- Braude, S.; Royson, D. and Barnes, P.J. (1984):**
Histamine increases lung permeability.
Lancet; 2 : 372-376.
- British Thoracic and Tuberculosis Association Research Committee (1975):**
Immunological features of asthma.
Part 2. Clinical Allergy, 5 : 403.
- Brody, M.J. (1972):**
Cellular localization of glucagon by fluorescence microscopy. Reaction of NH₂ Terminal Histidine with O-Phthalaldehyde.
J. Histochem. Cytochem., 20: 945.
- Brown, B.L.; Harner, S.G. and Van Dellen, R.G. (1979) :**
Nasal polypectomy in patients with asthma plus sensitivity to aspirin.
Arch. Otolaryngol, 105 : 413-416.
- Brown, J.K.; Shields, R. and Jones, C. (1986):**
Augmentation of alpha-adrenergic contractions in the tracheal muscle of living dogs.
Chest; 103 : 36-41.
- Bryant, D.H.; Burns, M.W. and Lazarus, L. (1975):**
Identification of IgG antibodies as a carrier of reaginic activity in asthmatic patients.
J. Allergy Clin. Immunol., 56 : 417.
- Bruce, C.A.; Rosenthal, R.R. and Norman, P.S. (1975):**
Quantitative inhalation bronchial challenge in ragweed hay patients a comparison with ragweed allergic asthmatics.
J. Allergy Clin. Immunol., 56 : 331-337.

- Bumstead, R.M.; El-Ackad, T.; Smith, J.M. and Brody, M.J. (1979):**
Histamine, norepinephrine and serotonin contents of the nasal polyps.
Laryngoscope., 89 : 832.
- Bunnage, C.; Packaree, P.; Vipulakon, P. and Siriyanada, C. (1983):**
A study of allergic factors in nasal polyp patients.
Ann. Allergy, 50 : 126.
- Burge, P.S.; Efthimou, J.; Turner, M. and Nelmes, P.T. (1982):**
Oral and inhaled steroids inhibit the increased airway responsiveness after allergen challenge.
Clinic allergy, 12 : 523-531.
- Burger, J.; Macek, M.; Stuhmann, M.; Reis, A.; Krawczak, M. and Schmidtke, J. (1991):**
Genetic influences in the formation of nasal polyps (letter).
Lancet, I. 974.
- Burr, M.L.; Stleger, A.S.; Bevan, C. and Merrett, T.G. (1975):**
A community survey of asthmatic characteristics.
Thorax, 30 : 663.
- Burney, P.G.J.; Chinn, S. and Rona, R.J. (1990):**
Has the prevalence of asthma changed? Evidence from the national study of health and growth, 1973-1986.
Br. Med. J., 300; 1306.
- Busutill, A.; More, I.A. and McSeveney, D. (1976):**
Ultrastructure of the stroma of the nasal polyps.
Arch. Otolaryng., 102 : 589.
- Busutill, A.; Chandrachud, H.; Kerr, A. and Hurdell, G. (1978):**
Simple nasal polyps and allergic manifestations.
J. Laryngo, Otol., 92 : 477.
- Caplin, I.; Haynes, J.T. and Spahn, J. (1971):**
Are nasal polyps an allergic phenomenon?
Ann. Allergy, 29 : 631.

- Carstairs, J.R.; Nimmo, A.J. and Barnes, P.J. (1985):**
Autoradiographic visualization of beta- adrenoreceptor subtypes in human lung.
Sam. Rev. Respir. Dis.; 132 : 541-547.
- Carps, L.P. (1989):**
Bronchial hyperresponsiveness.
Clin. Rev. in Allergy, 7 : 233-343.
- Casale, T.B., (1987):**
Neuromechanisms of asthma and hyperreactivity.
Ann. Allergy; 59 : 391-398.
- Cauna, N.; Hindover, K.H.; Manzethi, G.W. and Swanson, E.N. (1972):**
Fine structure of nasal polyps.
Ann. Otol. Rhinol., Laryng., 31 : 41.
- Cerveri, I.; Brushi, C.; Zoia, M.C.; Zanon, P.; Maccarini, L.; Grassi, M. and Rampulla, C. (1988):**
Epidemiology of bronchial hyperresponsiveness.
Chest, 93 : 26-30.
- Cervenka, J. (1990):**
bronchial reactivity in patients with nasal polyps.
Cesk Otolaryngol., 39 (4): 215-20.
- Chai, H. (1979):**
Antigen and methacholine challenge in children with asthma.
J. Allg. Clinic. Immunol., 69: 575.
- Chang, K.F.; Barnes, P.J. and Parkes, P.G. (1989):**
Effect of platelet activating factor on airway calibre, airway responsiveness and circulating cells in normal subjects.
Thorax; 44 : 108-115.

Christofides, N.D.; Yiangou, Y. and Piper, P.J. (1984):

Distribution of peptides histadine isolucine in the mammalian respiratory tract and some aspects of its pharmacology.

Endocrinology; 115 : 1985 : 1963.

Clark, T.J.H. and Godfrey, S. (1977):

Prevalence of bronchial asthma. In : L.M. Lichtenstein and K.F. Austen (eds.). Asthma physiology, Immunopharmacology and treatment, 1st edition, Ch. 3, P. 215, New York : Academic Press.

Cockcroft, D.W. (1977):

Airway hyper-responsiveness: therapeutic implications. Ann. Allergy; 59 : 40-5-414.

Cockcroft, D.W.; Cotton, D.J. and Mink, J.T. (1979):

Nonspecific bronchial hyperreactivity after exposure to western red cedar.

American Rev. Resp. Dis., 119 : 505.

Cockcroft, D.W.; Berscheid, B.S. and Murdock, K.Y. (1983):

Measurement of responsiveness to inhaled histamine using FEV₁ : comparison of PCO₂ and threshold.

Thorax, 38 : 523-526.

Cockcroft, D.W. (1985):

Measurement of airway responsiveness to inhaled histamine or methacholine.

Astrapharmaceutical comp. Ltd., 24 : 391-413.

Cockcroft, D.W.; Woolcock, A.J.; Berschied, B.A. and Core, B.P. (1992):

Sensitivity and specificity of methacholine PC20 determination in a random selection of young college students.

J. Allergy Clin. Immunol., 89 : 23-30.

Cookson, T.; Campbel, A.; Demoly, P. and Michel, F.B. (1993):

Month of birth and allergic diseases.

J. Allergy Clin. Immunol.; 11 : 1026-1031.

Corrigan, C.J. and Kay, A.B. (1992):

T-lymphocytes. In : Barnes, P.J. Rodger, I.W. and Thomson, N.C. (eds.) Asthma : basic mechanisms and clinical management (2nd Edn.).

Academic Press Limited, Ch.9, P.125.

Cropps, G.J. and Schmoltz, I.J. (1985):

Measurement of exercise induced asthma in children. *Pedia*, 56 : 860-867.

Cuss, F.M.; Dixon, C.M. and Barnes, P.J. (1990):

Effect of inhaled platelet activating factor on pulmonary function and bronchoresponsiveness in humans.

Lancet; 2 : 189-192.

Danielsen, A. (1992) :

Functional endoscopic sinus surgery on a day case out-patient basis.

Clinical otolaryngology, 17 (6) : 473-7.

Dawes, P.; Bates, G.; Watson, D.; Lewis, D. and Drokelee, A.B. (1989):

The role of bacterial infection of maxillary sinus in nasal polyp.

Clinical Otolaryngology, 14 : 447-450.

Delaney, J.C. (1976) :

Aspirin idiosyncrasy in patients admitted for nasal polypectomy. *Clinical otolaryngology*, 1 : 27.

Quoted from : Drake - Lee, A.B.; Lowe, D.; Swanston, A. and Grace, A.; (1984): clinical profile and recurrence of nasal polyps. *J. of Laryngology and Otology*, 98 : 783.

Derrick, E.H. (1971):

Epidemiology of bronchial asthma.

Med. J. Austr., 1 : 1317.

Djukanovic, R.; Roche, W.R. and Wilson, J. (1990):

Mucosal inflammation in asthma.

Am. Rev. Respir. Dis.; 142 : 434-457.

Dodge, R.R. and Burrows, B. (1980) :

The prevalence and incidence of asthma and asthma-like symptoms in general population sample.

Am. Rev. Respir. Dis., 122, 567.

Dolowitz, D.A. and Hecker, H.C. (1966):

Hyperplastic respiratory mucosa and nasal polyposis.
Ann. Allergy. 24 : 555- 558.

Downing, E.; Drake-Lee, A.B. and Mclaughlin, P. (1982):

Bronchial reactivity in patients with nasal polyps before
and after polypectomy.
J. Allergy Clin. Immunol., 69 : 102 (abstract).

Drake-Lee, A.B. and Mclaughlin, P. (1982):

Clinical symptoms, free histamine and IgE in patients with
nasal polyps.
Archives of Allergy, 69 : 268.

Drake-Lee, A.B.; Lowe, D.; Swanston, A. and Grace, A. (1984):

Clinical profile and recurrence of nasal polyps.
J. of Laryngology and Otology, 98 : 783.

Drake-Lee, A.B.; Barker, T.H.W. and Thurley, K. (1984):

Nasal polyps (1) scanning electron microscopy and
artifact. (2) fine structure of mast cells.
J. of Laryngology and Otology, 98 : 485.

Darke- Lee, A.B. (1986):

Nasal polyps scott-brown's disease of the Ear, Nose and
Throat.
5th ed., Vol.4, butterworths, London, Boston, Washington.

Darke-Lee, A.B. (1987):

Scott-Brown's otolaryngology, 5th, Edition. Vol.4, chapter
9, P. : 142.
Published by Butterworths, London, Boston, Durban,
Singapore, Sydney, Toronto and Wellington.

Drake-Lee, A.B. (1992):

Nasal polyps in identical twins.
J. of Laryngology and Otology, 106, 1084-1085.

Drake-Lee, A.B. (1994):

Medical treatment of nasal polyps.
Rhinology, 32 (1): 1-4.

Drake-Lee, A.B. (1997) :

Scott-Brown's disease of the Ear, Nose and Throat. Sixth edition, Vol. 4, Chapter 10, P : 1-14. Published by Butterworth, London, Boston, Johannesburg, Melbourne, New Delhi and Singapore.

Dunnill, M.S. (1982):

Pulmonary pathology, chapter 6, Churchill Livingstone, Edinburgh.

Editorial (1971):

Age of onset of asthma.
Lancet, 2 : 477.

Empey, D.W.; Laitinen, L.A.; Jacobs, L.; Gold, W.M. and Nadel, J.A. (1976):

Mechanisms of bronchial hyperreactivity in normal subjects after upper respiratory tract infections.
Am. Rev. Resp. Dis., 113 : 131.

Fabbi, L.M.; Boschetto, P.; Zocco, E.; Milani, G.; Pivrotto, F.; Plebani, M.; Burlina, A.; Licata, B. and Mapp, C.E. (1987):

Bronchoalveolar neutrophilia during late asthmatic reaction induced by toluene diisocyanate.
Am. Rev. Respir. Dis., 136 : 36-42.

Finotto, S.; Dolovich, J.; Denburg, J.A.; Jordana, M. and Marshall, J.S. (1994):

Functional heterogeneity of mast cells isolated from different microenvironments within nasal tissue.
Clinical and Experimental Immunology, 95 (2): 343-50.

Fish, J.E.; Kelly, J.F. and Peterman, V.I. (1978):

Bronchoconstrictor aerosol response in asymptomatic asthma. Effect of prechallenge pulmonary function.
Am. Acad. Allergy, Met. Abstract., P. 38.

Friedman, W.H.; Katasantonis, G.P.; Slavin, R.G.; Kannel, P. and Linford, P. (1982):

"Sphenoidectomy : its role in the asthmatic patient".
Otolaryngol. Head Neck Surg., 90 : 171-177.

Friedmann, I. and Osborn, D.A. (1982):

Miscellaneous granulomas and nasal polyps. Pathology of granulomas and neoplasms of the nose and paranasal sinuses. 2nd Ed., Churchill Living Stone, Edinburgh.

Friedman, W.H. (1986) :

Sphenoidectomy : the case for ethmoid marsupialization".

Laryngoscope, 96 : 473.

Friedman, P. (1988):

Dilemmas in otolaryngology, chapter 12, P.218. First published 1988, Churchill Livingstone, Edinburgh, London Melbourne, and New York.

Frigas, E. and Gleich, G.J. (1990):

The eosinophil and the pathophysiology of asthma.
J. Allergy Clin. Immunol.; 77 : 527-537.

Fuller, R.W.; Dixon, C.M.; Dollery, C.T. and Barnes, P.J. (1985):

Prostaglandin D₂ potentiate airway response to histamine and methacholine.
Am. Rev. Respir. Dis., 133 : 252-256.

Gleich, G.J. (1990):

The eosinophil and bronchial asthma : current understanding.
J. Allergy Clin. Immunol., 85 : 422-36.

Godfrey, S. (1985):

What is asthma.
Arch. Dis. Child., 60 : 997.

Goodman, L.S. and Gilman, A. (1975):

The pharmacological basis of therapeutic, 5th edition, McMillan Publishers, New York.

Quoted from : Bumsted, R.M.; El-Ackad., T.; Smith, J.M. and Brody, M.J. (1979): Histamine, norepinephrine and serotonin content of nasal polyps. Laryngoscope, 89 : 832.

Gregg, I. (1977) :

Prevalence of bronchial asthma. In : L.M.Lichtenstein and K.F. Austen (eds.), Asthma : physiology immuno-pharmacology and treatment. 1st edition, Ch. 3, P. 214, New York, Academic Press.

Gross, N.J. and Sjorodin, M.S. (1984):

Anticholinergic, antimuscarinic bronchodilators.
Am. Rev. Respir. Dis.; 129 : 856-870.

Hallen, H.; Graf, P. and Juto, J.E. (1994):

The nasal reactivity in patients with nasal polyp.
ORL : 56 : 276-278.

**Hargreave, F.E.; Ryan, G.; Thomson, N.C.; O'Byrne, P.M.;
Latimer, K. and Juniper, E.F. (1981):**

Bronchial responsiveness to histamine or methacholine in asthma : measurement and clinical significance.
J. Allergy Clin. Immunol., 68 : 347-355.

Hendrick, H.C.; richard, S.F. and Luz, A. (1986):

Standrization of bronchial inhalation challenge procedures.
J. Allergy Clinic Immunol., 56 (4): 323-327.

Herbert, F.A.; Weimer, N. and Salkie, M.L. (1982):

RAST and skin test screening in the investigation of asthma.
Annals of Allergy, 45 : 311.

Herxheimer, H. (1975):

A guide to bronchial asthma.
Academic Press, London, New York, San Francisco.

Hetzel, M.R. (1981) :

The pulmonary clock.
Thorax, 36, 481.

Hiraide, F. and Kakoi, H. (1986):

A histological study on innervation of glands and blood vessels in nasal polyps.
Acta. Otolary (Stockh). Supp., 430 : 5.

Hiraide, F. and Kakoi, H. (1987):

A histological study of formation and growth of nasal polyps.

Acta Otolary, (stockh). 103 : 137.

Hizawa, M.; Buscalgia, S. and Reif, M.J. (1992):

Familial predisposition of atopy and bronchial hyperreactivity.

Clin Experim Allergy; 12 : 1077-1084.

Holgate, M.; Hoffman, B.B. and Pore, P.D. (1984):

Effect of hyperventilation on neutrophil chemotactic factor.

Am.Rev. Resp. Dis., 110 : 300.

Holgate, S.T. and Kay, A.B. (1985):

Mast cells, mediators and asthma.

Clin. Allergy; 15 : 221-34.

Jackson, R.J. and Airhood, S.A. (1971):

The acid mucopolysaccharide and collagen contents of human nasal polyps and paranasal sinus mucosa.

Ann. Oto-Rhino. Laryng., 88 : 586.

Jankowski, R.; Moneret, D.A.; Vautrin, R.; Goetz, R. and Wayoff, M. (1992):

Incidence of medico - surgical treatment for nasal polyps on the development of associated asthma.

Rhinology, 30 : 249-258.

Jantti-Alanko, S.; Holopainen, E. and Malmberg, H. (1989):

Recurrence of nasal polyps after surgical treatment.

Rhinol. Suppl. : 8 : 59-64.

Jeffery, P.K.; Wardlaw, A.J.; Nelson, F.C.; Collins, J.V. and Kay, A.B. (1989):

Bronchial biopsies in asthma.

Am. Rev. Respir. Dis.; 140 : 1745-53.

John, A.C. and Merrett, T.C. (1979):

The radio-allergo-sorbent test (R.A.S.T.) in nasal polyps.

J. Laryng.Otol., 93 : 889.

Hiraide, F. and Kakoi, H. (1987):

A histological study of formation and growth of nasal polyps.

Acta Otolary, (stockh). 103 : 137.

Hizawa, M.; Buscalgia, S. and Reif, M.J. (1992):

Familial predisposition of atopy and bronchial hyperreactivity.

Clin Experim Allergy; 12 : 1077-1084.

Holgate, M.; Hoffman, B.B. and Pore, P.D. (1984):

Effect of hyperventilation on neutrophil chemotactic factor.

Am.Rev. Resp. Dis., 110 : 300.

Holgate, S.T. and Kay, A.B. (1985):

Mast cells, mediators and asthma.

Clin. Allergy; 15 : 221-34.

Jackson, R.J. and Airhood, S.A. (1971):

The acid mucopolysaccharide and collagen contents of human nasal polyps and paranasal sinus mucosa.

Ann. Oto-Rhino. Laryng., 88 : 586.

Jankowski, R.; Moneret, D.A.; Vautrin, R.; Goetz, R. and Wayoff, M. (1992):

Incidence of medico - surgical treatment for nasal polyps on the development of associated asthma.

Rhinology, 30 : 249-258.

Jantti-Alanko, S.; Holopainen, E. and Malmberg, H. (1989):

Recurrence of nasal polyps after surgical treatment.

Rhinol. Suppl. : 8 : 59-64.

Jeffery, P.K.; Wardlaw, A.J.; Nelson, F.C.; Colins, J.V. and Kay, A.B. (1989):

Bronchial biopsies in asthma.

Am. Rev. Respir. Dis.; 140 : 1745-53.

John, A.C. and Merrett, T.C. (1979):

The radio-allergo-sorbent test (R.A.S.T.) in nasal polyps.

J. Laryng.Otol., 93 : 889.

Joos, G.F. and Pauwels, R.A. (1993):

The direct and indirect bronchial hyperresponsiveness.
Respir. Med.; 87 : 31-36.

Juniper, E.F.; Frith, P.A. and Dunnelt (1978):

Reproducibility of comparison of responses of inhaled histamine and methacholine.
Thorax, 33 : 705-709.

Kaliner, M.; Wasserman, S.I. and Auston, K.F. (1973):

Immunologic release of chemical mediators from human nasal polyps.

New Engl. J. Med., 89 : 277.

Quoted from : Bumsted, R.M.; El-Ackad, T.; Smith, J.M. and Brody, M.J. (1979): Histamine, Norepinephrine and Serotonin Content of Nasal Polyps. Laryngoscope, 89 : 832.

Kaliner, M. (1985):

Mast cell mediators and asthma.
Chest., 87 : 1-5.

Kaye, M.G. and Smith, L.J. (1990):

Effects of inhaled leukotriens and PAF on airway reactivity in normal subjects.

Am. Rev. Respir. Dis.; 133 : 580-584.

Klima, A.; Burkle, H.; May, M. and Braun, W. (1993):

The viral and allergic origin of nasal polyposis.
Laryngo. Rhino. Otologic, 72 (3): 131-5.

Kordash, T.R.; Gleich, G.J. and Kern, E.B. (1978):

Evidence for increased risk of development of asthma in patients with nasal polyps.

J. Allergy. Clin. Immunol., 61 : 138.

Korchia, D.; Thomassin, J.M.; Doris, J.M. and Badier, M. (1992):

Asthma and Polyposis efficacy and adverse effect of endonasal ethmoidectomy.

Ann. Otolaryngologic, 109 (7): 359-63.

- Lai, K.W., Jentins, J.R.; Polosa, R. and Holgate, S.T. (1990):**
Inhaled PAF fails to induce airway hyper-responsiveness to methacholine in normal human subjects.
J. Appl. Physiol.; 68 : 919-926.
- Larsen, G. (1988):**
Animal models of the late asthmatic response.
Bailliere's Clinical Immunology and Allergy 2/1 : 91-11.
- Larsen, P.L. and Tos, M. (1991):**
Origin of nasal polyps.
Laryngoscope, 101 (3): 305-312.
- Mac Fadden, E.M.; Kanny, R.J.; Fink, J.N. and Tohill, R.J. (1990):**
Surgery for sinusitis and aspirin triad.
Laryngoscope, 100 : 1043 - 1046.
- Majumdar, B. and Bull, P. (1982):**
The incidence and bacteriology of maxillary sinusitis in nasal polyposis.
J. of Laryngology and Otology, 96 : 937.
- Maloney, J.R. and Collins, J. (1977):**
Nasal polyps and bronchial asthma.
British J. of Diseases of the Chest, 71 : 1.
- Manabu, N.; Reiko, N.; Karen, W.; Ellinor, A.; Kazuki, M.; Yuichi, O.; Maria, G.; Koichi, N.; Paul, O.; Jerry, D. and Manel, J. (1995):**
Distinct immuno-histochemical localization of IL-4 in human inflamed airway tissues.
The J. of Immunology; 155 : 3234-3244.
- Mann, S.P. (1987):**
The innervation of mammalian bronchial smooth muscle the localization of catecholamines and cholinesterases.
Ann. Allergy; 59: 103-112.

Marque, D. and Ahmes, L. (1992):

Nasal polypectomy : should antral washout be a routine?
J. Laryng and Otol; 106 : 695-696.

Mathe, A.A. (1979):

Prostaglandin F₂ : effect on airway conductance in healthy subjects and patients with bronchial asthma. Advances in the biosciences, 9th International Conference on Prostaglandins.

Quoted from : Bumsted, R.M., El-Ackad, T.; Smith, J.M. and Brody, M.J. (1979): Histamine, norepinephrine and serotonin content of nasal polyps. Laryngoscope, 89 : 832.

Mattoli, S.; Forsi, A.; Corbo, G.M. and Ciappi, G. (1987):

Effects of two doses of cromolyn sodium on allergen induced asthmatic response and increased responsiveness.
J. Allergy, Clin. Immunol., 79 : 797.

Metre, T.E.; Cooke, R.E.; Gibson, L.E. and Winkenweder, W.L. (1960):

Evidence of allergy in patients with cystic fibrosis of the pancreas.
Arch. of Allergy, 31 : 141.

Metzger, W.J.; Zavala, D.; Richerson, H.B.; Mosely, P.; Monick, M.; Sjoersdm, A.K. and Hunninghake, G.G.W. (1987):

Local allergin challenge and bronchoalveolar lavage of allergic asthmatic lungs.
Am. Rev. Respir. Dis., 135 : 433-40.

Meurs, H.; Koeter, G.H.; Devries, K. and Postana, D.S. (1986):

The beta- adrenergic system and allergic bronchial asthma.
J. Allergy Clin. Immunol., 70 : 272-280.

Michael, L. (1987):

Ear, Nose and throat histopathology.
4th ed. Smirth, London.

Miles Lawrence, R.; Kaplan, M. and Chang, K. (1982):

Methacholine sensitivity in nasal polyposis and the effects of polypectomy.
J. Allergy Clin. Immunol., 69 : 102 (abstract).

Mita, H.; Yui, Y. and Yasueda, H. (1983):

Changes of alpha and beta adrenergic and cholinergic muscarinic receptors in guinea pig sensitized with ovalbumin.

Int. Arch. Allergy Appl Immunol., 70 : 225-230.

Montefort, S.; Roche, W.R. and Holgate, S.T. (1993):

Bronchial epithelial shedding in asthmatics and non asthmatics.

Respir. Med., 87 : 59-63.

Morice, A.; Unwin, R.J. and Sever, P.S. (1987):

Vasoactive intestinal peptides causes bronchodilation and protects against histamine induced broncho-constriction in asthmatics subjects.

Lancet; 2 : 1225-1229.

Murray, A.B. and Ferguson, A.C. (1983):

Dust free bedrooms in the treatment of asthmatic children with house dust or house dustmite allergen : A controlled trial.

Paediatrics, 71 : 418-422.

Mygind, N. (1978):

Nasal, allergy, first edition, chapter 16, P. 233, Chapter 17, P. 242, Chapter 23, P. 312, Oxford, Blackwell, Scientific Publications.

Naclerio, R.M.; Proud, D.; Togias, A.; Adkinson, N.F.Jr., Meyers, D.A.; Kageysobotka, A.; Plaut, M.; Norman, P.S. and Lichtenstein, L.M. (1985):

Inflammatory mediators in late antigen induced rhinitis.

N.Engl. J. Med., 323 : 1033-9.

Nadel, J.A.; Holtsman, M.J. and Nock, P. (1984):

Regulation of airway responsiveness and secretion : role of inflammation, in Kay, A.B.; Austen, K.F.; Lichtenstein, L.M. (Eds) : Asthma physiology, immunopharmacology and treatment 2nd edition.

London, Academic Press, P. 129-155.

- Nagy, L.; Lee, T.H. and Kay, A.B. (1982):**
Neutrophil chemotactic factor activity in antigen induced late asthmatic reactions.
N. engl. J. Med., 306 : 497.
- Nakashima, T. and Hamashima, Y. (1979):**
Local immun system of nasal mucosa in inflammation. IgA. A distribution and secretory activity.
Ann. Otol. Rhinol. Laryngol., 89 : 140.
- National Heart, lung and Blood Institute (1991):**
International consensus report on diagnosis and treatment of asthma.
Clin. Exp. Allergy, 22: suppl. 1.
- O'Byrne, P.M.; Dolovich, J. and Hargreave, F.E. (1987):**
Late asthmalic response.
Am. Rev. Respir. Dis., 136 : 740-751.
- Ohno, I.; Lea, Flanders, K.C.; Clark, D.A.; Banwatt, D.; Dolovich, J.; Harley, C.B.; Gauldie, J. and Jordan, M. (1992):**
Eosinophils in chronically inflamed human upper airway tissues express transforming growth beta 1 gene (TGF beta 1).
J. Clin. Invest., 89 (5) 1662-8.
- Oppenheimer, E.H. and Rosenstein, B.J. (1979):**
Differential pathology of nasal polyps in cystic fibrosis and atopy.
Lab. Invest., 40 (4): 445.
- Padawer, J. (1980):**
Mast cell structure, implications for normal physiology and degranulation in the mast cells. Eds. J. Pepys and A.M. Edwards Chapter 1, PP. 1-8, Pitman Medical, United Kingdom.
Quoted from : Drake - Lee, A.B.; Barker, T.H.W. and Thurley, K. (1984): Nasal Polyps :
1- Scanning electron microscopy and artifact.
2- Fine structure of mast cells.
J. of Laryngology and Otology, 98 : 288.

- Palmer, J.B.; Cuss, F.M. and Barnes, P.J. (1986):**
Sensory neuropeptides and human airway function.
Am. Rev. Respir. Dis.; 133 : 91-96.
- Palmer, J.B.; Cass, F.U. and Ghatei, M.A. (1988):**
Calcitonin gene related peptide is localized to human
airways nerves and constricts human airway smooth
muscle.
Thorax; 40 : 713-721.
- Pauwels, R.; Van-Reuterghem, D. and Straeten, M.N. (1985):**
The effect of theophylline and enprofylline on allergen
induced bronchoconstriction.
J. Allergy Clinic Immunol., 76 : 583-590.
- Pepys, J. (1969):**
Hypersensitivity diseases of the lung.
Monographs in Allergy, 4 : 40.
- Pepys, J. (1974):**
Immunological approaches in pulmonary diseases caused
by inhaled materials.
Ann. New York academic Sci., 221 : 27.
- Pepys, J. (1976):**
Non - immediate asthmatic reactions. In E.B. Weiss and
S.S. Segal (eds.) Bronchial asthma : Mechanisms and
Therapeutics, 17 : 231-256.
- Pepys, J. (1981):**
Allergic respiratory diseases due to extrinsic agents. In
J.G. Scadding and G.Cummings (eds.) Scientific
Foundation of Respiratory Medicine. 1st Edition, Ch. 4,
P. 472, William Heinemann Medical Books, London.
- Piacentini, G.L. and Kaliner, M.A. (1991):**
Potential roles of leukotriens in bronchial asthma.
Am. Rev. Respir. Dis.; 143 : 596-599.

Pin, I. and Godard, P. (1994):

Mechanisms of bronchial hyperreactivity : role of airway inflammation and atopy.

Rev. Respir. Dis.; 11 (2): 111-22.

Platshon, E. and Kaliner, M. (1978):

The effect of immunologic release of histamine upon human lung and prostaglandin generation.

J. Clin. Invest., 62 : 113-119.

Platts-Mills, T.A.; Mitchell, E.B. and Nock, P. (1982):

Reduction of bronchial hyperreactivity during prolonged allergen avoidance.

Lancet, 1 : 675-678.

Pleskow, W.W.; Stevenson, D.D.; Mathison, D.A.; Simon, R.A.; Schatz, M. and Zelger, R.S. (1982):

Aspirin desensitization in aspirin - sensitive asthmatic patients : clinical manifestations and characterization of the refractory period.

J. Allergy. Clin. Immunol., 40 : 25-30.

Pratter, M.R.; Woodman, T.F.; Irwin, R.S. and Johnson, R.S. (1982):

Stability of stored methacholine chloride solution, clinically useful information.

Am. Rev. Respir. Dis.; 126 : 717-723.

Prickman, L. and Morgan, J. (1947):

Intolerance to common drugs in asthma. Med. Clinic. North Am., 31 : 954.

Quoted from : Bumsted, R.M.; El-Akakd, T. Smit, J.M.; and Brody, M.J. (1979): Histamine, norepinephrine and serotonin content of nasal polyps.

Laryngoscope, 89 : 832.

Probst, L.; Stoney, P.; Jeney, E. and Hawke, M. (1992):

Nasal polyp, bronchial asthma and aspirin sensitivity.

J. of Otolaryngology; 21 (1): 60-5.

Rackemann, F.M. (1947):

A working classification of asthma.
Am. J. of Medicine, 3 : 607.

Richardson, J.B. (1979):

Nerve supply to the lungs.
Am. Rev. Respir. Dis.; 119 : 785-802.

Richardson, J.B. (1985):

Non-adrenergic inhibitory nervous system in relation to asthma. In : Weiss E.B., Segal M.S. and Stein, M. (eds.).
bronchial asthma : mechanisms and therapeutics. Little Brown and Co., 2nd edition, Boston; P. 123-129.

Rose, B.; Hogg, J.C. and Macklem, P. (1978):

The pathogenesis of bronchial asthma. In : M. Samter and R.Talmage (eds.) Immunological diseases, 4th edition, Volume 2, Ch. 21, P. 852, Boston, Little, Brown and Company.

Sakula, A. (1986):

Charcot-leyden crystals and curschmann spirals in asthmatic sputum. Thorax; 41 : 503.

Salome, C.M.; Peat, J.K. and Wookcoook, A.J. (1987):

Bronchial hyperreactivity in two populations of australian school- children in relation to respiratory symptoms and diagnosed asthma.
Clin. Allergy, 17 : 271-282.

Salari, H.; Borgeat, P.; Steffenrud, S.; Richard, J.; Bedard, P.M.; Hebert, J. and Pelletier, G. (1986):

Immunological and non - immunological release of leukotrienes and histamine from human nasal polyps.
Clin. Exp. Immunol., 63 : 711-717.

Samter, M. and Beers, R.F. (1968):

Intolerance to aspirin : clinical studies and consideration of its pathogenesis.
Annals Int. Med., 68 : 975-983.

Scadding, J.C. (1976):

Definition and clinical categorization. In E.B. Weiss and M.S. Segal (eds.). *Bronchial asthma mechanisms and therapeutics*, Boston, Little Brown.

Seaton, A.D. and Leitch, A.G. (1989):

Asthma in : Crofton and Douglas (eds.) *respiratory diseases* Blackwell scientific publication; 4th edition, Oxford London; P. 660-715.

Seppala, O.P. (1991):

The dose response slope : a useful method for expressing the results of methacholine provocation tests in healthy subjects.

Respir. Med.; 85 : 365-371.

Settipane, G.A.; Chaffee, F.H. and Klein, D.E. (1982):

A critical evaluation of aspirin challenge in patients with nasal polyps.

J. Allergy and Clin. Immunol., 69 : 148 (abstract).

Shaw, R.J. Fitzharris, P.; Cromwell, O.; Wardlaw, A.J. and Kay, A.B. (1985):

Allergen-induced release of sulphidopeptide leukotrienes (SRS-A) and LTB₄ in allergic rhinitis. *Allergy*, 40 : 1-6.

Sherman, W.B. (1968):

Hyperesensitivity. Saunders, Philadelphia. Sorensen, H.; Mygind, N. and Tygstrup, I. (1977) Blinded light microscopic examination of nasal polyps.

Rhinology, 15 : 121.

Silverman, M. and Anderson, D. (1982):

Exercise induced bronchospasm in children.

Arch. Dis. Child., 47 : 882-887.,

Simonsson, B.G.; Jacobs, F.M. and Nadel, J.A. (1967):

Role of autonomic nervous system and the cough reflex in the increased responsiveness in patients with obstructive airway disease.

J. Clin. Invest.; 46 : 1812-1818.

Slavin, R.C. (1988):

Sinusitis in adult and it's relation to allergic rhinitis, asthma and nasal polyps.

J. Allergy. Clinic. Immunol., 82: 950.

Slepian, J.K.; Mathews, K.P. and McLean, J.A. (1985):

Aspirin-sensitive asthma.

Chest., 87 : 386-391.

Small, P.; Barrett, D.; Frenkiels, Rochon, L.; Cohen, C. and Balck, M. (1985) :

Measurement of Antigen -specific IgE in nasal secretions of patients with perinnial rhinitis.

Ann. Allergy, 55 : 68 - 71.

Smith, M.P. (1971):

Dysfunction of carbohydrate metabolism in the nose and nasal polyps.

Laryngoscope, 81: 636.

Smith, L.J.; Greenberger, D.A.; Patterson, R.; Krell, R.D. and Bernstein, P.R. (1987):

The effect of leukotriens on human lung.

Am. Rev. Respir. Dis.; 131 : 368-372.

Smith, L.J. Rubin, A.E. and Patterson, R. (1988):

Mechanism of platelet activating factor induced bronchoconstriction in human.

Am. Rev. Respir. Dis.; 131 : 1013-1019.

Smith, L.J. (1991):

The role of platelet activating factor in asthma. Am. Rev. Respir. Dis.; 143 : 5100-5104.

Sobonya, R.E. (1984):

Quantitative structural alterations in long standing allergic asthma.

Am. Rev. Respir. Dis.; 130 -289.

Stammberger, H. (1986):

Endoscopic endonasal surgery, concepts in treatment of occurring rhinosinusitis.

Otolaryngology Head and Neck Surgery, 49 : 147,.

Stammberger, H. and Kopp, W. (1991):

Functional endoscopic sinus surgery.

1st ed. Chap. (5) P. 216, B.C. Deker, Philadelphia.

Stevens, W.J. and Van Vever, H.P. (1989) :

Frequency and intensity of late asthmatic reactions after bronchial allergen challenge in asthma and rhinitis.

Allergy, 44 : 471-476.

Stevenson, D.D.; Pleskow, W.W.; Simon, R.A.; Mathison, D.A.; Lumry, W.R.; Schatz, M. and Zeiger, R.S. (1984):

Aspirin-sensitive rhinosinusitis asthma : a double blind crossover study of treatment with aspirin.

J. Allergy.Clin. Immunol., 73 : 500-507.

Svenonius, E.; Arborelius, M.J.R.; Kautto, R. and Lilja, B. (1982):

Lung function studies in children with allergic rhinitis.

Allergy, 37, 87-92.

Szczeklik, A.; Gryglewski, R.J. and Czerniawska-Mysik, G. (1975):

Relationship of inhibition of prostaglandin biosynthesis by analgesics to asthma attacks in aspirin-sensitive patients.

Br. Med. J., 1 : 67 - 69.

Szentivany, I.A. (1978):

The beta adrenergic theory of the atopic abnormality in bronchial asthma.

J. Allergy; 42 : 203-225.

Takasaka, T.; Kaku, Y. and Hozawa, K. (1986):

Mast cell degranulation in nasal polyps.

Acta. Otolaryngol. (Stockh) Supp., 430 : 39.

Thomson, J.; Mygind, N. and Flensburg, E.W. (1977):

Nasal immunoglobulins in cystic fibrosis. *Rhinology*.

Quoted from : Mygind, N. (1978): *Nasal allergy*, First edition, Chapter 16, P. 233, Oxford Blackwell Scientific Publications.

Tos, M.; Drake-Lee, A.B. and Lund, V.J. (1989):

Fireside conference treatment of nasal polyps. Medication or surgery and which technique?

Rhinology Suppl., 8 : 45-49.

Townley, R.G. (1984) :

Allergic rhinitis and airway reactivity to medications. In : *Rhinitis*, edited by G.A. Sttipane. Providence, Rhode Island : New England and regional Allergy proceedings.

Trigg, C.T. and Davies, R.J. (1989):

Measurement of bronchial hyperresponsiveness.

Clinic. Review in Allergy, 7 : 279-299.

Vancil, M.E. (1969):

A histological survey of treatment for nasal polyps.

Laryngoscope, 79 : 435.

Vleming, M.; Middle Weerd, M.J. and Vries, N. (1993):

Good results of endoscopic paranasal sinus surgery for chronic or recurrent sinusitis and for nasal polyps.

Nederlands Tijdschrift Voor Geneskunde, 137 (29): 1453-6.

Vrugt, B. and Aalbers, R. (1993):

Inflammation and bronchial hyper-responsiveness in allergic asthma and chronic obstructive pulmonary disease.

Respir. Med.; 87 : 3-7.

Warner, J.O. (1976):

Significance of late reactions after bronchial challenge with house dust mite.

Archives of Diseases in Childhood, 51 : 905-911.

Wayoff, M. and Frech, C.H. (1986):

Immunologie et Allergie en O.R.L.

Arnette, Ed., Paris, P.357.

- Weiss, E.M.; Wheeler, B.; Eggleston, P. and Adkinson, N.F. (1989):**
A protocol for performing reproducible methacholine inhalation tests in children with moderate to severe asthma.
Am. Rev. Respir. Dis.; 139 : 67-72.
- Weller, P. (1991):**
Immunology of eosinophils.
N.Engl. J. Med.; 329 : 1110-8.
- Wentges, R.T. (1979):**
Allergic and vasomotor rhinitis in clinical otolaryngology.
1st ed., Chap. 18, P. 226.
Edited by Maran, A.G. and Stell, P.M.; Blackwell Scientific Publication, Oxford, London.
- White, J. and Eiser, N.M. (1983):**
The role of histamine and its receptors in the pathogenesis of asthma.
Br. J. Chest. Dis.; 77 : 215-221.
- White, M.V. and Kaliner, M.A. (1987):**
Neutrophils and mast cells, 1 Human Neutrophil derived histamine releasing activity.
J. Immunol.; 139 : 1624-30.
- Wide, L.; Bennich, H. and Johansson, S. (1967):**
Diagnosis of allergy by and in vitro test for allergen antibodies.
Lancet; ii, 1105-1107.
- Wilson, M.C. (1976):**
Chronic hypertrophic polypoidal rhinosinusitis.
Radiology, 120 : 609.
- Woolcock, A.J. (1990):**
 β -agonists and asthma mortality.
Drugs, 40 : 653-656.
- Zach, M.S. and Polgar, G. (1987):**
Bronchial hyperreactivity in corticosteroid dependant asthmatics.
J. Allergy, Clin. Immunol.; 80 : 9-17.