

References

REFERENCES

- Andrews, V. H. Hall, H.R. :** The effects of relaxation / imagery training on recurrent aphthous stomatitis : A preliminary study. Psychosom - Med. (1990) sep- oct; 52 (5) : 526 - 35.
- Antoon, J.W, Miller, R.L.** Aphthous ulcers, a review of the literature on etiology, pathogenesis, diagnosis and treatment. JADA 1980, 101 : 203-8.
- Arvy, L. :** Comparative histoenzymology of the salivary glands, Annals New York Academy of Sciences, 1963; 106 : 472 - 492.
- Axell, T., Henricsson, V., :** The occurrence of recurrent aphthous ulcer in an adult Swedish population. Acta Odontol Scand. 1985, 43 : 121-5.
- Axell, T., Henricsson, V.** Association between recurrent aphthous ulcers and tobacco habits. J. Dent Res. 1985; 44: 837- 44.

Azizleri , G., Aksungur, V.I., Sarica, R., Akyol, E., Ovul, C:

The association of HLA-B5 antigen with specific manifestations of Behcet's disease. *Dermatology*.1994;188(4):243-5.

Barker, G., Loftus, K., Guddy, P., Barker, B.:

The effects of sucralfate suspension and diphenhydramine syrup plus kaolin - pectin on radiotherapy induced mucositis. *Oral - Surg - Oral - Med - Oral - Pathol* - 1991 : 71 : 288 - 93.

Barnhill, R.L., Dougall, A.C. Thalidomide : use and possible mode in reactional lepromatous leprosy and in various other Conditions *J. Am Acad Dermatol* 1982; 7 : 317 - 323.

Bittoun , R.

Recurrent aphthous ulcers and nicotine. *Med - J- Aust*. 1991 Apr 1; 154 (7) : 471-2.

- Bourne, G .H. :** The distribution of alkaline phosphatase in various tissues. Quart. J. Exp. Physiol. 1943; 32 : 1-19.
- Buajeeb, W., Laohopand , P., Vongsavan , N, Kraiv.** Aphthous ulceration J- Dent- Assoc - Thai 1990 Nov - Dec; 40 (6) : 253- 8.
- Challacombe, S,J., Batchelor , J.R., Kennedy, L.A., Lehner,T.,**HLA antigens in recurrent oral ulceration. Arch Dermatol 1977; 113:1717- 9.
- Challacombe, S.J., Scully, C., Keevil, B., Lehner, T.,** Serum ferritin in recurrent oral ulceration. J.Oral. Pathol 1983;12:290 - 9.
- Chauncey,H.H., Quintarelli, G.** Histochemical localization of hydrolytic enzymes in human salivary glands. J. of Dental Research, 1959, 38 : 961 - 968.

Cohen, R. B., Tsou, K.C., Rutenburg, S. H., Seligman, A.M.:

The colorimetric estimation and histochemical demonstration of B-D- Galactosidases J. Biol. Chem 1952; 195 : 239 - 250.

Cook, H.C. :

Manual of demonstration histological technique. Butterworths , London 1974.

Dagalis, P., Bagg, J., Walker, D.M., Spontaneous migration and chemotactic activity of neutrophil polymorphonuclear leukocytes in recurrent aphthous ulceration. Oral Surg 1987; 64: 298 - 301.

Deane, H.W. : A cytochemical survey of phosphatases in mammalian liver, pancreas and salivary glands. Amerc. J. Anat. 1947; 80:321- 29.

De - Asis , M.L., Bernstein , L.J., Schliozbrg ,J.

Treatment of resistant oral aphthous ulcers in children with acquired immunodeficiency syndrome. J-Pediatr. 1995 oct.; 127(4) : 663 - 5 .

Decamilli, P., Peluchetti, D., Meldolesi, J.:

Dynamic changes of the luminal
plasmalemma in stimulated
parotid acinar cells. J- cell. Biol.,
1976; 70 : 59 - 74

De Meester, T.R., Johnson, L.F., Joseph, G.:

Patterns of gastroesophageal reflux
in health and disease. Ann Surg
1976, 184:459-470

Dodd, K., Ruchman, L. Herpes simplex virus not the
etiologic agent of recurrent
stomatitis, Pediatrics 1950; 5 :
883 - 7.

Drummond, J. R. Chisholm, D.M.

Qualitative and quantitative
study of the ageing human labial
salivary glands Archs Oral Biol.
1984. Vol. 29, No.2. PP. 151-
155.

Eglin, R.P., Lehner, T., Subak, Sharpe, J.H. :

Detection of RNA
complimentary to herpes simplex
virus in mononuclear cells from
patients with Behcets syndrome

and recurrent oral ulcers. Lancet
1982;2: 1356 - 61.

Eisenbud, L., Horowitz, I., Kay, B. : Recurrent aphthous
stomatitis of the Behcet's Type :
Successful treatment with
thalidomide. Oral- Surg - Oral -
Med Oral - Pathol. 1987 sep; 64
(3) : 289 - 92.

Embil, J.A., Stephens, R.G., Maurielr, R. Prevalence of
recurrent herpes labialis and
aphthous ulcers among young
adults on six continents. CMA
journal 1975; 113:630-7.

Emmelin, N. Nervous control of salivary
glands. In. hand book of
physiology, 1967 section 6
alimentary canal, vol. II:
secretion, PP. 595-632. American
Physiological Society, Washing-
ton.

Endre, L. Recurrent aphthous ulceration
with zinc deficiency and cellular
immune deficiency. Oral- Surg -

Oral - Med - Oral - Pathol. 1991.

Nov : 72 (5) 559- 61.

Eversole, L.R., Shopper, T.P., Chambers, D.W. : Effects of suspected food stuff challenging agents in the aetiology of recurrent aphthous stomatitis/
Oral Surg 1983, 56 : 33 - 8.

Eversole, L.R.

The histochemistry of mucosubstances in human minor salivary glands. Archs Oral Biol 1972. 17, 1225- 1239.

Fahmy, M.S.

Recurrent aphthous ulcer in a mixed arab country community. Dento Oral Epidemiol 1976; 4 : 160 - 4.

Falck, B. and Owman, C. : A detailed methodological discription of the Fluorescence method for cellular demonstration of the biogenic amines. Acta. Univ. Lund, Sect. 1965. 11 : 6 - 23.

Ferguson, M.M., Wray, D., Carmichael , H.A., Russell, R.I., Lee, F.D. Coeliac disease

associated with recurrent
aphthae. Gut 1980; 21 : 223- 6.

Flipo,R.M., Janin,A., Hachulla , E., foulet , A.

Labial salivary gland biopsy
assessment in rheumatoid
vasculitis. Ann - Rheum - Dis.
1994. Oct; 53 (10). 648 - 52.

Friedman, M., Brensk, A., Taylor, L. Treatment of aphthous
ulcers in AIDS Patients.
Laryngoscope 1994 May, 104
(suppl) 566 - 70.

Gallina, G., Cumbo, V., Messina, P., Caruso, C.

HLA- A,B,C,DR,MT and MB
antigens in recurrent aphthous
stomatitis . Oral Surg 1985;
59:364-70.

Garrett, J. R.,

The innervation of salivary
glands and the ultrastructure of
nerves in normal glands of the
cat. J. R. Micr. Soc., 1966, 85 (2)
: 149- 162.

Gomori, G.J.,

The distribution of phosphatase
in normal organs and tissues. J.

Cell Comp. Physiol., 1941, 17 :
71 - 83.

Greer, R.O., Linden,J.R., Muth , J.E., Juarez, T., Khandwala, A. A.: Double - blind study of topically applied 5% amlexanox in the treatment of aphthous ulcers. J Oral-Maxillofac - Surg. 1993. Mar; 51 (3) : 243 - 8; Discussion 248 - 9.

Griffin, J.W. Fluorescent antibody study of herpes simplex virus lesions and recurrent aphthae Oral Surg 1963; 16 : 945 - 520.

Hamuryudan ,V., Moral , F., Yuadaku, S., Mat,C. Systemic interferon alpha 2b treatment in Bechcet's syndrome J- Rheumatol. 1994 Jun; 21(6) : 1098-100.

Hay, D., Reude,P.C. The use of an elimination diet in the treatment of recurrent aphthous ulceration of the oral cavity / Oral Surg 1984; 57 : 504 - 7.

recurrent oral ulceration. Arch
Oral Biol 1983; 28; 917- 22.

Hoover,C.I., Olson ,J.A., Greenspan ,J.S.

Humoral responses and cross
reactivity to oral streptococci in
recurrent aphthous ulceration.
J.Dent. Res 1984; 63 (special
Issue) 279; Abstr. 972 (only).

Huang , Y., Li, B.,Zhang , W., Yang , L., Gu, Z., Yang., T.

Clinical study of superoxide
dismutase in recurrent aphthous
ulceration - Hua - Hsi - I - Ko -
Ta- Hsueh - Hsueh - Pao, 1991,
jun; 22 (2 : 175 - 7.

Hunter, I.P., Ferguson, M.M., Scully ,C., Gallowy , A.R.

Main , A.N., Russell , R.I.

Effects of dietary gluten
elimination in patients with
recurrent minor aphthous
stomatitis and no detectable
gluten enteropathy. Oral-Surg-
Oral-Med-Oral-Pathol. 1993
May; 75 (5) :595- 8.

HayrinenImmonen, R., Sorsa, T., Pettila, J.,Konttinen,Y.T.,

Teronen , O., Malmstrom, M.,

Effect of tetracyclines on
collagenase activity in patients
with recurrent aphthous ulcers J -
Oral - Pathol - Med. 1994, jul; 23
(6) : 269 - 72.

Henricsson, V., Axell, T., Treatment of recurrent aphthous
ulcers with aureomycin ® mouth-
rinse or Zendium ® dentifrice /
Acta Odontol Scand, 1985; 43;
47 - 52.

Hibbert,J.,in SCott - Brown, s. Otolayngology 6 th edition
1997. laryngology p 46 - 47.

Honma, T., Sanito, T., Fujiokay. Possible role of apoptotic
cells of the oral epithelium in the
pathogenesis of aphthous
ulceration. Oral - Surg 1985; 54;
379 - 87.

Hoover, C.I., Greenspan, J.S., Immunochemical comparison
of cell wall antigens of various
viridans streptococci, in cluding
strain 2 A+3 plus hot from
recurrent oral ulceration
Arch Oral Biol 1983, 28:
178 917-922.

Hunter, L., Addy, M.

Chlorhexidine gluconate mouth wash in the management of minor aphthous stomatitis. Br. Dent. J 1987; 162 : 106 - 10.

Hussain, L., Ward, R., Lehner, T., Barnes, C.G.

Herpes simplex virus IgG, Ig M and IgA. subclass from sera of patients with Behcet's disease and controls In : Lehner T, Barnes CG. Recent advances in Behcet's disease. London : Royal Society of Medicine, 1986, 73 - 77.

Hutchinson , V.A., Angenend , J.L., Mok , W.L., Cummins ,

Chronic recurrent aphthous stomatitis : oral treatment with low - dose interferon alpha. Mol-Biother. 1990 sept;2 (3) : 160 - 4.

Izutsu , K., Wilkinson , L., Oda, D., Kayton ,R., chen ,S.W.

Comparison of elemental concentrations in the acinar cells of the human labial salivary glands. Arch - Oral - Biol. 1991; 36 (10). 727 - 35.

Izutsu, K-T., schubert, M.M., Truelove, E.L. Johnson, D.E.

Use of human minor salivary glands in basic and applied secretion research. J. Dent Res. 1987. Feb. 66 : 654-659.

Jasmin,J.R.,Muller., Giamarchi,M.,Jonesco-Benaiche,N.

Local treatment of minor aphthous ulceration in children. ASDC-J-Dent- Child.1993;60[1]:26-8.

Junqueira, L. C. and Hirsch. A. Cell secretion : A study of

Pancreas and salivary glands. Int. Rev. Cytol. 1956; 53 : 323 - 337.

Kasa, P. and Rakonczay. Z. : Biochemical and Histochemical

evidence of 16 S acetyl- Cholinesterase in Salivary glands. J. Neurochem. 1982, 38 : 278 - 280.

Katz , J; Langevitz , P; Shemer,J; Barak,S. Liveneh ,A.

Prevention of recurrent aphthous stomatitis with colchicine : an open trial. J- Am Acad - Dermatol 1994 sep; 31(3pt.1) 459 - 61.

Koelle, G.B.: Histochemical identification of Acetylcholinesterase in cholinergic, adrenergic and sensory neurones. J. Pharmacol. and Exp. Therap., 1955. 114 : 167 - 184.

Koelle, G.B : The elimination of enzymatic diffusion artifacts in the histochemical localization of cholinesterases and a survey of their cellular distribution J. Pharmacol - Exp. Therap. 1951; 103 : 153 - 171.

Koufman, J.A., Wiener, G.J.: Reflux laryngitis and its sequelae. The diagnostic role of ambulatory 24-hour pH monitoring. J. Voice 1988;2:78-89.

Koufman, J. A . The otolaryngologic manifestations of gastroesophageal reflux disease (GERD) Laryngoscope 1991; 101. suppl 1-56).

Koufman, J.A. Otolaryngologic manifestations of gastroesophageal reflux disease (GERD) Advances in otolaryngology-Head and Neck

surgery. vol.7. 1993, Mosby-year
book, Inc.

Landesberg - R, Fallon - M-, Insel-R; Alteration of T - helper
inducer and T- suppressor induc-
er cells in patients with recur-
rent aphthous ulcers .O ral - Surg
- Oral -Med - Oral -Pathol. 1990
feb : 69 (2) : 205 - 8.

Leeson, C.R. : Localization of alkaline phosphatase in
submaxillary gland of rat. Nature,
1956; 178 : 858 - 859.

Lehner T. : progress report oral ulceration and Behcets
syndrome. Gut 1977; 18 : 491 -
511.

Lehner ,T.Welsh, K.I.,Batchelor,J.R.The relationship of HLA-
B and DR phenotypes to Behcets
syndrome,recurrent oral
ulceration and the class of
immune complexes. Immunology
1982; 47:581-7.

Lindemann, R.A., Riviere, G.R., Sapp, J.P.S erum antibody
responses to indigenous oral
mucosal antigens and selected
laboratory -maintained bacteria in

recurrent aphthous ulceration.

Oral Surg 1985; 59 : 585 - 9.

Macphail, L. A., Greenspan, D. Greenspan, J. S. Recurrent aphthous ulcers in association with HIV infection diagnosis and Treat-ment. Oral Surg. Oral Med, Oral Pathol 1992; 73 : 283 - 8.

Macphail, L. A. Feigal, D. W. Greenspan. J. S. Recurrent aphthous ulcers in association with HIV infection. Description of ulcer types and analysis of T-lymphocyte subsets. Oral.Surg. Oral. Med. Oral. Pathol 1991; 71: 678 - 83.

Mangelsdorf , H.C; White, W.L; jorizzo , J.L : Behcet's disease. Report of twenty - five patients from the united states with prominent mucocutaneous involvement. J- Am - Acad - Dermatol. 1996 May; 34 (5pt1) : 745 - 50.

Matthews, R. W, Scully, C.M, Levers, B.G.H, Hislop, W.S. Clinical evaluation of benzydamine, chlorhexidine and

placebo mouth washes in the management of recurrent aphthous stomatitis. O ral Surg 1987; 63 : 189 - 91.

Maurice, M., Mikhail, W., Aziz, M., Barsum, M: Aetiology of recurrent aphthous ulcers (RAU). The Jornal of Laryngology and Otology, september 1987. vol. 101. pp 917-920.

Mc Cartan , B.E; Sullivan , A. The association of menstrual cycle, pregnancy and menopause with recurrent oral aphthous stomatitis : A review and critique, Obstet - Gynecol. 1992 sep; 80 [(3) (pti)]; 455-8.

Mc Nab, J. : Scott - Brown's diseases of the Ear, Nose and Throat. Fourth edition, 1979, Vol. 1, Basic sciences chap; 9, P. 313 - 340. Edit - John Ballantyne, John Grooves. Butterworths. London, Boston, Sidney Toronto.

Menni , S; Imondi, D; Brancalone, W; Croci , S.

Recurrent giant aphthous ulcers in a child : protracted treatment

with thalidomide *Pediatr- Dermatol.* 1993, sep; 10 (3) : 283 - 5.

Merchant ,N.E, Freguson, M.M, Ali, A, Hole, D.J, Gillis, C.R.

The detection of Ig A-reticulin antibodies and their incidence in patients with recurrent aphthae.

J.O ral Med 1986; 91 : 31 - 4.

Miller,M.F, garfunkel ,A.A, Ram ,C. Ship, I.I.

Inheritance patterns in recurrent aphthous ulcers: twin and pedigree data. *Oral Surg* 1977; 43 : 886 - 91.

Miller, M.F., ship, I.I., Ram, C:A retrospective study of the prevalence and incidence of recurrent aphthous ulcer in a professional population. *Oral Surg* 1977. 43 : 52- 7.

Miller, M.F. and ship, I.I: A retrospective study of the prevalence and incidence of recurrent aphthous ulcers in a professional population, 1958-1971. *Oral Surgery, Oral Medicine, Oral Pathology*, 43:532-537.

Miller, T.F, Kutcher, M.J., Overholser , C.D, Niehous , C; Depaola, L.G; Siegel , M.A. Effect of antimicrobial mouthrinse on recurrent aphthous ulceration. Oral - Surg - Oral - Med - Oral Pathol. 1991 oct; 72 (4) : 425-9

Muzyka , B.C; Glick, M. Major aphthous ulcers in patients with HIV disease. Oral Surg - Oral - Med- Oral - Pathol - 1994 Feb; 77 (2) : 116 - 20.

Nakajima, M., Ito, N., Nishi ,K., Okamuray. ,Hirota ,T. Immunogold labelling of blood-group antigens in human salivary glands using monoclonal antibodies and the streptavidin - biotin technique. Histochemistry 1987, 87, 539-543.

Navazesh, M; Lucatorto,F. Common oral lesions associated with HIV infection J-Calif - Dent - Assoc. 1993 Sep; 21 (9) : 37 - 42.

Neville ,B.W; Damm,D.D; Weir,J.C; Fantasia, J.E. Labial salivary gland tumours. concer 1988. May 15; 61 (10) 2113 - 6.

Nicolau , D.P; West , T.E. : Thalidomide : Treatment of severe recurrent aphthous stomatitis in patients with AIDS. DICP Nov; 24 (11) : 1054 - 6.

Nobac, C.R; and Montagna, W : Histochemical studies of the basophilia, lipase and phosphatases in the mammalian pancreas and salivary glands. Amer. J-Anat. 1947, 81 : 343 - 367.

Nolan,A. Lamey, P.J., Milligan, K.A., Forsyth ,A :
Recurrent aphthous ulceration and food sensitivity-J, Oral Pathol Med 1991; 20 : 473 - 5.

Nolan , A; McIntosh, W.B; Allam , B.F; lamey ,. p.J.
Recurrent aphthous ulceration: vit - B1, B2 and B6 status and response to replacement therapy. J- Oral - Pathol - Med. 1991 sept; 20 (8) : 389 - 91.

Olson, J.A., Feinberg, I., Silverman,S., Abrams, D., Greenspan, J.S. Serum vitamin B₁₂ folate, and iron levels in recurrent

oral ulceration - Oral Surg 1982;
54 : 517- 20.

Olson, N. R : Effects of stomach acid on the larynx.
Proc Am laryngol Assoc. 1983:104:
108-112.

Orban's oral histology and embryology 1986.

Philadelphia., p.186-195

Ossakow, S.J., Elta, G.Coultri, T. : Esophageal reflux and
dysmotility as the basis for persistent
cervical symptoms. Ann Otol Rhinol
Laryngol. 1987: 96: 387-392.

Ozbakir,F.,Yazici,H.,Mat,C.Tuzun,Y.HLA antigens in
recurrent oral ulceration : evidence
against a common disease spectrum
with Behcet's syndrome.Clin Exp
Rhumatol 1987;5:263-5

Padykula, H. : The localization of succinc dehydrogenase in
tissue sections of rat. Am. J.
Anat. 1952,41 : 107 - 32.

Paterson ,D.I; Georghiou , P.R; Allworth , A.M; Kemp , R.J.
Thalidomide as treatment of
refractory aphthous ulcerations
related to human immuno
deficiency virus infection. Clin -
Infect - Dis. 1995, Feb; 20 (2) :
250 - 4.

Pearson, B. : Use of nitroceftazolidium in enhancing the permanence and effecting finer histochemical localization of succinic dehydrogenase Fed. Proc. 1957; 16 : 368 - 380.

Pedersen , A. Psychological stress and recurrent aphthous ulceration - J. Oral - Pathol - Med. 1989 feb;18:50-4.

Pedersen, A., Hougen, P., Kenrad ,B. : T - lymphocyte subsets in oral mucosa of patients with recurrent aphthous ulceration. J. Oral - Pathol- Med. 1992;21 : 176 - 80.

Pedersen ,A., Klausen, B., Haugen ,H .P., Ryder , L.P.
Peripheral lymphocyte subpopulations in recurrent aphthous ulceration. Acta Odontol Scand 1991; 49 : 203 - 6.

Pedersen ,A; Hornsleth ,A. Recurrent aphthous ulceration a possible clinical manifestation of reactivation of Varicella Zoster or Cytomegalovirus infection J-

Oral-Pathol - Med 1993 Feb; 22
(2) : 64-8.

Pedersen , A. Are recurrent oral aphthous ulcers of viral
etiology / Med-hypotheses 1991
Nov; 36 (3) : 206 - 10.

Pedersen, A., Hougen ,H.P; Klausen ,B., Winther, K:
Longovital in the prevention of
recurrent aphthous ulceration, J-
Oral - Pathol - Med 1990; 19 :
371 - 5.

**Pedersen, A., Klausen, B., Hougen ,H.P, Ryder,l., Winther
,K. :**
Immunomodulation by longovital
in patients with recurrent aphth-
ous ulceration. J- Oral - Pathol -
Med- 1990; 19: 376 - 380.

Pimlott, S.J. Walker, D.M :Acontrolled clinical trial of
efficacy of topically applied
Fluocinonide in the treatment of
recurrent aphthous ulceration. Br
Dent J 1983; 154 : 174- 7.

Pinkstaff,C.A. The cytology of salivary glands.
In international review of
cytology (Edited by Bourne

CT.H. and Danieli J.F.) 1980. vol
63, pp. 144 - 261.

Porter , S; Flint , S; Scully,C; Keith , O. : Recurrent aphthous
stomatitis : The efficacy of
replacement therapy in patients
with underlying hematinic
deficiencies. Ann - Dent 1992
winter, 51 (2) : 14 -6.

Qassem,T.Jafri,W.Abid,s.Hamed,S. A case report of painful
oral ulcerations associated with
the use of alpha interferon in a
patient with chronic hepatitis
due to non -A non-B non-C virus.
Mil-Med.1993;158(2):126-7.

Rattan ,J; Schneider ,M; Arber , N; Gorsky ,M. Sucralfate
suspension as a treatment of
recurrent aphthous stomatitis, J -
Intern - Med 1994. sep; 236 (3) :
341 - 3.

Revuz,J. Guillaume,J. Michel Janier, Pierrick Hans :
Crossover study of thalidomide
vs placebo in severe recurrent
aphthous stomatitis. Arch
Dermatol 1990; 126 : 923 - 927.

Rodenas , J.M; ortego , N; Herranz , M.T; Tercedor , J;P
inar , A; Quero ,J.H. Cyclic
neutropenia : a cause of recurrent
aphthous stomatitis not to be
missed. Dermatology 1992; 184
(3) : 205 - 7.

Rogers, R.S. Recurrent aphthous stomatitis; clinical
characteristics and evidence for
an immunopathogenesis J- Invest
Dermatol 1977; 69 : 499 - 501.

Ruah , C.B; Stram , J.R; Chasin , W.D .: Treatment of severe
recurrent aphthous stomatitis
with colchicine. Arch-Oto laryn-
gol-Head - Neck-Surg. 1988 Jun;
114 (6) : 671 - 5.

Rutenburg, A. M. seligman, A. M : The histochemical
demostration of acid phosphatase
by a post- incubation coupling
technique. J. Histochem. 1955. 3
: 455 - 462.

Rytel, M.W:
Can therapeutic considerations
provide clues to the etiology of
aphthous stomatitis and Behcet's

syndrome? J-Oral - Pathol, 1978;
7 : 372 - 5.

Salama, A.H. and Adel, M. A. :

Histochemical classification of
human minor labial salivary
glands according to their Glyco
protein content. Egypt. Dent. J.
1992. Jan : 38 (1) 25 - 80.

Sallay, K., Kulcsar, G., Nasz, I., Dan, P., Geck, P. Adenovirus
isolation from recurrent oral
ulcers. J PeriOdontol, 1973; 44 :
712 - 4.

Savage, N.W., Mahanonda, R., Seymour, J., Collins, R.J:

The proportion of suppressor
inducer T - lymphocytes is
reduced in recurrent aphthous
stomatitis . J. Oral Pathol. 1988
Jul; 17 (6) : 293 - 7.

Savage, N.W., Seymour, G.J, Kruger, B.J.

Expression of class I and class II
major histocompatibility complex
antigens on epithelial cells in
recurrent aphthous stomatitis J-
oral pathol 1986; 15 : 191 - 5.

Savage, N.W., Seymour, J. kruger, B.J.

T.lymphocyte sbuset changes in
recurrent aphthous stomatitis. Or-
al Surg 1985; 60 : 175 - 81.

Savage, N.W., Seymour, J. Specific lymphocytotoxic
destruction of autologus
epithelial cell targets in recurrent
aphthous stomatitis. Aust- Dent-
J. 1994 Apr; 39 (2) : 98-104.

Scully., C., Macfadyen, E,E,: Orofacial manifestations in
cyclic neutropenia, Br. J Oral
Surg 1982; 20 : 96 - 101.

Scully,C , Porter ., S.R : Recurrent aphthous stomatitis
current concepts of etiology,
pathogenesis and management. J
-Oral Pathol Med 1989; 18 : 21 -
27.

Segal, A.L, Kutcher, A.H, Bright man,K.J., Miler, M.F.

Recurrent herpes labialis,
recurrent aphthus ulcers and the
menstrual cycle. J. Dent Res.
1974; 53:797-803.

Seifert, G., Miehke, A., Haubrich, J. Cilla, R. Histologie und Ultrastruktur. In Speicheldrüsen Krankheiten, 1984, PP 8-24. Thieme, Stuttgart.

Sheskin, J., Convit, J. Results of double blind study of the influence of thalidomide on the lepra reaction. Int / J / Lepr other Myco - Bact Dis. 1969; 37 : 135 - 146.

Ship, I.I : Epidemiological aspects of recurrent aphthous ulceration. Oral Surg 1972;33 : 400-6.

Ship, I.I. Inheritance of aphthous ulcers of the mouth. J.Dent. Res. 1965; 44 : 837-44.

Skopouli, F., Siouna, Fatourou, H; Dimou, G.S; Galanopoulou, D. Histologic lesion in labial salivary glands of patients with systemic lupus erythematosus. Oral - Surg - Oral - Med - Oral - Pathol. 1991 Aug; 72 (2) : 208 - 12.

Snell, R. S. Garrett, J. R. : The distribution of cholinesterase in the submandibular and sublingual salivary glands of rat, J. Histochem cytochem. 1957; 5 : 236 - 245.

Snell, R. S. : The histochemical appearances of cholinesterase in the parasympathetic nerves supplying the submandibular and sublingual salivary glands of the rat, J- Anat. 1958; 92 : 534 - 543.

Speight ,P.M; Jordan , R; colloby , P; Nandha , H.

Early detection of lymphomas in Sjogren's syndrome by in situ hybridisation for kappa and lambda light chain m RNA. in labial salivary glands. Eur - J Cancer - B- oral - oncol 1994 Jul; 30 B (4) : 244-7.

Stiegman, G.V .,Pearlman ,N.W, Teter ,A: upper aerodigestive manifestation of gastroesophageal reflux (abstract) . Gastroenterology 1987 , . 92 : 1654.

Sun,A; Chiang,C.P; Chiou,P.S; Wang, J.T.

Immunomodulation by levamisole in Patients with

recurrent aphthous ulcers or oral
lichen planus. J-Oral - Pathol -
Med. 1994 Apr; 23 (4) : 172 - 7.

Takeda , Y; Yamamoto ,H. Iron deposits in the human labial
minor salivary glands :
apostmortem study. J- Nihon-
Unis- sch- Dent. 1989 - Mar; 31
(1) : 361-5.

Taylor, L.J; Walker , D.M; Bagg, J. A clinical trial of
prostaglandin E₂ in recurrent
aphthous ulceration. J Oral
Pathol Med 1994 Apr; 23(4)180-
5

Terekhova , N,V; Khazanova , V.V; Zemskaia , E.A;
Kosorukova , N.I.A: Kemantan
treatment of patients with
recurrent aphthous stomatitis,
Stomatologia-Mosk, 1990 Jan -
Feb; 69 (1) 31-3.

Ueta, E; Osaki , T; Yoneda ,K; Yamamoto, T; Kato ,I : A
clinical trial of Azelastine in
recurrent aphthous ulceration,
with an analysis of its actions on

leukocytes, J-Oral - Pathol - Med.

1994. Mar; 23 (3) : 123 -9.

Veloso, F.T, Saleiro, J.V. small bowel changes in recurrent ulceration of the mouth Hepatogastroenterology 1987; 34:36-7.

Vigneswaran, N., Haneke, E. Hornstein, O.P. Niedermeier, W. Localization of epithelial markers and defence proteins in minor and major salivary glands. Acta histochem. 1989. Suppl In press.

Weisskopf, F.A : Reflux laryngitis: A cause of globus. Otolaryngol Head Neck Surg 1981; 89: 780-782.

Wilson, C.W.M : Food sensitivities, taste changes, aphthous ulcers and atopic symptoms in allergic disease. Ann Allergy 1980; 44 : 302 -7.

Wormser, G.P, Mack, L., Lenox, T., Lack of effect of oral acyclovir on prevention of aphthous stomatitis. Otolaryngol head Neck Surg 1988; 98 : 14-7.

Wray, D., Ferguson ,M.M, Masson, D.K, Hutcheon, A.W,
Recurrent aphthae; treatment
with vit B12, folic acid and iron.
Br Med J.1975 2 :490 - 3.

Wray, D., Graykowski ,E.A, Notkins, A.L. Role of mucosal
injury in initiating recurrent
aphthous stomatitis Br Med. J-
1981; 283 : 1569 - 70.

Wray, D., Vlagopoulos ,T.P., Siraganian ,R.P. Food allergens
and basophil histamine release in
recurrent aphthous stomatitis.
Oral Surg 1982; 54 : 388 - 95.

Wright, A., Ryan,F.P, Willingham , S.E.
Food allergy or intolerance in
severe recurrent aphthous ulcera-
tion of the mouth. Br Med J.
1986; 292 : 1237-8.

Wright, D.G, Kirkpatrick ,C.H, Gallin ,J.I : Effects of
levamisole on normal human
Clin Res 1976; 24 : 455A.

Yel , L; Tezcan, I; Hasturk, H; Ersoy, F; Sanal ,O;
Yavuzylimaz ,E :Oral findings,
treatment and follow-up of a case

with major aphthous stomatitis.
(Sutton's disease). J-Clin-
Pediatr-Dent. 1994. Fall; 19 (1) :
49 - 53.

Zierhut,M., Saal,J; Pleyerukotter,I; Durk ,H; Fierlbeck,G:
Behcet's disease : epidemiology
and eye manifestations in
German and mediterranean
patients Ger-J-ophthalmol. 1995
jul : 4 (4) : 246 - 51.