

REFERENCES

REFERENCES

- *Acc/Aha Practice Guidelines. Acc/Aha Guidelines of the Clinical application Of the Echocardiology (1997):* Executive summery: A report of the American Collage of cardiology/American heart association Task force on practico guidelines (Committee on clinical application of Echocardiography) J. Am Coll Carioal 29: 862-879.

- *Alberti, P.W., Hyde M.I., Riko, K, Corbin, H. and Fitzharding, P.M.m (1985):* Issues in early identification of hearing loss. The laryngoscope, 95. 373-381.

- *Alexander R. S. (1963):* The peripheral venous system. In Hamilton, W. F. (ed.): handbook of Physiology. Baltimore, The Williams & Wilkins Company, 1963, Vol.2, Sec. 2, p.1075.

- *Anson, B. J. and Donoldson, J. A. (1981):* Surgical anatomy of the tomporal bone. 3rd edn. Philadelphia W.B. Saunders.

- *Anthony N. De Maria (2000)*: Echocardiography, chapter 43, in Lee Goldman and J. Claude Bennett, Editors of Cecil textbook of medicine, 21 Edition, W. B. Saunders company, a division of Harcourt brace and company London.

- *Ballantyne (1979)*: Anatomic relationship between Ostmann's fatty tissue and Eustachian tube, Ann. Otol. Rhinol-Laryngol 102-212 1979.

- *Barry M. Massi (2000)*: Pathophysiology of heart failure, chapter 47, in Lee Goldman and J. Claude Bennett, Editors of Cecil textbook of medicine, 21 Edition, W. B. Saunders company a division of Harcourt brace and company London.

- *Bluestone C. D., Beery Q. C. (1976)*: Concepts on the pathogenesis of middle ear effusion, Ann. Otol. Rhinol-Laryngol. 85-182 1976.

- *Bluestone C. D., Klein J. O. (1998)*: Otitis media, atelectasis, and Eustachian tube dysfunction, ed3. Pediatric Otolaryngology, Philadelphia, 1998.

- *Bluestone CD (1975)*: Assessment of Eustachian tube function. Handbook of Clinical Audiometry, New York. 1975, American. Electromedics Corporation.

- *Bluestone CD., Beery QC. and Paradise JL. (1973):* Audiometry and tympanometry in relation to middle ear effusions in children, Laryngoscope 3:
- *Bluestone CD., Klein JO. (1995):* Otitis media in infants and children, ed2, Philadelphia. WB Saunders.
- *Braunwald E. (1998):* The Clinical Examination in Goldman L., Braunwald E. (eds): Primary cardiology. Philadelphia, WB Saunders 1998, PP 27-43.
- *Butman S. M., Ewy G. A. Standen J. R., et al, (1993):* Bedside cardiovascular examination in patients with severe chronic heart failure: importance of rest or inducible jugular venous distention. J. AM. Coll. Cardiol. 22:368.
- *Caro C. G., Pedley, T. I. and Seed W. A. (1974):* Mechanics of the circulation. In Guyton, A. C. (ed.): MTP International Review of Science: Physiology. Baltimore, University Park Press, 1974, Vol 1., p.1.
- *Chakko S. , Woska D. , Martinez H., et al, (1991):* Clinical radiographic, and hemodynamic correlation in chronic congestive heart failure: conflicting results may lead to inappropriate care. Am. J. Med. 90:353.
- *Colucci WS., Massie BM., et al, (eds) (1997):* Heart failure: Scientific principles and clinical practice. New York Churchill.

- *Dauterman KW., Massie BM., Gheorghiade M. (1998):* Heart failure associated with preserved systolic function: A common and costly clinical entity *Am Heart. J.* 135:S3 10-S3 19, Review of the epidemiology, mechanisms, and therapy of this common form of heart failure.

- *De Melker R. A. (1992):* Treating persistent glue ear in children. *British Medical Journal.* 306:5-6.

- *Dempster J. n. and Mackenzie K. (1991):* Tympanometry in the detection of hearing impairments associated with otitis media with effusion. *Clinical Otolaryngology.* 16. 157-159.

- *Donaldson, J. A. and Duckert L. G. (1991):* Anatomy of the ear. in: *Otolaryngology . Third edition, Vol .1; 2:23-58.*

- *Doyle WJ., Seroky JT., Alper CM (1995):* Gas exchange across the middle ear in monkeys, *Arch Otolaryngol Head Neck Surg* 121:887.

- *Eichhom EJ., (1998):* New insights into dilated cardiomyopathy. *Cardiol Clin* 16:603,. Monograph with chapters on the etiology, pathophysiology, and treatment of heart failure.

- *Fiellau Nikolajsen M. (1983):* Tympanometry and secretory otitis media. Acta Otolaryngology. Suppl. 394, 1-73.
- *Fornadley JA., Burns JK.(1994):* The effect of surfactant on Eustachian tube function in a gerbil model of otitis media with effusion. Otolaryngol Head Neck Surg 110:110.
- *Gacek R. (1983):* Cupulolithiasis and posterior ampullary nerve transection. Annals of Otology, Rhinology and laryngology, Suppi., 112: 25-30.
- *Gates G. A., Avery C., Cooper J. C., Hearne E. M. and Holt G. R. (1986):* Predictive value of tympano-metry in middle ear effusion. Ann. Otol. Rhinol. Laryngol 95 46-50.
- *Gates G. A., Cobb .J. L. D Agostino R B. and Wolf, P.A. (1993):* Arch-Otolaryngol. Head and neck surg.119 (2): 156-61.
- *Gates, G. A. M., Avery C.A. and Prihoda T.J. (1988):* Effect of adenoidectomy upon children with chronic otitis media with effusion. laryngoscope 98:58-63

- *Gheorghiade M. (1998):* Heart failure associated with preserved systolic function: A common and costly clinical entity Am Heart. J. 135:S3 10-S3 19, Review of the epidemiology, mechanisms, and therapy of this common form of heart failure.

- *Graves, G.O., and Edwards, L.F. (1944):* The Eustachian tube Review of its descriptive , microscopic topographic and clinical anatomy Arch Otolaryngol. 39; 359-39.

- *Gray's (1980):* Text book of Anatomy 36th edition Peterl. Williams and Roger Warwick Church Hill living stone, London Melbourne and New York, 740-744, 1980.

- *Hentzer E.(1970):* Ultrastructure of the normal mucosa in the human middle ear, mastoid cavities and Eustachian tube. Ann Otol Rhinol Laryngol, 19: 1143-1157.

- *Hentzer E.(1972):* Ultrastructure of the normal mucosa in secretory otitis media (1) serous effusion. Otoaryng, 73: 394-401.

- *Hills B. A. (1984):* Analysis of Eustachian surfactant and its function as a release agent. Archives of Otolaryngology. 110, 3-9.

- *Himehllan R. B.; Stulbarg, M. and Kirchner B. (1989):* Non invasive evaluation of pulmonary artery pressure during exercise by saline - enhanced Doppler echocardiography in chronic pulmonary disease. *Circulation* 1989,79 863 - 871.
- *Hongo I and others (1985):* Pumping and clearance function of the Eustachian tube. *AM J. Otolaryngol* 6:241.
- *Hongo I., Okazaki T., (1979):* Experimental study of the Eustachian tube function with regard to its related muscles. *Acta Otolaryngol (Stockh)* 87:84.
- *Jafek B. V. (1983):* Ultrastructure of human nasal mucosa. *Laryngoscope*, 93.
- *Jerger I. (1970):* Clinical experience with impedance audiometry, *Arch Otolaryngol* 92:311.
- *Jerger J. (1970):* Clinical experience with impedance audiometry. *Archives of Otolaryngology*. 92, 311.
- *Jerger, J (1970):* Clinical experience with impedance audiometry *Archives of Otolaryngology*, 92, 311-334.
- *Lee Goldman, (2000):* Chapter 38 Approach to the patients with possible cardio vascular disease.

- *Lim and D.J. and Schimada T. (1971):* Secretory activity of normal middle ear epithelium. *Ann. Otol.*, 80: 319-329.

- *Lim D. J. and De Maria T. F. (1982):* Pathogenesis of otitis media bacteriology and immunology. *Laryngoscope*. 92, 278-286.

- *Luman M. E., (1997):* Diagnostic audiometry in Aln kelled of scott. Broun's Otolaryngology 6th edition Vol.2 chapter 12 P.11.

- *Macbeth R(1960):* Some thoughts on the Eustachian tube, *Proc R. Soc Med* 53-151, 1960.

- *Magnusson B. (1989):* The sniff theory. IFOS Conference of Eustachian Tube and Middle Ear Disease. (Abstract) Geneva.

- *Manson J., Aliessio, H. M., Cristell, M and Hutchinsan, K. M. (1994):* Does cardiovascular health mediate hearing ability *Med Sci. Sports. Exerc.*, 26 (7): 866-871.

- *Massie BM. Shah NB., (1997):* Evolving trends in the epidemiologic factors of heart failure: Rationale for preventive strategies. *Am Heart J* 133:703-712.

Review of statistics on incidence, prevalence, mortality. hospitalization for heart failure, and discussion of preventative approaches to reduce its impact.

- *Maw A. R. (1992):* Using tympanometry to detect glue ear in general practice.
British medical Journal. 304, 67-68.
- *McNicoll W. D. and Scanlen S. G. (1979):* Submucous resection: The
treatment of choice in the Nose -Ear distress syndrome. The Journal of
Laryngology and Otology, 93: 357-367.
- *Moller H. and Tos M. (1990):* Point and period prevalence of otitis media with
effusion evaluated by daily tympanometry. Journal of Laryngology and
Otology, 104, 937-941.
- *Nomura Y., (1984):* Otological significance of the round window. Advances in
Oto-Rhinolaryngology. No.33. edited by C.R. Pfaltz Basel : Karger, PP.1-184.
- *Ohashi V. and others (1986):* Ciliary activity in the in vitro tuhotympanum.
Arch Otorlaryngol, 243:317.
- *Paparella, M.M. Jung, T. T., and Goycoolea M. V. (1991):* Otitis media with
effusion In Otolaryngology third edition, VOL.11; 6:163 195.
- *Perry G. J., Helmcke F, Nada N. C., et al, (1987):* Evaluation of aortic
incompetent by Doppler color flow mapping J. Am Coll cardioc 9:952.

- *Poole-Wilson PA., Colucci WS., Massie BM., et al, (eds) (1997):* Heart failure: Scientific principles and clinical practice. New York Churchill.
- *Proctor B (1967):* Embryology and anatomy of the Eustachian tube. Arch Otolaryngol 86:503.
- *Proctor B. (1967):* Embryology and anatomy of the Eustachian tube. Arch. Otolaryngol. 86:503-514.
- *Quinones MA, Pickering E, Alexander JO(1978):* Percentage of shortening of echocardiographic left ventricular dimensions: Its use in determining ejection fraction and stroke volume. Chest. 1978; 74:59.
- *Renvall, U., Holmquist, J., (1976) :* Tympanometry revealing middle ear pathology ann-OtolRhinol-Laryngol-Laryngeal., 5:209-215.
- *Rockley T. J. and Hawkes W. M. (1992):* The middle ear as a baroreceptor. Acta Otolaryngological. 112, 816-823.
- *Rockley T. J. and Hawkes W. M. (1992):* The middle ear as a baroreceptor. Acta Otolaryngologica, 112, 816-823.
- *Rood S. R. and Doyle, WJ. (1982):* The nasopharyngeal orifice of the auditory tube: Implications for tubal dynamics anatomy. Cleft Palate J.

- *Rood S. R. and Doyle V.J. (1985): Anatomy. In Bluestone, C.D., Doyle, W. J., and Arjona, S.A. (eds.) Eustachian Tube Function:*
- *Ross M (1971): Functional anatomy of the tensor palati: its relevance in cleft palate surgery. Arch Otolaryngol, 93:1.*
- *Ross M (1985): Functional anatomy of the tensor palati: Its relevance in cleft palate surgery, Arch Otololaryngol 93:1, 1985.*
- *Sade J. (1966): Middle ear mucosa. Arch. Otolaryn., 84: 137-146.*
- *Sade J. (1971): Mucociliary flow in the middle ear. Ann Otol Rhinol Laryngol, 80:336-341.*
- *Sade j. and Luntz M. (1993): Dynamic measurement of gas composition in the middle ear: steady state values. Acta Otolaryngologica. 113 (Suppl. 3). 353-357.*
- *Sade J. and Luntz M. (1990): Middle ear as a gas pocket. Annals of Otorhinolaryngology. 99, 529-534.*
- *Scadding, L.K., Martin J. A.M., Alles. R.S., Hawk L.J. and Darby Y. (1993): Letter. British Medical Journal, 306,455.*

- *Schiller NB, Acquatella H, Ports TA, et al., (1979):* Left ventricular volume from paired bi-planed twodimensional echocardiography. *Circulation.* 1979; 60:547.

- *Schrier RW., Fasset RG., (1998):* Pathogenesis of sodium and water retention in cardiac failure. *Renal failure* 20:773.

- *Shah NB., (1997):* Evolving trends in the epidemiologic factors of heart failure: Rationale for preventive strategies. *Am Heart J* 133:703-712. Review of statistics on incidence, prevalence, mortality. hospitalization for heart failure, and discussion of preventative approaches to reduce its impact.

- *Shupak A and others (1996):* Effects of middle ear oxygen and carbon dioxide tensions on Eustachian tube ventilatoty function. In Bluestone CD, Lim DJ.: *Proceedings of the Sixth International -Symposium on theRecent Advances in Otitis Media*, Hamilton, Canda, Mosby (in press).

- *Siman (1979):* Tympanometry and Otoscopy prior to myringotomy: issues in diagnosis of otitis media. *International Journal of pediatric Otolaryngology.* 24, 101-110.

- *Stenfors LE., Hellstrom S. Albiin N.(1985):* Middle ear clearance in Eustachian tube function: physiology and role in otitis media. Ann Otol Rhinol Laryngol 94:30.

- *Stenfors, I. E., Hellstorm S. and Albiin N., (1985):* Eustachian tube function. Middle ear clearance. Ann. Otol. Rhinol, Laryngol, Suppl., 120(94): 30-31.

- *Swatts JD., Rood SR. (1990):* The morphometry and three-dimensional structure of the adult Eustachian tube: implications for function. Cleft Palate J, 7:374.

- *Swatts JD. Rood SR. Doyle WJ.(1986):* The fetal development of the auditory tube and paratubal musculature. Cleft Palate J, 23:289-986.

- *Terrocol A., Coronal A. and Guerrier G., (1949):* La trompe d'eustache Paris Masson et cie Quoted from: Eustachian Tube Function physiology and Role of otitis media workshop report. Annals., suppl. 120, 1985.

- *Thomas smith (1995):* Heart failure in cicill text book of medicine. 6th edition Vol. Chapter 40 P.1 87.

- *Tos M. (1980):* Middle ear epithelia in chronic secretory otitis media. Arch. Otolaryngol. 106: 593.

- *Tos M. (1980):* Pathogenesis and pathology of chronic secretory otitis media
Ann otol Rhinol Laryngol 89, suppl 68, 91.
- *Tos M. (1985):* Histologic anatomy of the Eustachian tube and middle ear.
Ann Otol Rhinol Laryngol, 94: 9-11.
- *Tos M. and Back-Pedersen K. (1977):* Goblet cell population in the
pathological middle ear and eustachian tube of children and adults. Ann. Otol.
Rhinol. Laryngol, 86: 209.
- *Tos M., (1985):* Histologic anatomy of the Eustachian tube and middle ear. In
Eustachian Tube Function: Physiology and Role of otitis Media Workshop
Report. Annals, Suppl. 120: 9-11.
- *William F. Ganong (1991):* Chapter 9, Hearing and Equilibrium, 158-170.
- *Wright A. (1987):* Anatomy and ultrastructure of the human ear in: Scott-
Brown's Otolaryngology. Fifth edition Vol. 1: 1-24, 594.
- *Bahgat, Hafez et al (1987):* Experience in detection of non organic hearing
loss, Zagazig University Medical press. 1: 77-83.