

REFERENCES

REFERENCES

ASCH RH (1976) :

Laparoscopic recovery of sperm from peritoneal fluid in patients with negative or poor sins. Huhner test (1976). Fertil steril 77:111.

Bailey and Scott's (1994):

Chlamydia, Mycoplasma and Rickettsia in Diagnostic microbiology, 9th edition, Mosby .p.551-567.

Barnes, R.C.(1989):

Laboratory diagnosis of human chlamydial infections Clin.Microbiol. Rev.; 2:119-36.

Batteiger, B.E., Jones, R.B., and white, A.,(1989):

Efficacy and safety of ofloxacin in the treatment of non gonococcal sexually transmited dissase Am.J. med. 1949; 87(Suppl 6c) 755-75.

Baltaglin, C., paolo, G.A., Gerado, D.A. and Alessando, D.C.(1996):

Colour doppler hysterosalpingography. Fertil. Seril.; 65:317-22.

Berger, R.E., Alexander, E.R., Monda, G.D., Ansell, J., McCormich, G., and Holmes, K.K.,(1978):

Chlamydia trachomatis as a cause of acute idiopathic epididymitis. New England J. med., 298:301-304.

Bontis, J., Vauillis, D., panidis, D.T., Theodoridis, Konstantinidis, T., and sidiropoulou, A.,(1994):

Advances in contraception; 10:309-315.

Bowie, W.R., and Holmes, K.K.(1985):

Chlamydia trachomatis: In principles and practice of infectious diseases.2nd edition. Moudell, G.L., Danglas, R.G. and Benelt, J.E.,(eds), Wiley medical publication. Newyork 1049.

Brooks, P.G. and Marlow, J. (1977) :

Indications and contraindications : Quoted from laparoscopy. Edited by Philips, J.M.; Corson, S.L.; Keith, L.; Levinson, C.J.; Juzpe, A.A.; Williams and Wilkins Company, Balitmors; Maryland, U.S.A., p. 54.

Brunham, R.C., paqvonen, J. and sterens, C.E. (1984):

Mucopurulent cervicitis. The ignored counter part in women of urethritis in men. N. Engl. J Med.; 311:1-6.

Brun ham RC, Maclean IW, Binns B and Pelling RW(1985):

C. trachomatis: its role in tubal inferitlity J infect Dis 152. 1275.

Brunham, RC., Binns, B.9 MCD owell, J. and Paraskevas, M.,(1986):

Chlamydia trachomatis infection in women with ectopic pregnancy. Obstet. Gynecol.; 67: 722-6.

Bush, M.R. and Rosa, A.C.,(1994):

Azithtomycin and erythromycin in the treatment of cervical chlamydial infection during preгнаucy. Obst.Gynecol.;84:61-3.

Campbell, A., Patton , D.L., Morrite, D.E.(1992):

Cappuccio, A.L., Mueller, B.A., and wang. S.P.

Detection of chlamydia trachonatis DNA in women with tubal infertility

Cates, W., Rolfs, R.T. and Aral, S.Q.,(1990):

Sexual transmitted dissase, peluic inflammatory disease and infertility, An epidemiologic up date.

Epidemiol. Rev.; 12:199-200.

Center for disease control (1982):

Morb. Mortal., WKLY Rep 31, 435-445.

Cevenin R, Possati G, La Placa M(1982):

Chlamydia trachomatis infection in infertile women In mardh

P-A Holmes KK. Oriel JD.. Piot D Schachter J(eds):

Chlamydia infections

Amsterdam, Elsevier Biomedical press PP 189-192.

Chaim, W., sarov, B., Sarov, I., Pinra, B., Cohen, A. and Inster, V.,(1989)

Serum IgG and IgA antibodies to chlamydia trachomatis in ectopic pregnancies. Contraception, 40:59-71.

Chiara F(1959):

Study of the fine innervation of the female genitalia uterus
Annali ostet Ginecol 81, 553-576.

- Conway, D., Caul, E.D., Hull, M.G., Glazner, C.M., Hodgson, J. and Glarke, S.K.R.,(1984):**
Chlamydia serology in fertile and infertile women lancet; 1:191-3.
- Corson, S.L., (1977):**
The Role of laparoscopy in the infertility work up . J. Reprod. Med.; 18:127-31.
- Curit is H(1930):**
A Cause of adhesions in right upper quadrant in women
JAMA 98:1227.
- Dabekausen, Y.A.J.M., Feveres, J.h.H and Land, J.A.,(1994):**
Chlamydia trachomatis antibody testing is more accurate than hysterosalpingography in predicting tubal factor infertility. Fertile. Sterile.; 61: 833-7.
- Daniel EE, Pasey VA, Patron DM(1975):**
Structural analysis of the myogenic control systems of the human fallopian tube . Am J obstet Gyencol 121:1054.
- Davies, J.A. et al. (1978) :**
Isolation of chlamydia trachomatis from Barthalin's ducts.
Br. J. Vener. Dis. 54 : 409.
- Decherney, A.H., Kort,H., Barney, J.B. and Devore, G.R.,(1980):**
Increased pregnancy rate with oil-soluble hysterosalpingography dye. Fertile sterile. 33:407.
- Dunlop, E.M.C., Jones, B.R. and Al.Hussaini, M.K.,(1964):**
Genital infection in association with TRIC virus infection of the eye : III clinical and other findings preliminary report. Br. J. Vener Dis. 40 : 33.
- Dunlop, E.M.C., Darougars, Hare, M.J., Treharne, J.D. and Dwyer, R.S.C.,(1972):**
Chlamydia and non specific urethritis. Br. J. vener. Dis., 2 : 575.
- Durastante, V., conte, L., Cinque, A., Angeli, E. and Scalia,A.(1995):**
Minervachir. Sep. 50(9): 793-8.

Eddy CA, Dauerstein CJ(1980):

Anatomy and physiology of the fallopian tube clin obstet Gynecol 26 1177-1193.

Eilard, T., Brosson, J.E., Hamar, K.B. and Forssman ,L.,(1976):

Isolation of chlamydia in acute salpingitis.

Scand J J. infect. Di. Suppl. Noq, pp.82-85

Elder MG, Myatt and chandhun G(1977):

The Role of prostaglandins in the spontaneous motility of the fallopian tube.

Fertil steril 28:86.

Eschenbach, D.A.,(1975):

Polymicrobial etiology of acute inflammatory diseases N. Engl. Jm Med., 292:166.

Evans, R.T. and wood land, R.M., (1983):

Br. Med Bulltein. Vol. 39, No.2, pp 181-186

Faro, S., (1991):

Female pelvic infection. Am J. obstet. Gynec; 164 :1967-70.

Foulds, G., Shepard, R.M. and Johnson, R.B.,(1990):

The pharmacokintics of azithromycin in human serum and tissues. J. Antimicrob.

Chemother; 25(Suppl.): 73-82.

Frommel GT, Rothenberg R, Wang SP, McIntosh, Wintersgill C, Allaman J and or I (1979):

Chlamydia infection of mothers and their infants J pediatri 95: 28-32.

Giroud p, Roger, F, Dumas N(1956):

Certains avortements chez la femme peuvent être due a des agent situes á cöte du groups de la pasittacose.

CR Acad Sci, Paris 242 697-699.

Griffais, R., and Thibon, M.,(1989):

Detection of chlamydia trachomatis by the polymerase Chain Reaction. Res. Microbial., 740, 139-4.

Gump, D.W.; Gibson, M. and Ashikagat (1988) :

Evidence of prior pelvis inflammatory disease and its relationship to c.trachomatis antibodies and IUCD use in infertile women.

Am. J. Obstet. Gynecol. 146-153.

Handsfield, H.H. Jasman, L.L. and Roberts, P.L., (1986):

Criteria for selective screening for chlamydia trachomatis infection in women attending family planning clinics. JAMA, 255(13): 1730-41.

Hare, M.J.,(1974):

Br.J. Vener. Dis., 50, 437-441.

Harrison HR, Ale x and ER, weinstein L et al.,(1983):

Cervical C. trachomatis and mycoplasma infectious S. in Pregnancy

JAMA 250: 1721-1727.

Helm G(1981):

Adrenergic and peptidergic neuromuscular mechanisms in the human fallopian tube with special regard to cyclic in flunces.

Acta obstet Gyencol Scand (Suppl) 104:1-23.

Henry-suchet J, Catalan F, Loffredo V et al.,(1980):

Microbiology of specimens obtained by laparoscopy from controls and from patients with pelvic inflammatory disease or infertility with tubal obstruction: C. trachomatis and uteulyticum.

Am J obstet Gynecol 138:1022.

Henry Suchet J, Catalan F, Loffredo Vet al(1981):

C.trachomatis associated with chronic inflammation in abdominal specimens from women selected for tuboplasty

Fertil Steril 36:599-605.

Holmes, KK.(198) :

The chlamydia epidemic. JAMA., 245(17) :1718-23.

Horn, J.E., Hammer, M.L., Falkow, S. and Quin, T.C.,(1986):

Detection of chlamydia trachomatis in tissue culture and cervical scrapings by in situ hybridization J. infect. Dis., 153, 1155-9.

- Kirkinen P, Hivonen E, Kauko M, Purhonen S, Nautinen L.**
Intracranial blood flow during laparoscopic hysterectomy. *Acta Obstet Gynaecol Scand* 1995; 74 : 71-4.
- Kosseim, M., and Brunham, R.C.,(1986):**
Fallopian tube obstruction as sequelae to chlamydia trachomatis infection. *Eur. J.Clin. Microb.*; 5:584-590.
- Lee, H.H., Max, A.C., Schachter, J., John, D.B., William, W.A., Sharon M., and Gregor, L.,(1995):**
Diagnosis of chlamydia trachomatis by ligase chain reaction. *The Lancet*, Vol. 345; P.213-216.
- Lindsay, S.A., and Judith, C.L.,(1991):**
Comparative efficacy of clindamycin versus erythromycin in eradication of antenatal chlamydia trachomatis. *Am. J. obstet Gynecol.* 165:375-81.
- Lubke, F. and Hindenburg, H.J. (1984) :**
Hysteroscopy as an examination method in sterility. In Siegler, A.M.; Lindemann, H.J. (ed) *Hysteroscopy. Principles and Practice*. Philadelphia, J.B. Lippincott, p. 513.
- Mahony, J.B., Chernesky, M.A., Bromberg, K. and Schachter, J.,(1986)**
Accuracy of immunoglobulin M immuno-assay for diagnosis of chlamydia infection in infants and adults
J.Clin. Microbiol., 24:731.
- Marbet UA, Stalder GA, Vogtlin J et al.,(1986):**
Diffuse peritonitis and chronic ascities due to infection with c. Trachomatis without liver disease new presentation of Fitz-Hugh Curtis syndrome *Br Med J* 293:5.
- Mardh PA, Ripa KT, Svensson L and Westrom L(1977):**
Ch. Trachomatis infection in patients with acute salpingitis
N.Eng. J. Med 296 1377-1379.
- Mardh P.A.,(1980):**
An overview of infectious agents of salpingitis, their biology, and recent advances in methods of detection. *Am J. obstet. & Gynecol.*, 138 : 933-951.

Mardh, p.A., Lind, I., Svensson, L., Westrom, L., and Maller, B.R., (1981):

Endometritis caused by chlamydia trachomatis.
Br. J. Vener Dis., 57 : 191.

Mardh, P.A.,(1990):

Pelvic inflammatory disease and related disorders; novel observations. Scan J. infect. Dis. Supp.; 69 : 83 . 7.

Mardh, PA and wolner Hansen P(1982):

Three novel manifestation of C. trachomatis infection infection 10-57.

Martin DH, Koustsky L, Eschenbach DA et al.,(1982):

Prematurity and perinatal mortality in pregnancies Complicated by maternal C. trachomatis infection. JAMA 24. 1585-1588.

Martin DH., (1990):

Chlamydial infectious. Med Clin North AM. 74(6) :1367-87.

Martin, J.L., Alexander, S.Y., Selwood, T.S., Cross, G.F. and Gentourin.,(1995):

Med., P71: 169-171.

McComb, Langly L, Villalon M, verhugop (1986):

The oviductal cilia and kartagener's syndrome fertil steril 46:418.

McGregor, J.A.; French, J. et al. (1985) :

Physiological and behavioral risk factors for acute salpingitis (Abstract) presented at the sixth annual meeting of the international society for STD research, Brighton, England, August (Abstract No. 14).

Mehanna, M.T.R., Rizk, M.A., Ramadan, M. and Schachter, J.(1994):

Chlamydia serologic characteristics among contraceptive device wears . Am. J.obstet. Gyencol.; 171 : 691-3.

Mehta (1989) :

Quoted from laparoscopy, Fertility & Sterility. Vol. 65, No. 2, February, Printed in U.S.A.

Palmer, R. (1974) :

Abdominal coelioscopy in diagnosis and treatment of sterility.
J. Reprod. Med.; 10 : 295.

Pao, C.C., Lin, S.S., and Yang, T.E., (1987):

Deoxy ribonucleic acid hybridization analysis for the detection of urogenital chlamydia trachomatis infection in women. Am. J. Obstet. Gynecol., 156, 195-9.

Pauerstein CJ and Eddy CA (1979):

The role of the oviduct in reproduction: our knowledge, our ignorance. J. Reprod. Fert. 55 :223-229(1979). Pauerstein CJ, Silverman A and Eddy CA:

Ovum transport and implantation. In symposium on in vitro fertilization and Embryo Transfer (1983):

Serono symposia. International. London. Academic Press pp 229-237

Perine, P.L., Kuo, C.C. and Osaba, O., (1984):

Lymphogranuloma venereum. Pp 243-257. In: Itoles K.K., Mardh, P.A., Sparling, P.F., and Weisner, P.J. (ed) Sexually transmitted disease. McGraw-Hill book co. New York.

Pernoll, M.L. and Beson, R.C. (1994):

Infertility. In: Current Obstet and Gynecol. Diagnosis and treatment. 8th edition. Vol. 11. p. 999, Alang Medical Book.

Peter, J.B., and Lowett, M.A., (1985):

Genital infection from chlamydia trachomatis
Diag. Med., 17:30-35.

Peterson, E.P. and Behrman, S.J. (1975) :

In Progress in Infertility.
Boston, Little, Brown, p. 665.

Pollow K, Inthraphuvasak J, Grill HJ and Manz B (1982):

Estradiol and progesterone binding components in the cytosol of normal human fallopian tubes.
J Steroid Biochem 16 :429-435.

- Quinones, R.G.; Alvarado, D.A. and Azar, R. (1974) :**
Tubal catheterization applications of a new technique.
Am. J. Obstet. Gynecol.; 114 : 674.
- Quinn PA, Petric M and Barkin M et al., (1987):**
Prevalance of antibody to c.trachomatis in spontaneous abortion and infertility.
Am J obstet Gyencol 156 291.
- Robert, B., and Jones, (1991):**
New treatments for chlamydia trachomatis. Am.J. obstet. Gynecol. 164:1789-93.
- Roland, M.; Leisten, D. and Kane, R. (1983) :**
Fertility studies by means of laparoscopy.
J. Rprod. Med.; 10 : 233.
- Rosenfeld DL, Seidman SM and Bronson RA et al.,(1983):**
Unsuspected chronic pelvic inflammatory disease in the infertile female Fertil steril 39 44(1983).
- Rutland, J. and Colep (1980) :**
Ciliary dyskinesia. Lancet 2 : 859.
- Ruijs, G.J., Kauer. F.M., Jager, S., Schroder F.P., Schirm, J. and Kremer, J.(1991):**
Further details on sequelae at the cervical and tubal level of chlamydia trachomatis infection in infertile women. Fertil. Steril.; 56:20-6.
- Ryan, G.M. Jr.; Abdella, T.N.; McNeeley, S.G. et al. (1990) :**
Chlamydia trachomatis infection in pregnancy and effect of treatment on outcome.
Am. J. Obstet. Gynecol. 162 : 34.
- Sampson JA(1973):**
Lymphatics of mucosa of fimbriae of the fallopian tube
Am J obstet Gynecol 33 99-930.
- Sanders, L.L., Harrison, H.R. and washington, A.E., (1986):**
Treatment of sexually transmitted chlamydia infections
J.A.M.A. 255:1750-6.

Sayed H, Allen H and Kirk M(1987):

C.trachomatis in tubal infertility. Abstract of 81st meeting.
American society for microbiology held in Dallas, Texas,
March 7-6 p 291.

Schachter, J. (1990) :

Biology of chlamydia trachomatis in sexually transmitted
disease edited by Holwes, K.K. 2nd edition Chapter 15, p. 167-
180.

Schachter J and Dawson CR(1978):

Human chlamydial infections littleton mass PsG publishing
190-7.

Schachter, T., (1989):

Chlamydial infection past, Present, future, reports from the
symposium of ovian chlamydiosis.
JAMA; 195:71-76.

Schachter, J.,(1980):

Chlamydia, Ann. Rev. Microbiol vol. 34, p. 285-309.

Schachter, J.(1984):

Biology of chlamydia trachmoatis in sexually transmiltied
disease. In Holmeslk, K., Mardh, p.A., sparling, p.F. and
Wiesner, P.J.(eds), McGraw Hill book company, 243-6.

Schachter, J.,(1988):

Chlamydiaceae. The chlamydiae in laboratory diagnosis of
infections diseares, vol II, edited by lennette, E.H. by springer –
verlog, New Berlin, Heidelberg chapter 43,pp:847-863.

Schachter, J.,(1990):

Biology of chlamydia trachomatis in sexually transmitted
disease edited by Holwes, k.k., 2nd edition chapter 15 p. 167-
180.

Seigler, A.M.,(1983):

Hysterosalpingography in Fertil and Steril., Vol 40, No. 2. p.
139-157.

Settalage DSF, Motoshima M and Tredway DR(1973):

Sperm transport from the external cervical ostio to the fallopian tubes in women. A time and quantitation study fertil steril 2H 655.

Sevensson, L.; Westrom, L.; Ripa, K.T. et al. (1982) :

Differences in some clinical and laboratory parameters in acute salpingitis related to culture and serologic findings.
Am. J. Obstet. Gynecol. 138 : 1017.

Sim son JNL (1984):

Chlamydia perihemphitis (curtis -fitz-Hugh syndrom) after hydruotubation.
Br Med J 289: 544.

Smith, J.R., Taylor, R.N. and Robeninson, D.R.,(1993):

Infection due to chlamydia trachomatis in pregnancy and the new born. Billieres clin. Obstet. Gynecol., 7(1) :237-255.

Sweeney WJ (1962):

The interstitial portion of the uterine tube. Its gross anatomy, Course and lentgh.
Obstet Gyencol 19.3(1962).

Sweet RL, Draper DL and Schacter J et al.,(1980):.

Microbiology and pathogenesis of acute salpingitis of acute salpingitis determined by laparoscopy:
What is the appropriate site of sample?
Amj obstet Gyencol 138:985.

Sweet, R.L., and Gibbs, R.S.,(1985):

Infections diseases of the female genital tract part Baltimore :wiliams and wikins, 53.

Tait, I.A., Ress, E., Hobson, D., Byng., R.E., and tweedie, M.C.K.(1980):

Chlamydial infection of the cervix in partners of men with NGV. Br. J. Vener Dis. 56 : 37.

Tals A and Pulkkinen MO(1982):

Electrical activity in the human oviduct during the menstrual cycle. Am J obstet Gyencol 142:135.

Verhage HG, Bareither ML, Jaffe Rc and Akbar M(1979):

Cyclic changes in ciliation. Secretion and cell height of the oviductal epithelium in women
Am J Anat 156 505: 521.

Walters,M.D., Eddy. C.A. Gibbs, R.S., Schachter, J. and Hoden, A.E.,(1988):

Antibodies to chlamydia trachomatis and risk for tubal pregnancy. Am. J. Obstet Gynecol., 159:942-6.

Wang, S.P. and Grayston, J.T. (1982) :

Immunologic relationship between genital TRIC, Lymphogranuloma venerum and related organisms in a new microtitre indirect immunofluorescence test.
Am. J. Ophthalmology 70-367.

Wasserheil, J.N., Bell, T.A. and kivi, N.B.,(1986):

Microbial causes of proven pelvis inflammatory disease and efficacy of clindamycin and to bramycin. Ann. intern. Med. 104:187

Westrom, L.,(1980):

Indication, prevalence and trends of acute pelvic inflammatory disease and its consequences in industrialized countries. Am. J. Obstet. Gynecol. 138:880.

Westrom, L., and Mard, P.A.(1982):

Acute pelvic inflammatory disease. In Sexually transmitted disease. 2nd New york .
MCGraw-Hill, 593-613.

Wilhemsson L and Lindblom B (1980):

Adrenergic responses of the various smooth muscle layers at the human uterotubal junction. Fertil steril 33 :286.

Wol ner-Hansen, p., Mardh, P.A., Moller, B.R., and westrom, l.,(1982):

Sexually transmitted dis 9, 84-88.

Wright, D. and Ar chard, L., (1992):

Molecular biology of chlamydia In. molecular and cell biology of sexually transmitted diseases 1st edition. Chapman and Hall. London,
Glasgow, New york, Toky p 23-50.

Wyrick, P.B.,and Richmond, S.J.(1989):

Biology of chlamydia; JAMA. Vol 195; No 11, (December)