

V-References

V- References

- 1- **Adami H, Bergstrom R, Mohner M, et al.,(1994):** Testicular cancer in nine northern European countries. *Int .J. Cancer* 89: 33 – 38 .
- 2- **Adlercreutz H, Fostsis T, Heikkinen R, et al., (1998):** Excretion of the lignans enterolactone and enterodiol and equol in omnivorous and vegetarian women and women with breast cancer. *Lancet* 11:1295-1299.
- 3- **Adrienne E, Lori Bohari B, Sharon V, et al., (2003):** A multi center prospective controlled study to determine the safety of numerous drugs used during pregnancy. *Can, J. Psychiatry.*19:28-30
- 4- **Arbuckle T, Lin Z and Mery L, (2002):** Pesticides and the risk of spontaneous abortion . *Enviromental Health Prespectives* 109 : 851 – 857 .
- 5- **Arnold S, Klotz D and collins B, (1996):** Synergistics activation of estrogen receptor with combinations of enviromental chemicals . *Sience* . 272(7)
- 6- **Avery AA, (2001):** Cause of methemoglobinemia : illness versus nitrate exposure (correspondence) . *Environ Health Perspec* 109(1) : A12 – A13 .
- 7- **Balish E, and wittern JP ,(1981)** Distributian and metabolism of nitrates and nitrite in rat. *Bobury Report.*4:305-309
- 8- **Barnes S, Grubbs C, Setchell K, et al., (1993):** Soybeans inhibit mammary tumors in models of breast cancer . In : *Mutagens and carcinogens in diet* . New york : Wiley – Liss 18 : 239 – 253 .
- 9- **Barrett J, (1996):** Phytoestrogens, friends or foes? *Enviromental*

- 10- **Barrett JH, Parslow RC, Mckinney PA, et al., (1998):** Nitrate in drinking water and the incidence of gastric , esophageal , and brain cancer in Yorkshire , England. *Cancer Causes Control* 9: 153 – 159
- 11- **Bertazzi P, (2001):** Health effect of dioxin exposure, recent dioxin contamination in vietnam residents of a south Vietnam city. *Journal of occupational and Enviromental Medicine* 43: 5
- 12- **Boueij, Plilipp E, Giroud A et al., (1996):** Lethal anomalies in human fetus. *Teratology* 14:3-30
- 13- **Brozellecz J, (2000):** Herald of modern toxicology. *Toxicological sciences* 53: 2 – 4
- 14- **Buckley J, and Delal, D, (2000):** Pesticides exposures in children with non – Hodgkin lymphoma. *Lancet* 89 : 11 .
- 15- **Cantor KP, (1997):** Drinking water and cancer . *Cancer Causes Contro l* 8: 292 – 308
- 16- **Careison E, Giwereman A, Keiding N, et al., (1992):** Evidence for decline in quality of semen during past 50 years . *Br. Med .J.* 305 : 609-613
- 17- **Carpenter D, Shen Y, Nguyen T, et al., (2001):** Health Concerns in areas of enviromental contamimtion ; Incidence of endocrine disease among residents of area of concerns: *Enviromental Health Perspectives* 6 : 845 – 851
- 18- **Cavalieri EI,slack DE, Decvanesanp D, et al.,(2002):** Molecular origin of Cancer :Catecholestrogen as endogenous tumour initiator. *Proc. Nalt.Acad.Sci.*44:10937-10442
- 19- **Chhonda G, (2000):** Reproductive malformation of male offspring following maternal exposure to estrogenic chemicals . *Proceedings of society for experimental biology and medecine* .224:64-68

- 20- **Cicero, TJ, (1999):** Alcohol-induced deficits in the hypothalamic-pituitary-luteinizing hormone axis in the male. *Alcoholism: clinical and experimental research* 6:207-215.
- 21- **Colborn T, Dumanoski D, and Pete J, (1996):** Theory about environmental oestrogen and xenoestrogen as endocrine disruptors. *Our stolen future* 143 : 918 – 928 .
- 22- **Colditz GA, Hankinson SE, Hunter DJ, et al., (1995):** The use of estrogen and progestin and risk of breast cancer in post menopausal women. *New Engl JMed* 332:1589-1593.
- 23- **Colon I, Caro D and Carlos J, (2000):** Identification of phthalate ester in the serum of young Puerto Rican Girls with premature breast development , *Environmental Health perspectives* 108(9) : 895 – 900 .
- 24- **Cooper GS, Savitz DA, Milikan R, et al., (2002):** organochlorine exposure and age at natural menopause . *Epidemiology* 13(6): 729 – 733.
- 25- **Cray C, (1998):** Experimenting on children in Rachel's environmental and health weekly . *Environmental Research Foundation* 603 : 18
- 26- **Cren LA, Todoroff K, and Shaw GM, (2001):** Maternal exposure to nitrate from drinking water and diet and risk for neural tube defects. *Am J Epidemiol* 153(4): 325 – 331
- 27- **Crisostomo L and Molina W, (2002):** Parental pesticide was in the Philippines and the risk of birth defects and spontaneous abortion. *International Journal of Occupational and Environmental Health* 8 : 232 – 242 .
- 28- **Crisp TM, Clegg ED, Cooper RL, et al., (1998):** Environmental endocrine disruption an effect , assessment and analysis , *Environmental Health Perspectives* 106(4)

- 29- **Daly E, Vessey MP, Hawkins MH, et al., (1996):** risk of venous thrombosis in users of HRT . Lancet 348:977-980.
- 30- **Davis DL, Brodlow HI and wolff M, (1993):** Medical hypothesis : xenoestrogens as preventable cause of breast cancer . Enviromental Health prespective 101: 372 – 377
- 31- **Davis DL, and Bradlow HS, (1995):** Can enviromental estrogen cause breast cancer ? Sci Am 10: 167 – 172
- 32- **Deichmann, WB, and Stephens FH (2001):** Microwave radiation of 10 mW/cm^2 and factors that influence biological effects at various power densities, Indusr. Med. Surg. 30:221-228.
- 33- **Drogichina, EA and Sadchikova MN (2001):** Clinical syndromes associated with the action of various radio-frequency wavelengths, Gigiyena truda 9: 17-21
- 34- **Dumez Y, oury J, Dommergues M et al., (1995):** Diseases of fetus and newborn. Am J Obstet Gynecol 146:985-987.
- 36- **Emanuele, N,V. Dissen GA Hiney JK et al., (2001):** Effect of chronic elthanol exposure on female rat reproductive cyclicity and hormone secretion. Alcoholism: clinical and experimental research 25:1025-1029.
- 35- **Eskenazi B, Mocorelli P Warner H et al., (2003):** Effect of maternal dioxin exposure and birth outcomes. Enviromental Health.
- 36- **Fielden M, Chen I, and Chillim B, (1997):** Examination of estrogenecity of 2, 2, 4, 6, 6 chlorinated derivatives. Toxical Appl Pharmacol 36: 159
- 37- **Fish H, Goluboff ET, olson JH, et al., (1996):** Semen analysis in 1.283 men from the united state over a 25 – year period : no decline in quality . fertile Steril 65 : 1009 – 1014 .

- 38- **Formby B, and Wiley TS(1998)** :progesterone inhibits growth and induces apoptosis in breast cancer cells: *Annals of Clin. and Lab Science* 28:360 – 369
- 39- **Freni–Titulaer LW, Cordero JF Haddock L, et al., (1986):** Premature thelarche in Puerto Rico : Asearch for enviromental factor . *Am J Dis Child* 140 : 1263 – 1267
- 40- **Gangolli SD, Vanden Brandt PA , Feron VJ, et al., (1994):** Nitrate , Nitrite , and N-nitroso Compounds . *Euro J Pharmacol* 292 (1): 1-38
- 41- **Garry VF, Harkins ME, Erickson LL et al., (2002):** Paternal pesticides exposure, sex ratio and risk of birth defects. *Environ. Health perspectives* 110(3): 441 – 444
- 42- **Gerhard I, Monga B, Krahe J et al., (1999):** Association Between PCB exposure and infertility: chlorinated Hydrocarbons in infertile women . *Enviromental research section A*. 80: 299 – 310
- 43- **Giust JA,Seipelt T, Anderson Bk et al., (1990):** Determination of DEHP in caw's milk and infant formula by high performance liquid chromatograhia . *J.Agnic.Food Cham.* 38:415-418
- 44- **Goolsby DA, Battaylin WA, lawrence GB., et al., (1999):** Sources of nutrients in the mississippi – Atchafalaya river basin. Topic 3 reports for the integrated assenment on Hypoxia in the Gulf of mexico. NOAA Coastal Ocean Program Decision Analyiss Series 17: 130
- 45- **Grodstein F, Colditz GA, and Stampfer MJ, (1994):** post menopausal hormone use and cholecystectomy in a large prospective study . *Obstet. Gynecol*, 83:5-11
- 46- **Grodstein F, Stampfer MJ, Goldhaber SZ, et al., (1996):** exogenous hormones and risk of pulmonary embolism in women . *Lancet* 348:983-987.

- 47- **Guo Y, Lai T, Chen S, et al., (1999):** Disordered behavior in the early-born Taiwan Yucheng children . *Chemosphre* 29 (11): 2413 – 2422
- 48- **Guttann SP, Rodriguez LA, Castellsague J, et al., (1997):** HRT and risk of thromboembolism . *Br. Med J.* 314: 796-800
- 49- **Gwillelte EA, Meza MM, Soto Ad, et al.,(1998):** An anthropological approach to the evaluation of preschool children exposed to pesticides in Mexico. *Enviro Mental Health Perspectives* 109:245-251
- 50- **Hallberg GR, Riky DR, and Kantamneni JR, (1996):** Assessment of Iowa safe drinking water act monitoring data: 1988 – 95. The university Iowa hygienic laboratory, Research Report 97: 10
- 51- **Hammond GL, (1996):** Molecular properties of corticoid binding globulin and the sex steroid binding proteins. *Endocrine Review* 11: 65 – 79
- 52- **Harris CA, Henttu P, parker MG, et al., (1997):** The estrogenic activity of phthalate ester in vitro. *Enviromental Health perspect* 105:802-811.
- 53- **Hauser P, Zamethkin A, Martinez P, et al., (1993):** Attention defecit – Hyperactivity dirsorder in people with generalized resistance to thyroid hormone .*New Englard Jurnal of Medecine* 328 (14): 997 – 1001
- 54- **Henrik M, (1998):** Trends in sex ratio, testicular cancer and male reproductive hazards: are they connected ? *APMIS* 106: 232 – 239
- 55- **Herman C, Adlercreutz T, Goldin BR, et al., (1995):** Soy bean phytoestrogen intake and cancer risk. *Jaurnal of Nutrition* 125: 757 – 770
- 56- **Herman–Giddens ME, Slorg EJ and Warsenman RC, (1997):** Seconday sexual charachteristics and menses in young girls seen in

- office practice: A study from the pediatric research in office setting network. *Pediatrics* 99: 505 – 512
- 57- **Hileman B, (1994):** Enviromental estrogen linked to reproductive abnormalities. *Cancer Chem Eng News* 31: 19-23
- 58- **Hileman B, (1996):** Enviromental hormone disrupters focus of major research initiatives. *Chem Eng News* 74: 28 – 35
- 59- **Hood E, (2001):** The tokyo Allacks in Retrospect, Sarin leads to memory loss, *Enviromental Health Prespectives* 109: 1169 – 1173
- 60- **Hopenhayn R, Stump ML. and Brouning SR. (2001):** Exposure to herbicide atrazine and risk of breast and ovarian cancer, regional assessent of atrazin exposure and incidence of breast and ovarian cancer in Kenlucky. *Browning archives of enviromental contamination and toxicology* 42: 127 – 136
- 61- **Houghton DI and Ritter I, (1995):** Organochlorin residues and risk of breast cancer . *J Am coll toxicol* 14: 71 – 89
- 62- **Howdeshellk K, Hotchkision AK, Thayer KA, et al, (1999):** Plastic Bisphenol A speeds growth and puberty, *Nature* 401: 762 – 764
- 63- **Howdeshell K, Peterman PH, Judy BM, et al., (2003):** Bisephenol A is released from used polycarbonate animal cages into water at room temperatur. *Enviromental Health Perspectives* 10: 289 – 311
- 64- **Hunt PA, Koehler KE, Susiarto M, et al., (2003):** Bisphenol A exposure causes meiotic aneuploidy in the female mouse. *Current Biology* 13: 546 – 553
- 65- **Jick H, Derby LE, Myers MW, et al., (1996):** Risk of hospital admission for idiopathic venous thromboembolism among users of postmenopausal oestrogens. *Lancet* 348:981-983

- 66- **Jobling S, Reynolds T, white R. et al., (1995):** Avariety of enviromentally persistent chemicals, including some phthalate plasticizers are weekly estrogenic. Enviromental health perspective 103: 582 – 587
- 67- **Kalterider R.C, Davis A.M, Lariviere JP, et al.,(2001):** Arsenic alter the function of the glucoconticoid receptor as a transcriptor. Environmental Health Perspectives 109:245-251
- 68- **Karmaus W, Huang S, and Cameron L, (2002):** Parental concentration of dichlorodiphenyl dichloroethane and poly chlorinated biphenyls in Michigan fish eaters and sex ratio. Journal of Qccupational and Enviromental Medicine 44: 8 – 13
- 69- **Kavlock R.J, Daston GP, Derosa C, et al., (1998):** Research need for the risk assessment of Health and enviromental effect of endocrine disruptors: A report of the U.S. EPA –sponsorail workshop. Enviromental Health prespect., 104 (4) : 715 – 740 .
- 70- **Keith C, Kolpin D, Furlong E et al., (1996):** Endocrine disrupting chemicals, sources and categories. Environmental Health Prospective 104:1096:1101
- 71- **Kelce WR, Stone CK, Laws SC, et al., (1995):** Persistent DDT metabolite P,P , DDE is apotent androgen receptor antagonist. Natur 375: 581 – 585
- 72- **Kielhorn J, Melber C, Wahnschoffe U, et al., (2000):** Still a cause for concern. Enviromental Health Prospective 108: 7
- 73- **Klein, R., and Duwall, ES (1994):** Bone loss in men: Pathogenesis and therapeutic considerations. Endocrinologist 4:252-269.
- 74- **Knobeloch L, Salna B, Hogan A, et al., (2000):** Blue babies and nitrate-contaminated well water. Environ Health Perspec 108(7): 675 – 678

- 75- **Kross BC, Hallberg GR, Bruner DR, et al., (1993):** The nitrate contamination of private well water in Iowa. *Am J Public Health* 83: 270 – 272
- 76- **Lagrange C, (1996):** Indiana, Morbidity and Morality Weekly Report. Spontaneous abortions possibly related to ingestion of nitrate-contaminated well water 1991 – 1994. *MMWR* 45 (26): 569-572. 32
- 77- **Landrigan, P, Claudio L, Markowitz S, et al., (1999):** Pesticides and inner-city children : Exposures risks and prevention . *Enviromental Health Prespectives*, 107(3)
- 78- **Macpherson K, (1996):** Breast cancer and hormonal supplements in post – menopausal women. *Br Med J.* 311: 644 – 700
- 79- **Markey CM, Luque EH, Munoz M, et al., (2001):** In utero exposure to Bisphenol A alter the development and tissu organization of the mouse mammary gland. *Biology of reproduction* 85: 1215 – 1223
- 80- **Marston CP,Perira G,Ferguson J, et al.,(2001):** Effect of a complex enviromental mixtrue from chemicals containing Polycyclic Aromatic Hydrocarbon (PAH) and risk of endometriosis Carcinogensisi *Lancet* 22:1077-1086
- 81- **Masuno H, Kidani T, Sekiyak K, et al., (2002):** Bisphenol A in combination with insulin can accelerate the conversion of 3T3 – L1 fibroblasts to adipocytes . *Journal of Liprd Research* 3: 676 – 684 .
- 82- **Mato Y, Isobe T, Takada H, et al., (2001):** Plastic resin pellets as a transport medium for toxi chemicals in the marine Enviroment . *Enviro . Sci . Technol* 35: 318 – 324

- 83- **Medlock KL., Branham WS., and Sheehan DM., (1995):** Effect of phytoestrogens on neonatal rat uterine growth and development . Proceeding for the society of experimental biology and medicine 208(3): 307 – 13
- 84- **Miksicek RJ, (1999):** Commonly occuring plant flavonoids have estrogenic oactivity.Mol Pharmacol 44:37-43
- 85- **Mirvish SS, Grandjean AC, Moller H, et al., (1992):** N-nitrosoproline excretion by rural Nebraskans drinking water of varied nitrate content. Cancer Epidemiol, Biomarkers & Prev 1 (6): 455 – 461
- 86- **Moller H, Landt J, Jensen P, et al., (1989):** Nitrate exposure from drinking water and diet in a danish rural population . Int J Epidemiol 18: 206-212
- 87- **Motano MM, Welshons W V, and Vom Seal FS, (2000):** Free estradiol in serum and brain uptake of estradiol during fetal and neonatal sexual differentiation in female rats. Biology of Reproduction, 53: 1198 – 1207
- 88- **Morales-Suarez-Varela M, Llopis-Gonzales A, Tejerizo-Perez ML, et al., (1993):** Concentration of nitrates in drinking water and its relationship with bladder cancer. J Environ Pathol Toxicol Oncol 12: 229 – 236
- 89- **Muto H., and Taka zawa Y., (1989):** Dioxin in cigarette smoke. Archives of Enviromental Health 44(3): 171 – 174.
- 90- **Mylchreest E, Cattley R, and Foster P, (1998):** Male reproductive tract malformations in rats following gestational and lactational exposure to di (n-bulyl) phthalate an antiandrogeric michanism? Toxical Sci. 43: 47.

- 91- **Newbold R, (1995):** Cellular and molecular effect of developmental exposure to diethyl-stilbestrol: Implication of other environmental estrogen. *Environmental Health Prospective* 53:1189 – 1207
- 92- **Newbold R, (1999):** Effect of both estrogens and chemicals in the environment that possess estrogenic activity on fetal and early childhood development. *Environmental Health Perspectives*. 107: 6
- 93- **Ohlson C, and Hardell L, (2000):** Testicular cancer and occupational exposures with a focus on xenoestrogens in polyvinyl chloride plastics . *Chemosphere* 40 (9-11): 1277 – 1282
- 94- **Olea N, (1996):** Estrogenicity of resin-based composites and sealants used in dentistry. *Environmental Health Perspectives* 104 (3): 298 – 305
- 95- **Payne J, Rajapaksa N, Wilkins M, et al., (2000):** Prediction and assessment of the effect of mixtures of four xenoestrogens. *Environmental Health Perspectives* 108 (10)
- 96- **Paulsen CA., Berman NG., and Wany C., (1996):** Data from men in greater seattle area reveals no downward trend in semen quality : further evidence that deterioration of semen quality is not geographically uniform . *Fertil Steril* 65: 1015 – 1020
- 97- **Perera FP, Rauth V, Tsai W, et al., (2003):** Birth outcomes following in utero exposure to environmental pollutants. *Environmental Health Perspectives* . 111(2): 201-205
- 98- **Petrelli G, (2001):** Time to pregnancy following paternal pesticide exposure , reduction in fertility in male green house workers exposed to pesticides . *European Journal of Epidemiology* 17: 675 – 677

- 99- **Pulgar R., Olea – Serrano MF, Novillo – fertrell A, et al., (2000):**
Determination of Bisphenol A and related aromatic compounds released from Bis- GMA – Based composites and sealants by high performance liquid chromatography. Environmental Health Perspective: 108(1)
- 100- **Reel JR, Lamb JC and Neal B, (1996):** Survey and assessment of mammalian estrogen biological assays for hazard characterization. Fundom Appl Toxicol 39: 288 – 305
- 101- **Rier S, and foster WG, (2002):** Environmental dioxins and endometnosis. Toxicological Sciences 70: 161 – 170
- 102- **Routledge EJ, (1998):** Some alkylhydroxy benzoate preservation are estrogenic. Toxical Appl-pharmacol, 153(1) 12 – 9
- 103- **Ryan J, Amirova Z and Carrier G, (2002):** Parental dioxin exposure and offspring sex ratio. Environmental Health Prospective 109: 851 – 857
- 104- **Saenz CA, Bondiovanni AM, and Condel L, (1985):** An epidemic of precocious development in Puerto Rico children . J pediatr: 107: 393-396
- 105- **Safe S, (2002):** Modulation of gene expression and endocrine response pathways by 2,3,7,8 tetrachlorodiabenzo – p – dioxin. Pharmac Ther 67: 247 – 281
- 106- **Sandra S, (2002):** Women community cancer project, Cambridge, massachusetts. Mechanisms, proof and unmet needs: The perspective of cancer activists. Environmental Health Perspectives. 105(3)
- 107- **Schairer C, lubin J, Troisis R et al., (2002):** Menopausal estrogen and estrogen – progestin replacement therapy and breast Cancer risk. JAMA; 283:485-447

- 108- **Schechter A, (2001):** Recent dioxin contamination in Vietnam residents of a south Vietnam city. *Journal of Occupational and Environmental Medicine* 43: 5
- 109- **Schmidt C,W, (1999):** Poisoning young minds . *Environmental Health Perspectives* 107(6)
- 110- **Schnorr TM, Lawson CC, Whelan EA, et al, (2001):** Spont abortion, sex ratio and parental occupational exposure. *Environmental Health Prospective*. 109(11):1127-1132.
- 111- **Schonfelder G, Wittfoht W, Hopp H, et al., (2002):** Parent Bisphenol A accumulation in the human maternal – fetal – placental unit. *Environmental Health Perspectives* 110: 703 – 707
- 112- **Schreinemachers DM, (2003):** Birth defects in four U.S wheat – producing states 109(11): 1127 – 1132
- 113- **Seffner W, (1995):** Natural water contents and endemic goiter– a review. *Zentralblatt Fur Hygiene Und umweltmedizin* 196(5): 381 – 398
- 114- **Sexton S, (1993):** The reproductive hazards of industrial chemicals. *The Ecologist* 343: 212
- 115- **Sharpe RM, and Skakkebaek NE., (1993):** Are estrogen involved in falling sperm counts and disorders of male reproductive tract. *Lancet* 341 : 1392 – 1395 .
- 116- **Shaw GM, Nelson V, and Lovannisci D, (2003):** Genetic susceptibility , chemical exposures and birth defects : Maternal occupational exposures and biotransformation genotypes as risk factors for selected congenital anomalies . *American journal Epidemiology*. 157: 475 – 484

- 117- **Shilds T, Gridley G, Moradi T, et al., (2002):** Occupational exposure and the risk of ovarian Cancer. *Amrican Journal Indian Medicine*. 42(3) 200-213.
- 118- **Show I and McCully S, (2002):** Xenoestrogen exposure via dietary intake. Areview of the potential impact of dietary endocrine disrupoirts on the consumer. *International Journal of Food Science and Technology*. 37: 471-476
- 119- **Shu X, Linet M, Stienbuch M, et al., (1999):** Breast feeding and risk of childhood acute leukemia . *Journal of the National Institute*.
- 120- **Sinaii N, Cleary SD, Ballweg ML, et al., (2002):** High rates of autoimmune and endocrine disorders, fibromyalgia, chronic fatigue syndrome and atopic diseases among women with endometnosis: a survey analysis . *Human Reprodction* 17: 2715 – 2724
- 121- **Sippell WG, (1994):** Diagnosis and treatment of central precocious puberty – Can Final height be improved? *Hormres* 41(2): 14 – 15
- 122- **Speroff L, (1996):** Post menopausal HRT and breast cancer. *Obstet. Gynecol*. 87: 44-54
- 123- **Swan SH, Brazil C, Drobijs E et al., (2003):** Effect of pesticides exposure *Live* . 111(4): 414-420
- 124- **Toppari J, Larsen, P, Christiasen, A, et al., (1996):** Male reproductive health and enviromental xenoestrogen. *Enviromental Health Perspectives* 104(4): 741 – 803
- 125- **Tricker AR, and Preussmann R, (1991):** Carcinogenic N-Nitrosamine in The diet: occurence, mechanism and carcinogenic potential. *Mutat . Res* 259: 277 – 289

- 126- **Van Maanen JM, welle IJ, Hageman G, et al., (1996):** Nitrate contamination of drinking water: relationship with HPRT variant frequency in lymphocyte DNA and urinary excretion of N-nitrosamines . Environ Health Perspec 104 (5) 522 – 528
- 127- **Verdeal K, and Ryan D, (1999):** Naturally – occurring estrogens in plant food stuffs: a review, J Food Prot. 42:277 – 583
- 128- **Vomsal F, Timms B., Montano M. et al., (1999):** Prostat enlargement in mice due to fetal exposure to low dose of estradiol and opposite effects. Academy of Sciences 94:2056-2061.
- 129- **Walsh LP, Cormick CM, and Martin C, (2000):** Bispheno L A inhibits steroidogenesis by disrupting steroidogenic acute regulatory (STAR) protein expression: Environmental Health Perspectives 108(8)
- 130- **Washington DC, (1996):** Cosmotic ingredient review. CIR compendium. 42: 9-11
- 131- **Watson CS, Pappas TC, and Gametchu B, (1996):** The other estrogen receptor in the plasma membrane implication for the action of enviromental estrogens . Enviromental Health Prespectives 103(7): 41 – 50
- 132- **Weiderpass E, Adami H, Barnon JA, et al., (2000):** organochlorines and endometrial cancer risk. Cancer Epidemiology Biomarkers Prevention 9 (5): 487 – 493
- 133- **Weisenburger D, (1993):** Potential health consequences of ground-water contamination of nitrates in nebraska . Nebr Med J 78: 7-10
- 134- **Weisglas-kuperus N, Sast T, Koopman C, et al., (1995):** Immunological effect of back ground prenatal and postnatal exposure to dioxin and PCBs in infant 38: 404 – 410

- 135- **Weiss B, (1997):** Pesticides as a source of developmental disabilities. Mental retardation and developmental disabilities. Mental retardation and developmental disabilities research reviews 3: 246 – 256
- 136- **Weiss B, (2002):** Sexually dimorphic nonreproductive behaviors as indicators of endocrine disruption. Environmental Health Perspectives 110(3)
- 137- **Wetzel R, Show I. and McCully S, (2002):** Xenoestrogen exposure via dietary intake: A review of the potential impact of dietary endocrine disruptors on the consumer. International Journal of food science and technology 37: 471 – 476
- 138- **Weyer PJ, Cerhan JP, Kross BC, et al., (2001):** Municipal drinking water nitrate level and cancer risk in older women: the Iowa Women's Health study. Epidemiology 11(3) 327 – 338
- 139- **Whitehead MI, Hilard Te and crook D, (1990):** the role and use of progestagens. Obstet. Gynecol 75: 59-76
- 140- **Wiedner JS, Moller H and Jensen T K, (1998):** Paternal and maternal pesticide exposure and the risk of birth defects, cryptorchidism and Hypospadias in the Sons of gardeners and farmers. Environmental Health Perspectives 106(12): 793 – 796
- 141- **Wilcox AJ, Baird DD, Weinberg CR, et al., (1995):** Fertility in men exposed prenatally to diethylstilbestrol . N Engl J Med 332: 1411 – 1416
- 142- **Wilkinson TJ, Colls BM, and Schaluten PJ, (1992):** Increased incidence of germ cell testicular cancer in new-zealand Maoris. Br. J Cancer 65:769-771.
- 143- **Willet W, (1989):** The search for the causes of breast and colon cancer, Nature 338: 389 – 394

- 144- **Willis DB, Calle EE, Miracle HL et al., (1996):** estrogen replacement therapy and risk of fatal breast cancer in a prospective cohort of post-menopausal women in the United States. *Cancer Causes and Control*, 6:444-457
- 145- **Wittemore AS, Harris R, Itnyre J, et al., (1992):** Characteristic relation to ovarian cancer risk: collaborative analysis of twelve US case control studies. *AmJ. Epidemiol.* 136:1184-1203.
- 146- **Withey J, (2001):** Quantitative analysis of styrene monomer in polystyrene and food including some preliminary studies of the uptake and pharmacodynamics of the monomer in rats. *Environmental Health Perspectives* 17: 125 – 153
- 147- **Woolcott CG, Aronson RJ, Hanna WM, et al., (2001):** Organochlorines and breast cancer risk by receptor status, tumor size and grade (Canada). *Cancer Causes and Control* 12: 395 – 404
- 148- **Yang CY, Cheng MF, Tasi SS, et al., (1998):** Calcium, magnesium, and nitrate in drinking water and gastric cancer mortality. *Jpn J Cancer Res* 89: 124 – 130
- 149- **Zacharewski T, Meek M, Clemon J, et al., (1998):** Examination of the in vivo and in vitro estrogenic activities of eight commercial phthalate esters – *Toxicol Sci* 46:282-293