

References

- Abdel Rehim I. (1985) Some epidemiological and immunological studies of childhood asthma in Benha. M.D. thesis (1985).
- Akdis CA; Belsken T; Akdis M; Wuthrich B; Blaser K, Role of interleukin-10 in specific immunotherapy. *J. Clin Invest* 1998 .Jul 1; 102 (1): 98-106.
- Aria, K.I, Lee, F., and Miyajima, A. (1990) : Cytokines : Coordinators of immune and inflammatory responses *Annu. Rev. Biochem.*, 59:783 .
- Armitage, R.J., Fanslow J., Strockline, T.A., Sats, K.N., Clifford, B.M., Macduff, D.M., Anderson, S.D., Gimple T., Daris-Smith CR., Maliszcvski, E.A., Clark, C.A., Smith and Sprigg, M.K. (1995): Molecular and biological characterization of a murine ligand for CD 40. *Nature* 357 : 80.
- Arshad S.H., Hide D. (1992) : Effect of environmental factor on the development of allergic disorders in infancy. *J. Allergy Clin. Immunol.* 90:235-41.
- Azzaui M., Bardley B., Jeffrey P.K., Frew A.F., Wardlow A.J., Knowles G. et al. (1990): Identification of activated T-lymphocytes and eosinophils in bronchial biopsies in stable atopic asthma. *Am. Rev. Respir. Dir.*; 142-1407-13.
- Barnes P.J., Rodger I.W. and Thomason N.C., 1992 . Pathogenesis of asthma. In : Barnes P.J., Rodger I.W. and Thomson N.C. (eds): *Asthma basic mechanisms and clinical management* (2nd ed.). Acad. Press. Liom., London, Ch. 25 .
- Barnes PJ, Liew FY. Nitric oxide and asthmatic inflammation . *Immunol Today* 1995;16:128-30.
- Barnes PJ: Cyclic nucleotides and phosphodiesterases in airway function. *Eur Respir J* 8:457-462,1995.
- Barnes PJ: Immunomodulation as asthma therapy. Where do we stand?

- Eur Respir J 9:154s-159s, 1996.
- Beasley R, Roche WR, Roberts JA, Holgate ST. Cellular events in the bronchi in mild asthma and after bronchial provocation. *Am Rev Respir Dis* 1998;139:806-17.
- Bentley AM, Hamid Q, Robinsion Ds, Schotman E, Meng Q, Assoufi B, et al. Prednisolone treatment in asthma. Reduction in the number of eosinophils, T cells, tryptase-only positive mast cells, and modulation of IL-4, IL-5, and interferon-gamma cytokine gene expression within the bronchial mucosa. *Am J Respir Crit Care Med* 1996;153:551-6.
- Berkman, N., P. Jose, T. Williams, P.J. Barnes, and K.F. Chung. 1995. Corticosteroid inhibition of macrophage inflammatory protein-1 α expression in human monocytes and alveolar macrophages. *Am. J. Physiol.* 269:L443-L452.
- Bernstein IL, Bernstein DI, Dubb JW, Faiferman I, Wallin B. A placebo-controlled multicenter study of auranofin in the treatment of patients with corticosteroid-dependent asthma. Auranofin Multicenter Drug Trial. *J Allergy Clin Immunol* 1996;98:317-24.
- Bierman C.W. and Shapino G.G. (1996): Evaluation and treatment of the patient with asthma. In: Allergy, asthma and immunology from infancy to adulthood 3rd edition. Bierman C.W., Pearlman D.S., Shapiro G.G., and Busse W.W., Editors.. Saunders Company. Philadelphia.
- Bjorksten B. (1995): How to improve allergy prevention- a critical analysis. *ACI News*. 7/1:4-9.
- Blumenthal M. (1995): Searching for the asthma and allergy gene-the current status of our knowledge. *ACI News* 7/1:15-18.
- Blumenthal M.N., Marcus-Bagley D., Adweh Z. et al. (1992): Extended major HLA-DR-2, [HLA-B7, SC31. DR2] and [HLA-B8, SC01, DR3] haplotypes distinguish subjects with asthma from those with only rhinitis in ragweed pollen allergy. *J Immunol* 148:411-

- Bonner J.R. (1984): The Epidemiology and Natural history of Asthma. Clin. Chest. Med. P. 557-65.
- Borish L, Aarons A, Rumblyrt J, Cvietusa P, Negri J, Wenzel S. Interleukin-10 regulation in normal and asthmatic subjects. J Allergy Clin Immunol 1996;97:1288-96.
- Broide D.H., Gleich G.S., Guomo A.S., Gouburn D.A., Federman E.C., Schwartz L.B. et al. (1991): Evidence of ongoing mast cell and eosinophil degranulation in symptomatic airway. J. Allergy Clin. Immunol. 80:637-48.
- Bryant D.H. and Burns M.W. (1976): The relationship between bronchial histamine reactivity and atopic status. Clin Allergy. 6:373-81.
- Burrows, B., Martinez F., Halonen M., Barbee R.A. and Cline M.G. (1989): Association of asthma with serum IgE levels and skin-test reactivity to allergens. N Engl J Med 320:271-277.
- Busse W.W. (1990): Respiratory infections: Their role in airway responsiveness and the pathogenesis of asthma. J Allergy Clin Immunol. 85:671-683.
- Carballido. J.M., N. Carballid-Perring. M.K. Kagi, R.H. Meloen. B, Wuthrich. (H. Heusser, and K. Blaser. 1993. T cell epitope specificity in human allergic and non-allergic subjects to bee venom phospholipase A.J. Immunol. 150:3582-3591.
- Cezmi A. Akdis, Thorsten Blesken, Mübeccel Akdis, Wüthrich and Blaser . Role of interleukin-10 in specific immunotherapy. (J. Clin. Invest. 1998. 102:98 - 106)
- Clifford R.D., Pugsley A., Radford M. and Hogate S.T. (1987): Symptoms, atopy and bronchial response to methacholine in parents with asthma and their children. Arch Dis Child.62:66-73.
- Clutterbock, E.J., E.M. Hirst, and C.J. Sanderson 1959. Human interleukin-10(IL-10) regulates the production of eosinophils in human bone marrow cultures: comparison and interaction with

- IL-1, IL-3, IL-6, and GM-CSF. *Blood* 73:1504-1512.
- Cockcroft D.W. (1987): Airway hyperresponsiveness: therapeutic implications. *Ann Allergy* 59:405-414.
- Cockcroft D.W. (1991): Therapy for airway inflammation in asthma. *J Allergy Clin Immunol.* 87:914-919.
- Coffman, R.L., B. Seymour, D. Leberman, D. Hiraki. J. Christiansen, B. Shacter, H. Cherwinski, H. Savelkoul, F. Finkelman, M. Bond, and T R, Mosmann. 1988. The role of helper T cell products in mouse B cell differentiation and isotype regulation. *Immunol. Rev.* 102:5.
- Cookson W. And Hopkin J. (1988): Dominant inheritance of atopic IgE responsiveness. *Lancet*, 1:86-88.
- Cookson W.O., Young R.P., Sandford A.J. et al. (1992): Maternal inheritance of atopic responsiveness on chromosome 11 q. *Lancet* 340:381-384.
- Corrigan C.J. and Kay A.B. (1993): T-cells and eosinophils in the pathogenesis of asthma *Immunol. Today* 13:501-507.
- Cropps, G.J.A. (1985) : Special; features of asthma in children . *Chest*, 87:55.
- Cypar D., Start J., Lemanske R.F. (1992): The Impact of Respiratory Infection on asthma. *Pediatric Clinics of North America*. Vol. 39. Number 6.
- D'Andrea A., Aste-Amezaga M, Vaicente NM, Ma X, Kubin M, Trinchieri G. Interleukin 10 (IL-10) inhibits human lymphocyte interferon- γ production by suppressing natural killer cell stimulatory factor/IL-12 synthesis in accessory cells. *J Exp Med* 1993;178:1041-8.
- Dacie J.V. and Lewis S.M. (1991): Basic haematological techniques. In: *Practical haematology*, 7th edition Churchill Livingstone ELBS, P.37 .
- De Waal Malefyt, R., J. Abrams, B. Bennett, C.G. Feghbor, and J.E. De

- Vries. 1991. Interleukin-10(IL-10) inhibits cytokine synthesis by human monocytes: an auto regulatory role of IL-10 produced by monocytes. *J. Exp. Med.* 179:1209-1220.
- De Waal Malefyt, R.H. Yssel, M.G. Roncarolo, H. Spits, and J.E. de Vries. 1992. Interleukin-10 *Curr. Opin. Immunol.* 4:314.
- Del Prete G, DeCarli M, Almerigogna F, Giudizi MG, Biagiotti R, Romagnani S. Human IL-10 is produced by both type 1 helper (Th1) and type 2 helper (Th2) T cell clones and inhibits their antigen-specific proliferation and cytokine production. *J. Immunol* 1993;150:535-60.
- Denburg J.A., Dolovich J., Harnish K., Basophil (1989): Mast cell and eosinophil growth and differentiation factors in human allergic disease. *Clin. Exp. Allergy*; 19:249-54.
- Devalia JL, Ruszank C. Hudman ML, Trigg CJ, Tarraf H, Davies RJ. Effect of nitrogen dioxide and sulphur dioxide on airway response of mild asthmatic patients to allergen inhalation. *Lancet* 1994;344:1668-71.
- Ding, L., P.S. Linsley, L. Y. Huang, R.N. Germain, and E.M. Shevach. 1993. IL-10 inhibits macrophage costimulatory activity by selectively inhibiting the up-regulation of B7 expression. *J. Immunol*, 151:1224.
- Dingle, J.T., and J.L. Gordon. 1989. Interleukin-10, Inflammation and disease. *Res. Monogr. Cell Tissue Physiol.* 16:1.
- Discomi BF, Gebra GP, Picarella D, Elias JA Rankin JA. Stripp BR. Et al. Airway epithelial cell expression of interleukin-6 in transgenic mice: uncoupling of airway inflammation and bronchial hyperreactivity. *J Clin Invest* 1994;94:2028-35.
- Djukanovic, R.J.W. Wilson, K.M. Britten, S.J. Wilson, A.F. Walls, W.R. Roche, P.H. Howarth, and S.T. Holgate. 1992. The effect of an inhaled corticosteroid on airway inflammation and symptoms in asthma. *Am. Rev. Respir. Dis.* 145:669-674.

- Donald W.A. (1980): In allergic diseases, diagnosis and management
end: Potterson R.J. Lippinstt, 9:231.
- El-Hefney A., Ekladios E., Nasser F., El Heneidy F., et al.
(1991):Bronchial asthma in Egyptian children and
epidemiological, environmental, clinical and immunological
study. Final progress reports FRCN, Grant 82014. Supreme
Council University.
- El-Khorosany A.M.A. (1991):Extrinsic allergic bronchoalveolitis in
children M.D. Thesis, Ped., Faculty of Medicine, Cairo
University.
- Empey D.W., Laitinen L.A. and Jacobs L. (1976): Mechanisms of
bronchial hyperreactivity in normal subjects after upper
respiratory tract infection. Am Rev Respir Dis. 133:131.
- Enk, A.H., and S.I. Hatz. 1992. Identification and induction of
keratinocyte-derived IL-10. J. Immunol 149:92.
- Expert Panel Report II: Gudielines for the Diagnosis and Management of
asthma. Publication No. 97-405. Bethesda, MD, National
Institutes of Healthy, National Heart, Lung, and Blood Institute,
1997.
- Farrer, J., Benjamin, W., Kilfiker, M., and Fuller, J. : The biochemistry,
biology and role of interleukin-2 in the induction of cytotoxic T
cell and antibody-forming B-cell responses.
Immunol. Rev. 63 :129-132, 182.
- Fiorentino DF, Bond MW, Mosmann TR. Two types of mouse T helper
cell. Th2 clones secrete a factor that inhibits cytokine production
by Th1 clones. J Exp Med 1989;170:2081-95.
- Fiorentino, D.F., A. Zlotnik, P. Vieira, T.R. Mosmann, M. Howard, K.W.
Moore, and A. O'Garra. 1991. IL-10 acts on the antigen
presenting cell to inhibit cytokine production by Th1 cells. J.
Immunol. 146:3444.
- Fitzpatrick M.F., Mackay T., Walters C., Tai P.C., Church M.D. and

- Holgate S.T. (1992): Circulating histamine and eosinophil cationic protein levels in nocturnal asthma. *Clin. Sci.* 1992; 83:227-32.
- Gagliani B, Borish L, Bartelson BLB, Buchmeier A, Keller L, Nelson HS. Local nasal immunotherapy is effective in treating weed-induced allergic rhinitis. *Ann Allergy Asthma Immunol* 1997;79:259-65.
- Galli, S.J. 1990. New insights into "the riddle of the mast cells": microenvironmental regulation of mast cell development and phenotypic heterogeneity. *Lab Invest.* 62:5.
- Garden G.M.F. and Ayres J.G. (1993): Psychiatric aspects of brittle asthma. *Thorax* 1993;48:501-505.
- Garofalo R., Kimpen J.L., Williver R.C. and Orga P.L. (1992): Eosinophil degranulation in the respiratory tract during naturally acquired respiratory syncytial virus infection. *J. Pediatr.* 120:28-32.
- Gauldie, J., Ricjards, C., and Harnish, D. : Interferon β 2/ β SF-2 shares identity with monocyte-derived hepatocyte stimulating factor and regulates the major acute phase protein response in liver cells. *Proc. Natl. Acad. Sci. USA.* 85: 7251-5, 1987.
- Geba, G.P., Zitnik, R.J., and Elias, J.A. : Interleukins in pulmonary inflammatory response. Ch. 17:314-343, 1994. (Cited by: Barnes, P.J., and stockley, R.A.: *Molecular Biology of Lung Diseases*).
- Gerard, C., Bruyins, A. Marchant, D. Abramowicz, P. Vandenabeele, A. Delvaux. W. Fiers, M. Goldman, and Tt. Velu. 1993. Interleukin-10 reduces the release of tumor necrosis factor and prevents lethality in experimental endotoxemia. *J. Exp. Med.* 177:457-550.
- Go, N. F., B. E. Castle, R. Barrett, R. Kastelein, W. Dang, T.R. Mosmann, K.W. Moore, and M. Howard, 1990. Interleukin 10 (IL 10) a novel B cell stimulatory factor: unresponsiveness of X chromosome-linked immunodeficiency B cells. *J. cells. J. Exp.*

Med. 172:1625.

- Godfrey S. (1992): Childhood asthma. In: Asthma 3rd edition. Clark TJ, Godfrey S., and Lee T.H. Editors; Chapman and Hall. London
- Guo C.B., Liu M.C., Galli S.J. and Kagey Sobotka A. (1990): The histamine-containing cells in the late-phase response in the lungs are basophils. *J. Allergy. Clin. Immunol* 85:172.
- H- Verdain Barnes, MD, 1990: Status Asthmaticus. Manual of clinical problems in internal Medicine. Fourth Edition.
- Hamid, Q., M. Azzawi, S. Ying, R. Moqbel, A. J. Wardlaw, C.J. Corrigan, B. Bradley, S.R. Durham, J.V. Collins, P.K. Jeffery, et al. 1991. Expression of mRNA for interleukin-10 in mucosal bronchial biopsies from asthma. *J. Clin. Invest.* 87:1541-1546.
- Hanrahan JP, Tager IB, Segal MR, Tosteson TD, Castile RG, van Vunakis H, et al. The effect of maternal smoking during pregnancy on early infantile lung functions. *Am Rev Respir Dis* 1992;145:1129-35.
- Hatteving G., Kjellman B. and Bjorksten B. (1993): Appearance of IgE antibodies to ingested and inhaled allergens during the first 12 years of life in atopic and non-atopic children. *Pediatr Allergy Immunol* 4:182-186.
- Headman J, Seideman P, Albertioni F, Stenius-Aarniala B. Controlled trial of methotrexate in patients with severe, chronic asthma. *Eur J Clin Pharmacol* 1996;49:347-9.
- Hill M.R., Szeffler S.J., Larsen G.L. (1992): Asthma pathogenesis and implications for therapy in children. *Pedi. Clin. North. Am.* Vol:39(6), P:1205-24, Dec.
- Hoekx JCX, Hedlin G, Pedersen W, et al. Fluticasone propionate compared with budesonide. A double-blind trial in asthmatic children using powder devices at a dosage of 400 mcg/day. *Eur Respir J* 9 :2263-2272, 1996.
- Holgate S.T. and Finnerty J.P. (1988): Recent advances in understanding

- the pathogenesis of asthma and its clinical implications. *Quat J Med* 66:5-19.
- Holgate, S.T. 1993. Asthma: past, present and future. *Eur. Respir. J.* 6:1507-1520.
- Holtage S.T., Emanuel M.B., Howarth P.H. (1991) : Astemizole and other H-1 antihistaminic drug treatment of asthma. *J. Allergy Clin. Immunol.*, 76:375-380.
- Hopp R.J., Townlety R.G., Biven R.E., Bewtra A.K. and Nair N.M. (1990): The presence of airway reactivity before the development of asthma. *Am Rev Respir Dis.* 141:2-8.
- Howard, M., T. Muchamuel, S. Andrade, and S. Menon. 1993. Interleukin-10 protects mice from lethal endotoxemia. *J. Exp. Med.* 177:1205-1208.
- Hsu D-H , Moore KW , Spits H. Differential effects of interleukin-4 and IL- 10 on interleukin-2 induced interferon- γ synthesis and lymphokine-activated killer activity . *Int. Immunol* 1992;4:563-9.
- Hultner, L., C. Druez, J. Moeller, C. Uyttenhove, E.Schmitt, E. Rude, P. Dormer, and J. Van Snick. 1990. Mast cell growth enhancing activity (MEA) is structurally related and functionally identical to the novel mouse T cell growth factor P40/TCGFIII (interleukin 9). *Eur. J. Immunol.* 20:1413.
- International Pediatric Asthma Consensus Group (1992): A Follow Up Statement Asthma. *Arch Dis Child.* 67:240-248.
- Jeanin P; Lecoanet S; Delneste Y; Gauchat JF; Bonnefoy JY . IgE versus IgG4 production can be differentially regulated by IL-10. *J Immunol* 1998 Apr 1;160 (7) :3555-61.
- John M, Lim S, Seybold J, et al. Inhaled corticosteroids increase IL-10 but reduce MIP-1 α , CM-CSF and INF- γ release from alveolar macrophages in asthma. *Am & Respir Crit Care Med* 1998;157:259-62.
- John M; Lim S; Seybold J; Jose P; Robichaud A; O'connor B; Barnes PJ;

- Chung KF . Inhaled corticosteroids increase IL-10 but reduce macrophage inflammatory protein-alpha, granulocyte-macrophage colony-stimulating factor, and interleukin-gamma release from alveolar macrophages in asthma. *Am J Respir Crit Care Med* 1998 Jan; 157 (1): 256-62.
- Johnston S.L., Sanderson G., Pattemore P.K., et al. (1993): Use of polymerase chain reaction for diagnosis of picorna virus infection in patients with and without respiratory symptoms. *J Clin Microbiol.* 31:111-7.
- Jutel M. W.J. Prehler. D. Skribc. A. Urwyler. C. Danhiden. and U.R. Muller 1995 Bee venom immunotherapy results in decrease of IL-4 and IL-5 and increase of IFN- γ secretion in specific allergen stimulated T cell cultures. *J. Immunol* 154-11187-4194.
- Kaliner M. (1989): Asthma and mast cell activation. *J. Allergy Clin. Immunol.*, 83:510-520.
- Kasama, T., R. M. Strieter, T.J. Standiford, M.D. Burdick, and S.L. Kunkel. 1993. Expression and regulation of human neutrophil-derived macrophage inflammatory protein-1 α . *J. Exp. Med.* 178:63.
- Kay A.B. (1991): Asthma and inflammation. *J. Allergy Clin. Immunol.*, 87:893-910.
- Kohase, M., May, L., Tamm, L., and Sehgal, P.: A cytokine network in human diploid fibroblasts. Interactions of gamma interferons, tumor necrosis factor, platelet derived growth factor and interleukin-1. *Mol. cell. Biol.* 7:237-278, 1987.
- Konig P. (1985): Diagnostic Problems in Asthma. *Ann. Allergy*, 55:95.
- Koning H; Neijens HJ; Baert MR; Oranje AP; Savelkoul HF . T cells subsets and cytokines in allergic and non-allergic children. IL-Analysis and IL-5 and IL-10 mRNA expression and protein production. *Cytokine* 1997 Jun; 9(6) : 427-36.
- Kuna A.B. (1996): Pathology of mild, severe, and fatal asthma. *Am J*

- Respir Crit Care Med. 154:566-569.
- Kundson R.J, and Ledowitz MD. et al., 1987 : Maximal midexpiratory flow. Am. Rev. Respir. Dis. 1987; 117 : 119 .
- Kuzemko, J.A. (1987) : The respiratory disorders of infants and children, a guide to practical management, castle house publications Kent Ltd, U.K.
- Kuzmo J.W. : Basic statistics for the health sciences, 1 st ed., Mayfield Publishing Co., California, 1984. P.:1.
- Laitinen L.A., Laitinen A., Haahtela T. (1990): Inflammatory cell population in airways of newly diagnosed asthmatic patients: a quantitative ultrastructural study. Eur. Respir. J.3 (Supply 10): 156.
- Le, J., and Vilcek, J. (1987) : Tumour necrosis factor and IL-1 : cytokines with multiple overlapping biological activities. Lab. Invest., 56 : 234.
- Leung D.Y.M. and Geha R.S. (1987): Regulation of the human IgE antibody response. Intern Rev. Immunol., 2:75-91.
- Lock SH, Kay AB, Barnes NC. Double-blind, placebo-controlled study of cyclosporin A as a corticosteroid-sparing agent in corticosteroid-dependent asthma. Am J Respir Crit Care Med 1996;153:509-14.
- Mann M., Rimmer J., Spakman D. and Lau L. (1992): The effect of inhaled allergen in circulation basophils in atopic asthma. J. Allergy Clin. Immunol., 90:175-83.
- Marinkovic, S., Gerald, P., Gordon, G., and Baumann, H.: IL-6 modulates the synthesis of a specific set of acute phase plasma proteins in vivo. J. Immunol. 142:808-812, 1989.
- Marshall JS; Leal-Berumen I; Nielsen L; Glibetic M; Jordana M. Interleukin IL-10 inhibits long-term IL-6 production but not performed mediator release from rat peritoneal mast cells. J. Clin Invest 1996. Feb 15;97 (4) :1122-8.

- McFadden E.R. (1994): Evolving concepts in the pathogenesis and management of asthma. *Advances in Internal Medicine* 39:379-394.
- Michel F.B., Bousquet J., Greillier P. Et al. (1980): *J. Allergy Clin. Immunol.*, 64:422.
- Miyajima, A. (1992): Common subunits of cytokine receptors and the functional redundancy of cytokines *Trends Biochem Sci.*, 17:378.
- Mizel, S.B.: The interleukins. *FASEB.J.* 3:2379-88, 1989.
- Moffatt M., Mill M., Cornelis F. et al. (1994): Genetic linkage of T cell receptors and α/δ complex to specific IgE response. *Lancet* 343:1997.
- Moore, K.W., Viera, P., Fiorentino, D.F., Trounstein, M.L., Khan, T.A., Mosmann, T.R. 1990. Homology of cytokine synthesis inhibitory factor (IL-10) to the Epstein Barr Virus gene BCRF1. *Science* 248:1230-34.
- Moore, K.W., A. O'Garra, R. de Waal Malefyt. I' Vieira, and T.R. Mosmann. 1993. Interleukin-10. *Annu. Rev. Immunol.* 11: 165-190.
- Mori L : Kleimberg J. Mancini C. Bellini A. Marini M. Mattoli S. 1995 : allergic disorders , Biochemical & Biophysical Research communications . 217 (3) : 817-24 .
- Mukaida N, Morita M, Ishikawa Y, Rice N, Okamoto S, Kasahara T, et al. Novel mechanism of glucocorticoid-mediated gene repression: nuclear factor-kappa B is target for glucocorticoid-mediated interleukin 10 gene repression. *J Biol Chem* 1994;269:13289-95.
- Naddenreip D., Schumacher M. and Lemen R. (1989): Asthma in childhood. *Curr. Probl. Pediatr.*, 7:331-85.
- National Asthma Education Program Expert Panel Report (1991): Guidelines for the diagnosis and management of asthma. *J Allergy Clin Immunol.* 88:425-438.
- National heart lung and blood institute . NHLBI , Asthma education

- program expert panel report; guideline for the diagnosis and management of asthma . J allergy clin immunol 1995 ; 88 : 425 .
- Nooman M, Chevinsky P, Busse WW, et al. Fluticasone propionate reduces oral prednisone use while it improves asthma control and quality of life. Am J Respir Crit Care Med 152:1467-1473, 1995.
- O'Connor BJ, Godard P, Dube LM, Swanson LJ, Maki R, and the European Zileuton Study Group. The comparative effect of zileuton, a 5-lipoxygenase inhibitor, plus low dose inhaled beclomethasone vs higher dose beclomethasone for asthma [abstract]. J Allergy Clin Immunol 1996;97:250.
- O'Garra, A., G. Stapleton, V. Dhar, M. Pearce, J. Schumacher, H. Rugo, D. Barbis, A. Stall, J. Cupp. K. Moore, P. Vielra, T. Mosmann, A. Whitmore, L. Arnold, G. Haughton, and M. Howard. 1990 Production of cytokines by mouse B cells: B lymphomas and normal B cells produce interleukin 10. Int. Immunol. 2:321.
- Oppenheim, J.J., Ruscetti, F.W., and Fatynek, C.: Cytokines. Basic Immunol. 7:78, 1991 .
- Packe GE, Freeman W and Ruth M. Rates of change in peak expiratory flow and diurnal variation in peak flow in patients recovering from acute severe asthma. Clinical science. 1994;86: 59-62.
- Paganin F., Senterre E., Chanez P., et al. (1996): Computed tomography of the lungs in asthma: influence of disease severity and etiology. Am J Respir Crit Care Med. 153:110-4.
- Peat, JK, Tovey ER, Toelle BG, et al., 1996 : House dust. and dust mite allergens : A major risk factor for childhood asthma A, J respir crit- core med. 153 : 141-146 .
- Peden D.B. (1995): The effect of air pollution in asthma and respiratory allergy. The american experience. ACI News 7/1:9-22.
- Pene, J.F. Rousser F. Brierre, J. Chretien, J.Y. Bonnefoy. H. Spits, T. Yojota. N. Arai, K.I. Arai, J. Banchereau, and J.E. de Vries. 1988. IgE production by human B cells is induced by IL-4 and

1993;48:845-53.

- Robinson, D.S., . Hamid, S. Ying, A.M. Bentley, B. Assoufi, J. North, M.Qui, S.R. Durham, and A.B. Kay. 1993. Prednisolone treatment in asthma is associated with modulation of bronchoalveolar lavage cell IL-4,IL-5, and IFN- γ cytokine gene expression. *Am. Rev. Respir. Dis* 148:401-406.
- Rocklin. R.E., A. Sheffer, D.K. Greineder, and K.L. Melmon. 1980. Generation of antigen specific suppressor cells during allergy desensitization. *N. Engl. J. Med.* 302:1213-1219.
- Saban R., Dick E.C., Fishleder R.J. and Bucker C.K. (1987): Enhancement by parainfluenza 3 infection of contractile responses to substance P and capsaicin in airway smooth muscle from the guinea pig. *Am Rev Respir Dis.* 136:586.
- Sanchez-Guerrero I; Vegara RP; Herrero N; Garcia-Alonso AM; Luna A; Alvarez MR. Cytokine serum profiles in allergic and non-allergic asthma. *Allergol Immunopathol* 1997 Mr-Apr; 25(2) : 98-103.
- Sarthanam, U., Tatter, S.B., and Helfgott, D.C. : Structure, Genetics and function of human β 2 interferon/ B cell stimulating factor. *J. Immunol* 140 : 1520, 1988 .
- Schwartz RH. Models of T cell anery: Is there a common molecular mechanism? *J Exp Med* 1996;184:1-8
- Sears M.R., Burrows B., Flannery E.M. et al. (1991): Immediate and late airway response of allergic rhinitis patients to segemental antigen challenge: characterization of eosinophil and mast cell mediators. *am Rev Respir Dis.* 144:1274-1281.
- Shanafelit, A.B. Miyajima, A., Kita-amino, T., Kastelein, r.a. 1991. The amino-terminal helix of Gm-CSF and IL-5 governs high-affinity binding to their receptors. *EMBO J.* 10:4105-12.
- Shields RL, Whether WR, Zioncheck K, et al. Inhibition of allergic reactions with antibodies to IgE, *Int Arch Allergy Immunol* 107:308-312, 1995.

- Shim C. and Williams M.H. (1986): Effects of odours on asthma. *Am. J. Ned.*, 80:81.
- Shohat M., Shohat T., Kedem R. et al. (1987): Childhood asthma and growth outcome. *Arch. of Dis. in Childhood*. 62:63-65.
- Sly R.M. (1996): Allergic disorders. In: Textbook of pediatrics 15th ed, Nelson W.E., Behrman R.E., Kliegman R.M. and Arion A.M. Editors., Saunders Company. Philadelphia.
- Smith, C., and D. Rennick. 1986. Characterization of a murine lymphokine distinct from interleukin - 2 and interleukin 3 (IL-3) possessing a T-cell growth factor activity and mastcell growth factor activity that synergizes with IL-3. *Proc. Natl. Acad. Sci. USA*. 83:1857.
- Sousa AR, Poston RN, Lane SJ, Nakhosteen JA, Lee TH. Detection of GM-CSF in asthmatic bronchial epithelium and decrease by inhaled corticosteroids. *Am Rev Respir Dis*. 1993;147:1557-61.
- Spector S., Gutman A., Nicklas R., et al. (1995): Parameters for the diagnosis and treatment of asthma; a joint effort of American Academy of Allergy Asthma and Immunology and the American College of Allergy, Asthma and Immunology. *J Allergy Clin Immunol* 96:707-870.
- Sporik R, Holgate ST, Platts-Mills TAE, Cogswell J. Exposure to house-dust mite allergen (Der P 1) and the development of asthma in childhood. *N Eng J Med* 1990;323:502-7.
- Stewart GA, Thompson PJ: The biochemistry of common aeroallergens. *Clin Exp Allergy* 25:1020-1044,1995.
- Stites, P.D. (1994): Clinical laboratory methods for detection of cellular immunity. In: Basic and Clinical immunology. Stites, P.D. and Abbait, A. (Eds). 7th edition. Large . Med. Book. USA.
- Stout, R.D., and K.D. Bottomly. 1989. Antigen specific activation of effector macrophages by IFN- γ producing (Th1) T cell clones, Failure of IL-4 producing (Th2) T cell clones to activate effector

- function in macrophages. *J. Immunol.* 142:760.
- Strachan D.P. Anderson H.R., Limb E.S (1994): A national survey of asthma prevalence in Great Britain. *Arch. Dis. Child.* 70 : 174-178
- Suda, T., O'Garra, A., MacNeil, I., Fischer, M., Bond, M., Zlotnik, A. 1990. Identification of a novel thymocyte growth promoting factor derived from B cell lymphomas. *Cell Immunol.* 129:228-40.
- Sullivan T.J. (1992): Eosinophils and Asthma, *Pediatric Clinics of North America*. Vol. 39 Number 6 P:1365.
- Sunyer J. Anto JM, Rodrigo MJ, Morell F, and the Clinical and epidemiological Committee. Case-control study of serum immunoglobulin-E antibodies reactive with soybean in epidemic asthma. *Lancet* 1989;1:179-82.
- Taga, K., and G. Tosato. 1992. IL-10 inhibits human T cell proliferation and IL-2 production. *J. Immunol* 148:1143.
- The Collaborative Study on the Genetics Of Asthma (CSGA). A genomewide search for asthma susceptibility loci in ethnically diverse populations. *Nat Genet* 1997;15:389-92.
- Thien FC, Walters EH. Eicosanoids and asthma: an update. *Prostaglandins Leukot Essent Fatty Acids* 1995;52:271-88.
- Viera, P., de Waal-Malefyt, R. Dang M.N., Johnson, K.E., Kastelein, R., Fiorentino, D.F., deVries, J.E., Roncarolo, M.-G., Mostmann, T.R., Moore, K.W. 1991. Isolation and expression of human cytokine synthesis inhibitory factor (CSIF/IL-10) cDNA clones: homology to Epstein-Barr virus open reading frame BCRF1. *Proc. Natl. Acad. Sci. USA* 88:1172-76
- Vrugt B., Djukanovic R., Bron A. and Albers R. (1996): New insights into the pathogenesis of severe corticosteroid-dependent asthma. *J Allergy Clin Immunol.* 98:522-6.
- Walker C., Bode E., Boer L., et al. (1992): Allergic and nonallergic asthmatics have distinct pattern of T-cell activation and cytokine

- production in peripheral blood and bronchoalveolar lavage. *Am Rev Respir Dis.* 146:109-115.
- Walker C., Virchow J.C., Bruijnzeel O.L.B. et al. (1991): T-cell subsets and their soluble products regulates eosinophilia in allergic and non-allergic asthma. *J. Immunol.* 146:1829-1835.
- Wang, S.C., Zeevi, A., Jordan, M.L., Simmons, R.I., Tweardy, D.J. 1991. FK 506, rapamycin, and IL-10 mRNA levels in a T-helper 2 cell line. *Transplant, Proc.* 23:2920-22.
- Wanidworanun C, Strober W. Predominant role of tumor necrosis factor- α in human monocyte IL-10 synthesis. *J Immunol* 1993;151:6853-61.
- Wardlaw A.J., Dunnette S., Glwisch G.J. et al. (1988): Eosinophil and mast cells in bronchoalveolar lavage in subjects with mild asthma. Relationship to bronchial hyperreactivity. *Am. Rev. Respi. Dis.* 137:62-69.
- Warner J.O. (1992): Asthma: A flow up statement from an international pediatric asthma consensus group. *Archives of Disease - in Childhood*, 67:240-248.
- Warner J.O., and Gotz. M., Landau L.L. et al. (1989): Management of asthma: A consensus statement. *Arch Dis Child.* 64:1065-79.
- Wasserfallen J., Schaller M., Feihl F. and Perret C.H. (1990): Sudden asphyxic asthma: A distinct entity? *Am Rev Respir Dis.* 142:108-111.
- Wayne T., Morgan M.D. and Fernando D. (1992): Risk factor for developing Wheezing and asthma in Childhood. *Pediatric Clinics of North America.* Vol. 39(6):1185-1199.
- Weiss K.B., Gergen P.J. and Hodgson T.A. (1992): An economic evaluation of asthma in United States. *N Engl Med.* 326:862-866.
- Weiss ST, Tager IB, Munoz A, Speizer FE. The relationship of respiratory infection in early childhood to the occurrence of

- increased levels of bronchial responsiveness and atopy. *Am Rev Respir Dis* 1985;131:573-8.
- Weiss ST, Toteson TD, Segal MR, Tager IB, Redline S, Speizer FE. Effects of asthma on pulmonary function in children: a longitudinal population-based study. *Am Rev Respir Dis* 1992;145:58-64.
- Welliver R.C., Sun M.m Rinaldo D., et al., (1986): Predictive value of respiratory syncytical virus-specific IgE responses for recurrent wheezing following bronchiolitis. *J Pediatr.* 109:776.
- Wherry, J.C., R.D. Schreiber, and E.R. Unanue. 1991. Regulation of gamma interferon production by natural killer cells insid mice: role of tumor necrosis factor and bacterial stimuli. *Infect. Immun.* 59:1709.
- Wilson J., Djukano, Vic R., Howarth P.H., Holtage S.T. (1992): Lymphocyte activation bronchoalveolar lavage and peripheral blood in atopic asthma. *Am. Rev. Resp. Dis.*, 145:958-60.
- Woolock A.J. and Ollerenshaw S.L. (1992): Characteristics of the inflammation in biopsies from large airways of subjects with asthma and subjects with chronic airway flow limiation. *Am. Rev Respir Dis.* 145:922-927.
- Young S., LeSouef P.N., Gellhoed G.C., et al. (1991): The influence of a family history of asthma and parental smoking on airway responsiveness in early infancy. *E Engl J Med.* 324:1168-73.
- Yssel,H., de Waal Malefyt, R., Roncarolo, M.G., Abrams, J.S., Lahersman, R., Spits, H., de Vries, J. 1992. Interleukin 10 is produced by subsets of human CD4⁺ T cell clones and peripheral blood T cells. *J. Immunol.* In press.
- Zeiger R.S., Heller S., Mellon M., et al. (1986): Effectiveness of dietary manipulation in the prevention of food allergy in infants. *J Allergy Clin Immunol.* 78:224.
- Zoltrix , A., and K.W. Moore. 1991. Interleukin 10. *Annu. Rev. Immunol.* 11: 165-190.