

References

- Abbassi, V., Lowe, C.U., and Calcagno, P.L.: Oculo-cerebro-renal syndrome. A review. *Am. J. Dis. Child.* 15: 145, 1968.
- Albright, F., Butler, A.M., and Bloomberg, E.: Rickets resistant to vitamin D therapy. *Am. J. Dis. Child.*, 54: 529, 1937.
- Arneil, G.C., and Barltrop, D.: Vitamin D: Nutrition and nutritional disorders. In Forfar, J.O. and Arneil, G.C. (eds.): *Textbook of pediatrics*, 3rd ed., Churchill Livingstone, London, 1984.
- Aschinberg, L.C., Solomon, L.M., Zeis, P.M., et al.: Vitamin D-resistant rickets associated with epidermal nevus syndrome. *J. Pediatr.* 91: 56-60, 1977.
- Aurbach, G.D., Marx, S.J., and Spiegel, A.M.: Parathyroid hormone, Calcitonin, and the Calciferols. In Williams, R.H.: *Textbook of endocrinology*, 6th ed. P. 922, Philadelphia, W.B. Saunders Co., 1981.
- Balsan, S., Garabedian, M., Courtecuisse, V., et al.: Long term therapy with 1 α -hydroxy vitamin D₃ in children with "Pseudo deficiency" rickets. *Clin. Endocrinol.*, 7: 225, 1977.
- Barness, L.A.: Rickets of vitamin D deficiency: Nutrition and nutritional disorders. In Behrman, R.E., and Vaughan, V.C.: *Nelson textbook of pediatrics*, 12th ed., Philadelphia, W.B. Saunders, Co., 1983.
- Beale, M.G., Salcedo, J.R., Ellis, D., and Rao, D.D.: Renal Osteodystrophy. In Chan, J.C.M. (ed.): *Symposium on pediatric nephrology: The pediatric clinics of north America*. 23: 873-884, Philadelphia, W.B. Saunders, Co., 1987.
- Benedict, S.R., *J. biol. Chem.*, 54, 239, 1922.
- Benedict, S.R.: *J. biol. Chem.*, 82, 1, 1929.
- Better, O.S.: Tubular dysfunction following kidney transplantation. *Nephron*, 25: 209, 1980.

- Binstadt, D.H., and L'Heureux, P.R.: Rickets as a complication of intravenous hyperalimentation in infants. *Pediatr. Radiol.* 7: 211-214, 1978.
- Blunt, J.W., et al.: 25-hydroxy-cholecalciferol: A biologically active metabolite of vitamin D₃, *Biochemistry*, 7: 3317, 1968.
- Blunt, J.W., and De-Luca, H.F.: The synthesis of 25-hydroxy-cholecalciferol: A biologically active metabolite of Vitamin D₃. *Biochemistry*, 8: 671, 1969.
- Bonsnes, R.W., and Tausky, H.H.: *J. biol. Chem.*, 158, 581, 1945.
- Boyle, I.T., et al.: The response of intestinal calcium transport to 25-OH and 1,25-(OH)₂ vitamin D in nephrectomized rats. *Endocrinology*, 90: 605, 1972.
- Bremer, H.J., Nutzenadel, W., and Bickel, H.: *Mschr Kinderh.* 177, 32, 1969.
- Brewer, E.D., Tasi, H.C., Szebo, S., et al.: Maleic acid-induced impairment of conversion of 25-(OH)D₃ to 1,25-(OH)₂D₃ in vivo and vitro; implication for Fanconi's syndrome. *Clin. Res.*, 24: 395, 1976.
- Brodehl, J.: The Fanconi syndrome. In Edelmann, G.M., Jr. (ed.): *Pediatric kidney disease*. Boston, Little, Brown, 1978.
- Brod, J., and Sirot, J.H.: *J. Clin. Invest.*, 27, 645, 1948.
- Brooks, M.H., Bell, H.H., Love, L., et al.: Vitamin D dependent rickets type II. *N. Engl. J. Med.*, 298:996, 1978.
- Brumbaugh, P.F., Haussler, D.H., Bressler, R., et al.: Radio-receptor assay for 1 α ,25-dihydroxy vitamin D₃. *Science*, 183: 1089, 1974.
- Cannon, R.A., Byrne, W.J., Ament, M.E., et al.: Home parenteral nutrition in infants. *J. Pediatr.* 96: 1098-1104, 1980.
- Canterbury, J.M., Lerman, S., Clafliss, A.J., et al.: Inhibition of PTH secretion by 25(OH)D₃ and 24,25(OH)₂D₃ in the dog. *J. Clin. Invest.*, 61: 1375, 1978.

- Chan, A.M., Lunch, N.J.G., Baily, J.D., et al.: Hypothyroidism in cystinosis. *Am. J. Med.*, 48: 678, 1970.
- Chan, J.C.M.: Renal acidosis, in Duarte C.G. (ed.): Laboratory diagnostic procedures for renal function. Boston, Little Brown & Co. PP 239-268, 1980.
- Chan, J.C.M.: Fluid electrolytes and acid-base disorders in children. *Curr. Probl. Pediatr.*, 11: 28, 1981.
- Chan, J.C.M., and De Luca, H.F.: Growth velocity in a child on prolonged hemodialysis: Beneficial effect of $1-\alpha$ hydroxy Vitamin D_3 . *J.A.M.A.* 238: 2053, 1977.
- Chan, J.C.M., and Hsu, A.C.: Vitamin D in renal diseases. *Adv. Pediatr.* 27: 117, 1980.
- Chan, J.C.M., Kodroff, M.B., and Landwehr, D.M.: Effects of $1,25$ -dihydroxy vitamin D_3 on renal function, mineral balance, and growth in children with severe chronic renal failure. *Pediatr.* 68: 559, 1981.
- Chan, J.C.M., Lovinges, R.D., and Mamunes, P.: Renal hypophosphatemic rickets: growth acceleration after long term treatment with $1,25$ -dihydroxy vitamin D_3 . *Pediatrics*, 66: 445, 1980.
- Chen, T.C., et al.: Role of vitamin D metabolites in phosphate transport of rat intestine. *J. Nutr.*, 104: 1056, 1974.
- Chesney, R.W., Hamstra, A.J., Mazen, R.B., et al.: Circulating Vitamin D metabolite concentrations in childhood renal diseases. *Kidney Int.*, 21: 65, 1982.
- Chesney, R.W., Mazers, R.B., Rose, P., et al.: Supra normal 25 -hydroxy vitamin D and subnormal $1,25$ -dihydroxy vitamin D. *Am. J. Dis. Child.*, 134: 140, 1980.
- Christiansen, C. et al.: Mineral metabolism in chronic renal failure with special reference to serum concentrations of $1,25(OH)_2D$ and $24, 25(OH)_2D$. *Clin. Nephrol.*, 13:18, 1981.
- Compston, J.E. and Creamer, B.: The consequences of small intestinal resection. *Q.J. Med. N.S.*, 46, 485-497, 1977.

Compston, J.E., and Creamer, B.: plasma levels and intestinal absorption of 25-hydroxy vitamin D in patients with small bowel obstruction. Gut, 17, 171-175, 1977.

Chesney, R.W., Moorthy, A.V., Eisman, J.A., et al.: Increased growth after long-term oral 1 α ,25-vitamin D in childhood renal osteodystrophy. N. Engl. J. Med. 298: 238, 1978.

Compston, J.E., and Thompson, R.P.H.: Intestinal absorption of 25-hydroxy vitamin D and osteomalacia in primary biliary cirrhosis. Lancet, 1, 721-724, 1977.

Crawford, J.D., Terry, M.E., and Rourke, G.M.: Pediatrics, 5: 783, 1950.

Cunningham, J., and Avioli, L.V.: Systemic acidosis and bio-activation of vitamin D. In Abstracts of the fifth workshop on vitamin D, Williamsburg, Virginia, Feb. 14-19, 1982.

De Luca, H.F.: Some new concepts emanating from a study of the metabolism and functions of vitamin D. Nutr. Rev. 38: 169, 1980.

De Luca, H.F.: Recent advances in the metabolism of vitamin D. Ann. Rev. Physiol., 43: 199, 1981.

Delvin, E.E., and Glorieux, F.H.: serum 1,25-dihydroxy vitamin D concentration in hypophosphatemic vitamin D resistant rickets. Calcif. Tissue Int., 33: 173, 1981.

Dent, C.E., et al.: The treatment of renal glomerular osteodystrophy. Quart. J. Med., 30: 1, 1961.

Donckerwolcke, R.A.: Diagnosis and treatment of renal tubular disorders in children. In Fine, R.N. (ed.): Symposium on pediatric nephrology. The pediatric clinics of north America. 29: 885, 1982.

Donckerwolcke, R.A., Van Biervliet, J.P., Koorevaar, G., et al.: The syndrome of renal tubular acidosis with nerve deafness. Acta Paediatr. Scand., 65:

- Drezner, M., Lyles, K.W., Haussler, M.R., et al.: Evaluation of a role for 1,25-dihydroxy vitamin D₃ in the pathogenesis and treatment of X-linked hypophosphatemic rickets and osteomalacia, J. Clin. Invest., 66:1020, 1980.
- Drummond, K.N.: Chronic renal failure. In Nelson textbook of pediatrics. 12th ed., PP. 1362-1367. W.B. Saunders Co., Philadelphia, 1983
- Du Bois: Archives of Internal Medicine, 17, 863, 1916.
- Duthie, R.B. and Bentley, G.: Renal osteodystrophy. Mercer's orthopaedic surgery, 8th ed., Edward Arnold Ltd., London, 1983.
- El Diwany, M.: Textbook of basic pediatrics , 6th ed., El Nasr Modern bookshop, Cairo, 1975.
- Ersser, R.S., and Smith, I.: Quoted from: Smith, I. and Seakins, J.W.T. (eds.): Chromatographic and electrophoretic techniques. Vol. 1, chapter 3, 4th ed. William Heinmann, 1976.
- Findlay, L.: Brit. Med. J. 2, 13, 1908.
- Fine, R.N., Isaacson, A.S., Payne, V., et al.: Renal osteodystrophy in children: The effect of hemodialysis and renal transplantation. J. Pediatrics, 80: 243, 1972.
- Fischer, J.A., Biuswanger, V., Schenk, R., Merz, W. and Kistler, J.: Normocalcemic secondary hyperparathyroidism and malabsorption. Helvet. Med. Acta, 35, 30-42, 1970.
- Folin, O., and Ciocalteu, V.: J. biol. Chem., 73, 627, 1927.
- Forbes, G.B.: Is human milk the best for LBW babies? Pediatr. Res. 12: 434, 1978.
- Ford, J.A. et al.: Neonatal rickets in immigrant population British Medical Journal, iii, 211, 1973.
- Forfar, J.O. and Arneil, G.C.: Nutrition and nutritional disorders. Textbook of pediatrics, 3rd ed., Churchill Livingstone, London, 1984.

- Fraser, D., Kooh, S.W., Kind, H.P., et al.: Pathogenesis of hereditary vitamin D dependent rickets. An inborn error of vitamin D metabolism involving defective conversion of 25-hydroxy vitamin D to $1\alpha, 25$ -dihydroxy vitamin D. N- Engl. J. Med., 289: 817, 1973.
- Fraser, D., et al.: Hyperparathyroidism as the cause of hyperaminoaciduria, and phosphaturia in human vitamin D deficiency. Pead. Research, 1, 325, 1967.
- Fraser, D.R. and Kodicek, E.: Unique biosynthesis by kidney of a biologically active vitamin D metabolite. Nature,

228: 764, 1970.

- Frolik, C.A., and De Luca, H.F.: $1, 25$ -dihydroxy cholecalciferol: The metabolite of vitamin D responsible for increased intestinal calcium transport. Arch. Biochem. Biophys., 147: 143, 1971.
- Ganong, W.F.: Hormonal control of calcium metabolism and the physiology of bone, Review of medical physiology, Lange medical Publications, 1981.
- Gentz, J., Jagenburg, R., and Zetterstrom, R.: Tyrosinemia. An inborn error of tyrosine metabolism with cirrhosis of the liver and multiple renal tubular defects (De Toni-Debré-Fanconi syndrome) J. Pediatr., 66, 670, 1965.
- Gindler, E.M., and King, J.D.: Amer. J. Clin. Path., 58: 376, 1972.
- Glorieux, F.H., Marie, P.J., Pettifor, J.M., et al.: Bone response to phosphate salts, ergocalciferol, and calcitriol in hypophosphatemic vitamin D resistant rickets. N. Engl. J. Med., 303: 1073, 1980.
- Goel, K.M., et al.: Florid and subclinical rickets among immigrant children in Glasgow. Lancet, i, 1140, 1976.
- Gomorri, G.: J. Lab. Clin. Med., 27, 955, 1942.
- Gray, R.W. et al., The importance of phosphate in regulating plasma $1, 25$ dihydroxy vit. D. levels in humans. J. Clin. Endocrinol. Metab., 45: 299, 1977.

- Haddad, J.G., Jr., and Walgate, J.: Radioimmunoassay of the binding protein for vitamin D and its metabolites in human serum. *J. Clin. Invest.* 58: 1217, 1976.
- Hahn, T.J., Hendin, B.A., Scharp, C.R., et al.: Serum 25-hydroxy cholecalciferol levels and bone mass in children on chronic anticonvulsant therapy. *N. Engl. J. Med.*, 292: 550, 1975.
- Hamdy, H. et al.: Hormonal control of calcium and phosphorus metabolism: Fundamentals of human physiology, Cairo, 1983.
- Harrison, H.E.: Vitamin and mineral deficiencies in intestinal malabsorption. *Clinical disorders in pediatric gastroenterology and nutrition*, 372-374, New York, Marcel Dekker, INC, 1980.
- Harrison, H.E., and Harrison, H.C.: Disorders of Calcium and phosphorus metabolism in childhood and adolescence, Philadelphia, W.B. Saunders, Co., 1979.
- Haussler, M.R., Clinical defects in vitamin D metabolism. In Norman, A.W. (ed.) *Vitamin D: Molecular Biology and Clinical Nutrition*. New York, Marcel Dekker Inc., 1980.
- Haussler, M.R. et al.: The association of a metabolite of vitamin D₃ with intestinal mucosa chromatin in vivo, *J. Biol. Chem.*, 243: 4055, 1968.
- Hess, A.F. and Unger, L.G., *Proc. Soc. Exp. Biol. and Med.*, 18, 298, 1921.
- Heubi, J.E., Tsang, R.R., Steicker, J.J., et al.: 1 α ,25-dihydroxy vitamin D₃ in childhood hepatic osteodystrophy. *J. Pediatrics*, 94: 97, 1979.
- Hillman, L.S., and Haddad, J.G.: Perinatal vitamin D metabolism. II Serial 25-hydroxy vitamin D concentrations in sera of term and premature infants. *J. Pediatrics*, 86: 928, 1975.
- Holick, M.F. et al.: Isolation and identification of 1,25-dihydroxy-cholecalciferol: A metabolite of vitamin D₃ 1971

- Horst, R.L., et al.: Impaired 24,25-dihydroxy vitamin D Production in anephric human and pig. J. Clin. Invest., 67: 274, 1981.
- Horst, R.L., Littledike, E.T., Grey, R.W., et al.: Impaired 24,25-(OH)₂D production in anephric human and pig. J. Clin. Invest., 67: 274; 1981.
- Hsu, A.C., Kooch, S.W., Fraser, D., et al.: Renal osteodystrophy in children with chronic renal failure: An unexpectedly common and incapacitating complication. *Pediatr.* 70: 5, 1982.
- Jubiz, W., Haussler, M.A., McCann, T.A., et al.: Plasma, 1,25-dihydroxy vitamin D levels in patients receiving anticonvulsant drugs. J. Clin. Endocrinol. Metab. 44: 617, 1977.
- Juttmann, J.R., et al.: Serum concentrations of metabolites of vitamin D in patients with chronic renal failure (CRF). Clin. Endocrinol., 14: 225, 1981.
- Kamel L., Shukry, A.S.: Some epidemiological aspects of rickets, Gaz. Egypt. Ped. Ass., 23: 1, 1975.
- Kanis, J.M., Taylor, C.M., Douglas, D.L., et al.: Effects of 24,25-dihydroxy vitamin D₃ on its plasma level in man. Metab. bone dis. Rel. Res., 3: 155, 1981.
- Kano, K., et al.: Serum concentrations of 25-hydroxy vitamin D in patients with various types of renal disease. Clin. Nephrol., 14: 274, 1980.
- Kaplan, M.M., Goldberg, M.J., Matloff, O.S., et al.: Effects of 25-hydroxy vitamin D₃ on Vitamin D metabolites in primary biliary cirrhosis. Gastroenterology, 81, 681, 1981.
- King, E.J., and Armstrong, A.R.: Canad. med. Assoc. J., 31, 876, 1934.
- King E.J., Haslewood, G.A.D., and Delory, G.E.: Lancet, 1, 886, 1937.
- King E.J., Haslewood, G.A.D., Delory G.E., and Beall, D.: Lancet, 1, 207, 1942.

- Kitagawa, T., Akatsuka, A., Owada, M., et al.: Biologic and therapeutic effects of 1α -hydroxy cholecalciferol in different types of Fanconi syndrome. *Contr. Nephrol.*, 22: 107, 1980.
- Klein, G.L., Cannon, R.A., Diamant, M., et al.: Infantile vitamin D resistant rickets associated with total parenteral nutrition. *Am. J. Dis. Children.* 136: 74; 1982.
- Krafcyzk et al., *Clin. Chem. Acta.* 31: 489, 1971.
- Lackshamanan, M.R., and Cama, H.R., *Fat sol. Vit.*; 1970.
- (Quoted from Hindawy, A.H.S. M.D. Thesis, 1972).
- Lakdawala, D.R. and Widdowson, E.M., *Vitamin D in human milk.* *Lancet*, i, 167, 1977.
- Langman, C.B., Mazur, A.T., Baron, R., et al.: $25(\text{OH})\text{D}_3$ (Calcifidiol) therapy of juvenile renal osteodystrophy: Beneficial effect on linear growth velocity. *J. of Padiatr.*, 100: 815, 1982.
- Lawson, D.E.M., et al.: Metabolism of vitamin D: a new cholecalciferol metabolite involving loss of hydrogen at C-1, in chick intestinal nuclei. *Biochem. J.*, 115: 269, 1969.
- Lawson, D.E.M., et al.: Identification of $1,25$ -dihydroxy cholecalciferol, a new kidney hormone controlling calcium metabolism. *Nature*, 230: 228, 1971.
- Lee, D.B.N., Drinkard, J.P., Rosen, U.J., et al.: The adult Fanconi syndrome. *Medicine*, 51: 107, 1972.
- Leumann, E.P., and Steinmann, B.: Persistent and transient distal renal tubular acidosis with bicarbonate wasting. *Pediatr. Res.*, 9: 767, 1975.
- Lewy, J.E. and New, M.I.: Growth in children with renal failure. *Am. J. Med.* 58: 65, 1975.
- Lieberman, U.A., and Marx, S.J.: Receptor defects in cultured fibroblasts with endorgan resistance to $1,25-(\text{OH})_2\text{D}$. Presented at the fifth workshop on vitamin D, Virginia, 1982.

- McCollum, E.V., and Simmonds, N.: J. Biol. Chem., 47, 183, 1921.
- McSherry, E., and Morris, R.C.: Attainment and maintenance of normal stature with alkali therapy in infants and children with classic renal tubular acidosis. J. Clin. Invest., 61: 509, 1978.
- Medalle, R., Waterhouse, C., and Hahu, T.J.: Vitamin D resistance in magnesium deficiency. Am. J. Clin. Nutr. 29, 854-858, 1976.
- Mehls, O., Ritz, E., Gilli, G., et al.: The spectrum of skeletal manifestations in renal osteodystrophy. In Gruskin A.B., and Norman, M.E. (eds.): Pediatric nephrology. Proceeding of the fifth international pediatric nephrology symposium. The Hague, Martinus-Nijhoff, 1981.
- Metcoff, J.: The Fanconi syndromes In Rubin, M.I., and Barrat, T.M. (eds.): Pediatric nephrology. Baltimore, Williams and Wilkins Co., 1975, P. 729.
- Moncrieff, M.W.: Early biochemical findings in familial hypophosphatemic, hyperphosphaturic rickets and response to treatment. Arch. Dis. Childhood, 57: 70, 1982.
- Nassar, S.: Rickets, A quick guide to pediatrics. Technical Press, Cairo, 1979.
- Neville, P.E., and De Luca, H.F.: The synthesis of (1,2-³H) vitamin D₃ and the tissue localization of a 0.25ug (10u) dose per rat. Biochemistry, 5: 2201, 1966.
- Norman, M.E.: 25 (OH)D₃ in the treatment of juvenile renal osteodystrophy. In Gruskin, A.B., and Norman, M.E. (eds.): Pediatric nephrol. Proceedings of the fifth international pediatric nephrology symposium. The Hague, Martinus-Nijhoff, 1981.
- Norman, M.E.: Vitamin D in bone diseases. In Fine, R.N.(ed.): symposium on pediatric nephrology: The pediatric clinics of north America. 29: 947-971, Philadelphia, W.B. Saunders Co., 1982.

- Norman, M.E.: Metabolic bone disease. In Behrman, R.E., and Vaughan, V.C. (eds.): Nelson textbook of Pediatrics, 12th ed, P. 1659-1662. Philadelphia, W.B.Saunders Co., 1983.
- Norman, M.E., Mazur, A.T., Bordeun, S., et al.: Early diagnosis of juvenile renal osteodystrophy. J. Pediatrics, 97: 226, 1980.
- Ogura, Y., et al.: Plasma levels of vitamin D metabolites in renal diseases. Contrib. Nephrol., 22: 18, 1980.
- Olson, E.B. and De Luca, H.F.: 25-hydroxy cholecalciferol: Direct effect on calcium transport. Science, 165: 405, 1969.
- Ornoy, A., Goodwin, D., Noff, D., et al.: 24,25-dihydroxy vitamin D is a metabolic vitamin D essential for bone formation. Nature (Lond.), 276, 517, 1978.
- Owen, J.A., Iggo, B., Scandrett, F.J., and Stewart, C.P.: Biochem. J., 58, 426, 1954.
- Parsons, L.G. American J. of Dis. of Children, 43, 1293, 1932.
- Pillary, D.T.N., and Mehdi, R.: Separation of aminoacids by thin layer chromatography. J. Chromatography. 47: 119-123, 1970.
- Portale, A.A., Booth, B.E., Tsai, H.C., et al.: Reduced plasma concentration of 1,25(OH)₂D in children with moderate renal insufficiency (MRI), abstracted. Kidney Int. 16: 922, 1979.
- Potter, D.E.: Renal osteodystrophy in children. Dialysis and transplantation. 5: 24, 1976.
- Potter, D.E., Wilson, C.J., and Ozonoff, M.B.: Hyperparathyroid bone disease in children undergoing long term hemodialysis: Treatment with vitamin D. J. Pediatr. 85: 60, 1974.
- Prader, V.A., Illig, R., and Heierli, E.: Eine besondere Form des primären vitamin D resistenten Rachitis mit Hypocalcämie and autosomal-dominatem Erbsang: Die hereditäre Pseudo-mangelrachitis. Helv. Paed-iatr. Acta., 16: 452, 1961.
- Preece, M.A., et al.: Vitamin D deficiency among Asian

- Proesmans, W., Snoeck, L., Kyele-Akumola Sina, J., et al.:
Inhibitors of prostaglandin synthetase as a therapy
for cystinosis (abstract). Int. J. Pediatr.
Nephrol., 2: 130, 1981.
- Raghuramulu N., Reddy, V., 1980: Serum 25-OH D₃ levels in
malnourished children with rickets. Arch. Dis.
Child. 55, 285-287, 1980.
- Raisz, L.G.: Physiologic and pharmacologic regulation of
bone resorption. N. Eng. J. Med. 282: 909, 1970.
- Rasmussen, H., and Anast, C.: Familial hypophosphatemic
(Vitamin D resistant) rickets and vitamin D de-
pendent rickets, In metabolic basis of inherited
disease. 4th ed. Standbury, J.B., Wyngaarden,
J.B., et al. (eds.), New York, McGraw-Hill, 1978.
P. 1537.
- Rasmussen, H., and Bordier, P.: Evidence that different
vitamin D sterols have qualitatively different
effects in man. Contr. Nephrol., 18:184, 1980.
- Rasmussen, H., Pechet, M., Anast., C., et al.: Long term
treatment of familial hypophosphatemic rickets
with oral phosphate and 1 α -hydroxy vitamin D₃.
J. Pediatr., 99: 16, 1981.
- Reade, T.M., Sriver, C.R., Glorieux, F.H., et al.: Response
to crystalline 1 α -hydroxy vitamin D₃ in vitamin
D dependency. Pediatr. Res., 9: 593, 1975.
- Reddy, V., Srikantia, S.G., Serum alkaline phosphatase in
malnourished children with rickets. J. Pediatr.
71: 595-7, 1967.
- Rilzy, E., Krempien, B., Mehls, O., et al.: Skeletal
abnormalities in chronic renal insufficiency
before and during maintenance hemodialysis.
Kidney Int. 4: 116, 1973.
- Robson, A.M.: The pathophysiology of body fluids. In Behrman,
R.E., and Vaughan, V. (eds.): Nelson textbook
of pediatrics, 12th ed. Philadelphia, W.B.
saunders Co., 1983.

- Roof, B.S., Piel, C.F., Rames, L., et al.: parathyroid function in uremic children with and without osteodystrophy. *Pediatrics*. 53: 404, 1974.
- Rosen, J.F., Fleishman, A.R., Finberg, L., et al.: Rickets with alopecia: an inborn error of vitamin D metabolism. *J. Pediatr.*, 94: 729, 1979.
- Rosenthal, I.M.: Metabolic bone disease. In Behrman, R.E. and Vaughan, V.C. (eds.): *Nelson textbook of Pediatrics*, 12th ed., 1653-1658. Philadelphia, W.B. Saunders Co., 1983.
- Roth, K.S., Foreman, A.R., and Segal, S.: The Fanconi syndrome and mechanisms of tubular transport dysfunction. *Kidney Int.*, 20: 705, 1981.
- Royer, P., Habib, R., and Mathieu, H.: *Nephrologie in Kindesalter*. (German translation by Schärer, K.) Georg Thieme Verlag, Stuttgart, 1967.
- Sahashi, Y., et al.: Anti rachitic potency of vitamin D sulphate in human milk, *Journal of vitaminology*, Japan, 15, 78, 1969.
- Seakins, J.W.T., Haktan, M., Andrew, B.C., and Ersser, R.S.: *Ann. Clin. Biochem.*, 9, 103, 1972.
- Schneider, J.A., Schulman, J.D., and Seegmiller, J.E.: Cystinosis and Fanconi syndrome. In Stanbury, J.B., Wyngaarden, J.B., and Fredricksoh, S.D. (eds.): *The metabolic basis of inherited diseases*, 4th ed., New York, McGraw-Hill, 1978.
- Schulman, J.D., and Schneider, J.A.: Cystinosis and the Fanconi syndrome. In Chan, J.C.M. (ed.): *Symposium on pediatric nephrology. The pediatric clinics of north America*. 23: 779, 1976.
- Scriber, C.M., Reade, T.M., De Luca, H.F., et al.: Serum 1,25-dihydroxy vitamin D levels in normal subjects and in patients with hereditary rickets or bone disease. *N. Engl. J. Med.*, 299: 976, 1978.
- Scriber, C.R.: Rickets and the pathogenesis of impaired tubular transport of phosphate and other solutes. *Am. J. Med.*, 57: 43, 1974.

- Sebastian, A., and Morris, R.C., Renal tubular acidosis.
Clin. Nephrol. 7: 216, 1977.
- Shepard, R.M., Horst, R.L., Hamstra, A.J., et al.: Determination of vitamin D and its metabolites in plasma from normal and anephric man. Biochem. J., 182: 55, 1979.
- Short, E., Morris, R.C., Sebastian, A., et al.: Exaggerated phosphaturic response to circulating parathyroid hormone in patients with X-linked hypophosphatemic rickets. J. Clin. Invest., 58: 152, 1976.
- Simmons, J.M., Wilson, C.J., Potter, D.E., et al.: Relation of calorie deficiency to growth failure in children on hemodialysis and the growth response to caloric supplementation. N. Engl. J. Med. 285: 653, 1971.
- Slatopolsky, E., Rutherford, W.E., Hruska, K., et al.: How important is phosphate in the pathogenesis of renal osteodystrophy? Arch. Intern. Med., 138: 848, 1978.
- Stanbury, J.B., Wyngaarden, J.B., and Fredrickson, D.S.: The metabolic basis of inherited disease. Ed. 4. New York, McGraw-Hill, 1978.
- Stanbury, S.W., and Lumb, G.A.: Metabolic studies of renal osteodystrophy: Calcium, phosphorus and nitrogen metabolism in rickets, osteomalacia and hyperparathyroidism complicating uremia and in the osteomalacia of the adult, Fanconi syndrome. Medicine, 41:1, 1962.
- States, B., Blazer, B., Harris, D., et al. Prenatal diagnosis of cystinosis. J. Pediatr., 87: 558, 1975.
- Teredesai, P., Winauer, J., Martin, L.G., et al.: Therapy of renal osteodystrophy with dihydrotachysterol in non dialysed patients. Clin. Nephrol., 13:31, 1980.
- Thompson, G.R., Lewis, B., and Booth, C.C.: Absorption of vitamin D₃-³H in control subjects and patients with intestinal malabsorption. J. Clin. Invest. 45, 94-102, 1966.

- Tietz, N.W. and Finley, P.R.: Clinical guide to laboratory tests, Saunders Co., Philadelphia, 1983.
- Tsai, H.C., et al.: Studies on calciferol metabolism. IV. Subcellular localization of 1,25-dihydroxy-vitamin D₃ in intestinal mucosa and correlation with increased calcium transport. J. Biol. Chem., 247: 5511, 1972.
- Tsang, R.C. et al.: Perinatal metabolism of vitamin D. Clin. Perinatol., 8: 287, 1981.
- Van Stone, J.C.: The effect of decreased renal functions with and without reduction in renal mass on 1,25-dihydroxy cholecalciferol production in rats. J. Lab. Clin. Med., 89: 1168, 1977.
- Wallis, L.A. and Angle, R.L.: Amer. J. Med., 22, 13, 1957.
- Weisman, Y., et al.: Serum concentrations of 24, 25(OH)₂D in uremic children: A reflection of renal function. J. Pediatr., 94: 190, 1979.
- Wong, V., G., Lietman, P.S., and Seegmiller, J.E.: Alteration of pigment epithelium in cystinosis. Arch. Ophthalm. (Chicago), 77: 361, 1967.