

REFERENCES

- Abdel- Aziz, D. (1977) :**
 Fevers and infectious Diseases. El-Naser modern book shop 2nd edition. (90)
- Adams, R.D. and Petersdorf, R.G. (1983) :**
 Pyogenic infections of the central nervous system. In harrison's principle of internal mdicine 10th ed. McGraw-Hill international book company. P. 2084.
- Allison, K.C.; Strober, W. and Harriman, G.R. (1991) :**
 Induction of IL-5 receptors on normal B cells by cross-liking surface Ig with anti-Ig dextran. J. Immunol, 146:4197.
- Aloisi, F.; Care, A. and Borsellino, G. et al., (1992) :**
 Production of hemolymphopoietic cytokines (IL-6, IL-8, Colony-stimulating factors) by normal human astrocytes in response to IL-1B and tumor necrosis factor- α . J. Immunol 149 : 2358.
- Ambrus, J.L.Jr.C.H. Jurgensen, D.L.; Bowen, S.; Tomita, T.; Nakagawa, N.; Nakagawa, H.; Goldstein, N.L.; Witzel, H.S.; Mostwaski and A.S. Fauci (1987) :**
 The activation, proliferation and differentiation of human B lymphocytes. In lymphocyte activation and immune Regulation. S.Gupta, W.E. paul and A.S. Fauci. eds. plenum publishin Co. New York. P. 163.
- Anderson, K.C.; Morimoto, C.; Paul, S.R.; Chauhan, D.; Williams, D.; Cochran, M. and Barut, B.A. (1992) :**
 Interleukin-11 promotes accessory cell-dependent B cell differentiation in humans. Blood, 80(11) : 2797.
- Arditi, M.; Kirk, R.; Manogue Michael captan and Ram Yogev (1990) :**
 Cerebro spinal fluid tumour necrosis factor alpha and platelets activating factor concentrations and severity of bacterial meningitis in children. J. Infect. Dis. (162):139.

- Balan, G. and Branza, M. (1985) :**
Acute bacterial meningitis in children and adults. Med. Clin. North Am. 219-231.
- Balkwill, F.R. and Burke, F. (1989) :**
The cytokine network. Immunol. Today 10 : 299.
- Balzer, S.; Berant, M. and Alon, U. (1983) :**
Effects of antibiotic treatment on cerebrospinal fluid, Am. J. Clin. Path. Vol., (80) : 380.
- Bazzoni, F.; Cassatella, M.A.; Rossi, F.; Caska, M.; Dewald, B. and Baggiolini, M. (1991) :**
Phago cytosining neuterophils produce and release high amounts of the neturophil-activating peptide 1/ interleukin 8. J. ex. Med. 173 : 771.
- Behrman, R.E.; Kliegman, R.M. and Nelson, W.E. (1992) :**
Coma in pediatric patient. In : Nelson Textbook of pediatric, 14th ed. W.B. saunder company, philadephia, P. 1519.
- Bell, W.E. (1982) :**
Bacterial infections of the nervous system in practice of pediatric neurology by swaiman and wright. 2nd. ed. p. 659.
- Ben-Sasson, S.Z.; Legros, G.; Conrad, D.H.; Finkelman, F.D. and Paul, W.E. (1990) :**
IL-4 production by T cells from naive donors; IL-2 is required for IL-4 production. J. Immunol, 145 : 1127.
- Beutler, B. and Cerami, A. (1987) :**
Cachectin; More than a tumor necrosis factor. N. Engl. J. Med. 316; 379.
- Beutler, B.; Milsark, I.W.; Cerami, A. (1986) :**
Passive immunization against cachectin 1 tumor necrosis factor protects mice from lethal effects of endotoxin. Science 234: 470.

- Bignold, L.P.; Rogers, S.D.; Siaw, T.M. and Bahnisch, J. (1992) :**
Inhibition of chemotaxis of neutrophil leukocytes to interleukin-8 by endotoxins of various bacteria. *Infect. Immunol*, 29 : 4255.
- Boland, G. and Barza, M. (1988) :**
Acute bacterial meningitis in children and adults. *Med. Clin. North. Am.* 69 : 231.
- Briem, H. (1983) :**
Comparison between cerebrospinal fluid concentrations of glucose, total protein, chloride, lactate, and total amino acids for the differential diagnosis of patients with meningitis. *Scand. J. Infect. Dis.*, 15 : 277.
- Broide, D.H. (1991) :**
Inflammatory cells; structure and function. In : Stites, D.P. and Terr, A.I. (eds.) : *Basic and clinical immunology*, 7th edition. Appleton and Lange, London, Sydney, Toronto, Mexico, New Delhi. Chapter 12, P. 141.
- Broukaert, P.; Spriggs, D.R.; Demetri, G.; Kufe, D.W. and Fiers, W. (1989) :**
Circulating interleukin 6 during a continuous infusion of tumor necrosis factor and interferon γ . *J. Exp. Med.* 169 : 2257.
- Burstein, H.J.; Tepper, R.I.; Leder, P. and Abbas, A.K. (1992) :**
Humoral immune functions in IL-4 Transgenic mice. *J. Immunol*, 147 : 2950.
- Calandra, T.; Gerain, J.; Heumann, D.; Baumgartner, J.D. and Glauser, M.P. (1991) :**
High circulating levels of interleukin-6 in patients with septic shock : evolution during sepsis, prognostic value, and interplay with other cytokines. *Am. J. Med.* 91:23.

- Case, J.P.; Lafyatis, R.; Remmers, E.F.; Kumkumian, G.K. and Wilder, R.L. (1990) :*
IL-1 regulation of transin/stromelysin transcription in Rheumatoid synovial fibroblasts appears to involve two antagonistic transduction pathways, an inhibitory prostaglandin dependent pathway mediated by CAMP, and a stimulatory protein kinase C-dependent pathway. *J. Immunol*, 145 : 3755.
- Cheesbrough, M. (1991) :*
Collection transport and Examination of specimen in Medical laboratory manual for tropical countries. English Language Book Society (ELBS) P. 130.
- Cherry, J.D. (1981) :*
Text book of pediatric infectious disease Philadelphia, W.B.; saunders : Page 1316.
- Conrade, D.H.; Ben-Sasson, S.Z.; Legros, G.; Finkelman, F.D. and Paul, W.E. (1990) :*
Infection with *Nippostrongylus brasiliensis* or infection of anti-IgD antibodies markedly enhance FC-receptor mediated interleukin-4 production by non B, non T cells. *J. Exp. Med.* 171 : 1497.
- Corral, C.J.; Peple, J.M.; Moxon, E.R. and Hughes, W.T. (1981) :*
C-reactive protein in spinal fluid of children with meningitis. *J. of pediatr.* Vol., 99 (3) : 365-369.
- De Simoni, M.G.; Sironi, M. De Luigi, A.; Manfredi, A.; Mantovani, A. and Ghezzi, P. (1990) :*
Intracerebroventricular injection of interleukin 1 induces high circulating levels of interleukin 6. *J. Exp. Med.* 171 : 1773.
- Diamond, R.D. and Bennett, J.E. (1974) :*
Aseptic meningitis. *Ann. intern. Med.* Vol., (80): P. 176.
- Dinarello, C.A. (1988) :*
Biology of interleukin-1. *FASEB J.* 2 : 108.

Dinareello, C.A. (1989) :

Interleukin-1 and its biologically related cytokines. Adv. Immunol, 44 : 153.

Dinaareello, C.A. (1991) :

The proinflammatory cytokines, interleukin-1 and tumor necrosis factor and treatment of the specific shock syndrome. J. Infect. Dis. 163 : 1177.

Du, X.X.; Neben, T.; Goldman, S. and Williams, D.A. (1993) :

Effects of recombinant human interleukin-11 on hematopoietic reconstitution in transplant mice, acceleration of recovery of peripheral blood neutrophils and platelets. Blood, 81 : 27.

Duguid, J.P.; Collee, J.G. and Fraser, A.G. (1989) :

Laboratory strategy in the diagnosis of infective syndroms in : Mackie and McCartney practical medical microbiology, edited by collee, J.G. Duguid, J.P. Fraser, A.G. and Marmion, B.P. thirteenth edition churchill living stone, Edimburgh London Melbourne and New York. P. 117.

Dulkerian, S.; Kilpatrick, L.; Costarino, J.R.A.T.; McCawely, L.; Fein, J.; Corcoran, L.; Zirin, S. and Harris (1995) :

Cytokine elevation in infants with bacterial and a septic meningitis. J. Pediatr, 126: 872.

Feigin, R.D. (1983) :

Actue bacterial meningitis beyond the neonatal period in : Nelsson Text book of pediatrics, Saunders company, 12th edition P. 619-624.

Feigin, R.D. and Dodge, P.R. (1970) :

Complication of meningitis.
Pediatr. Clin. North Am. Vol., (23) : 541.

Feldman, G.M. and Finbloom, D.S. (1990) :

Induction and regulation of IL-4 receptor expression on murine macrophage cell lines and bone marrow derived macrophages by IFN- γ . J. Immunol, 145: 854.

- Fernandez-Botran, R.; Sanders, V.M. and Vitetta, E.S. (1989) :**
Interaction between receptor for interleukin-2 and interleukin-4 on lines of helper T cells (HT-2) and B lymphoma cells (BcL-1). J. Exp. Med., 169 : 379.
- Ferrante, A.M.; Madoskar, A.; Walz, D.; Goh and I.C. Kowanko. (1988):**
Effects of tumor necrosis factor alpha and interelukin-1 alpha and beta on human neutrophil migration respiratory burst and degranulation. Int, Arch. Allergy, Appl. Immunol. 86 : 82.
- Fishman, R.A. (1980) :**
Cerebrospinal fluid in diseases of the nervous system. Philadelphia, W.B. Saunders. P. 175.
- Fishman, M.C. (1985) :**
Infectious meningitis in : Fishman, M.C. Medicine 2nd edition. Philadelphia, J.B. Lippincott company. ch. 13; P. 415.
- Fong, Y.; Moldawer, L.L.; Marano, M.; Manogue, K. Tracey, K.J.; Wei, H.; Kuo, G.; Fischman, D.A.; Cerami, A. and Lowry, S.F. (1989) :**
Cachectin / TNF or IL-1 α induces cachexia with redistribution of body proteins. Am. J. Physiol. 256; P. 659.
- Fraser, W.E.; Darby, C.P. and Koehler, R.E. (1983) :**
Risk factors in bacterial meningitis : Charleston, country, south colofornia. J. Infect. Dis. Vol.(127) : 271.
- Frash, C.E. (1989):**
Vaccines for prevention of meningococcal diseases. Clin. microbiol. Rev., 2 : 5134.
- Freeman, G.J.; Freedman, A.S.; Rabinowe, S.N.; Segil, J.M.; Horowitz, J. Rosen, K. Whitman, J.F. and Nadler, L.M. (1989):**
Interleukin-6 gene expression in normal and neoplastic B cells. J. Clin. Invest. 83 : 1512.

- Galizzi, J.P.; Zuber, C.E.; Cabrillat, H.; Djossou, O. and Banchereau, J. (1989) :*
Internalization of human interleukin-4 and transient down-regulation of its receptor in the CD23 inducible Jijoye cells. *J. Biol. Chem.*, 264 : 6984.
- Gately, M.K.; Wolitzky, A.G.; Quinn, P.M. and Chizzonite, R. (1992) :*
Regulation of human cytolytic lymphocyte responses by interleukin-12. *Cell Immunol.* 143 : 127.
- Gerard, P. Mariau, M. Bachy, A. Malavaux, P. Demyer, R. (1989) :*
Meningococcal purpura : Report of 19 patients treated with heparin. *J. Ped. Vol.*, (82) : 780.
- Gimbrone, M.A. Jr. Obin, M.S.; Brock, A.F.; Luis, E.A.; Hass, P.E.; Hebert, C.A.; Yip, Y.K.; Leung, D.W.; Lowe, D.G.; Kohr, W.J.; Darbonne, W.C.; Bechtol, K.B. and Baker, J.B. (1989) :*
Endothelial interleukin-8, a novel inhibitor of leukocyte endothelial interactions. *Science*, 246 : 1601.
- Goitsuka, R.; Ohashi, T.; Ono, K.; Yasukawa, Y.; Koishibara, Y.; Fukui, H.; Ohsugi, Y. and Hasegawa, A. (1990) :*
IL-6 activity in feline infectious peritonitis. *J. Immunol.* 144 : 2599.
- Goldstein, H.; Koerholz, D.; Chesky, L.; Fan, X.D. and Ambrus, J.L. (1990) :*
Divergent activities of protein kinases in IL-6 induced differentiation of human B cell line. *J. Immunol.* 145 : 952.
- Gowenlock, A.H.; Murray, J.R. and Mc. Lauchlan, D.M. (1988) :*
Normal cerebrospinal fluid in varleys practical clinical Biochemistry, 6th ed. P. 443.
- Guyton, A.C. (1981) :*
The special fluid systems of the body, cerebro spinal fluid. In Guyton Text book of medical physiology, 6th ed. Philadelphia, W.B. saunders Company, P. 383.

- Halstensen, A.; Caska, M.; Brandtzaeg, P.; Redl, H.; Naess, A. and Waage, A. (1993) :*
Interleukin-8 in serum and cerebrospinal fluid from patients with meningococcal disease. J. Infect. Dis., 167 : 471.
- Hansson, L.O.; Axeleson, G.; Linne, T.; Aurelius, E. and Lindquist, L. (1993) :*
Serum CRP in bacterial and viral meningitis. Scand. J. Infect. Dis. 25 (5) : 625.
- Harisson's, (1992):*
Principle of internal medicine 12th edition. Vol., (1) P. 493.
- Hashim, I.A.; Walsh, A.; Hart, C.A. and Shenkin, A. (1995):*
Cerebrospinal fluid interleukin-6 and its diagnostic value in the investigation of meningitis. Ann. Clin. Biochem, 32 : 289.
- Hebert, C.A.; Luscinskas, F.W.; Kiely, J.M.; Luis, C.C.; Obin, M.S.; Gimbrone, M.A. and Baker, J.B. (1990) :*
Endothelial and leucocyte forms of IL-8; conversion by thrombin and interactions with neutrophils. J. Immunol, 145 : 3033.
- Helle, M.; Boeije, L.; Pascual-Salcedo, D. and Aarden, L. (1991) :*
Differential induction of interleukin-6 production by monocytes, endothelial cells and smooth muscle cells. Prog. Clin. Biol. Res., 367 : 61.
- Heyderman, R.S.; Klein, N.J.; Shennan, J.I. and Levin, M. (1991) :*
Deficiency of prostacyclin production in meningococcal shock. Arch. Dis. Child. Vol., (66) : 1296.
- Hirano, T. (1992) :*
Interleukin-6 and its relation to inflammation and disease. Clin. Immunol Immunopathol, 62 : 60.
- Holmes, W.E.; Lee, J.; Kuang, W.J.; Rice, G.C. and Wood, W.I. (1991):*
Structure and functional expression of a human interleukin-8 receptor. Science, 253 : 1278.

Houssiau, F.A.; Bukasa, K.; Sindic, C.J.M.; Van, Damme, J. Van Snick, J. (1988) :

Elevated levels of the 26k human hybridoma growth factor (interleukin-6) in cerebrospinal fluid of patients with acute infection of the central nervous system. Clin. Exp. Immunol. 71 : 320-3.

Howard, M. and Paul, W.E. (1983) :

Regulation of B-cell growth and differentiation by soluble factors.

Ann. Rev. Immunol. 1 : 307.

Hultner, L.; Druetz, C.; Moeller, J.; Uyttenhove, C.; Schmitt, E.; Ruede, E.; Dormer, P. and Van Snick, J. (1990) :

Mast cell growth enhancing activity (MEA) is structurally related and functionally identical to the novel mouse T cell growth factor P 40/TCGFII (interleukin-9). Eur. J. Immunol, 20 : 1413.

Hultner, L. and Moeller, J. (1990) :

Most cell growth enhancing activity (MEA) stimulates interleukin-6 production in a mouse bone marrow derived mast cell line and a malignant subline. Exp. Haematol, 18 : 873.

Ishimi, Y.; Miyamura, Y.; Jin, C.H.; Akatsu, T.; Abe, E.; Nakamura, Y.; Yamaguchi, A.; Yoshiki, S.; Matsuda, T.; Hirano, T.; Kishimoto, T. and Suda, t. (1990) :

IL-6 is produced by osteoblasts and induces bone resorption. J. Immunol. 145 : 3297.

Jawetz, E.; Melnick, L.J. and Adelberg, A.E. (1982) :

Review of medical microbiology 17th edition loss Altos, california. P. 230.

Karasuyama, H. and Melchers, F. (1988) :

Establishment of mouse cell lines which constitutively secrete large quantities of interleukin 2,3,4 and 5 using modified CDNA expression vectors. Eur. J. Immunol, 18:94.

- Karasuyama, H.; Melchers, F. and Rolink, A. (1988) :**
Recombinant interleukin-2 or 5 but not 3 or 4, induces maturation of resting mouse B lymphocytes and propagates proliferation of activated B cell blasts. J. Exp. Med. 167 : 1377.
- Kato, K.; Yokoi, T.; Takano, N.; Kanegane, H.; Yachie, A.; Miyawaki, T. and Taniguchi, N. (1990) :**
Detection by in situ hybridization and phenotypic characterization of cell expressing IL-6 mRNA in human stimulated blood. J. Immunol, 144 : 1317.
- Kelso, A. and Gough, N.M. (1988) :**
Expression of granulocyte - macrophage colony stimulating factor, Y interferon, and interleukin 3 and 4 is random in murine alloreactive T cell clones. Proc Natl Acad Sci USA, 85 : 9189.
- Kishimoto, T. (1985) :**
Factors affecting B-cell growth and differentiation. Ann. Rev. Immunol. 3 : 133.
- Klein, N.J.; Heyderman, R.S. and Levin, M. (1992) :**
Antibiotic choices for meningitis beyond the neonatal period. Arch. Dis. Child. Vol., (67) : 157-161.
- Kupper, T.S.; Horowitz, M.; Leo, F.; Robb, R. and Flood, P.M. (1987) :**
Autocrine growth of T cells independent of interleukin-2, identification of interleukin-4 (IL-4, BSF-1) as an autocrine growth factor for a cloned antigen specific helper T cell. J. Immunol, 138 : 4280.
- Lai, K.N.; Leung, J.C.; Li, P.K.; Larche, M. and Ritter, M.A. (1991) :**
The effects of blockade of interleukin-2 receptors and interleukin-4 receptors on cytokine production. ARMIS. 99 : 434.
- Larrick, J.W. and Kunkel, S.L. (1988) :**
The role of tumor necrosis factor and interleukin-1 in the immunoinflammatory response. Pharmacol, res. 5 : 129.

Levin, M.J. (1994) :

Treatment and prevention option of respiratory syncytial virus infection. J. Pediatr. Vol. (124) : 5 part. 2:522-527.

Lichtman, A.H.; Kurt-Jones, E.A. and Abbas, A.K. (1987) :

Proc Natl Acad Sci USA, 84 : 824, quoted from : vitetta, E.S., Ohara, J. Myers, C.D.

Lindquist, L. (1987) :

Cerebrospinal fluid changes and brain metabolism in bacterial meningitis Experimental and clinical considerations. Ph. D. Thesis, Karolinska Institute stockholm.

Ling, Z.D.; Gillis, S.; Hart, L.J. and Matheson, D.S. (1991) :

Particle concentration fluorescence immunoassay for measuring interleukin-6 receptor numbers. cytokine, 3(1) :17.

Lopez-cortes, L.F.; Cruz-Ruiz, M.; Gomez-Mateos, J.; Jimenez-Hernandez, D.; Palomino, J. and Jimenez, E. (1993):

Measurement of levels of tumor necrosis factor α and interleukin-1 B in the CSF of patients with meningitis of different etiologies : utility in the differential diagnosis. Clin. infect. Dis. 16 : 534.

MacGregor, A.R. and Green, C.A. (1967) :

Tuberculosis of the central nervous system with special refrence to tuberculous meningitis. J. Pathol. Bacteriol. 45 : 613.

Mancini, G.; Carbonara, A.O. and Heremans, J.F. (1965) :

Immunochemical quantitation of antigens by single radial immunodiffusion. Immunochemistry, 2 : 235.

Marks, M.I. (1988) :

Bacterial meningitis in infants and children. Infection. 12 suppl., 1 : 552.

- Marucha, P.T.; Zeff, R.A. and Kreutzer, D.L. (1990) :**
Cytokine regulation of IL-1B gene expression in the human polymorph nuclear leucocyte. J. Immunol, 145:2932.
- Matsushima, K.T.A.; Yamada, M.; Furutani, Y. and Oppenheim, J.J. (1992) :**
Properties of a specific IL-1 receptor on human Epstein Barr virus transformed B lymphocytes, identity of the receptor for IL-1 alpha and IL-1 beta. J. Immunol, 136:4496.
- McCracken, J.R.M.D.; Feigin, M.D. and George, H. (1992) :**
Diagnosis and management of meningitis. *pediatr. Inf. Dis. J.* 11 (9) : 785.
- McKinely, D.; WHO; Yang-Feng, T. and Yang, YC. (1992) :**
Genomic sequence and chromosomal location of human interleukin-11 gene. *Genomics*, 13 (3) : 814.
- Mercier, J.C.; Beauvils, F.; Hariman, J.F. and azema, D. (1988) :**
Hemodynamic pattern of meningococcal shock in children. *crit care Med.* Vol., (16) : 27.
- Metcalf, D. (1989) :**
Haemopoietic growth factors I. *Lancet*, 1 : 825.
- Metcalf, D. (1992) :**
Introduction to the biology and pharamcology of interleukin-3 in : perspective on interleukin-3 symposium. New cannaught Rooms, Grand Hall, London, 1 : 2.
- Middle Kamp, J.N. (1981) :**
In feigin, R.D. cherry, J.D. (eds) : text book of pediatric infectious disease philladelphia, W.B. saunders, 319.
- Minty, A.P.; Chalon, J.M.; Derocq, X.; Dumont, J.C.; Guillemol, M.; Kaghad, C.; Labit, P.; Leplatosis, P.; Liauzun, B.; Miloux, C. Minty, P.; Casellas, G.; Loison, J.;Lupker, D. Shire, P.; Ferrara, and Capul, D. (1993) :**
Interleukin-13 is a new human lymphokine regulating inflammatory and immune response. *Nature* 362 : 248.

Mitchell, L.C.; Davis, L.S. and Lipsky, P.E. (1989) :

Promotion of human T lymphocyte proliferation by IL-4
J. Immunol, 142 : 1548.

Moffet, H.L. (1981) :

Acute neurologic infection. In : Pediatric infections diseases 2nd edition. Philadelphia. J.B. Lippincott Company. P. 189-205.

Monto, A.S. (1994) :

Using antiviral agents to control outbreaks of influenzae Q infection. Geriatrics. Vol., (49) : 12:30.

Moore, K.W. (1993) :

Annu Rev. Immunol 11 : 165.

Odio, C.M.; Faingezicht, I.; Paris, M.; Baltodano, A.; Regers, J.; Saez Loren, X.; Oslen, K. and McCracken, J. (1991) :

The beneficial effects of early dexamethazone therapy with bacterial meningitis New. Eng. J. Med. Vol., (324) : 1531- 1535.

Okusawa, S.; Gelfand, J.A. and Ikejima, T. (1988) :

Interleukin-1 induces ashock-like state in rabbits : synergism with tumor necrosis factor and the effect of cyclooxygenase inhibition. J. Clin. Invest. 81:1162-1172

Onji, M.; Yamaguchi, S.; Masumoto, T.; Akbar, S.M.; Kajino, K. and Ohta, Y. (1991) :

Induction of the interleukin-2 receptor by interferons. J. interferon Res., 11 (4) : 237.

Oppenheim, J.J.; Ruscetti, F.W. and Connie, F. (1991) :

Cytokines. In : stites, DP and terr, AI (eds) : Basic and Clinical Immunology. 7th edition. Appleton and Lange, London, sydney, Toromto, Mexico, New Delhi. Chapter 7P. 78.

Oshimi, K. and Hoshino, S. (1992) :

Function and molecular structure of IL-12. Nippon-Rinsho, 50 (8) : 1840.

- Pass, M.A.; Gray, B.M.; Khare, S. and Dillon, H.C.Jr. (1979) :**
Prospective studies of group B streptococcal infection in infants. J. Pediatr. 95 :437.
- Paul, SR.; Barut, BA.; Bennett, F.; Cochran, M.A. and Anderson, K.C. (1992) :**
Lack of a role of interleukin-11 in the growth of multiple myeloma. Leuk Res., 16 (3) : 247.
- Paul, SR. and Schendel, P. (1992) :**
The cloning and biological characterization of recombinant human interleukin-11. Int. J. cell cloning, 10 (3) : 135.
- Pepple, J.; Moxon, E.R. and Yolken, R.H. (1980) :**
Laboratory diagnosis of bacterial meningitis. J. Pediatric. Vol., (97) P. 233.
- Podlaski, F.J.; Nanduri, V.B.; Hulmes, J.D.; Pan, Y.C.; Levin, W.; Danho, W.; Chizzonite, R.; Gately, M.K. and Stern, A.S. (1992) :**
Molecular characterization of interleukin-12. Arch Biochem Biophys. 294 (1) : 230.
- Punnonen, J.G.; Aversa, B.G.; Cocks, A.N.J.; McKenzie, S.; Menon, G.; Zurawski, R.D.; Malefyt and Vries, J.E.de. (1993):**
Interleukin-13 induces interleukin-4 independent IgG4 and IgE synthesis and CD23 expression by human B-cells. Proc. Natl. Acad. Sci. USA 90 : 3730.
- Quagliarello, V. and Scheld, W.M. (1992) :**
Bacterial meningitis : Pathogenesis, pathophysiology and progress. N. Engl. J. Med. 327 : 864.
- Ramilo, O.; Mustafa, M.M.; Porter, J.; Saes, L.; Lorens, X.; Mertsola, J.; Olsen, KO.; Luby, JP.; Beluter, B. and McCracken, Gh.JR. (1990) :**
Detection of interleukin-1 beta but not tumour necrosis factor alpha in cerebrospinal fluid of children with aseptic meningitis. Am. J. Dis. Child. 144(3) :349.

- Raymond, J. Benichou, C.; De-Boissieu, D.; Mensah, K.; Bergeret, M.; and Lebon, P. (1992) :**
Absence of intrathecal synthesis of some interferon- α subtypes in bacterial meningitis. *J. Infect. Dis.* 166 : 657.
- Raziuddin, S.; El-Awad, M.E. and Mir, N.A. (1991) :**
Bacterial meningitis T-cell activations and immunoregulatory DC4, T cell subset alteration. *J. Allergy Clin. Immunol.* 87 : 1115.
- Reinhold, J.G. (1953) :**
Determination of serum total proteins, Albumin and globulin fractions by the Biuret method. In standard method of clinical chemistry edited M. Reiner, Academic press, New York and London IP. 88.
- Roberts, D.L. (1981) :**
Diagnosis of tuberculous meningitis. *Arch. Neurol.* Vol. 38.
- Robb, R.J.W.C.; Greene and Rusk, C.M. (1984) :**
Low and high affinity cellular receptors for interleukin-2 : implications for the level of tac antigen. *J. Exp. Med.* 160 : 1126.
- Romero, R.; Durum, S.; Dinarello, C.A.; Oyarzun, E.; Hobbins, J.C. and Mitchell, M.D. (1989) :**
Interleukin-1 stimulates prostaglandin biosynthesis by the human amnion. *Prostaglandins*, 37 : 13.
- Rusconi, F.; Parizzi, F. and Garlaschi, L. et al., (1991) :**
Interleukine-6 activity in infants and children with bacterial meningitis. *Pediatr. Infect. Dis. J.* 10:117.
- Saeland, S.; Duvert, V.; Pandrau, D.; Caux, C.; Durand, I.; Wrighton, N.; Widerman, J.; Lee, F. and Banchereau, J. (1991):**
Interleukin-7 induces the proliferation of normal human B cell precursors. *Blood*, 78(9) : 2229.

- Saez-Lioens, X.; Ramilo, O.; Mustafa, M.M.; Mertsola, J. and McCracken, G.II. (1990) :**
Molecular pathophysiology of bacterial meningitis : current concept and therapeutic implications. J. Pediatr. 116 : 671.
- Saiki, O.; Tanaka, T.; Doi, S. and Kishimoto, S. (1988) :**
Cellular interaction in the humoral immune response. J. Immunol, 140 : 853.
- Sanderson, C.F. (1992) :**
Interleukin-5, eosinophils and disease. blood, 79 : 3101.
- Sanderson, C.J.A.; Ogarra, D.J. Warren. and Klaus, G.G.B. (1986) :**
Eosinophil differentiation factor also has B-cell growth factor activity : proposed name interleukin-4. Proc. Natl. Acad. Sci. USA. 83 : 437.
- Schale, S.O. and Schales, S.S. (1941) :**
Mercuric Nitrate method of schales and schles. J. biol. chem. 140, 879.
- Schmitt, E.; Beuscher, Huels, C.; Monteyne, P.; Van Brandwijk, R.; Van Snick, J. and Ruede, E. (1992):**
IL-1 serves as a secondary signal for IL-9 expression. J. Immunol, 147 : 3848.
- Schmitt, E.; Van Brandwijk, R.; Van Snick, J.; Sieblod, B. and Ruede, E. (1990) :**
TCGFH /P 40 is produced by naive murine CD4+ T cells but is not a general T cell growth factor. Eur. J. Immunol, 19 : 2167.
- Schonhaut, D.S.; Chua, A.O.; Wolitzky, A.G.; Quinn, P.M.; Dwyer, C.M.; McComas, W.; Familletti, P.C.; Gately, M.K. and Gubler, U. (1992) :**
Cloning and expression of IL-12. J. Immunol, 148 (11) : 3433.

- Schwartz, B.; Al-Tobiag, A.; Ruwais, A.; Fontaine, R.E.; Aski, J.A.; Hightower, A.W.; Broom, C.V. and Musci, S.I. (1988):**
Comparative efficacy of ceftriaxone and rifampicin in eradicating pharyngeal carriage of group A. *Neisseria meningitidis*. *Lancet*, 1239 : 1243.
- Seki, T.; Joh, K.; oh-Ishi, T. (1993) :**
Augmented production of interleukin-8 in cerebrospinal fluid in bacterial meningitis. *Immunology*, 80 :333.
- Shanson, D.C. (1982) :**
Microbiology in clinical practice, wright PSG. Bristol, London, 167.
- Shanson, D.C. (1989) :**
Infections of the central nervous. In : shanson, D.C. (ed.) Microbiology in clinical practice. Bristol. London. P. 229.
- Sipple, J.E.; Hider, P.A. and Controni, G. (1984) :**
Diagnosis of meningitis. *Clinical microbiol.* 215 : 884.
- Skjonsberg, C.; Erikstein, B.K.; smeland, E.B.; Lie, SO.; Funderud, S.; Beiske, K. and Blomhoff, HK. (1991) :**
Interleukin-7 differentiates a subgroup of acute lymphoblastic leukemias. *Blood*, 77 (11):2445.
- Smith, K.A. (1993) :**
Low-dose IL-2 immunotherapy. *Blood*, 81 : 1402.
- Smith,KA. and Cantrell, D. (1985) :**
Interleukin-2 regulates its own receptors. *Proc. Natl. Acad. Sci. USA*, 82 : 864.
- Smith, E.W.P. and Haynes, R.E. (1982) :**
Changing incidence of haemophilus influenzae meningitis. *Pediatric*, Vol. (50) : 72.
- Smyth, MJ.; Ortaldo, JR.; Bere, W.; Yagita, H.; Okumura, K. and Young, H.A. (1990) :**
IL-2 and IL-6 synergize to augment the pore-forming protein gene expression and cytotoxic potential of human peripheral blood T cells. *J. Immunol*, 145 : 1159.

- Spits, H.; Yassel, H.; Paliard, X. Kastelein, R. Figdor, C. and De-Vries, JE. (1988) :*
IL-4 inhibits IL-2 mediated induction of human lymphokine-activated killer cells, but not the generation of antigen-specific cytotoxic T-lymphocytes in mixed leukocyte cultures. J. Immunol, 141 : 29.
- Suda, T.; Murray, R.; Fischer, M.; Yokota, T. and Zlotnik, A. (1990) :*
Tumor necrosis factor alpha and P40 induce day 15 murine fetal thymocyte proliferation in combination with IL-2. J. Immunol, 144 : 1783.
- Swartz, M.W. (1985) :*
Bacterial meningitis : In : cecil text book of medicine edited by wyngarnden, I.B. and smith, L.H. seventeenth edition, saunders, Co. philadelphia P. 1551-1556.
- Symann, M. (1992) :*
Interleukin-3 and peripheral blood stem cell harvesting. In : Perspectives on interleukin-3 symposium. New connaught Rooms, grand hall, London, 1 : 18.
- Taga, T.; Kishimoto, T. (1992) :*
Cytokine receptors and signal transduction. FASEB J. 6 : 33687.
- Talon, DA.; Hoffman, JR.; Yoshikawa, T.T. and Overturf, G.D. (1988):*
Role of empiric parenteral antibiotics prior to lumbar puncture in suspected bacterial meningitis. State of art. rev. infect. Dis. 10 :365.
- Tavernier, J.; Devos, R.; Cornelis, S.; Tuypens, T.; Van der Heyden, J.Fiers, W. and Plaetinck, G. (1991):*
A human high affinity interleukin-5 receptor (IL-5R) is composed of an IL-5 specific alpha chain and a beta chain shared with the receptor for GM-CSF. cell, 66(6) : 1175.

- Te velde, AA.; Huijbens, RJ.; Heije, K.; De-Vries, JE. and Figdar, CG. (1990) :*
Interleukin-4 (IL-4) inhibits secretion of IL-1 beta, tumor necrosis factor alpha and IL-6 by human monocytes. *Blood*, 76(7) : 1392.
- Thompson, A. (1993) :*
Cytokine Handbook 2nd ed. Academic Press.
- Thornhill, M.H. and Hashard, DO. (1990) :*
IL-4 regulates endothelial cell activation by IL-1, tumor necrosis factor, or IFN- γ . *J. Immunol*, 145 : 865.
- Touw, I.; Pouwels, K.; Van Agthosven, T.; Van Gorp, R.; Budel, L.; Hoogerbrugge, H.; Delwel, R.; Goodwin, R.; Namen, A. and Lowenberg, B. (1990) :*
Interleukin-7 is a growth factor of precursor B and T acute lymphoblastic leukemia. *Blood*, 75 (11) : 2097.
- Trinder's (1969) :*
Trinder's glucose oxidase method using phenol and 4-Aminophenazone. *Ann. Clin. Biochem*, 6. 25.
- Valiante, NM.; Rengaraju, M. and Trinchieri, G. (1992) :*
Role of the production of natural killer cell stimulator factor (NKSF/IL-12) in the ability of B cell lines to stimulate T and NK cell proliferation. *Cell Immuno*, 145(1) : 187.
- Van Damme, J. (1991) :*
Interleukin-8 and related molecules. In : Thomson, AW. ed. The cytokine handbook. London. Academic press. 201-14.
- Van Damme, T. and Opdenakker, G. (1991) :*
Interaction of interferons with skin reactive cytokines, from interleukin-1 to interleukin-8. *J. Invest. Dermatol*, 95(6) : 90.
- Van Meir, E.; Ceska, M.; Effenberger, F. (1992) :*
Interleukin-8 is produced in neoplastic and infectious diseases of the human central nervous system. *Cancer Res*. 52 : 4297.

- Waaga, A.; Brandtzaeg, P.; Halsensen, A.; Kierulf, P. and Espevik, T. (1989) :*
The complex pattern of cytokines in serum from patients with meningococcal septic shock. J. exp. Med. 169 : 333.
- Wagga, A.; Brandtzaeg, P.; Espevik, T. and Halstensen, A. (1991) :*
Current understanding of the pathogenesis of gram-negative shock. Infect. Dis. clin. North. Am. 5:781.
- Weinstein, L. (1985) :*
Bacterial meningitis. Medical clinics of North America, Vol., (69) No. 2: 219.
- Welbourn, Esther, H. (1964) :*
Management of meningitis. Br. Med. J. 1: 1705.
- Wilcocks, C. and Manson, B. (1978) :*
In Manson's Tropical diseases. Bailliere Tindall. London 7th ed. P. 113..
- Williams, D.E.; Morrissey, PJ.; Mochizuki, DY.; De Vries, P.; Anderson, D.; Cosman, D.; Boswell, HS.; Coopers, S.; Grabstein, KH. and Broxmeyer, HE. (1990) :*
T cell growth factor P40 promotes the proliferation of myeloid cell lines and enhances erythroid burst formation by normal murine bone marrow cells in vitro. Blood, 76 : 906.
- Wilson, G. and Wilkinson, A.E. (1984) :*
Neisseria, Branhamella and Moraxella. In Topley and wilson's principles of Bacteriology. Virology and Immunity, 7th ed. Vol. 2. Ch. 28, P.156.
- Yamaguchi, Y.; Suda, T.; Shiozaki, H.; Miura, Y.; Hitoshi, Y.; Tominaga, A.; Takatsu, K. and Kasahara, T. (1990) :*
Role of IL-5 in IL-2 induced eosinophilia, in vivo and in vitro expression of IL-5 mRNA by IL-2 J. Immunol, 145 : 873.

Yamamoto, H.; ARAI, T.; Sakamoto, M.; Hashimoto, H.; Seki, T.; Otani, T.; Ohishi, T. and Jott, K. (1991) :

Measurement of neopterin concentration in cerebrospinal fluid from patient with bacterial or aseptic meningitis. *Lancet*, 156, 425.

Yang, YC.; Ricciardi, S.; Ciarletta, A.; Calvetti, J.; Kelleher, K. and Clark, SC. (1989) :

Expression cloning of cDNA encoding a novel human hematopoietic growth factor, human homologue of murine T cell growth factor P40. *Blood*, 74 : 1880.