

- [1]AberCP;BassNm,BerryCL,CarsonPHM,DobbsRJ,FoxKM,HamblinJJ,HowittG,MacIverJE,PortaleEB,RoussellRH,StockJPP.(1976):Streptokinase in acute myocardial infarction: a controlled multicenter study in the United Kingdom.Br Med J:(1100.
- [2]AldermanEL,JutzKR,BerteLE,MillerRG,FriedmanJP,CregerWP,EllastamM.(1984):Randomized comparison of intravenous versus intracoronary streptokinase for myocardial infarction.Am J Cardiol;54:14.
- [3]AlkjaerigN.,FletcherA.P. and SherryS.(1959):Fibrinolytic plasma therapy of experimental coronary thrombosis circulation a9:7.
- [4]AlkjaersigN.Fletcher&SherryS.(1959):The mechanism of clot dissolution by Plasmin.Journal of clinical investigation 38:1086.
- [5] AmbroschF.(1979):Herzinfarkt und streptokinasetherapie (Myocardial infarction and streptokinase therapy).Diagnostik u. intensivtherapie 15 pp.169.
- [6]AmbroschF.,BendaL.,ZenzW.(1977):Fibrinolyse bei koronaren Herzkrankheiten.(Fibrinolytic therapy for coronary heart diseases).Diagnostik u. Intensivtherapie 10 pp.127.
- [7]ArmeryA,RoeberG,VermeulenHJ,VerstraeleM.(1969)Single blind randomised multicentre trial comparing heparin and streptokinase treatment in recent myocardial infarction. Acta Med Scand.187:suppl'505:5.
- [8]AndersonJL,MarshallHW,AskinsJC,LutzJR, SorensenSG,MenloveRL,YanowitzFG,,HaganAD,..(1984):A randomized trial of intravenous and intracoronary streptokinase in patients with acute myocardial infarction..Circulation 70:606.
- [9]AndersonJL,MarshallHW,BrayB,LutzJR,FrederickPR,YanowitzFG,,DiazFR,KlausnerSC,HaganAD..(1983):A randomized trial of intracoronary streptokinase in the treatment of acute myocardial infarction.N Engl.J Med:308:1312.
- [10]AndersonJL,MoilvainePM,MarshallHW,BrayBE,YanowitzFG,LutzJR,MenloveRL,HaganAD.(1984):long-term follow-up after intracoronary streptokinase for myocardial infarction:a randomized ,controlled study.Am Heart J;108(6):1402.
- [11]AngelJW.(1983).Physicians'desk reference,37th edition, Medical Economics Company Inc,503,699,1006,1590.
- [12]Aok,N.B:(1977):Natural inhibitors of fibrinolysis in progress in Cardiovascular Diseases. vol.XXI(5):267.
- [13]AronsonDL.(1983):Overview of thrombolysis circulation 68 supp I 1.

- [14] Banghman KL, Maroko PR, and Vatner SF. (1981): Effects of coronary reperfusion on myocardial infarct size and survival in conscious dogs. *Circulation* 63:317.
- [15] Barry WH, Poher J, Marsh JD, Frankel SR, Smith TW. (1980): Effects of graded hypoxia on contraction of cultured chick embryo ventricular cells. *Am J Physiol* 239:H651-7.
- [16] Been M, de Boon DP, Boulton FE. (1984): Acute coronary thrombolysis with a single intracoronary ejection of BRL 26921 [Abstract]. *Br heart J* 51:691.
- [17] Been H, de Bono DP, Muijt AL, Boulton FE, Hillis WS and Hornvng (1985): Coronary thrombolysis with intravenous anisoylated plasminogen-streptokinase complex BRL 26921, *Br Heart J* 53: 283-9.
- [18] Bell WR, Meek AG: (1979): Guidelines for the use of thrombolytic agents. *N Engl J Med* 301:1266-70.
- [19] Bell WR, Pintey WR & Goodwin JF. (1968) Therapeutic defibrination in the treatment of thrombotic disease. *Lancet* I, 490.
- [20] Beller GA. (1983) Myocardial imaging with thallium-201 for assessment of regional myocardial perfusion and viability after intracoronary thrombolytic therapy *Circulation* 68, suppl I70
- [21] Belz G. G. (1969) Fibrinolytische Therapie: Erfahrungsbericht über fünf Jahre (fibrinolytic therapy: a report of 5 years' experience) *Munch Med. Wochenschr* 111 45, pp. 2357.
- [21] Benda L, Haider M, and Ambrosche J (1977) Ergebnisse der österreichischen Herzinfarktstudie mit Streptokinase. (Results of the Austrian myocardial infarct trial with streptokinase) *Wien. Klin. Wochenschr.* 89, 23, pp. 779.
- [23] Benda L, Klosel W, Spiess A. et al. (1973) Fibrinolyse bei akutem Herzinfarkt mit erhöhtem Risiko. (Fibrinolysis for the high risk case of acute (myocardial infarction). *Vienna A. Inn. Med.* 54, 10, pp. 454.
- [24] Bargmann SR, Fox KAA, Randall AL, McElvany KD, Weich MJ, Markham J, Sobel BE. (1984) Quantification of regional myocardial blood flow in vivo with $H_2^{15}O$. *Circulation* 70:724.
- [25] Bergmann SR, Fox KAA, Ter-Pogossian MM, Sobel BE, Collen D. (1983) Clot-selective coronary thrombolysis with tissue-type plasminogen activator. *Science* 220:1181.

[26]BergmannSR,LerchPa,FoxKAA,LudbrookPA,WelchMJ,Ter-PogossianMM,SobelBE.(1982)Temporal dependence of beneficial effects of coronary thrombolysis characterized by positron tomography.Am J Med. 73:573.

[27]Bett Jhn,BiggsJC,CastaldiPA,ChestemanCN,HaleGS,HirshJ,LeslsterJP,McdonaldLG,McleanKH,MorganJJ,O'SullivanEF,Rosenbaum M.(1973)Australiar multicentre trial of streptokinase in acute myocardial infarction. Lancet,1:57

[28]BlankeH;vonHardenbergD;CohenM;KaiserH;KarschKr;HoltJ;SmithHJR;RentropP(1984)Patterns of creatine Kinase release during acute myocardial infarction after nonsurgical reperfusion:comparison with conventional treatment and correlation treatment and correlation with infarct size.J Am.Coll Cardiol;3(3):675.

[29]BlankH,RentropP,KarschKR,and KrenzerH.(1979)Coronary angiographic and ventriculographic finding in the acute and chronic stage of myocardial infarction.Circulation 60(Sppl. II)11.

[30]BlundaM;MeisterSG;ShechterJA;PickeringNj;WolfNM.(1984)Interavenous versus intracoronary streptokinase for acute transmural myocardial infarction.Catchet Cardiovasc Dign. 10(4):319.

[31]BocekR.and MurphyW.(1960)Segmental perfusion of the coronary arteries with fibrinolysin in man following a myocardial infarction.6:525.

[32] BodenWE,GoughEW,BenhamI,ShulmanRS. (1983)Unstable angina with episodic ST segment elevation and minimal creatine kinase release culminating in extensive ,recurrent infarction.JACC :2:11

[33]BornGVR,HardistyRM.(1976) Patlets.In:Biggs R,ed. Human blood coagulation haemostatis and thrombosis.2nd ed.Oxford Blackwell,180

[34]Borst ,R.H.(1981):erste Ergebnisse der Notfallbehandlung bei massiver, fulminanter Lungenembolie mit einer rasch injizierten hohen initialdosis von Streptokinase.(Preliminary report on emergency treatment of massive fulminant pulmonary embolism by rapid injection of a high initial dose of streptokinase).Anaesthesist 29 .29.pp.39.

[35]BostRH and wolfH .(1976) Rasche I.v. -injektion einer hohen initialdosis Streptokinase zur Therapie der fulminanten Lungenembolie .(Rapid I.v.injection of a high initial dose of streptokinase for the treatment of massive pulmonary embolism).Anaesthesist 25 ,pp.3198

- [36] Boston Collaborative Study Surveillance Group (1972) Regular aspirin intake and acute myocardial infarction. Brit.med.J.1,440.
- [37] Boucek RJ. and Murphy W (1960) Segmental Perfusion of the Coronary Arteries with Fibrinolysin in Man. Following a myocardial Infarction. Amer. Joun. Cardiol. pp.525.
- [38] Bouvier CA, Ruffegsegger P, Nydick I. (1960) Etude histologique de l'effet d'enzyme l'ibrynoytiques sur l'evolution d'un infarctus experimental chez le chien. Helv Med Acta 516.
- [39] Boyles P., Meyer W., Graff J., Ashley C. and Ripic (1960) R: Comparative effectiveness of intravenous and Intra-arterial fibrinolysin therapy. 6:439.
- [40] Breat SH; den Dulk K; Wellehs HJ (1984) Intracoronary thrombolysis for acute myocardial infarction late after bypass surgery: value of lead V4R. Am J Cardiol 1:53(4):637.
- [41] Bradof J., Sands M.J. and Lakin P.C. (1982): Symptomatic venous thrombosis of the upper extremity complicating permanent transvenous pacing; Reversal with streptokinase infusion. 104,1112.
- [42] Braunwald E. (1980) Treatment of patients after acute myocardial infarction. 302:290.
- [43] Braunwald E (1983) Thrombolytic therapy in patients with acute myocardial infarction. Summary and comments circulation 68 Sip.1-67.
- [44] Braunwald E, Maroko PR. (1974): The reduction of infarct size - an idea whose time (for testing) has come. Circulation 50:206
- [45] Breddin K, Ehrly Hm, Fechner L, Frick D, Conig H, Kraft H, Krause H, Krzywanek HJ, Kutschera J, Lohw HW, Ludwig O, MILKATB, Rausch F, Rosenthal P, Sartorys S, Volgt G, Wyllcll P (1973) Die Kurz eitfibrinolyse beim akuten Myocardinfarkt. Dtsch Med Wochenschr. 58:861.
- [46] Bresnahan GF, Roberts R., Shell WE., Ross J. and Sobel BE. (1974) Deleterious effects due to hemorrhage after myocardial reperfusion 33:82.
- [47] Bretschneider HJ (1980): Myocardial protection. Thorac Cardiovasc Surg. 28;295.
- [48] British Medical Journal, (1977) Fibrinolytic inhibitors for acute gastric haemorrhage (Editorial) Brit. Med. J. 2:1565.

- [49] Brochler M, Raynaud R, Planoll T, Fauchler JP, Griguer P, Rachambaud D, Pelloy A, Cllsson M. (1975) La traitement par l'urokinase des .Infarctus du myocarde et syndromes de menace. Etude randomisee de 120 cas. Arch Mal Coeur. 68:563.
- [50] Brodgen RN, Spelght TM, Aurey GS. (1973) Streptokinase: a review of its clinical pharmacology, mechanism of action and theraputic uses. Drugs 5:357.
- [51] Brochus FC, Roberts Wc (1981) Significance of coronary arterial thrombus in transmural acute myocardial infarction. A study of 54 necropsy patients .Circulation ;63:810.
- [52] Bruhn, HD (1974) (new jindings on the significance of t-he antistreptokinase titre for streptokinase-induced thrombolytic therapy) Dtsch. Med. Wachr. 99 26, pp. 1410.
- [53] Bruhn, H. D (1976) Thrombolytic therapy. Fundametals, methods and practice. Die Med. Vert-Ges. Marburg, p. 76.
- [54] Burkhardt H. and Henrich F (1979) Pracical management of streptokinase therapy: results of a questionnaire survey). Diagn. u. Intesivtherapie 4 pp. 102
- [54] Guyton AC (1982) Human physiology and mechanisms of disease. Third edition. W.B Saunders Compony. London.
- [55] Busstpann WD, Passed D, Seidel W, Kaltenbach M. Reduction of CK and CIMB indices of infarct sixe by intravenous nitroglycerin. Circulation .63:615
- [55] Cao DR, Crie Js, Ritter WS (1984) Intracoronary streptokinase infusion in patients with acute myocardial infarction. Mo Med Dec; 81 : (12); 774.
- [57] Camiolo SM, Thorsen S, Astrup T, (1971) Fibrinogenolysis and fibrinolysis with tissue plasmingen activator urokinase, streptokinase activated humar globulin. and plasmin. Proc Soc Exp Biol Med 138.
- [58] Castellino FJ and Wioland BN (1979) The fibrinlytic system basic consideration. Progress in cardiocascular diseases. vol. XXI (5) 241.
- [59] Celander DR and Guest MM (1960): The Biochemistry and physiology of urokinase, 6; 409.
- [60] Cernigliaro C, Sansa M, Campi A, Bongo AS, Rossi P (1983) Efficacy of intracoronary urokinase in acute myocarkial infarction. Circulation 68 (supl 111): 111.
- [61] Chalmers Tc, Matta RJ, Smith Jr H, Kunzier Am. (1977) Evidence favoring the use of anticoagulants in the hospital phase of myocardial infarction. N Engl J Med 297:1091.

- [62]ChandlerBA,Chapman I,ErhardtLR,RobertsWC.Schwartz CO,SinapinsD,SpainEU,SherryS,NessPM and SimonT.(1984) coronary thrombosis in Myocardial Infarction.34:823.
- [63]ChtterjeeK,SwanHJC,ParmleyWW,SustairtaH,MarcusH, andMatoffJ(1972):Influence of direct myocardial revascularization on left ventricular asynergy and function in patients with coronary heart disease.With or without previous myocardial infarction.Circulation.XLVII 276.
- [64]ChazovEI,MatveevaLS,MazaevAV,SarginKe,SadovshyaM, RudoY.(1976).(Intracoronary administration of fibrinolysis in acute myocardial infarction)Ter Arkh;48:8.Quoted from kubler&Doorey (1985) :Reduction of infarct size.An attractive concepts useful-or-possible-in humans?Br Heart J 53:5.
- [65]CintronGB,HernandezE,LinaresE,ArandaJM.(1981):Bedside recognition,incidence and clinical course of right ventricular infarction.Am J Cardiol;47;224.
- [66]Cobb LA,BaumRS,AlvarezHIII,SchafferWA.(1975) Resuscitation from out-of-hospital ventricular fibrillation:4 years follow up.Circulation;51 and 52(suppl);III 223.
- [67]CogswellTL,BamrahVS(1984) :Thrombolytic therapy in acute myocardial infarction.J Assoc Physicians India;32 (5):440
- [68]CollenD(1980):On the regulation and control of fibrinolysis Thromb. Haemost 43:77
- [68]Hirsh J(1979):concepts in Hemostasis and Thrombosis.New York,Churchill Livingstone.
- [69]CollenD,(1985):Human tissue-type plasminogen activator:from the laboratory to the bedside.circulation 72: 18.
- [70]CollenD,RijkeDC,Van Damme J ,BillauA:(1982):Purification of human extrinsic (tissue-type) plasminogen activator in centigram quantities from a human melanoma cell culture fluid and its conditioning for use in vivo. Thromb Haemost 48:294.
- [71]CollenD,StassenJM,MarafinoBJ Jr,BuilerS.DeCickF,OgezJ,TajiriD,PennicaD,BennettWF,SalwaJ,HoyngCF(1984) Biological properties of human tissue-type plasminogen activator obtained by expression of recombinant DNA in mammalian cells.J Pharm Exp Ther 231:146.

- [72] Collen D, Topol EJ, Tiefenbunn AJ, Gold HK, Weisfeldt ML, Sobel BE, Leinbach RE, Brinker JA, Ludbrook BA, Yasa JAT, Bulkley BH, Robison AK, Hutter AM, Bell WR, Spadaro JJ, Khaw Ba, Grossbard EB (1984) Coronary thrombolysis with the recombinant tissue-type Plasminogen activator : a prospective, randomized placebo-controlled trial. *Circulation* 70:1012.
- [73] Collen D, Vestrat M (1983): Systemic thrombolytic therapy of acute myocardial infarction? 68:462.
- [74] Common, H.H., Seaman, AJ, Rosch J, et al (1976) Deep vein thrombosis treated with streptokinase or heparin . Follow-up of a randomized study . *Angiology* 27:465.
- [75] Cook LS, Lucas SK, Cheatham JE, Myers GD, Johnson RG, Harrison LH JR, Elkins RC (1984): Cardiovascular parameters after acute myocardial infarction and streptokinase administration in patients receiving coronary artery bypass grafts. *Am J Surg* ;148:860.
- [76] Cox JL, Daniel TM, Boineau JP (1973): The electrophysiological time course of acute myocardial ischemia and the effects of early coronary reperfusion, *Circulation*; 48:971.
- [77] Corr PB and Witkowski Fx (1983): Potential electrophysiologic mechanisms responsible for dysrhythmias associated with reperfusion of ischemic myocardium *circulation* 68 suppl. 1-16.
- [78] Cowley MJ (1983): Methodologic aspects of intracoronary thrombolysis. Drugs dosage and duration. *Circulation Suppl* I 90.
- [79] Cowley M, Hastillo A, Vetovec G, Fisher L, Garrett R, and Hess M (1983): Fibrinolytic effects of intracoronary streptokinase Administration in patients with acute myocardial infarction and coronary insufficiency . *Circulation* 67:1013.
- [80] Cowley MJ, Vetovec GW, and Hastillo A (1982): Serial Hemodynamic and left ventricular function changes following intracoronary thrombolysis in acute myocardial infarction. 49:961.
- [81] Cowley M, Hastillo A, Vetovec GW, and Hess M. (1981) Effects of intracoronary streptokinase in acute myocardial infarction. 102:1149.
- [82] Crawford T (1977): The pathology of coronary artery occlusion. In: Pathology of ischaemic heart disease. Sevenoaks, Kent: Butterworth, 47.

- [83]CorrPB,WittkowskiFX((1983):Potential electrophysiologic mechanisms responsible for dysrhythmias associated with reperfusion of ischemic myocardium.Circulation,68(suppl I):16.
- [84]DalalJJ,PennyWJ,SaundersKC,SheridanDJ,BloomAl,HendersonAH.(1982):Platelet counts and aggregates in coronary artery disease.Eur Heart J 3:107.
- [85] DalenJE,OckeneI.and AlpertJ(1982) coronary Spasm,coronary thrombosis and acute myocardial infarction:A hypothesis concerning the pathophysiology of acute myocardial infarction. 104.
- [86]Data on File for Arteriovenous Cannulae Occlusion. Hoechst-Roussel Pharmaceuticals Inc.
- [87]DavidsonJF and WalkerID(1979):Synthetic fibrinolytic Agents Progress in cardiovascular diseases,vol XXI (5) 375.
- [88]DaviesGJ,ChierchiaS,MaseriA(1984):Prevention of myocardial infarction by very early treatment with intracoronary streptokinase.Some clinical observations.N Engl J Med 6;311 (23):1488.
- [89]DaviesMJ,ThomasA(1984)Thrombosis and acute coronary-artery lesions in sudden cardiac ischemic death.N Engl J Med 310:1137.
- [89]DavisMJ,WoolfN,RobertsonWB(1976)Patology of acute myocardial infarction with particular references to occlusive coronary thrombi.British Heart Journal 38 659.
- [91]DeanT,Mason :International experience with percutaneous transheminal coronary recanalization by streptokinase-thrombolysis reperfusion in acute myocardial infarction:New, Safe Landmark therapeutic approach salvaging ischemic muscle and improving ventricular function.
- [92]De FeyterPJ(1984)Intracoronary streptokinase in acute evolving myocardial infarction:you can,But should you? int J Cardiol Jul;6 (1) :103.
- [93]De Feyter PJ,SerruysPW(1984)Thrombolysis of acute total occlusion of the left main coronary artery in evolving myocardial infarction.Am J Cardiol I;53(11):1727.
- [94]De FeyterPJ, Van EenigeMJ, VanDer WallE,BezemerPD, Van EngeienCLJ, Funke-KupperAJ, KerkkampHJJ, VisserFC, RoosJP. (1983)Effects of spontaneous and streptokinase-Induced recanalization on left ventricular function after myocardial infarction.Circulation 67: 1039.

[95]De GrbchyGC, PeningtonD, Rush Band, CastaldiP(1978) Clinical Haematology in Medical Practice, ELBS&Blackwell Scientific Publication, Oxford.

[96]De LocheA, FabianiJN, CamilleriJP, RellandJ, JosephK, CarpentiesA, and DubostCH(1977)The effect of coronary artery reperfusion on the extent of myocardial infarction. American Heart Jpurnal 93:358

[97]DE WoodMA, SporesJ, HenskyGR, SimpsonCG, EugsterGS, SuthelandKI, GrunwaldRP and ShieldsJP(1983)Coronary arteriographic findings in acute transmural myocardial infarction Circulation 68, Suppl I-39.

[98]De WoodMA, SporesJ, NotsheR, MouserLT, BorroughsR, GoldenMS, LangHT(1980)Prevalence of total coronary occlusion during the early hours of transmural myocardial infarction. N Engl J Med;303:897.

[99]De whurstNG, MuirAL(Comparative prognostic value of radionuclide ventriculography at rest and during exercise in 100 patients after first myocardial infarction. Br Heart J 49:111-21.

[100]DioguardN, LottoA, LeviF, RotaM, ProtoC, MannucciPM, RossiP, LomantoB, MattheiG, FlorelliG, AugustoniA. (1971) Controlled trial of streptokinase and heparin in acute myocardial infarction. Lancet:2:891.

[101]DioguardiN, MannucciPM, LottoA, RossiP, LeviGF, LomantoB, RotaM, MtteiG, ProtoC and FiaritliG and AgostoniA(1971):ccontrolled Trial of streptokinase and heparin in Acute Myocardial infarction. The Lancet 2: 891.

[102]DodmanB, CunliffeWJ, RobertsBE&SibbaldR(1973)Clinical and laboratory double blind investigation on effect of fibrinolytic therapy in patients with cutaneous vasculitis. Brit. Med. J. 2, 82

[103]DooreyAJ, BarryWH(1983)The effects of inhibition of oxidative phosphorylation and glycolysis on contractility and high-energy phosphate content in cultured chick heart cells. Circ Res;53:192.

[104]Doray. MerxW, vEssenR, EffertSMessmerBJ, MeyerJ, UbbisR, MertesG, SchmitzHJ, LambertzH. (1984)Comparison of early balloon dilatation versus bypass surgery after successful transluminal coronary recanalization(PTCR)in acute myocardial infarction(abstr). Eur. heart J suppl 1:93.

- [105]Dotter,C.T.,Rosch,J.,Seaman,A.J.(1972)Streptokinase treatment of thromboembolic disease.Radiology 102:283.
- [106]Dotter,C.T,Roch J.Seaman AJ(1974)Selective clot lysis with low-dose streptokinase Radiol.111:31.
- [107]DuguidJB(1972)Thrombosis as a factor in the pathogenesis os coronary atherosclerosis .Jornal of pathology and Bcterology ;58:207.
- [108]DuckertF,MullerG,NymanD,BenzA,PrisenderS,Madar G,DaSilvaMA,WimerLK,SchmittHE(1975):Treatment of deep vein thrombosis with streptokinase.BrMedJ:479.
- [109]DupeAFJ,EnglishPd,SmithRA,GreenJ(1984):Act-en-zymes as therombosis ans pulmonary embolism.Thromb Thromb Haemost 30;51(2):248.
- [110]EiglerN,MaurerG,ShahPK(1984)Effect of early systemic thrombolytic therapy on left ventricular mural throbos formation in acute anterior myocardial infarction AM J Cardiol I;54 (3):261.
- [111]ErhardtLR,LundmanT,MellstedtH(1973):Incorporation of ¹²⁵I Labelled fibrinogen into coronary artery thrombi I in acute myocardial infarction in man. Lancet 1:387.
- [112]EssingerA;SigwartU.GbricM,GoyJJ,FischerA,MorinD,SadeghiH(1984):Intracoronary thrombolysis in the treatment of acute myocardial infarction.Ann radiol(Paris;27(4);346
- [113]european collaborative Study.(1975)Controlled trial of urokinase in myocardial infarction.Lancet; 2:624.
- [114]European Cooperative Study Group for Streptokinase Treatment in Acute Myocardial Infarction(1979) Streptokinase in acute myocardial infarction.N Engl J Med 301:797.
- [115]European working Party(1971) Streptokinase in recent myocardial infarction:a multe-centre trial.Br Med J;3;325.
- [116]FDA DrugBull(1984)Thrombolytic agents in evolving MI;14:(1):4.
- [117]FalkE(1983) Plaque ruptre with severe pre-existing stenosis precipitating coronary thro thrombosis:British Heart Journal 50:127.

[118]FeldmanRL,HillJA,ContiCR,PepineCJ(1984)Intracoronary streptokinase in enolving acute myocardial infarction.Am Heart J Apr;107823.

[119]FergussonDJ,ItagakiRK,ReeveR(1984)Intracoronary streptokinase for acute myocardial infarction.Hawii Med J Nov;43(11):390,

[120]FergusonSW,WhiteCW,SchwartzJL,BraydenGP,KellyKJ,KioschosJM,KirchnerPT,MarcusML((1984)Influence of baseline ejection fraction and success of thrombolysis on mortality and ventricular function after acute myocardial infarction.Am J Cardiol 1,54(7):705

[121]FischerEJ,NellJ,AhmedM,et al(1979)Early fibrinolytic treatment of acute myocardial infarction.Med.Welt 30 ,42 pp.1567.

[122]FishbeinMc,Y-RitJ,LandoU,KanmatsuseK,MercierJC,Ganz W.(1982)The relationship of vascular injury and myocardial hemorrhage to necrosis after reperfusion.Circulation 62:1274.

[123]FioretteP,SerruysPW,HooghondtT,SimoonsML,MeltzerR, and HugenholtzPG(1982)Incidence of recurrent myocardial ischemia after intracoronary fibrinolysis in acute myocardial infarction.American Journal of cardiology(4)974.

[124]FlamengW, Van de Werf, VanhaeckeJ, VerstratedM, Collen D(1985)Coronary thrombolysis and infarct size reduction following intravenous infusion of recombinant tissue-type plasminogenactivator in non-human primates .J Clin invest 75:84.

[125]FleckensteinA,JankeJ,DoringHJ,LederO(1974)Myocardial fiber necrosis due to intracellular Ca-overload.A new principle in cardiac pathophysiology.In:Dhalla Ns,ed.Myocardial metabolism:recent advances in studies in cardiac structure and metabolism.vol.4.Baltimore:University Park press.563.

[126]FletcherAP,AlkjaersigN,SmyrnohsFE,SherryS.(1985)The treatment of patients suffering from early myocardial infarction with massive and prolonged streptokinase therapy.Trans Assoc Am Physicians 1:287

[127]FletcherAP,SherryS,AlkjaersigN,SmyrnlotsSE,JickS,(1959)The maintenance of a sustained thrombolytic state in man.II.Clinical observations on patients with myocardial infarction and other thrombo-embolic disorders.J Invest:38.1111.

[128] Floretti P, Simoons L, Serruys PW, van den Brand M, Fels PW, Hugenholtz PG (1982) Clinical course after attempted thrombolysis in myocardial infarction. Results of pilot studies and preliminary data from a randomized trial. Eur Heart J 3:422.

[129] Fratantonio JC, Ness P, Simon TL (1975) Thrombolytic therapy; Current status. N Engl J Med 293:1073

[130] Fredmen M, and Bovenkamp GJ (1966) The pathogenesis of coronary thrombosis. American Journal of Pathology 48:19.

[131] Friberger P, Knos M, Gustavsson S, Autell L, Claeson G. (1987) Methods for determination of plasmin antiplasmin and plasminogen by means of substrate S-225 J. Haemostasis 7:138.

[132] Frumin H, Goldberg MJ, Rubenfire M, and Levine F (1983) Late thrombosis of an occluded Aortocoronary Saphenous vein graft. American Heart Journal 106 .

[133] Furberg C (1984) Clinical value of intracoronary streptokinase. Am. J. Cardiol 53:626.

[134] Gallus AS, Hirsh J, Cade JF, Turpie AGG, Walker IR & Gent M (1975) thrombolysis with a combination of small doses of streptokinase and full doses of heparin. Seminars in Thrombosis and Haemostasis 2,14.

[135] Gann D, Wilcox J (1984) The use of intracoronary and intravenous streptokinase in an acute myocardial infarction. Experience from two community hospitals. Ariz Med Jun ;41(6)373

[136] Gangadharan V, Ramos RG, Hauser AM, Westveer DR, Timmer GC, Gordon S (1982) Intracoronary streptokinase: evidence for continued lysis or spontaneous thrombolysis after termination of infusion (abstr). Am J Cardiol 49 973.

[137] Ganz W, Buchbinder N, Mondkar A, Maddah J, Charuzi Y, O'Connor L, Shell W, Fishbein MC, Kass R, Miyamoto A, Swan HJC. (1981) Intracoronary thrombolysis in evolving myocardial infarction. Am Heart J ;10:4.

[138] Ganz W, Geft I, Shah PK, Lew AS, Rodriguez L, Weiss T, Madhvi J, Berman DS, Charuzi Y, Swan HJC (1984) Intravenous streptokinase in evolving acute myocardial infarction. Am J Cardiol 53:1209.

- [139] Ganz W, Ninomiya K, Hashida J, Fishbein M, Bchbinder N, Marcus H, Moudkar A, Maddahi J, Shah P, Berman D, Charazi Y, Gefit I, (1981) Intracoronary thrombolysis in acute myocardial infarction: Experimental background and clinical experience 102:1145.
- [140] Genton E, Gent M, Hirsh J & Harker LA (1975) Platelet inhibiting drugs in the prevention of clinical thrombotic disease. New Engl. J. Med. 293
- [141] Gertz D, Uretsky G, Wajsborg R, Navot N, and Gotsman M (1981) Endothelial cell damage and thrombus formation, after partial constriction: Relevance to the role of coronary artery spasm in the pathogenesis of myocardial infarction. Circulation 63:476.
- [142] Girth E and Praetorius F (1980) Threatened myocardial infarction: restoration of normal ventricular function after intracoronary administration of streptokinase. Diagn. u. Intensivtherapie 5 pp.17.
- [143] Gold HK, Cowley MJ, Palacios IF, Vetrovec GW, Akins CW, Block PC, Leinbach RC (1984) Combined intracoronary streptokinase infusion and coronary angioplasty during acute myocardial infarction. AM J Cardiol 53:122C
- [144] Gold lik, Fallon JT, Yasuda T, Khaw BA, Newell JR, Leinbach RC, Guerrero JL, Vislosky FM, Hoyng CF, Grossbard E, Cullen D (1984) Coronary thrombolysis with recombinant human tissue-type plasminogen activator. Circulation 70:700.
- [145] Goldstein S, Landis JR, Leighton R, et al. (1981) Characteristics of the resuscitated out-of-hospital cardiac arrest victim with coronary heart disease. Circulation: 64:977.
- [146] Gold K, Leinbach RC, Buckley MJ, Akins CW, Levine FH and Austen WG (1981) Intracoronary streptokinase in evolving infarction. Hospital Practice. 105.
- [147] Gold HK, Leinbach R, Palacios IF, Block PC, Buckley MJ, Akins CW, Daggett WM, Austin G (1982) Effect of immediate angioplasty on coronary patency following infarct therapy with streptokinase (abstr) Am J Cardiol 49 : 1033.
- [148] Gold HK, Leinbach RC, Palacios IF (1983) Coronary reocclusion after selective administration of streptokinase. Circulation 68(suppl) 50-4.
- [149] Goldberg S, Greenspon A, Urban P, Muza B, Berger B, Walinsky P and Maroko P (1983) Reperfusion arrhythmia: a marker of restoration of antegrade flow during intracoronary thrombolysis for acute myocardial infarction 105:26.

- [150]GoldbergS,UrbanP,Green'sponA,BergerB,WalinskyP,
MorodoPR(1983)Limitation of infarct size with throm-
bolytic agents-electrocardiographic indexes circula-
tion 68,Suppl. 177
- [151]GoldbergerE&WheatBW(1982)Treatment of Cardiac
emergencies,The C.V.Mobsey Company.
- [152]GrantH Barlon(1979)Pharmacology of fibrinolyt-
ic agents.Progress in Cardiovascular Disease vol
XXI(5);315.
- [153]GrossmanW(1980)Cardiac catheterization and a-
ngiography,Second edition 1980,Lea and Febiger,27.
- [154]HakeDB(1983)The coronary arteries in acute m-
yocardial infarction,circulation 68 suppl 16
- [155]HalderM,AmbroschL,Groll-KnappeE(1976)Ergenbni-
sse der Oesterelchischen Herzinfarktstudie.In:Salk-
er S eJ.Die fibrinolyse-Behandlung des akuten Myo-
kard-Infarktes.Wlem Verzig Breder.Hollinek;45
- [156]HarrisonDG,FergusonDW,CollinsSM,SkortonDJ,Er-
icksenE,KloschSM,MarcusMl,WhiteCW.(1984)Rethromb-
osis after reperfusion with streptokinase:Importa-
nce of geometry of residual lesions.Circulation
69:991
- [157]HarkerL,andRitchieJ(1980)The role of platelet
in acute vasclar events.Circulation:62:13.
- [158]HarkerLA&SlchterJ(1970)Studies of Platelet and
fibrinogen kinetics in patients with prosthetic he-
art valves.New Engl. J.Med. 283
- [159]HarlandWA,HoburnHm(1966)Coronary thrombosis an-
d myocardial infarction.Lancet 2:1158.
- [160]HarizterGO,RutherfordBD,McConohayDR.(1982)Per-
cutaneous coronary angioplasty,with and without prio-
r streptokinse infusion for treatment of acute myo-
cardial infarction(absr).(Am J Cardiol;49:1033.
- [161]HertzierGO,RutherfordBD,McConohayDR.(1984)P-
ercutaneous transluminal coronary angloplasty:app-
lication for acute myocardial infarction.Am J Car-
diol 53:117.
- [162]HartzierGo,RutherfordBD,McConahayDR,JohnsonWL,
McCallisterBD,GuraGM,CrockettJE(1983) Percutancous
transluminal coronary angiopasty with and without
thrombolytic therapy for treatment of acute myocar-
dial infarction .Am Heart J 106:

[163]Hastings RA 2d,PickeringEJr,StoeversWW(1984)
The evolution of thrombolytic therapy in acute myocardial infarction: a review.J Am Osteopath Assoc Feb;83(6):405.

[164]HelkinhelmoR,AhrenbergP,HonkapohjaH,IlsöEF,kallioV,KonttinenY,LeskinenO,MustanlemlA,Reinlkale-nenL(1971)Fibrinolytic treatment in myocardial infarction.Acta Med Scand;189:7

[165]HelkinheimoR;LeskinenO,SiitonenL:Follow-up of patients with acute myocardial infarction treated with intravenous streptokinase.

[166]Hey,D,NeuhofH,GlaserE et al(1977)Streptokinase versus Heparin Therapy in myocardial infarction Curr. Top.Orth.Care Med.2 PP.116.

[167]HigginsonLAJ,BeanlandsDS,NairRC,TompleB,SheldrickK.(1983)The time course and characterization of myocardial hemorrhage after coronary reperfusion in the anesthetized dog.Circulation 67:1024.

[168]HirshJ,O'SullivanEF,MartinM(1970)Evaluation of a standard dosage schedule with streptokinase. Blood 35:34.

[169]HjalmarsonA,ElmfeldtD,HerlitzJ,et al(1981)Effect on mortality of metoprolol in acute myocardial infarction .A double-blind randomised trial Lancet ii:823.

[170]HoodWB(1983)Session On pathophysiology of coronary reperfusion .Chairman's summary Circulation 68 suppl I 37

[171]HoodWB(1983)Future directions for nonclinical evaluation(of thrombolytic therapy).Circulation 68 suppl I 98.

[172] HorieT,SekiguchiM,HirosawaK(1978)Coronary thrombosis in Pathogenesis of acute myocardial infarction;histopathological study of coronary artery in 108 necropsied cases using serial section.40: 153.

[173]HoylaertsM,RijkenDC,LijnenHR,CollenD(1982)Kinetics of the activation of plasminogen by human tissue plasminogen activator role of fibrin.J Biol Chem 257:2912.

[174]HurstWJ,KingSB,LogneBR,HatcherRC,JonesEL,CraverJM,DjouglasJS,FranchRH,DorneyER,CobbsBW,RobinsonPH,ClementsSD,KaplanJA and BradfordJM(1978)Value of coronary bypass surgery.Controversies in cardiology:Part I. of 42:308.

[175] Ingwall J, Kramer J, Kloner RA, Alpert NM, Newell JB and pHost GM (1979) Thallium accumulation: Differentiation between reversible and irreversible myocardial function. *Circulation* 59:173.

[176] Insel DHM, Hillinbrand F and Heinsius P (1978) Streptokinase bei Lungenembolie, mit Herz-Kreislauf-Stillstand. *Anaesthesist* 27, pp. 333.

[177] International Anticoagulant Review Group (1970) Collaborative analysis of long-term anticoagulant administration after acute myocardial infarction. *Lancet* i 292.

[178] The International Collaborative Study Group (1984) Reduction of infarct size with the early use of timolol in acute myocardial infarction. *N Engl J Med*; 310:9.

[179] Isselbacher, KJ, Adams RD, Branwald E, Petersdorf RG and Wilson JD (1980) *Harrison's Principle of Internal Medicine*. Ninth edition, McGraw-Hill Book Company, 275.

[180] James F, Spann (1983) Changing concepts of pathophysiology, Prognosis and therapy in acute myocardial infarction. *The American Journal of Medicine*. 74: 877.

[181] Jennings RB, Reimer KA (1979) Biology of experimental acute myocardial ischemia and infarction. In: Hearse DJ, ed. *Enzymes in cardiology: Diagnosis and research*. Chichester: Wiley, 21.

[182] Jennings RB, Reimer MD (1983) Factors involved in salvaging ischemic myocardium: effect of reperfusion of arterial blood. *Circulation*; 68(suppl 1) 25-36

[183] Jester HG, Langheinrich WC and Plieninger M (1977) Streptase therapy for fulminant pulmonary embolism. *Die Getriebenen Hefte* 17 pp. 76.

[184] Jonson AJ, Kline DL, Alkjaersig N (1969) Assay methods and standard preparations for plasmin, plasminogen and urokinase in purified systems. 1967-1968. *Thromb Diath Haemorrh* 21:259.

[185] Johansson L, Nylander G, Hedner U (1974) Comparison of streptokinase with heparin: Late results in the treatment of deep venous thrombosis. *Acta Med Scand* 206:93.

[186]JohnsonAJ and MacortyRW(1959)The lysis of artificially indced intravasclar clots in man by intravenos infusinsof streptokinase.Journal of clinical investigation 39:426.

[187]JonsonAj and MccartyRW(1960)Streptokinase as a thrombolytic agent.American Journal of cardiology 6:487.

[188]JohnsonAJ,SemarM,NewmanJ(1964)Estimation of fibrinolytic activity by whole-blood euglobulin clot lysis.In TocantinsLM,KazallA,editors:Blood Coagulation.Hemorrhage and Thrombosis.ed 2 New York. Grune& Stratton.pp 465.

[189]JohnsonAJ and TillettW(1951)The lysis in rabbits of intravascular Blood clots by the streptococcal fibrinolytic system(Streptokinase) .Journal of Experimental Medicine. 95:449.

[190]JulianDG(1983)Cardiology 4th edition Bailliere's Concise Medical Textbooks,London.

[191]KalzungBG(1982) Basic&clinical pharmacology. Middle East Edition,Librairie du Liban.

[192] KhanG(1980)Manual of Cardiac Drug Therapy,Bailliere Tindell Publisher

[193] KaoKJ,HackelDB,KongY(1984)Hemorrhagic myocardial infarction after streptokinase treatment for acute coronary thrombosis.Arch Pathol Lab Med 1108 (2):121.

[194] KasxchK,BlandeH,PlchardA,DriesmanM,GorlinR,TelchholzLe,RentropKP(1981)Changes in the degree of stenosis of the infarct vessel following intracoronary streptokinase(abstr).Circulation 64:IV:IV 107.

[195]KasperW,ErbelR,MeinertzT,DrexlerM,R'uckelA,PopT,PrellwitzW,MeyerJ(1984)Intracoronary thrombolysis with an acylated streptokinase-plasminogen activator(BRL 26921) in patients with acute myocardial infarction. J Am Coll Cardiol;4(2):357.

[196]KatzAm,HechtHH(1969)The early "pump"Failure of the ischemic heart. Am J Med;47:497.

[197]KawalC,KambaraH,KammatsuseK,SatoH,NobuyoshiM,
MiwaH,KadolaK,MitsudoK,KajlwaraMYasueH(1983)Efficacy
of intracoronary urokinase infusion in cases with complete and partial occlusion of coronary arteries:Multicenter study in Japan(abstr).Circulation
68:suppl 111:111

[198]KeltajM,K'adarA,PalikI,R'ozsaZ(1984)Combined
use of selective intracoronary thrombolysis and percutaneous transluminal coronary angioplasty for the treatment of coronary obstruction.Cor Vasa;26
(1):56.

[199]KennedyW,FritzJ,RitchieJ and Coinvestigators
(1982)Streptokinase in acute myocardial infarction
Western Washington randomized trial-Protocol and progress reports.,104:899.

[200]KennedyJW and the Registry Committee,Society
for Cardiac Angiography:(1983) Intracoronary streptokinase in acute MI:report from the society for cardiac angiography registry.Circulation 68(suppl
III):III.

[201]KennedyJW,RitchieJL,DavisKB,FritzJK(1983)Western Washington randomized trial of intracoronary streptokinase in acute myocardial infarction.N Engl J Med ;309:1477.

[202]KennedyJW,RitchieJL,DavisKB,FritzJK(1983) The Western Washington streptokinase in acute myocardial infarction randomized trial.Circulation 68:suppl III:III.

[203]KhajaF,WaltonJ Jr,BrymerJ,Lo.E,OsterbergerL,
O'NeillWW,ColferHT,WelssR,LeeT,Kurlant,GoldbergAD,
PittB,GoldsteinS.(1983)Intracoronary fibrinolytic therapy in acute myocardial infarction.N Engl J Med;303:22

[204]KhajaF,WaltonJr,JA,BrymerJF,Lo E,OsterbergerL,
O'NeillWW,CoiferHT,WelssR,LeeT,KurlantGoldbergAD,
PittB,GoldsteinS(1983)Intracoronary fibrinolytic therapy in acute myocardial infarction.Report of a prospective randomized trial.N Eng J Med 308:1305.

[205]Kincaid-SmithP.(1970)The pathogenesis of the vascular and glomerular lesions of rejection of renal allografts and their modification by antithrombotic and anticoagulant drugs.Austr.Ann.Med.19,201.

[206]Klaus AP,GorfinkelHJ,LemmoJJ,GrahamBW(1981)Early Coronary graft thrombosis following surgery for Prinzmetal's angina:treatment with nifedipine and thrombolysis. American Heart Journal.101.

[207]KleinW,PavekP,BrandtD,et al.(1977) Resultate einer Doppelblindstudie beim Myokardinfarkt.In:Sa-llerS,ed.Die Fibrinolyse-Behandlung des akuten Myokard-infarktes .Wien:verlag Brueder Hollinek,65.

[208]KlonerRA,EllisSG,LangerR and BraunwaldeE(1983) Studies of experimental coronary artery reperfusion.Effects on infarct size myocardial function,Biochemistry,ultrastructure and microvascular damage circulation 68,Suppl I-8.

[209]KollerF(1960)The development of our knowledge of fibrinolysis.American Journal of Cardiology.6: 367.

[210]KordenatRK and KezkiP(1972) Experimental intracoronary thrombolysis and selection in situ lysis by catheter technique .American Journal of Cardiology 30: 640.

[211]KlockingHP,(1979) The pharmacology of fibrinolytic agents. Z. Ges.Inn.Med 34 1.pp.22.

[212]Krzywanek HJ(1975)Clinical experience with fibrinolytic therapy.Theraplewoche,13,pp.1649.

[213]KublerW.Glycolytic pathway in the myocardium. In:MuirJR,ed.(1974)Prospects in the management of ischemic heart disease.(Ciba Symposium).Amsterdam:Elsvier,161.

[214]KublerW,DooreyA(1985)Reduction of Infarct size Am attractive concept:useful-or possible-in humans? Br Heart J 53:5.

[215]KublerW,RohrigD,SchulerG,SchwarzF(1982)Der akute Myokardinfarkt:Grundlagen der medikamentosen, Therapie.Verh dtsch Ges Inn Med 88:41.

[216]KublerW,SpieckermannPG(1970)Regulation of glycolysis in the ischemic and the anoxic myocardium J Mol Cell cardiol 1:351.

[217]KuohnH,FrohnerK,BialonczykC,UngerG,MostbeckA,SteinbachK(1984).Intravenous streptokinase therapy in acute myocardial infarction:assessment of therapy effects by quantitative 201Tl myocardial imaging (including Spect) and radionuclide ventriculography. Eur J Nucl Med;9 (9):408.

[218]KwongTC;FitzpatrickPG;RothbardRl(1984)Activities of some enzymes in serum after therapy with intracoronary streptokinase in acute myocardial infarction.Clin Chem;30(5):731.

[219]LaffelGL;BraunwaldE(1984)Thrombolytic therapy. A new strategy for the treatment of acute myocardial infarction (1).N Engl J Med;311 (11):710.

[220]Lancet:Aspirin after myocardial infarction[Editorial] (1980) Lancet I:1172

[221]Lancet :Intracoronary-thrombolysis[Editorial] (1983) Lancet I :606.

[222]LaffelGL,BraunwaldT(1984)Thrombolytic therapy. A new strategy for the treatment of acute myocardial infarction .N Engl J Med 11:770

[223]LaurenceDR,BennettPN(1985)."Drugs which act on the Fibrinolytic System"in "clinical Pharmacology", 5th edition ,Hong Kong Edition PP 751.

[224]LawrenceJr,ShepherdJT,BoneI.et al(1976)Fibrinolytic Therapy in Unstable Angina:A Controlled Trial.7th Europ.Congr.Cardiology.Abstracts P 197,Amsterdam.

[225]LeeG,AmsterdamEA,LowR,JoyeJA,KlimichLA,deMrlaAN, MasonDT.(1981)Efficacy of percutaneous transluminal coronary recanalization utilizing streptokinase thrombolysis in patients with acute myocardial infarction.Am Heart J ;102:1159.

[226]LeeG,AmsterdamEA,LowRI,DeMariaAVand MasonDT.(1981)Coronary thrombolysis by intravenous streptokinase in clinical acute myocardial infarction.102:783.

[227]LeiboffRH,KaizerRJ,WassermanAG,BrenGB,SchwartzH, VarghesePJ,RossAM.(1984)A randomized,angiographically controlled trial of intracoronary streptokinase in acute myocardial infarction.Am j Cardiol;53:404.

[228]LewAS,,NeerT,RodriguezL,GeftIL,ShahPK,GanzW (1984)Clinical failure of streptokinase due to an unsuspected high titer of antistreptokinase antibody .J Am Coll Cardiol;4(1):183.

[229]LewAS,WeissAT,ShahPK,FushbeinMC,BermanDS,MaddahiJ(1984)Extensive myocardial salvage and reversal of cardiogenic shock after reperfusion of the left main coronary artery by intravenous streptokinase.Am J Cardiol 1;450.

- [230] Lewis HD Jr, Davis JW, Archibald DG, et al. (1983) Protective effects of aspirin against acute myocardial infarction and death in men with unstable angina. *N Engl J Med* 309:396.
- [231] Liberthson RR, Nagel EL, Hirschman JC, Nussenfeld SR, Blackburn BD, Davis JH. (1974) Pathophysiologic observations in prehospital ventricular fibrillation and sudden cardiac death. *Circulation*; 49:790.
- [232] Lie JT, Lawrie GM, Morris GC, and Winters WL (1978) Hemorrhagic myocardial infarction associated with aortocoronary bypass revascularization.
- [233] Lim EI (1984) Early experience with intravenous streptokinase in the treatment of acute myocardial infarction in a hospital. *Hawaii Med J Nov*; 43(11):394.
- [234] Lippschutz EJ, Ambrus JL, Ambrus CM, Constant J, Relcate AC, Collins JL, Soko JB. (1965) Controlled study on the treatment of coronary occlusion with urokinase-activated human plasmin. *AM J Cardiol*; 16:93.
- [235] Loo, Van DE. J and Asbeck F (1973) Thrombolytic therapy in "Klinik der Gegenwart", *Handb, Prakt, Veriag Urban u. Schwarzenberg*, pp. 261.
- [236] Loop FD, Sheldon WC, Lytle BW, Cosgrove DM, and Proudfit W (1982) The efficacy of coronary artery surgery. *American Heart Journal* 101:86.
- [237] Losman JG, Finchum RN, Nagle D, Dacumos GC, Jones CR, Wilensky AS, Martin RG, Bailey MT, Kahn DR, (1985) Myocardial infarction. *J Thorac Cardiovasc Surg*, 89 (1) 25
- [238] Lowe GDO, Drummond MM, Lorimer AR, (1980) Relation between extent of coronary artery disease and blood viscosity. *Br Med J* 280:673.
- [239] Lubcke P (1980) Systemic treatment with streptokinase infarction. *Med Welt* 21 31, pp. 1056.
- [240] Malinovsky NN & Kozlovva (1979): Anticoagulant and thrombolytic therapy in Surgery. ST. Louis, C.V. Mosby.
- [241] Marder VJ (1979) The use of thrombolytic agents: Choice of patient, drug administration, Laboratory monitoring. *Ann intern Med* 90:802
- [242] Marder VG, (1982) clinical guidelines and expectations for current and future thrombolytic agents in the therapy of venous thromboembolic disease. In Mammucci PM, D'Angelo A. editors: *Serono Symposium 48: Urokinase: Basic & Clinical Aspects*. London Academic Press, pp 95.

- [243]MarderVJ,(1983)Pharmacology of thrombolytic agents.Implications for therapy of coronary artery thrombosis.Circulation;68(supplI):2.
- [244]MarderVJ;FrancisCW(1984)Thrombolytic therapy for acute transmural myocardial infarction.Intracoronary versus intravenous. Am J Med.Nov;77(5):921.
- [245]MarderVJ,MatchenMO,SherryS(1971)Detection of serum fibrinogen and fibrin degradation products.C-comparison Of six technics using purified products and application in clinical studies.Am J Med 51:71.
- [247]MarderVJ,SoulenRL.AticharatakarnV,BudzynskiAZ.ParulekarS.KimJR,EdwardN,ZahaviJ,AlgazyKM(1977)Quantitative venographic assessment of deep vein thrombosis in the evaluation of streptokinase and heparin therapy.J Lab Clin Med 89:1018.
- [246]MarderVJ.RothbardRL.FitzpatrickMG.FrancisCW.Smith EK.RogalGJ(1984)Dose-response study of intravenous acylated streptokinase:plasmin complex(BRL-26921) in coronary artery thrombosis .Circulation 70 (suppl 11):11.
- [248]MarkinM:(1979)Thrombolytic therapy in arterial thromboembolism.Prog In Cardiovascular Diseases XXI (5):351.
- [249]MarkisJE,MalagoldM,ParkerA,SilvermanKJ,BarryWH,AlsAV,PanlinS,GrossmanW.andBraunwaldE,(1981)Myocardial infarction,Assessment by intracoronary Thallium-201.305:77.
- [250]MarkwardtFBernsteinKDrawertJ(1977)Thrombolytic treatment of experimental coronary thrombosis with streptokinase)Exp. Path.14,pp.76.
- [251] MartinM:(1975)Streptokinase Stability Pattern during Storage in Various Solvents and at Different Temperatures.Thrombos.Diath.Haemorrh.(Stuttgart).(33) pp.586.
- [252]MartinM,and AUELH(1977)Stability of streptokinase in various solvents at different temperatures.Anaesthesia 26,pp.564
- [253]MarxJD;KleynhansPH,OttoAC.BennettJM(1984)Thrombolysis by intracoronary streptokinase infusion in patients with acute ischaemic syndromes. Afr Med J Mar 17;65(11):414
- [254]MaseriA,L'AbbateA,BaroldiG.et al(1978) Coronary Spasm as a possible cause of acute myocardial infarction: a conclusion derived from the study of preinfarction angina. 299:1271.

[254] Mason D (1980) The prevention of myocardial infarction by coronary bypass surgery: in Hurst W.J., editor the Heart Update II New York McGraw-Hill Book Co., page 103.

[255] Mathey DG, Kuck KH, Tilsner V, Krebber H, Bllefeld W, (1981) Nonsurgical coronary artery recanalization in acute transmural myocardial infarction. Circulation 63:489.

[256] Mathey DG, Rodewald G, Rentrop KP, Leltz K, Merx W, Messer BJ, Rutsch W, Bucherl E. (1981) Intra, coronary streptokinase, thrombolytic recanalization and subsequent surgical bypass of remaining atherosclerotic stenosis in acute myocardial infarction: complementary combined approach affecting reduced infarct size, preventing reinfarction and improving left ventricular function (abstr). Am Heart J ;102:

[257] DG, Schofer J, Kuck KH, Beil U. and Kloppel G. (1982) Transmural, haemorrhagic myocardial infarction after streptokinase clinical, angiographic, and necropsy findings. 48:546.

[258] Matsuo O, Riiken DC, Collen D (1981) Comparison of the relative fibrinogenolytic, Fibrinolytic and thrombolytic properties of tissue plasminogen activator and urokinase in vitro. Thromb Haemost 45:225

[259] Matsuzaki M, Gallagher KP, Kemper WS, White F, Ross J JR, Sustained regional dysfunction produced by prolonged coronary stenosis: gradual recovery after reperfusion. Circulation 68:170.

[260] Mttfeldt T, Schwarz F, Schuler G, Hofmann M, K'ubel-er W (1984) Necropsy evaluation in seven patients with evolving acute myocardial infarction treated with thrombolytic therapy. Am J cardiol Sep 1154(6) 530.

[261] May Gs, Furburg CD, Eberlein KA, Geracl BJ, (1983) Secondary prevention after myocardial infarction: a review of short-term acute phase trials. Prog Cardiovasc Dis ;25:335

[262] Mayer J, Merx W, Schmltz H, Erbel R, Klessllich T, Dorrr R, Lamberz H, Bethge C, Krebs W, Bardos P, Minale C, Messmer GJ, Effert S (1982) Percutaneous transluminal coronary angioplasty immediately after intracoronary streptolysis of transmural myocardial infarction. Circulation 66:905.

[263] Mayer G, Story W, Seco JE, Nocero Ma Jr (1984) Myocardial infarction management with peripheral streptokinase. Ann Emerg Med Nov, 13 (11):1000.

- [264] MacfarlaneRG(1964)An enzyme cascade in the blood clotting mechanism and its function as a biochemical amplifier.Nature 202:498.
- [265]MacfarlaneRg(1977)Haemostatis:intoduction.Br Med Bull 33:183.
- [266]McNicolGP(1973) The fibrinolytic system.Postgrad Med J 49 (suppl):10-2.
- [267]MeadeTW,(1985)Thrombosis and ischaemic heart disease,Br heart J 53:473.
- [268]MeadeTW,HowartDJ,SrirlinY,WelchTP,CromptonMR (1984) Fibrinopeptide And sudden coronary death.Lancet ;ii607.
- [269]MeadeTW,North WRS,ChakrbartiR,(1980)Haemostatic function and cardiovascular death:early results of a prospective study.Lancet i; 1050.
- [270]MeadeTW,VickersMV,ThomptonSG,SeghatchianMJ (1985)The effect of physiological levels of . brinogen on platelet aggregation.Thromb Res.
- [271]Medical Research Council.(1964) Assessment of long-term anticoagulant administration after cardiac infarction,Br Med J ;ii:837
- [272]Medical Research Council (1969)Assessment of short-term anticoagulant administration after cardiac infarction .Br Med J i:335.
- [273]Medical Research Council (1972) (Report of the Steering Committee):Effect of aspirin on post-operative venous thrombosis.Lancet 2,441.
- [274]MehmelHC,SchwarzF,SchulerG,MaurerW,TillmannsH, SengensJ,KublerW.(1981) The functional result of intracoronary streptokinase therapy after myocardial infarction may be determined by collaterals(abs-tr).Circulation 64:suppl IV:IV-194.
- [275]MeltzerRS,BrandM,SerruysPW,FiorettiP.and HugenholtsPG:(1982) Sequential angioplasty in unstable angina with evolving myocardial infarction.104:1109.

- [276]MerxW,DorrR,RentropP,BlankH,KarschKR,MatheyEG,KremerP,RutschW,SchmulzerH.(1981)Evaluation of the effectiveness of intracoronary streptokinase infusion in acute myocardial infarction:Post-procedure management and hospital course in 204 patients.Am Heart J ;102:1181.
- [277]MerxW,RentropP,DorrR,BlankH,KarschKR,MatheyDG,KremerP,RutschW.and Schmutzler H.(1981) Evaluation of the effectiveness of intracoronary streptokinase infusion in acute myocardial infarction:Postprocedure management and hospital course in 204 Patients 102:1181.
- [278]MillerGJ,WalterSJ,StirlingY,ThompsonSG,Esnouf MP,MeadeTW(1985) Assay of factor VII activity by two techniques:evidence for increased conversion of VII to alpha VII,In hyperlipidaemia,with possible implications for ischaemic heart disease.Br J Haematol 59;249.
- [279]MillerGJ,SeghatchianMJ,WalterSJ(1985),An association between the factor VII coagulant activity and thrombin activity induced by surface/cold exposure.Br J Haematol.
- [280]MissriJC;Ide Pa,WilliamsCB(1984)A new therapeutic approach in fibrinolytic therapy:intracoronary streptokinase.Heart Lung M;13(2):177
- [281]MJosOD,KjekshusJK,LevkeAJ,(1974)Importance of free fatty acids as a determinant of myocardial oxygen consumption and myocardial ischemic injury during norepinephrine infusion in dogs.J Clin Invest ;53:1290.
- [282] MoncadaS.Vane(1979) Arachidonic acid metabolism and interaction between platelets and Blood vessel.New England Journal of Medicine.300,1142.
- [283]MorrisJN(1951)Recent history of coronary disease:Lancet;1-7 and 69-73.
- [284] MorrisJN,CrawfordMD(1958)Coronary heart disease and physical activity of work.Br Med J;iv:1485
- [285]MorrisonJ,OngL,ReiserP,and ScherrL(1982) Spontaneous preservation of left ventricular function during myocardial infarction.American Journal of Cardiology.49:1034.(Abst).

[286]MullerJH,AndersG,WaserC(1984)Emergency angiography and intracoronary selective thrombolysis in acute myocardial infarction. Ann Radiol(Paris);27(4):343.

[287]MullerKD,SassS,GortwikMG,SchaperW,(1982)Effects of myocardial oxygen consumption on infarct size in experimental coronary artery occlusion.Basic Res Cardiol ;77:170.

[288]A National Co-operative Study (1974)The urokinase-streptokinase embolism trial;Phase 2 results. J.Amer.Med.Ass.229,1606.

[289]NatarajanN;KarlekarK;TukevichD;HerzchmanA;WeissfogelG,StahlT,JenningsPB;PessolanoJ,LarsonV,BurkeP (1984)Nov Intracoronary streptokinase therapy in the coronary care unit for acute myocardial infarction.Clin Cardiol;7(11):583

[290]Intracoronary streptokinase for myocardial infarction (Letter)(1984)N'Engl J Med 3;310(18):1186

[291]NaylerWG.(1983) Calcium and cell death.Eur heart J;4(suppl C):33.

[292]NiggemannB,GannD(1984)The electrocardiogram in patients with acute myocardial infarctions treated with intracoronary streptokinase infusion .J Electrocardiol Jul ;17(3):263.

[293]NiessGS,LogicJR,RusselRO,RackleyCE,RogersWJ,(1979)Usefulness and Limitations of thallium-201 myocardial scintigraphy in delineating location and size of prior myocardial infarction.Circulation 59:1010.

[294]NissenMB(1984)Streptokinase therapy in acute myocardial infarction.Heart Lung May;13(3):223.

[295]NilssonIM.(1975)Phenformin and etylestrenol in recurrent venous thrombosis.InDavidsonJF,Samama MM&DesnoyersPC(Eds)Progress in Chemical Fibrinolysis and Thrombolysis,Vol.I.Raven Press,New York.

[296]NessPM,SimonTL,'ColeC,et al.(1974)Apilot study of streptokinase in acute myocardial Infarction:observations on complications and relations to trial design.Am Heart J;88:705.

[297]NeuhausKL,TebbeU,SauerC,KreuzerH,KosteringH.(1984)High dose intravenous streptokinase infusion in acute myocardial infarction[Abstract].Eur Heart J;5 (suppl):24.

[298]NeuhofH,HeyD,GlaserE(1975)Hemodynamic Reactions Induced by Streptokinase Therapy in Patients with Acute Myocardial Infarction .Europ. J.Intens.Care Medicine 1,PP.27.

[299]OldhamJT,ThanasavaroS,HinkleyWE,GerdesJM,WeissES (1984)Intravenous streptokinase infusion in acute myocardial infarction: monitoring for myocardial reperfusion .Ann Emerg Med April; 13(4):284.

[300] OlivaPB,and BreckinridgeJC:(1977) Arteriographic evidence of coronary artery spasm in acute myocardial infarction circulation 56:366.

[301]OliverMF,RoweMJ,LuxtonMR,MillerNE,NeilsonJM. (1976)Effect of reducing circulation free fatty acids on ventricular arrhythmias during myocardial infarction and on ST-segment depression during exercise-induced ischemia.Circulation 53 (suppl I): 210.

[302]OlsonHG,LyonsKP,ButmanS,PetersKM,GardinJM: (1984) A randomized controlled trial of intravenous streptokinase in acute myocardial infarction.Circulation 70(suppl; II);II.

[303]OngL,RelserP,CoromilasJ,ScherrL,MorrisonJ. (1983)Left ventricular function and rapid release of creatine Kinase MB in acute myocardial infarction .Evidence for spontaneous reperfusion .N Engl J Med;306:1.

[304]OramS.(1981)Clinical Heart Disease,2nd edition,William Heinemann Medical Books Ltd ,London.

[305]PapapietroSE,MacleanWAH,StanleyAWNJR(1983)Percutaneous transluminal coronary angioplasty in acute myocardial infarction(abstr).JACC;1

[306]PapapietroSE,MacleanWA,StanleyAW JR,HessRG,ColeyN,ArciniegasJG,CooperTB(1985)Percutaneous transluminal coronary angioplasty after intracoronary streptokinase in evolving acute myocardial infarction.Am J Cardiol 1;55(1):48.

[307]PennicD,HolmesWE,KohsWJ,HarkinsRN,VeharGA,WardCA,BennetWF,YelvertonE,SceburgPH,HeynekerHL,GoodellDV,CollenD(1983)cloning and expression of human tissue-type plasminogen activator cDNA in E.Coli.Nature 201:

- [308] PerssonAV, ThompsonJE, PatmanRD(1977) Acute arterial occlusions. Vasc Surg 11:359.
2. PetR. Clinical trial methodology. Blomedicine(suppl) 1978;24.
- [309] PffeerGW.(1970) The use of thrombolytic therapy in obstetrics and gynaecology. Austr. Ann. Med. Suppl. 19.
- [310] PhilipB. Oliva(1981) Pathophysiology acute Myocardial Infarction. Annals of Internal Medicine, 94:236, (Review).
- [311] PickRA, JoswigBC, CheungAK, CohenIM(1983) Acute Renal failure following repeated streptokinase therapy for pulmonary embolism. West J Med Jun; 138:878.
- [312] PitneyRW(1972) Clinical Aspects of Thromboembolism. Churchill Livingstone, Edinburgh .
- [313] Pouwoda (1970) Fundamentals of thrombolytic therapy. Eie Gelben Hefte 19 pp. 1003.
- [314] PorterJM, SeamanAJ, CommonHH, et al (Comparison) of heparin and streptokinase in the treatment of venous thrombolysis. Are Surg 40:511.19.
- [315] PraetoriusF (1977) Streptokinase and serum enzyme activity in myocardial infarction. Brit Med. J. P. 1005.
- [316] RaiznerAE, TortoledoFA, VeoniMS, Van ReetRE, YoungJB, PickmanFE, CashionWR, SamuelsDA, PrattCM, AttarM; et al (1985) Intracoronary thrombolytic therapy in acute myocardial infarction : a prospective, randomized, controlled trial. Am J Cardiol Feb 1; 55(4): 301.
- [317] RatnoffOD, MenzieC(1981) A new method for the determination of fibrinogen in small samples of plasma. J Lab Clin Med 37.
- [318] ReddyKW and MarkusG (1972) The mechanism of activation of human Plasminogen by streptokinase. Journal of Biological chemistry 247.
- [319] RedutoL, FreundG, GaetaJM, SmallingRW, LewisB, and GouldL(1981) Coronary artery reperfusion in acute myocardial infarction : Beneficial effects of intracoronary streptokinase on left ventricular salvage and performance. 102:1168.

- [320] Reduto L, Smalling R, Freund G, and Gould L (1981) Intracoronary infusion of streptokinase in patients with acute myocardial infarction: effects of reperfusion on left ventricular performance. 48:403
- [321] Reggenger P, Boirer C, Nydick I: (1961) Salvage of heart muscle by fibrinolytic therapy after experimental coronary occlusion. American Heart Journal. 61:93.
- [322] Reimer KA, Jennings RB (1979) The "wavefront phenomenon" of myocardial ischemic cell death. Transmural progression of necrosis within the framework of ischemic bed size (myocardium at risk) and collateral flow. Lab Invest; 40:633.
- [323] Renkes-Hegendorfer J and Hermann K (1974) Successful treatment of massive fulminant pulmonary embolism with streptokinase. Anaesthesist 23, pp.500.
- [324] Rentrop KP, (1985) Thrombolytic therapy in patients with acute myocardial infarction. Circulation 71:627.
- [325] Rentrop KP, Blanke H, Karsch KR (1979) Acute myocardial infarction: intracoronary application of nitroglycerin and streptokinase, Clin Cardiol 2:354.
- [326] Effects of nonsurgical coronary reperfusion on the left ventricle in human subjects compared with conventional treatment. Am J Cardiol; 49:1
- [327] Rentrop P, Blanke H, Karsch ER, Kaiser H, Kosterling H, Leitz K. (1981) Selective intracoronary thrombolysis in acute myocardial infarction and unstable angina pectoris. Circulation; 63:307.
- [328] Rentrop P, Blanke H, Karsch KR, Kreuzer H, (1979) Koronarmorphologie und linksventrikuläre Pumpfunktion im akuten Infarktstadium und ihre Änderungen im chronischen Stadium. Z Kardiol; 68 :335.
- [329] Rentrop P, Blanke H, Karsch IR, Rutsch M, Scharf M, Merx W, Dorr R, Mathey D, Kuck K (1981) Changes in left ventricular function after intracoronary streptokinase infusion in clinically evolving myocardial infarction. Am Heart J ; 102:1188.
- [330] Rentrop P, Blanke H, Kosterling H, Karsch, Wiegand V, Oster H, Leitz K (1979) Acute myocardial infarction: Intracoronary application of nitroglycerin and streptokinase in combination with transluminal recanalization. Clin. Cardiol; 5:354.

[331] Rentrop P, Blanke H, Kosterling H (1980) Intrakoronare Streptokinase-Applikation bei Akutem infarkt und instabiler Angina pectoris. Dtsch, Med Wschr. 105, pp. 221

[332] Rentrop KP, Blank H, Kukurk K and Dorr R (1981) Recanalization of an acutely occluded Aortocoronary bypass intragraft fibrinolysis circulation 62:1123.

[333] Rentrop KP, Feit F, Blanke H, Stecy P, Schneider R, Rey M, Horowitz S, Goldman M, Karsch K, Meilman H, Cohen M, Siegel S, Sanger J, Slater J, Gorlin R, Fox A, Fagerstrom R, Calhoun WF (1984) Effects of intracoronary streptokinase and intracoronary nitroglycerine infusion on coronary angiographic patterns and mortality in patients with acute myocardial infarction. N Engl J Med 311: 1464.

[334] Rentrop P, Feit F, Schneider R, Blanke H, Stecy P, Rey M, Horowitz S, Goldman R, Karsch K, Meilman H, Cohen M, Siegel S, Sanger J, Slater J, Gorlin R, Fox A, Fagerstrom R, Calhoun WF, [1984] MT. Sinai-New York University randomized reperfusion trial: pilot phase. N Engl J Med; 311: 1467

[335] Rentrop P, Smith H, Painter L, Holt J. [(1983) Changes in left ventricular ejection fraction after intracoronary thrombolytic therapy. Results of the registry of the European Society of Cardiology. Circulation, 62 suppl 1 1-55-1-60.

[335] Riad Y & Rogy H (1986?): Intravenous high dose short term streptokinase therapy in Acute Myocardial infarction. Under publication (In Print) in Egyptian society of Cardiology Journal (February, 1986)

[336] Richter IH, Epstein S, Clifton E (1969) An evaluation of fibrinolysis therapy in acute myocardial infarction. Angiology; 20:95

[337] Ridolfi H, Msacchio F, Clifton EE, Nassar H, Kaplan L, Favazza A, and Akbari A (1960) Experiences with clot-lysing agents in coronary thrombosis. 6:534.

[338] Ridolfi RL, Hutchins GM (1977) The relationship between coronary lesions and myocardial infarcts: Ulceration of atherosclerotic plaque Precipitating coronary thrombosis. 93:468,

[339] Rieben W, Waleherr R, Oster P. et al (1979) Acute Renal failure as the result of diffuse cholesterol crystal embolization during streptokinase therapy. Dtsch. Med. Wschr, 104 41, pp. 1447.

[340] Rijken DC, Collen D (1981) Purification and characterization of the plasminogen activator secreted by human melanoma cells in culture, J Biol Chem 156:7035

- [341]RijkenDC,WijngaardsG,Zaal-DejongM,WelbergenJ:
(1979)Purification and partial characterization of
plasminogen activator from human ulcerine tissue.Bi-
ochim Biophys Acta,580:140.
- [342]RitchieJL,DavisKB,WilliamsDL,CldwellJ,Kennedy
JW(1984)Global and regional left ventricular func-
tion and tomographic radionuclide perfusion:TheWe-
stern Washington Intracoronary streptokinase in M-
yocardial Infarction Trial.Circulation;70(5):867.
- [343]RobertsR,IshikawaMD(1983)Enzymatic estimation
of infarct size during reperfusion.Circulation 68
(suppl 1):83.
- [344]RobertsWC,BujaLM:(1972)The frequency and sign-
ificance of coronary arterial thrombi and atheroscl-
erosis,by observation of inferior acute myocardial
infarction. 52:425.
- [345] RobertsR,PrattCM(1984)Value of intravenous
streptokinase in acute myocardial infarction.Int J
Cardiol 5(3):637
- [346]RogeWJ,MantleJA,HoodWP,BaxleyWAWhitlowPL,Recv-
esRC,SotoB:(1983)Prospective randomized trial of in-
travenous and intracoronary streptokinase in acute
myocardial infarction.Circulation 68:1051.
- [347]RogersWJ,Baxley WA,HoodWP,MantleJA.(1983)Prosp-
ective randomized trial of intravenous vs,Intracoro-
nary streptokinase in myocardial infarction(abstr).
Am J Cardiol 1:629.
- (348)RogersWJ,HoodWPJR,BaxleyWA,KirkinJK,ZomGL,NalH
Hp.(1984)Return to left ventricular function after
reperfusion in patients with myocardial infarction:
Importance of subtotal stenosis or intact collaterals.Circulation 69:338.
- [349]RossJJR.(1983)Future directions for clinical
investigation in thrombolytic therapy,Circulation
68 (suppl) 1 105.
- [350]RogersWJ, WookWP JR,WhitlowPL(1984)Infarcti-
on(abstract).Eur Heart J,5(suppl 1):24.
- [351]RueggseggersP,NydickI,AbarquezR,Riechelf,Clif-
ftonE,LaDueJ,(1960)Effect of fibrinolytic (plasmin)
therapy on the physiopathology of myocardial Infar-
ction. Am J Cardiol 6:519.

[352] Rutsch W, Schartl M, Malhey DG, Kuck K, Merx W, Dorrr R, Rentrop KP, Blande H. (1981) Percutaneous transluminal coronary recanalization: procedure, results, and acute implications. *Am Heart J*; 102:1178.

[353] Saito Y, Yasuno M, Ishida M, Auzuki K, Matoba Y, Emura M, Takahashi M (1985) Importance of coronary collaterals for restoration of left ventricular function after Intracoronary Thrombolysis. *Am J Cardiol*; 55:1259.

[354] Sakakini AM El (1985) The thrombolytic therapy in acute Myocardial Infarction; Development, Efficacy and acute complication. Review Essay, Ain Shams university.

[355] Saltop A, Boxal J, Ho B: (1983) Intracoronary versus intravenous streptokinase in acute myocardial infarction. *Circulation* 68(suppl 111); 119.

[356] Samer: Intracoronary thrombolysis with streptokinase in acute myocardial infarction-Protocol of the American University of Beirut.

[357] Sasahara (1979) When and how to use Fibrinolytic agents. *Drug Therapy*. 10 4, pp. 111

[358] Sasahara AA, Bell WR, Simon TL, Stengle JM & Sherry S. (1975) The Phase II urokinase-streptokinase pulmonary embolism trial. *Thromb. Diathes. Haemorrh. (Stuttg)* 33, 464.

[359] Satler LF; Levine S; Kent KM; Pearle DL; Green CE, Del-Nagro A, Rackley CE (1984) Aortic dissection masquerading as acute myocardial infarction: Catheterization. *Am J Cardiol* 1; 54:1134.

[360] Sawyer WD, Fletcher AP, Alkjaersig N, and Sherry (1959) Studies on the Thrombolytic activity of human plasma *Journal of clinical investigation* 39:426.

[361] Schmitt J, Kennedy W, and the Registry committee (1982) Preliminary Report of the streptokinase registry from the society for cardiac angiography. *American Journal of Cardiology*. 49:961, (abst.)

[362] Schmutzler R, Fritze E, Gebauer D (1971) Fibrinolytic Therapy in Acute Myocardial infarction in: *Thrombolytic Therapy. Trans. 19th Ann. Symp. Blood, Detroit Schattauer Verlag* pp. 211.

[363] Schmutzler F, heckner F, Koertge P, van de Loo J, Pezold FA, Pollwoda H, Praetorius S, Zekorn D (1966) Zur thrombolytischen Therapie des frischen Herzinfarktes. I. Einfuehrung. Behandlungsplaene. *Allgemeine klinische ergebnisse. Dtsch Med Wochenschr*, 91:581.

[364]SchmutzlerR& KollerF(1969)Thrombolytic therapy. In PollerL.(ED)Recent Advances in Blood Coagulation. Churchill, London.

[365]SchoferJ, Krebber, H.J., BleifledW, and MatheyDG (1982)Acute coronary artery occlusion during percutaneous transluminal coronary angioplasty:Reopening by intracoronary streptokinase before emergency coronary artery surgery to prevent myocardial infarction .Circulation.66:1325.

[366]SchoferJ, MatheyD, KuckKH, MontzR. and bleifeldW (1982):Early assessment of salvaged myocardium after coronary artery recanalization by sequential intracoronary Thallium-Scintigraphy.49:962(Abstract)

[367]SchoferJ:StritzkeP, MontzR, MatheyDG(1984)Assessment of myocardial necrosis immediately after intracoronary thrombolysis by intracoronary infection of technetium-99_m pyrophosphate.Eur Heart J;5(8)617.

[368]SchreiberF and EulitzHJ(1973)Treatment of recent myocardial infarction) Med.Klin.68 pp.592

369]SchrioderF(1984)Intravenous short-term infusion of streptokinase in acute myocardial infarction. Int J Cardiol;5(5):631.

[370]SchereineB(1973)Thromboytische Therapie IM Kindesalter.Mschr.Kindrthlik.121,7,pp.394

[371]schroderR, BiaminoG, V, LeltnerER, LindererTH, BruggemannTh, HeltzJ, BohringerJF, WegschelderK(1983)Intravenous short-term infusion of streptokinase in acute myocardial infarction. Circulation;67;538.

[372]SchroderF;V"ohringerH;LindrertT;BiaminoG, Br"uggemannT;LeitnerEV(1985)Follow-up after coronary arterial reperfusion with intravenous streptokinase in relation to residual myocardial infarct artery narrowings.Am J Cardiol I;55(4):313.

[373]SchulderG;HofmannM;SchwarzF;MehmelH;MantheyJ, TillmannsH, HartmannS, K"ublerW(1984)Effect of successful thrombolytic therapy on right ventricular function in acute interior wall myocardial infarction.Am J Cardiol;1:54(8)951.

[374] SchulerG, SchwatzF, HolmannM, MehmeLH, MantheyJ, MarerQ, RauchB, HerrmannHJ, KublerQ(1982)Thrombosis in acute myocrdial infarction using intracoronay streptokinase:assessment by thallium-201 scintigr-aphy.Circulation;66:856.

- [375]SchuslerEH,BulkleyBH.(1980)Ischemia at a distance after acute myocardial infarction:a cause of early post-infarction angina.Circulation;62:509.
- [376]SchusterEH,Bulkley.BH.(1981)Early post-infarction angina;ischemia at a distance and ischemia in the infarct'zone,N Engl J Med 305: 1101.
- [[377]SchwartzCJ,GerrityRG.(1975)Anatomical pathology of sudden unexpected cardiac death.Circulation 51 and 52(suppl):111 18
- [378]SchwarzF,SchulerG,KatusH,HofmannM,Manthÿ,TillmannsH,MehmelHC,KublerW.(1982) Intracoronary thrombolysis in acute myocardial infarction: duration of ischemia as a major determinat of late results after recanalization .Am j Cardiol 50:933
- [379]SxhwarzF,SchulerG,KatusH,MehmeHC,von olzhause-nK,HoffmannM,HermangH,KublerW.(1982)Intracoronary thrombolysis in acute myocardial infarction:correlations among serum enzyme,scintigraphic and hemodynamic findings.Am J Cardiol;50:32
- [380]SchwarzF,HofmannM,SchulerG,KublerW(1983)Combined intravenous and intracoronary versus intracoronary streptokinase therapy in acute myocardial infarction.J Am Coll Cardiol;l:R615.
- [381]SchwarzF;HofmannM,SchulerG,von OlshausenK,ZimmermannR,K"ublerW(1984)Thrombolysis in acute myocardial infarction, effect of intravenous followed by intracoronary streptokinase application on estimates of infarct size.Am J Cardiol 1;53(11):]505
- [382]SchwickHG and HeimbürgerN(1969)Biochemie der fibrinolyse in:Therap.u. experim.Fibrinolyse.Schattuer Verlag,pp.9.
- [383]Scottish Society of Physicians(Research Committee)(1971)Ischaemic heart disease:a secondary prevention trial using clofibrate.Brit.med.J. 4
- [384]SerruysPW, Van Den BrandM, HooghoudtTEH, Simmons ML, FiorettiP, RuitersJ, FelsPW(1982)Coronary recanalization in acute myocardial infarction:Immediate results and potential risks:Eur Heart J 3:404.
- [385]SerruysPW,WijnsW,van den BrandM,RibeiroV,Flor-ettiP,SimoonsML,KooljmanCJ,RelberJHC,HugenholtzPG (1983) Is transluminal coronary angloplasty mandatory after successful thrombolysis?Br Heart J;50

- [386]ShahPK,PlchlerM,BermanDS,SinghBN,SwanHJC.(1980) Left ventricular ejection fraction determined by radionuclide ventriculography in early stages of first transmural infarction.Relation to short-term prognosis.Am J cardiol;45:542
- [387]Shapiro,EP,Binker JA,Gotlieb So,Guzman Pa and Bulkley BH(1985)Intracoronary Thrombolysis 3 to 13 days after Myocardial Infarction for Postinfarction Angina Pectoris,Am J Card 55;1453.
- [388]Sharma,GVRK ,Butleson,V.A.,Sasahara,A.A(1980) Effect of thrombolytic therapy on pulmonary-capillary blood volume in patients with pulmonary embolism N Engl J Med 303.
- [389]SharpAA,WarrenBA,PantonAM&AllingtonMJ(1968)Anticoagulant therapy with a purified fraction of Malayan pit-viper venom.Lancet I,493.
- [390]SheehanFH,MatheyDG,SchoferJ,KreberHJ,DodgeHT,(1983) Effect of interventions in salvaging left ventricular function in acute myocardial infarction: a study of intracoronary streptokinase .Am J Cardiol;52:431.
- [391]ShehlGW,TannenbaumAK(1984)Intracoronary streptokinase in acute myocardial infarction(a case study). W Va Med J Feb;80(2) 29.
- [392]Shen AC,Jennings RB.(1972)Kinetics of calcium accumulation in acute myocardial ischemic injury. Am J Pathl;67:441.
- [393]Sherry(1981)Personal reflection on the development of thrombolytic therapy and its application to acute coronary thrombosis. American Heart Journal 102:1134.
- [394]SherryS,BellWR,DickerttFH(1980)Thrombolytic therapy in Institutes of Health Consensus Development Conference Ann Intern Med 141.4.
- [395]SherryS,FletcherAP,AlkjaersigN.SmyrnotisFE.(1959)An approach to intravascular fibrinolysis in man.Trans Assoc.Am Phys 70.288 .
- [396]SherryS.FletcherAP,AlkjaersigN,(1959)Fibrinolysis and fibrinolytic activity in man Physiol Rev. 39:343.
- [397]SherryS,TillettW,ReadCT (1951)The use of streptokinase and streptodornase in the treatment of hemothorax. of Thor. Surg. 21:393.

[398] Sherry S, Titchener A, Gottesman L, Wasserman P (1954) The enzymatic dissolution of experimental intravascular thrombi in the dog by trypsin, chymotrypsin and plasminogen activators. *Journal of clinical investigation* 33:1303.

[399] Simoons ML, Floretti P, van der Brand M, Serruys PM, Krause XH, Remwijn P, van der Wal AC, Verheugt F, Res J, de Neel KJ (1983) Randomized trial of thrombolysis with streptokinase in acute myocardial infarction. *Circulation*, 68:suppl 111:111

[400] Siefring GE and Castellino FJ: (1976) Interaction of streptokinase with plasminogen. *Journal of biological chemistry* 251:391.

[401] Sixty Plus Reinfarction Study Research Group. (1980) A double-blind trial to assess long-term oral anticoagulant therapy in elderly patients after myocardial infarction. *Lancet* ;ii:989.

[402] Skinner JR, Phillips SJ, Zeff RH, Kongtaworn C (1984) Immediate coronary bypass following failed streptokinase infusion in evolving myocardial infarction. *J Thorac Cardiovasc Surg*; 87(4):567.

[403] Smalling RW, Fuenies F, Freund GC, Reuto LA, Wanta-Matthews M, Gaeta JM, Walker W, Sterling R, Gould KL (1982) Beneficial effects of intracoronary thrombolysis up to eighteen hours after onset of pain in evolving myocardial infarction. *Am Heart J*; 104:912.

[404] Smalling RW, Fuenies F, Matthews MW, Freund GC, Hicks CH, Reduto LA, Walker WE, Sterling RP, Gould KL (1983) Sustained improvement in left ventricular function and mortality by intracoronary streptokinase administration during evolving myocardial infarction. *Circulation*; 66:131.

[405] Smith EB, Staples EM, (1981) Haemostatic factors in human aortic intima. *Lancet* I; 117.

[406] Smith RAG, Dupe RJ, English PD, Green J. (1981) Fibrinolysis with acyl-enzymes: a new approach to thrombolytic therapy, *Nature*; 290:505

[407] Sodi-Pallares D, Testelli MR, Fishleder BL, (1962) Effects of an intravenous infusion of a potassium-glucose-insulin solution on the electrocardiographic signs of myocardial infarction. *Am J cardiol* 9:166

[408] Sobel BE (1983) Methodologic issues in assessment of thrombolytic agents. Chairman's summary. *Circulation* 68 suppl I, 96.

- [409]Sobel BE(1984)Early intervention in Acute Myocardial Infarction:One center perspective:Am J Cardiol. 54:26
- [410]Sobel Be,Geltman EM,Tlefenbrunn AJ,Jaffe AS,Spadro JJ JR,Ter-Pogessian MM,Collen D,Ludbrook PA. (1984)Improvement of regional myocardial metabolism after coronary thrombolysis induced with tissue-type plasminogen activator or streptokinase.Circulation; 69:983.
- [411]Sobelbe,WelssES,WelchMJ,SiegelBA,Ter-Pogossian MM.(1977)Detection of remote myocardial infarction in patients with positron emission transaxial tomography and intravenous ¹¹ c-palmitate.Circulation 55:853
- [412]SpannJF,SherryS,CarabelloBa,Denenberg,BS,Mann RH,McCannWD,GaultJH,GentzlerRD,BelberAD,MaurerAH, (1983) Coronary thrombolysis by intravenous streptokinase in acute myocardial infarction:acute and follow-studies.Am J Cardiol 1;3(6):655.
- [413]StackRS,PhillipsHR,GriersonDS,BeharVS,Kongy, PeterRH,SwainJL,and GreenfieldJC:(1983) Functional improvement of jeopardized myocardium following intracoronary,streptokinase in acute myocardial infarction.of cln inves 72,84,
- [414]StamferMJ,GoldhaberSZ,YusufS,Pcto R,Hinneken CH(1982) Effect of intravenous streptokinase on acute myocardial infarction:pooled results from randomized trials.N Engl J Med 307:1180.
- [415]StensonRE,FlammMD,ZaretBL,McGowanRL,(1975)Transient ST-segment elevation with postmyocardial infarction angina:prognostic significance.Am J 89:449
- [416]StienPand SabbaH(1974)Turbulant blood frow and thrombosis.Circulation 49:295(Abst.)
- [417]StoneMC,ThorpJM(1984)Plasma fibrinogen-a major coronary risk Factor.In:LenziS,DescovichGC,des.Atherosclerosis and cardiovascular diseases Bolgna:Eit-tice Compositori,:3
- [418] SullivanJM(1979)STK and myocardial infarction ,New Engl.J.Med,301,836.
- [419]SullivanJM,HadenDE& GorlinR.(1971)Pharmacologic control of thromboembolic complications of cardiac-valve replacement,New Engl.J.Med.284,1391.
- [420]Sutor,AH and KunzerW(1977)Problems of streptokinase dosage in childhood,Monatschr,Kindrheilk.125 pp.293.

[421]Swan HJC(1983)Thrombolysis in acute evolving myocardial infarction:a new potential for myocardial salvage N. Engl J Med 308:1354.

[422]TaylorGj,MikellF,MossesHW,DoveJT,BatchedlderJE,ThullaA,HansenS,WellonsHA.SchneiderJ(1984)Intravenous versus intracoronary streptokinase therapy for acute myocardial infarction in community hospital.AM J Cardiol 54:256.

[423]TenantSn,DixonJ,VenableTC,PageHL,RoachA,KaiserAB,FrederiksenR,TacogueL,KaplanP,BabuNS.AndersonEE,WootenE,JenningsHJS,BreinigJ,CambellWB,(1984)Intracoronary thrombolysis in patients with acute myocardial infarction:Comparison of the efficacy of urokinase with streptokinase.Circulation 69:756,

[424]Ter-PogossianMM,KleinMSMarkhamJ,RobertsR,SobelBE,(1980)Regional assessment of myocardial metabolic integrity in vivo by positron-emission tomography with ¹¹ C-labeled palmitate.Circulation:61:242

[425]TheissW,VolgerE,WirtzfeldA(1980)Coagulation results and rheological measurements during streptokinase treatment of acute myocardial infarction.Klin.Wschr.58PP.607.

[431]ThomsonJM(1979):Blood Coagulation and Haemostasis: A practical Guide .London.Churchill Livingstone.

[426]TiefenbrunnAJ,RobisonAK,KurnikPB,LudbrookPA,SobleBE(1985)Clinical pharmacology in patients with evolving myocardial infarction of tissue-type plasminogen activator produced by recombinant DNA technology.Circulation 71:110.

[427]The TIMI Study Group:Special Report:(1985)The Thrombolysis in Myocardial Infarction(TIMI)Trial.N Engl J Med 312.

[428]TimmisGC,GangadharanV,HauserAM,RamosRG,WestveerDC,GordonS.(1982)Intracoronary streptokinase in clinical practice.Am HeartJ:104:925.

[429]TimmisGC,WestveerDC,NelsonTA,HauserAM,StearthJR,and Dressendorfer.(1985)"Reperfusion By Thrombolysis" in Cardiovascular Review,Academic Press,Orlando,1985.

[430]TilletlW.and GarnerR(1933)The fibrinolytic activity of hemolytic streptococci .Journal of Experimental Medicine 58:485,

[431]TilletW.and SherryS(1949) The effect in patients of streptococcal fibrinolysis (Streptokinase)and streptococcal desoxyribonuclease on fibrinos,Purulent and sanguinolent exudation.Journal of Clinical Investigation 38:1731

[432]TrubesteinG,GlanzerK.and EtzelsF(1978)Fibrinolytic therapy of deep venous thrombosis).Therapiewoche 28pp.7886.

[433] VerstraeteM,VermeylenJ,AmeryA(1966) Thrombolytic therapy with streptokinase using a standard dosage scheme 1: 454.

- [434] Verstrate M, Vermlen J, Donate MB (1971) The effect of streptokinase in chronic arterial occlusion and stenosis. *Annals of Internal Medicine* 74:377.
- [435] Vetrove G, Cowley M, Overton H, and Richardson D (1981) Intracoronary thrombus in syndromes of unstable myocardial ischemia, 102:1202.
- [436] Vetrove G, Leinbaach R, Gold K. and Cowley M (1982): Intracoronary thrombolysis in syndromes of unstable ischemia: Angiographic and clinical results. 104:946
- [437] Walker ID, Davidson JF, Rae AP, Hutton I, Lawrie TD (1984) Acylated streptokinase-plasminogen complex in patients with acute myocardial infarction. *Thrombo Haemost* Apr. 30; 51(2):204.
- [438] Walker WE, Smalling RW, Fuentes F, Gould KL, Johnson WE, Reduto LA, Sterling RP, Waaland AP, Wynn MM (1984) Role of coronary streptokinase infusion for myocardial infarction *Am Heart J*; 107(4):826.
- [439] Walther, PJ, Steinman HU, Hill RL, and McKee PA (1974) Activation of human Plasminogen by Urokinase. *The Journal of Biological Chemistry* 249, 1173.
- [440] Weimar W, Stibbe J, van Seyen AJ, Billiau A, De Somer P, Collen D (1981) Specific lysis of an iliofemoral thrombus by administration of extrinsic (tissue-type) Plasminogen activator. *Lancet* 2:1018.
- [441] Weinstein J (1981) Introduction of symposium on intracoronary streptokinase in treatment of acute myocardial infarction. 102:1123,
- [442] Urban PL, Cowley M, Goldberg S, Vetrove G, Hastillo A, Greenspon AJ, Kusiak V, Greenberg R, Walinsky P, Cammarato J (1984) Intracoronary thrombolysis in acute myocardial Infarction: clinical course following successful myocardial reperfusion. *Am Heart J*; 108
- [443] The Urokinase Pulmonary Embolism Trial (1973) A national cooperative study. *Circulation* 47(suppl II)II-1.
- [444] Valentine RP, Pitts DE, Brooks-Brunn JA, Williams JG, Van Hove E, Schmidt PE (1985) Intravenous versus intracoronary streptokinase in acute myocardial infarction. *Am J Cardiol* 1; 55(4):309
- [445] Van de Werff F, Bergmann SR, Fox KAA, de Gees H, Hoyng CF, Sobel BE, Collen D (1984) Coronary thrombolysis with intravenously administered human tissue-type plasminogen activator produced by recombinant DNA technology. *Circulation* 69:605.

[446]Van de WerfF,LudbrookPA,BergmannSR,TiefenbrunnAJ,foxKAA,de GeestH,VerstraeteM,CollenD,SobelB(1984)Clot-selective coronary thrombolysis with tissue-type plasminogen activator in patients with evolving myocardial infarction.N Engl J Med 310:609.

[447]Van de WerfF,LudbrookPA,BergmannSR(1984):Coronary thrombolysis with tissue-type plasminogen activator in patients with evolvingMI N Engl.J Med 310:616.

[448]Vander SalmJJ,PaPeLA,PriceJ,BurkeM,((1981)Hemorrhage from myocardial revascularization.J Thorac Cardiovasc Surg;82:768.

[449]Van Rey FJ.BonnierHJ,MichelsHR,GamalmIE,HoffmanHJ(1984)Effioacy and safety of BRL 26921,A new fibrinolytic agent for intravenous administration in acute myocardial infarction.Circulation 70(supplII):II-330.

[450]VerstrateM,BemardR,BoryM,BrowerRM,collenD,deBonoDP,ErbelR,HuhmannW,LennaneRJ,LubsenJ,MattheyD,MeyerJ,MichelsHR,RutschW,SchartlM,SchmidtW,UebisR,von EssenR:(1985)Randomized trial of intravenous recombinant human tissue-type plasminogen actvator versus intravenous streptokinase in acute myocardial infarction.Lancet i:482

[451]VerstrateM,VermeylenJ,AmeryA,vermylenC(1966)Thrombolytic therapy with streptokinase using a standard dosage scheme.Br Med I:454.

[451]WallRT&HarkerLA(1980):The endothelium and thrombosis.Annu.Rev; Med;31:361.

[452]WeinsteinJ.(1983)Treatment of myocardial infarction with intracoronary streptokinase:efficacy and safety data from 209 United States in the Hoschst-Roussel registry.Am heart J;104:894.Weinstin

[453]The International Registry to Support Approval of Intracoronary Streptokinase Thrombolysis in the Treatment of myocardial Infarction,Assessment of safety and efficacy circulation 68 suppl I 61.

[454]WeinsteinJ,SonnenblickeE,CowleyM,LeeG,MerxW,MuellerH,RedutoL,RentropP,and RutschW(1982)Improved left ventricular function and reduced hospital mortality following intracoronary thrombolysis in myocardial infarction with diminished ejection fraction 49:961,(Abst)

[455]WeissHJ(1975)Platelet physiology and abnormalities of platelet function.New England Journal of Medicine. 293:531.

[456]WeissEs,AhmedSA,WelchIJJ,WilliansonJR,Ter-Pogossi-anMM,SobelBE,(1977)Quantification of infarction in cross sections of canine myocardium in vivo with positron emission transaxial tomography and¹¹C - palmitate.Circulation 55:66.

[457] Welss ES, Siegel BA, Sobel BE, Welch MJ, Ter-Pogossian MM, (1977) Evaluation of myocardial metabolism and perfusion with positron-emitting radionuclides. Prog Cardiovasc Dis ;20:191.

[458] Wellons HAJR, Schneider JA, Mikell FL, Moses HW, Dove JT, Batchelder JE, Taylor GJ (1985) Early operative intervention after therapy for acute myocardial infarction, J Vasc Surg;2(1):186.

[459] Wendew W, Stuhlen HW, Heyer J, et al (1975) The size of acute myocardial infarcts in experimental animals during streptokinase-induced fibrinolysis. Klin. Wschr 53 pp. 755.

[460] Werner W (1984) Infarct reduction with streptokinase Occup Health Nurs Feb. 32(2):86.

[461] White CW, Schwartz JL, Ferguson DW, Brayden GP, Kelly KJ, Kioschos JM, Marcus ML (1984) Systemic markers of fibrinolysis after acute myocardial infarction. Does nonreperfusion indicate failure to achieve a systemic lytic state? AM J Cardiol 1;54 (7):712.

[462] Wilhelmsen L, Svardsudd K, Korsan-Bengtson K, Larsson B, Welin L, Tibblin G (1984) Fibrinogen as a risk factor for stroke and myocardial infarction. N Engl J Med;311:501

[463] Wilson EL, Becker MLB, Hoale EG, Dowdle EB (1980) Molecular species of plasminogen activators secreted by normal and neoplastic human cells. Cancer Res 40:933.

[464] Wiman B. and Wallen (1977): The specific interaction between plasminogen and fibrin. A physiological role of the lysis binding site in plasminogen. Thrombus Research 10:213.

[465] Woolf N. (1978) Thrombosis and atherosclerosis Br Med Bull;34:137.

[466] Woollard KV, Mews GC, Cope GD, Cumpston N, Ireland MA, Davis MJ, Black AJ, Taylor RR (1984) A comparison of intravenous and intracoronary streptokinase in acute myocardial infarction.

[467] Aust NZ J Med (1981) Workshop on Limitations of Infarct Size with Thrombolytic Agents. NIH, Bethesda, Maryland, 14(4):475.

[468] W.H.O Expert Committee (1982) Prevention of coronary heart disease. Geneva: W.H.O.

[469] Yasuno M, Satto Y, Ishida M, Suzuki K, Endo S, Takahashi M. (1984) Effects of percutaneous transluminal angioplasty. Intracoronary thrombolysis with urokinase in acute myocardial infarction. Am J Cardiol ;53:1217