

- Adinolfi, L., Golia, B., Montano, A., Marino, M., Napolano, S., Mazza, F. (1987): Non-invasive electrophysiological evaluation of calcium antagonist long-term therapy. *Int. J. Clin. Pharmacol. Ther. Toxicol*; 25. 670:672.

- Akhtar, M., Jazayeri, M.R. Sra, J., et al. (1993): Atrioventricular nodal reentry: Clinical, electrophysiological and therapeutic considerations. *Circulation*. 88:282.

- Allessie, M. A. (1994): Reentrant mechanisms underlying atrial fibrillation. In Zipes, D.P., and Jalife, J. (eds.): *Cardiac electrophysiology: From Cell to Bedside*. 2nd ed. Philadelphia, W.B. Saunders Company, p.562.

- Altura, B.M.; Altura, B.T. (1981): Effect of magnesium on peripheral resistance. *Magnesium*; 3; 22:32

- Altura, B.M., Altura, B.T. (1982) : Magnesium, sodium and potassium interactions and coronary heart diseases. *Magnesium*; 1; 241:265.

- Altura, B.M., Altura, B.T. (1984a): interactions of magnesium and potassium on blood vessels. Aspects in view of hypertension. Review of present status and new findings. *Magnesium* :3. 175:194.

- Altura, B.M., Altura, B.T. (1985) : New perspectives on the role of magnesium in the pathophysiology of the cardiovascular system. clinical and experimental aspects. *Magnesium* :4. 226:271.

- Andrews, T.C., Reimold, C.; Berlin, J.A. (1991): Prevention of SVT after coronary artery bypass surgery. *Circulation* 84 (Suppl.III); 236:244.

- Aronow, W.S. (1989): Management of supraventricular tachyarrhythmias. *Compr. Therapy* ;15 (4). 11:16.

- Arsenian, M.A., (1993): Magnesium and cardiovascular disease. *Prog. Cardiovasc. Dis*; 35(2).271:310.

- Barker, E.S. (1960): Physiologic and clinical aspects of magnesium metabolism. *Chronic Dis.* 11:278.

- Bajaj R, Kaul A, Malhotra A, Gopinath P, Bhatia ML. (1989) :Beneficial effect of oral verapamil on exercise induced silent myocardial ischaemia. *Ind. Heart J*:41. 75-81.

- Bailie D.S., Inure H., Kaseda S., Ben-David J., Zipes D.P. (1988): Magnesium suppression of early after depolarizations and ventricular tachyarrhythmias induced by cesium in dogs.

- Beller, G.A., Hood, W.B., Jr Smith, T.W., Abelman W.H., Wacker W.E.S. (1974) : Correlation of serum magnesium levels and cardiac digitalis intoxication *Am. J. Cardiol*;33.225: 229. *Circulation*, 77:1395-1402.

- Bohm M, Schwinger HG, Erdmann E. (1990): Different cardiodepressant potency of various calcium antagonists in human myocardium. *J. Am. Cardiol*; 65. 1039:1041.

- Bolognesi, R.(1991): The pharmacologic treatment of atrial fibrillation .*Cardio. Drugs . Ther*; 5(3). 617:628.
- Boyd, J.C., Bruns, D.E., Wills, M.R., (1983): Frequency of hypomagnesaemia in hypokalemic sttes .
Clin. Chem. 29:178-179.
- Byerly, W.G, Hartman, A.(1991): Verapamil in treatment of maternal PSVT. *Ann. Emerg. Med*; 20(5). 552:554.
- Camm, A.J., Garratt, C.J.(1991): Adenosine and supraventricular tachycardia.
N. Engl. J. Med. 325:1621.
- Chimienti, M.; Previtali, Medici, A.; and Piccinini , M.(1982): Acute verapamil poisoning : successful treatment with epinephrine. *Cli. Cardio*; 5.219:222.
- Chan, K. Y; Tan, C.L.(1987): Efficacy of verapamil in the conversion of SVT. *Ann. Acad. Med.* 16(2). 334:336.
- Clair, W., Wilinon, W.E., McCarthy, E. A., et al.(1993): Spontaneous occurance of symptomatic paroxysmal atrial fibrillation and paroxysmal supraventricular tachycardia in untreated patients. *Circulation* 87:1114.
- Cortassa, G.; odetti, P.; Borgoglio, A.(1991): effects of antihypertensive therapy with verapamil on glucose tolerance and insuline secretion in type II diabetics. *Curr. Therapeu. Re*; 49.843:853.
- Cowan C.(1989): Management of paroxysmal supraventricular tachycardia. *Prescr. J.* 29 (3). 95:101.
- Cox, J. L., Boineau, J. P., and Schuessler, R. D.(1991):
A review of surgery for atrial fibrilation. *J. Cardiovasc. Electrophysiol.* 2:541.

- Cranefield, P.F, Aronson, R.S, Wit, A.L.(1974): Effect of verapamil on the normal action potential and on a calcium-dependent slow response of canine Purkinje fibers.Circ. Res; 34:204:213.
- Cranefield P.F.(1977): Action potentials, after potentials and arrhythmias. circ. Res. 41:415-423.
- Davis W.H., Leary, W.P., Reyes, A.J., Ohlberry, J.V.,
(1984): Monotherapy with magnesium increases abnormally low highdensity lipoprotein cholesterol: a clinical assay. Curr.Ther. Res. 36:341-344.
- Denster, P.A., Dolev, E., & Kyle S.B. (1987): Magnesium homeostasis during high - intensity anaerobic eercise in men. J.Appl. Physiol. 62:545-550.
- DiCarlo,L.A.,Morady,F.,deBuitleir,M.,Krol,R.B.,Schurig, L.
(1986): Effects of magnesium sulfate on cardiac conduction and refractoriness in humans. JACC; 7. 1356 : 1362.
- DiFrancesco, D., Mangoni, M., and Maccaferri, G.(1994): The pacemaker current in cardiac cells.In Zipes, D.P.,and Jalife,J.(eds.): cardiac electrophysiology: From Cell to Bedside. 2nd ed. philadelphia,W. B. Saunders Company, p. 96.

- Dimarco, J.P, et al.(1990): Adenosine for paroxysmal supraventricular tachycardia: Dose ranging and comparison With verapamil in placebo-controlled,multicenter trials. Ann.Intern.Med.104:113

- Dimarco, J.P.(1990): Adenoine for paroxysmal SVT, dose ranging and comparison with verapamil in placebo-controlled, multicenter trials. Ann. Inter. Med; 113:1104.

- Dinan, T.G.; Silverstone, T.; Cookson,J.C.(1988): Cortisol, prolactin and growth hormone levels with clinical ratings in manic patients treated with verapamil. Int. Clin. Endocrin. Metab;70, 1269:1272.

- Drenick, E.J., Hunt, I.F., Swendsseid, M.E. (1969) : Magnesium depletion during prolonged fasting in obese males. J. Clin. Endocrinol. Metab, 29:1341 - 1348.

- Durlach, J., (Wilson D., Transl.) (1988) : Magnesium in Clinical practice . London: J. Libey and Co.

- Dyckner T., Wester, P.O. (1981) : Relation between poassium, magnesium and cardiac arrhythmias. Acta Med. Scand. (suppl. 647) : 163 - 169

- Dyckner. T., Wester, P.O. (1987) : Potassium / magnesium depletion in patients with cardiovascular diseases. J.Am. Med; 82 (suppl. 3A) . 11:17

- Ebel H., Guenther T. (1983): Role of magnesium in cardiac disease. *J. Clin. Chem. Clin. Biochem.* 21:249-265.
- Echizen, H, and Eichelbaum, M.(1986):Clinical pharmacokinetics of verapamil, nifedipine and diltiazem. *Clin. Pharmacokinet*;11. 425:449.
- Echizen ,H., Manz, M., Eichelbaum,M.(1988): Electrophysiologic effects of dextro- and levo-verapamil on sinus node and AV node function in humans. *J. Cardiovasc. Pharmacol*; 12. 543:546.
- Elin, R.J. (1988): Magnesium metabolism in health and disease. *Disease - a - Month*. 34: 161- 218.
- El-sherif, N. (1994): Reentrant mechanisms in supraventricular and ventricular arrhythmias. In Zipes,D.P.,Jalife,J.(eds.):*Cardiac Electrophysiology:From Cell to Bedside*. 2nd ed. philadilphia,W.B.saunders company.p.567
- El-sherif,N.,and Craelius,W.(1990):Early afterdepolarizations and arrhythmogenesis. *J. Cardiovasc. Electrophysiol* .1:145.
- Eichelbaum M and Echizen H.(1984). Clinical pharmacology of calcium antagonists: a critical review.*J. Cardiovasc. Pharmacol*; 6.S963:S967.

REFERENCES [99]

- Elliot, M. Autman, M.D. (1995): Editorials, randomized trials of magnesium in acute myocardial infarction: Big numbers ,dont tell the whole story. American journal of Cardiology, Vol; 75. Feb; 15. 391: 393.
- Elliot, M. Autman, M.D. (1995): Magnesium in acute myocardial infarction. Timing is critical. Circulation, Vol.92, November, p 2367 : 2372.
- El-Semeiny, I., Mokhrar, S., Bahgat, R. (1989): prevalence and prognostic implications of hypomagnesemia in critically ill cardiac patients. Egypt. Heart J. 31:221.
- Ferlinz J, Easthope JL, Aronow WS.(1979): Effects of verapamil on myocardial performance in coronary disease. Circulation ;59. 313:319.
- Feigenbaum H. (1986): A text book of echocardiography N. Engl. J. Med. 293:1078- 1084.
- Finkle E. (1980): Laxatives and cathartics. In: Gilman A.G., Goodman I.S. Gilman A. (eds) The pharmacological basis of therapeutics, 6th edn. MacMillan. New York, pp. 1002-1012.
- Fitzpatrick, A. (1995): The ECG in Wolff-Parkinson-White syndrome. PACE, 18:1469.
- Flatman, P.W. (1984): Magnesium transport across cell membranes. J. Membr. 80:1-14.

- Fleet, W.F., Johnson, T.A., Cascio, W.E., et al. (1994): Marked regional potassium elevation in insitu pig hearts
Circulation. 90:3009.
- Fleckenstein, A. (1983): History of calcium antagonists. Circ. Res. 3:52.
- Flink E.B., Brick J.E., Shane S.R. (1981): Alterations of long chain free fatty acid and magnesium concentrations in acute myocardial infarction Arch . Intern med . 141:441-3.
- Follath, F.; Forman, M.; Meier, P. (1980): Pharmacodynamic comparison of oral and intravenous verapamil in atrial fibrillation. Clin . Invest. Med; 3(1/2); 49:52.
- Fordtran , J.S., Marawski, S.G., Richardson , C.T. (1973) : In vivo and in vitro evaluation of liquid antacids . New England journal of Medicine , 288:923-926.
- Fort, P., Lifshitz , F. (1986) : Magnesium status in children
Am. Coll. Nutr. : 69-78.
- French, J.H., Thomas, R.G., Siskind, A.P. (1984): Magnesium therapy in massive digoxin intoxication . Annals of Emergency Medicine. 13:562-566.
- Garcia, R.; Tovar, J.; Estopinan. (1987): the effect of slow release verapamil on blood pressure and renin angiotensin aldosterone system in essential hypertension . Inter. Symposium . Berlin; 233:236.

- Gilman A. (eds) .(1987): The pharmacological basis of therapeutics, 6th edn. MacMillan, New York. pp. 848-884.
- Gotsman, M.S., Lewis, B.S., Bakst, A., Mitha, A.S.(1972):
tachyarrhythmias. S. Afr. Med. J. 46:
2017:2019.
- Gottlieb S.S., Banch, L., Kukin M.L., Bernstein, J., Fisher M.L., Packer, M. (1990) : prognostic importance of the serum magnesium concentration in patients with congestive heart failure. J.Am. Coll. Cardio.16:827-831.
- Gonzalez,R.et al.(1981): Closed - chest electrode-catheter techniques for His bundle ablation in dogs.J.Am.Physiol.241:283.
- Granier, P, Douste-Blazy M-Y, Tredez P, Conte D, Galinier, 1990):Improvement in left ventricular hypertrophy and left ventricular diastolic function following verapamil therapy in mild to moderate hypertension. Eur.J.lin.Pharmacol: 39 (Supl.1).S45:S46.
- Grun.G.and Fleckenstein. A.(1974): Ca⁺⁺ - antagonism- a new principle of coronary dilation. Isoptin Symposium.Badenb. Wien. October (German).
- Gullested.T., Bireland, K., Molstad, P., Hoyer, M.M., Vandery, P.K.Jekshus.J.(1993): The effect of Magnesium versus verapamil on SVT. Clin.Cardiol: (5).429:434.(Abstract).

- Haines,D.E, and DiMarco,J.P.(1990): Sustained intraatrial reentrant tachycardia: Clinical,Electrocardiographic and electrophysiologic characteristics and long-term follow-up.J.Am.Coll.15:1345.
- Haissaguerre,M.,Clementy,J., and Warin,J.F.(1994): Catheter ablation of atrioventricular reentrant tachycardias. In Zipes,D.P.,and Jalife,J.(eds.): Cardiac electrophysiology: From Cell to Bedside.2nd ed . Philadelphia,W.B.Saunders Company,p.1487.
- Hamed L.A., Lindeman, R.D. (1978): Dysphagia and vertical nystagmus in magnesium deficiency. Ann internMed. 89:222-223.
- Hamer, A.W.F., Tanasescu DE, Marks JW, Peter T, Waxman AD,Mandel WJ.(1987): Failure of episodic high-dose oral verapamil therapy to convert supraventricular tachycardia study of plasma verapamil levels and gastric motility.J.AM. Heart. 114: 334-342.
- Haynes,B.E.,Niemann,J.T.,Haynes,K.S.(1990): Supraventricular tachyarrhythmias and rate-related hypotension:Cardiovascular effects and efficacy of intravenous verapamil. Ann.Emerg. Med. 19 (8): 861-864.
- Hazard.P.B.Burnett.C.R.(1987):Verapamil in multifocal atrial tachycardia.Chest:91(1).68:70.
- Heggtveit. H. (1965) : The cardiomyopathy of magnesium deficiency. in: Bajed . Electrolytes and Cardiovascular diseases. Basel / New York : S.K.204-20.

- Jackman W.M., Szabo B., Friday K., Margolis P.D.,
Moulton K. Wang X., et al. (1990): Ventricular
tachyarrhythmias related to early after
depolarizations and triggered firing : Relation to
QT interval prolongation and potential
therapeutic role for calcium channel blocking
agents. J. Cardiovasc. Electrophysiol. 1:170-195.
- James M.F.M., Cork R.C., Harlen G.M., White J.F.
(1988): Interactions of adrenaline and manesium on
the cardiovascular system of the baboon .
Magnesium 7: 37-38.
- Jeff, Atwood, M.D, Mark, Walsh, M.D, Janifer. (1989): Rapid bolus
magnesium sulfate for SVT. J. Am. Cardiol; 65: 826.
- Jhon. L, Moran. (1995): Parental magnesium sulfate versus
amiodaron in therapy of atrial
tachyarrhythmia. Crit. Car. Med; 23(11). 1816: 1823.
- Josephson, M.E. (1993): Clinical cardiac electrophysiology
techniques and iterpretations. 2nd ed .Philadelphia,
Lea and Febiger.
- Karcier, S.M., Orbay, B., Ozder, A.B., Gurses, N., Aytekin, S.,
Satar S[et al]. (1985): Sustained-release verapamil as a
first step drug in the treatment of mild to moderate
hypertension. J. Int. Med. Res. 17: 268-276 .
- Kass R.S., Lederer W.J. Tsien R.W. et al .(1978): Role
of A calcium ions in transient inward currents and after
contraction induced by strophanthidin in cardiac
purkinji fibres. journal of physiology(London) 281:
187-208.
- Kent, A.F.S. (1893): Rsearches on the structure and function of
mammalian heart. J. Physiol. 14: 233.

- Kent, A.F.S. (1913): Observation on the auriculo-ventricular junction of the mammalian heart. Q. J. Exp. Physiol. 7 : 193.

- Kingston M.E., Al- Sibai M.B., Shooge W.C. (1986) : Clinical manifestations of hypomagnesemia. Crit care Med . 14: 950-954.

- Kikler, D.M. (1988): Uses of calcium channel blocking agents and beta blocking agents in the control of supraventricular arrhythmias. Prog. Clin. Biol. Res. 275: 301-317.

- Krikler, D.M., Spurrell, R.A.J. (1974): Verapamil in the treatment of paroxysmal supraventricular tachycardia. Postgrad. Med. J. 50:477-453.

- Kirsten, E.B., Guerrero, J., Muller-Peltzer, H. (1987): Pharmacokinetics of a verapamil slow release formulation. In: Fleckenstein A. (ed.), "Hypertension-The Next Decade: Verapamil in Focus", Churchill Livingstone. p.274-279.

- Kendall, H.E., and Luscombe, D.K. (1987): Calcium channel blocking drugs. In: GP Ellis, GB West (ed.), "Prog. Med. Chem.", Elsevier Science Publishers, Vol. 24, p.249-297.

- Kozłowski, J.H.; Kozłowski, J.A.; and Schuller, D. (1988): poisoning with sustained - release verapamil. J. Am. Med.; 85:127.

- Kriss, C.L.; Rihn, T.L.; Marcucci, J.W. (1986): A drug use review of intravenous verapamil. *Hosp. Formul*; 21, 1218:1225.
- Lai, W.T., Huycke, E.C., Sung, R.J. (1988): Supraventricular tachyarrhythmias. Mechanisms, types, and management. *Postgrad. Med.* 83 (4): 209-219.
- Lang, R., Klein, H.O., Weiss, E., [et al]. (1983): Superiority of oral verapamil therapy to digoxin in treatment of chronic atrial fibrillation. *Chest* 83:492-499.
- Lammers, W. J. E. P., Ravelli, F., Disertori, M., et al. (1991): Variations in human atrial flutter cycle length induced by ventricular beats: Evidence of a reentrant circuit with a partially excitable gap. *J. Cardiovasc. Electrophysiol.* 2:375.
- Lawhorn, S.L., Emmot, W.W. (1989) : Supraventricular tachyarrhythmias, Characteristics and care. *Postgrad. Med.* 86 (5). 283-294.
- Lishajko, F. (1970): Releasing effect of calcium and phosphate on catecholamine, Atp and protein from chromaffin cell granules. *Acta Physiol. Scand.* 79: 575-584.
- Lloyd, T., Iseri. (1990): Role of magnesium in cardiac tachyarrhythmias. *J. Am. Cardiol.* 65.47K:50K.
- Leonetti G, Sala C, Bianchini C, Terzoli L, Zanchetti A. (1990): Antihypertensive and renal effects of orally administered verapamil. *Eur. J. Clin. Pharmacol.* 18: 375-382.

- Lesh, M. D., VanHare, .G. F., Epstein, L. M., et al.
(1994):Radifrequency Catheter Ablation of atrial
arrhythmias :Results and mechanismes.Circulation.
89:1074.

- Levowitz B.S., Goldson H., Rashkin , A., Kay H., Valcin
A., Mathur,A. La Guerre J.N. (1970): Magnesium
ion blockade of regional vasoconstriction . An.
Surg.172:33.

- Lewis J.G.(1983): Adverse effects of calcium antagonist
drugs ; 25 :196.

- Levin,J.H,Michael,J.R.(1985):Treatment of multifocal atrial
tachycardia with verapamil.
New Engl.J.Med.312(1);21:25.

- Mahomed, Y.(1994): Surgery for AVNRT and cardiac EPS,
from cell to bedside .2nd .Edit .Philadilphia. W.B .
Saunders company; 1577:1583.

- Marsocci G, Donnangelo L, Artizzu G, Manai L, Santini M.
Gentili C [et al.].(1981): Antiarrhythmic and
hemodynamic effects of verapamil in various
arrhythmias and low cardiac output after open
heart surgery. Proceedings of the International
Symposium on Calcium Antagonism in
Cardiovascular Therapy. Experience with Verapamil.
1980 Oct 2-4.Florence. Italy.p.193-196.

- McCullister. R.J., Flink . E.B., Lewis. M.D. (1963):
urinary excretion of magnesium in man following
the ingestion of ethanol. Am. J.Clin. Nutr. 12:415-
420.

- McInnes, G.T. (1988): Clinical pharmacology of verapamil
Br.J. Clin. Pract. 42:3-8
- McTavish, D.; and Sorkin, E.M.(1989): Verapamil. An up
dated review of its Pharmacodynamic and
pharmacokinetic properties and therapeutic use
in hypertension .Drugs; 38 (1): 60 - 62.
- Mehta, D. (1988): Relative efficacy of various physical
manouvers in the termination of junctional
tachycardia .Lancet ; 1:1181 .
- Meric, M, Adalet K, Erzengin F, Korkut F, Okur O,
Buyukozturk K.(1989): The effects of slow-
release verapamil on blood pressure and
cardiovascular system in essential
hypertension. J. Cardiovasc. Pharmacol. 13
(Suppl. 4): S42-S44.
- Merrill, J . P, Hampers, C.I. , L-remia (1970) : Midical
progress series , N. Eng. J. Med . 282:1014-
1021.
- Midtbo, K.A.; Hals, O.; and Lauve, O.(1986): A new
sustained- release formulation of verapamil in
the treatment of hypertension. J. Clin.
Hypertens; 3:125-132s.
- Millane T., Jennison S., Patel M., Moss R., Holt D.;
McKenna, W. (1992): progmyocardial
calciñication associated with prolonged
hypomangesem cardiac trasnplantation (abstr)
J. Am. Coll. cardiol; 19:396.

- Ming, Z., Aronson, R., and Nordin, C. (1994): Mechanism of current-induced early after depolarizations in guinea pig ventricular myocytes. *Am. J. Physiol.* 267: H1419.
- Mitchell, L.B., Schroeder, J.S. (1982): Comparative clinical electrophysiologic effects of diltiazem and verapamil. *Review. J. Am. Cardiol.* 49: 629:635.
- Mordes, J. P. Wacker W.E.C. (1978): Excess magnesium pharmacological Review 29: 274-300.
- Mountolaris, T.D. (1983): Diuretic-induced magnesium deficiency. *Magnesium* 2:57-61.
- Mudge, G.H. (1980): Agents affecting volume and composition of body fluids. *J. Am. Cardio.* 50:72.
- Murger, T.M., Packer, D.L., Hammill, S.C., et al. (1993): Apopulation study of the natural history of Wolff-Parkinson-White syndrome in Olmsted County, Minnesota. *Circulation.* 87:866.
- Musto, B., Gerco, R. (1981): Treatment of paroxysmal supraventricular tachycardia in infancy with Verapamil. *Int. Symposium. Crdi. Therapy.* P. 167:168.
- Naccarelli, G.V., Shih, H.T., and Jalal, S. (1994): Sinus node reentry and atrial tachycardias. In Zipes, D.P., and Jalife, J. (eds.): *Cardiac electrophysiology: From Cell to Bedside.* 2nd ed. Philadelphia, W.B. Saunders Company. p. 607.
- Nielsen, J.E., Bartels, P.D. (1990): Effects of verapamil on diurnal and thyrotropin releasing hormone stimulated prolactin level in man. *J. Clin. Endocrin. Metab.* 70. 1269:1272.
- Opie, L.H. (1988): Use and comparative efficacy in hypertension and SVT. *Cardio. Drug. Ther.* 1 (6) :625:656.
- Opie, L.H. (1988): Calcium channel antagonists. Part III: Use and comparative efficacy in hypertension and Supraventricular arrhythmias. Minor indications. *Cardiovasc. Drugs Ther.* 1 (6): 625-656

- Opocher.G,Rocco.S.(1987):Effect of verapamil on aldosteron secretion in primary aldosteronism.J. End.Investigat 10.491:494.
- Ornato.J.P,Hallagan.(1988):Treatment of paroxysmal supraventricular tachycardia in the emergency department by clinical decision analysis.Am.J.Emerg.Med.6(6);555:560.
- O'Toole.K.S.(1990):Intravenous verapamil in the prehospital treatment of paroxysmal supraventricular tachycardia.Ann.Emerg.Med.19(3).291:294.
- 1989):Calcium channel antagonists: Part VI: clinical pharmacokinetics of first and second-generation agents.Cardiovasc. Drugs Ther. 3:482-497.
- Packer,D.L., and Prystowsky,A.N.(1994): Anatomical and Physiological substrate for antidromic reciprocating tachycardia. In Zipes,D.P.,and Jalife,J.(eds.): Cardiac electrophysiology: From Cell to Bedside.2nd ed .Philadilphia,W.B.Saunders Company,p.655.
- Parmley,W.W.(1992): Efficacy and safety of calcium channel blockers in hypertensive patients with concomitant left ventricular dysfunction. Clin. Cardiol. 15: 235-242.
- Peitz,T.J.(1993): Intravenous Diltiazem hydrochloride rather verapamil for resistant PSVT.Epitoms-Emergency Med:159(5).598:599.
- Pomfret,S.M.,Beasley,C.R.W.,Challenor,V.,HolgateST. (1988):Relative efficacy of oral verapamil and digoxin alone and in combination for the treatment of patients with chronic atrial fibrillation. Clin. Sci. 74: 351-357.
- Ralston. M.A., Murmane. M.R., Kelley. R.E., Altschuld. R.A., Unverferth. D.V., Leier. C.V. (1989): Magnesium content of serum, circulating mononuclear cells, skeletal muscle and myocarrium in congestive heart failure .Circulation. 80:573-580.

- Rardon, D. P., Miles, W. M., Metrani, R. D., et al. (1994):
Atrioventricular block and dissociation. In
Zipes, D. P., and Jalife, J. (eds.): Cardiac
electrophysiology: From Cell to Bedside. 2nd ed.
Philadelphia, W.B. Saunders Company, p.935.

- Resnick, L.M.; Nicholson, J.P.; Larag, J.H. (1989): The effects of
calcium channel blockade on blood pressure and
calcium metabolism. *Am. J. Hypertens*; 2, 927:930.

- Reynolds J.E.F. (ed) (1982) Martindale. The Extra
Pharmacopocia. 28th edn. The Pharmaceutical press.
London. pp. 81-84, 625-628.

- Reynolds J.E.F. (1993): Electrolytes- magnesium -
Magnesium Sulphate. In : Martindale the extra
pharmacopeia, 30th edition. The Pharmaceutical
press, London.

- Richard C.W., Hall, M.C., Jaffe, J.R. (1973):
Hypomagnesemia: Physical and psychiatric
symptoms. *J. Am. Med. Assoc* 224:1749- 1751.

- Rinkenberger, R.L.; Naccarelli, G.V. (1989): Evaluation and
treatment of narrow complex tachycardias.
Crit. Car. Clin; 5 (3): 569:597.

- Robert, C.; Wesley, J.R.; David, e. (1989): Effect of magnesium
sulfate on supraventricular tachycardia.
J. Am. Cardio; 1129:1131.

- Rude R.K., Bethune, J.E., Singer, F.R. (1980): Renal tubular maximum for magnesium in normal, hyperparathyroid and hypoparathyroid men . J. Clin. Endocrinol Metab. 51:1425- 1431.
- Rude, P.K., Manoogian, C., Ehslich, L., Ryzen, E., Nadler J.L. (1989): Mechanisms of blood pressure regulation by magnesium in man. Magnesium, 8: 266- 273.
- Ryan M.P. (1987): Diuretics and potassium / magnesium depletion.J. Am. Med. 82(suppl 3A) : 38-47.
- Ryzen E., Servis K.L., Rude R.K. (1990): Effect of intravenous epinephrine on serum magnesium and free intracellular red blood cell magnesium concentration measured by nuclear magnetic resonance. J. Am. Coll. Nutr. 9: 114-9.
- Salerno, D.M.(1988): Class II , and Class III and Class IV antiarrhythmic drugs , comparrative efficacy of drugs , and the effect of drug on mortality .J. Electrophysio; 2(1);55:87.
- Scheinman , M.M.(1988):Non pharmacologic treatment of life threatening cardiac arrythmias. Cardiovascular . Rev. Re ; 9:27.
- Scheinman,M.M.et al.(1982): Catheter-inducad ablation of the atrioventricular function to control refractory supraventricular arrhythmias .JAMA.248:581.

- Scher, D.L., Arsuea, E.L. (1989): Multifocal atrial tachycardia mechanism. *J. Am. Heart*; 118(3):574-580.
- Schugar, C.D. (1990): Clinical management of patients with Atrioventricular nodal reentrant tachycardia. *Cardio. Clin*; 8:491.
- Seller, R.H., Brest, A.N., Moyer, J.H. (1966): Serum and erythrocytic magnesium levels in congestive heart failure. Effect of hydrochlorothiazide. *Am. J. Cardiol* . 47:786-791.
- Seller, R.H., Cangiano, J., Kim, K.E. et al . (1970): Digitalis toxicity and hypomagnesaemia. *American Heart Journal*, 79:57-68. *Gynecol* . 150:728-733.
- Seelig, M.S., Heggtveit H.A. (1974): Magnesium interrelationships in ischemic heart disease. *Am. J. Clin. Nutr.* 27: 59-79.
- Shaw, L.C., Eitel, D.R., Walton, S.L., Pollack, M. (1991): Prehospital use of intravenous in the treatment of maternal paroxysmal supraventricular tachycardia. *Ann. Emerg. Med.* 20(5):552-554.
- Shimizu, A., Nozaki, A., Rudy, Y., et al. (1993): Characterization of double potentials in a functionally determined reentrant circuit: Multiplexing studies during interruption of atrial flutter in the canine pericarditis model. *J. Am. Coll. Cardiol.* 2:375
- Shine, K. I. (1979): Myocardial effects of magnesium. *Am. J. Physiol.* 237:H413- H423.
- Soler-Soler, J., Sagrista (1979): Effect of verapamil in infants With paroxysmal supraventricular tachycardia. *Circ.* 59(5):876-879.

- Sibai, M.B., Graham, J.M., McCubin, J.H. (1984)A comparison of intravenous and intramuscular magnesium sulphate regimens in preeclampsia. Am. J. Obstet .
- Silka,M.J.,Kron,J.,Park,J.K.,et al.(1994):Atypical forms of supraventricular tachycardia due to atrioventricular node reentry in children after radiofrequency modification of slow pathway conduction.J.Am.Coll.Cardiol.23:1363.
- Singh ,B.N., Ellrodt, G., Peter, C.T.(1978): Verapamil: a reveiw
Drugs 15: 169-197.
- Singh, B.N.(1986):The mechanism of action of calcium antagonists relative to their clinical applications. Br. J. Clin. Pharmacol. 21: S109-S121.
- Singh,B.N.(1989): Calcium antagonist in the control of cardiac arrhythmias.Pro.Basic.Clin.Pharmacol;2.67:87.
- Slome ,R.(1973): The use of intravenous verapamil in cardiac arrhythmias. S. Afr. Med. J. 47: 913-914.
- Smith, R.D., Wolff, P.S., Regan, J.R., Jolly,S.R.(1989): The emergence of drugs which block calcium entry. In: L Will-Shahab (ed.). "Prog. Clin.Biochem. Med.", Springer-Verlag. p.1-154.
- Smith, L.H. (1990) : Normal physiology of bone and bone minerals . In :Cecil Essentials of Medicine, W.B. Saunders company

- Staubury, J.B. (1981): The blocking action of magnesium ion on sympathetic ganglia . J. Pharmacol. Exp. Ther. 93:52-62.

- Sung, R.; Dei; yan,t.(1986): Electrophysiologic characteristic of accessory connections , an overview from cardiac preexcitation syndrom . Benon D. Pub . Martins. Ch 9 .

- John, D.N., Fort, S., Lewis,M.J.,Luscombe,D.K.(1992): Pharmacokinetics and pharmacodynamics of verapamil following sublingual and oral administration to healthy volunteers. Br. J. Clin. Pharmacol. 33: 623-627.

- Taylor, S.H., Silke, B., Verma, S.P., Sharma, S.K., Jackson N.(1990):A hemodynamic comparison of verapamil, iltiazem and amlodipine in coronary artery disease. Am. Heart J. 118: 1105-1106.

- Tosaki, Peter Szerdahelyt, Richard, M.Engelman and Dipak K. D A S (1993): Effect of extracellular magnesium monopulation on reperfusion induced arrhythmias and myocardial ion shifts in isolated ischemic reperfused rat hearts. The journal of pharamacology and Experimental Therapeutics. Vol. 267, No. 3.

- Tzivoni, D. and Keren A. (1990): Suppression of ventricular arrhythmias by magnesium . Am . J. Cardiol. 65: 1397 - 1399.

REFERENCES [116]

- Von Euler U.S., Lishajko F. (1973) : Effects of magnesium and calcium on norepinephrine release and uptake in a drenergic nerve granules in different media. Acta Phsiol. Scand 89: 415 - 422.
- Von, S. T. R. , Colin Dollerg, (1993) Thrtapeutic drugs, Vol. 2, 3., Magnisum Sulphate.
- Wacker WEC (1980) : Magnesium and Man . Cambridge, Harvard University Press. 32: 3-10.
- Watanabe, Y.,and Watanabe,M.(1994):Impulse formulation and conduction of excitation in the atrioventricular node .J. Cardiovc. Electrophysiol. 5-517.
- Waxman,M.B., Yao,L.,Cameron,D.A.,et al.(1991):Effects of posture , Valsalva manouverand respiration on atrial flutter rate :An effect mediated through cardiac volume. J. Am. Coll. Cardiol.17:1545.
- Wellens,H.J.J.,Brugade,P.(1988): Mechanism of supraventricular tachycardia. J. Am. Cardiol; 62. 62: 10D-15D.
- Welt, L.G., Gitrlman , H. (1965) : Disorders of magnesium metabolism . DM 11: 1-32.
- Wesley , R., Haines D., Lerman , DiMarco J., Crampton, R. (1989) : Effect of intravenous magnesium sulfate on SVT.1129:1131.

REFERENCES [117]

- Whang, R. (1987): Routine serum magnesium determination. A Continuing unrecognized need. *Magnesium* 6: 1-4.
- Winfree, A.T.(1994): Theory of spirals. In Zipes, D.P., Jalife, J.(eds.): *Cardiac electrophysiology: From Cell to Bedside*. 2nd ed. Philadelphia, W.B. Saunders Company, p.279.
- Wit, A.L., Dillon, S.M., and Coromilas, J.(1994): Anisotropic reentry as a cause of ventricular tachyarrhythmias in myocardial infarction. In Zipes, D.P., and Jalife, J.(eds.): *Cardiac electrophysiology: From Cell to Bedside*. 2nd ed. Philadelphia, W.B. Saunders Company, p.511.
- Woodcock, B.G., Menke, G., Fischer, A., Kohne, H., Rietbrock N.(1988): Drug input from the GI-Tract. Michaelis-Menten kinetics and the bioavailability of slow release verapamil and nifedipine. *Drug Des. Deliv.* 2:299-310.
- Wood, A.J.J.(1989): Calcium antagonists: Pharmacologic differences and similarities. *Circulation* 80 (Suppl. IV): 184-188.
- Woods, K.L. (1991): Possible pharmacological actions of magnesium in acute myocardial. *Br.J. Clin. Pharmacol.* 31: 1129-1131.

- Yen, S.,McComb,J.M.,Scott,C.B.,et al.(1993): Morphology of the cardiac conduction system in patients with electrophysiologically proven dual atrioventricular nodal pathways. J. Cardiovasc. Electrophysiol. 4:504.
- Zipes, D.P., Besch ,H.R. J.R., Watanabe, A.M.(1974): Role of the slow current in cardiac electrophysiology. Circulation. 51.761:766.
- Zipes,D.P.,and Jalife,J.(eds.) (1994):Cardiac electrophysiology: From Cell to Bedside.2nd ed . Philadilphia,W.B .Saunders Company.
- Zipes,D.P.,Miles,W.M.,and Klein,L.S.(1994): Assessment of the patient with a cardiac arrhythmia. In Zipes, D.P., and Jalife, J.(eds.): Cardiac electrophysiology: From Cell to Bedside.2nd ed. Philadilphia, W.B. Saunders Company, p.1009.