

- Anderson, J.L., Rothbard, R.L. and Sorensen, S.G. (1988):** Multicenter reperfusion trial of intravenous anisolyated plasminogen streptokinase activator complex (APSAC) in acute myocardial infarction: controlled comparison with intracoronary streptokinase. *J. Am. Coll. Cardiol.*, 11:1153.
- Anderson, J.L. (1987):** Developmnt and evaluation of APSAC as a second generation thrombolytic agent. *J. Am. Coll. Cardiol.*, 10:22-B.
- Antman, E.M. and Braunwald, E. (1996):** Arrhythmias in acute myocardial infaction. Braunwald E. *Heart disease, A Textbook of Cardiovascular Medicine*, Fifth ed. W.B. Saunders Company, Philadelphia, P. 1246.
- Antman, E.M. and Rutherford, J.D. (1991):** Coronary care medicine: a practical approach. *Journal of American College of Cardiology*, 18:1.
- Antman, E.M. (1995):** Magnesium in acute myocardial infarction: timing is critical. *Circulation*; 92:2367.
- Barber, M.J., Mueller, T.M. and Davies, B.G. (1985):** Interruption of sympathetic and vagal-mediated afferent responses by transmural myocardial infarction. *Circulation*, 72:623.
- Bassand, J.P., Anguenot, T. and Cassagens, J. (1991):** Use of left ventricular function as an end point of thrombolytic therapy. *Am. J. Cardiol.*, 67:23E-29E.
- Behar, S., Reicher Ress, H. and Schechter, M. (1993):** Frequency and prognostic significance of secondary ventricular fibrillation complicating acute myocardial infarction. *Americam Journal of Cardiology*, 71:152.
- Berger, P.B., Ruocco, N.A. and Ryan, T.J. (1992):** Incidence and prognostic implications of heart block in inferior myocardial infarction treated with thrombolytic therapy: Results from TIMI II. *Journal of American College of Cardiology*, 20:533.

- Berisso, M.Z., Carratino, L. and Ferroni, A. (1990):** Frequency, characteristics and significance of supraventricular tachycardias detected by 24-hours electrocardiographic recording in the late hospital phase of acute myocardial infarction. *American Journal of Cardiology*, 65:1064.
- Bhandari, A.K. and Sager, P.T. (1991):** Management of peri-infarctional ventricular arrhythmias and conduction disturbances. In: Naccarelli, G.V. (ed.): *Cardiac arrhythmias: A practical approach*. MT Kisco, NY Futura Publishing, P. 283.
- Bhuller, H.K., Forthergill, J.C., Gadder, W.P. and De-Bono, D.P. (1993):** Automated measurement of QT interval dispersion from hard copy ECGs. *J. Electrocardiol.*, 26(4):321-331.
- Bigger, J.T., Dresdale, R.J. and Heissenbuttel, R.H. (1977):** Ventricular arrhythmias in ischaemic heart disease: mechanism, prevalence, significance and management. *Prog. Cardiovasc. Dis.*, 19:255.
- Bigger, J.T., Fleiss, J.L. and Kleiger, R. (1984):** The multicenter post-infarction research group. The relationships among ventricular arrhythmias, left ventricular dysfunction and mortality in the 2 years after myocardial infarction. *Circulation*, 69:250-258.
- Bilbao, F.J., Zabalza, I.E. and Vilanova, J.R. (1987):** Atrioventricular block in posterior acute myocardial infarction: clinicopathologic correlation. *Circulation*, 75:733.
- Bode, Ch., Smalling, R.W. and Berg, G. (1996):** Randomized comparison of coronary thrombolysis achieved with double-bolus reteplase (recombinant plasminogen activator) and front-loaded, accelerated alteplase (recombinant tissue plasminogen activator) in patients with acute myocardial infarction. *Circulation*, 94:891-898.
- Bogun, F., Chan, K.K. and Harney, M. (1996):** QT dispersion in non-sustained ventricular tachycardia and coronary artery disease. *Am. J. Cardiol.*, 77:256-259.

References

- Boineau, J.P. and Cox, J.C. (1973):** Slow ventricular activation in acute myocardial infarction: a source of reentrant ventricular contraction. *Circulation*, 48:702-713.
- Bolli, R. (1992):** Myocardial "stunning" in man. *Circulation*, 86:1671.
- Bonnar, C.E., Davie, A. and Caruana, L. (1997):** QT dispersion is increased in chronic heart failure patients compared to controls. *J. Am. Coll. Cardiol.*, 29(2) Suppl. A:81A.
- Bonnier, H.J., Visser, R.F. and Klomp, H.C. (1988):** Comparison of intravenous anisoylated plasminogen streptokinase activator complex and intracoronary streptokinase in acute myocardial infarction. *Am. J. Cardiol.*, 62:25.
- Botstein, P. (1993):** Is QT interval prolongation harmful? A regulatory perspective. *Am. J. Cardiol.*, 72:50B-52B.
- Bourke, J.P., Richards, D.A.B. and Ross, D.L. (1991):** Routine programmed electrical stimulation in survivors of acute myocardial infarction for prediction of spontaneous ventricular tachyarrhythmias during follow-up: results, optional stimulation protocol and cost-effective screening. *Journal of American College of Cardiology*, 18:780-788.
- Brandes, A., Bethge, K.P. and Buerschaper, M. (1997):** QT dispersion in healthy subjects. *J. Am. Coll. Cardiol.*, 29(2). Suppl. A:508 A.
- Brentano, C.F. and Jaillon, P. (1993):** Rate corrected QT interval: Techniques and limitations. *Am. J. Cardiol.*, 72:17B-22B.
- Califf, R.M., McKinnis, R.A. and Burks, J. (1982):** Prognostic implications of ventricular arrhythmias during 24-hour ambulatory monitoring in patients undergoing cardiac catheterization for coronary artery disease. *American Journal of Cardiology*, 50:23-31.

- Califf, R.M., White, H.D. and Van de Werf, F. (1996):** One-year results from the global utilization of streptokinase and TPA for occluded coronary arteries (Gusto-I) Trial. *Circulation*, 94:1233-1238.
- Campbell, R.W.F. (1994):** Arrhythmias in Julian D and Braunwald E; Management of Acute Myocardial Infarction. London, W.B. Saunders Ltd. P. 223.
- Campbell, R.W.F., Murray, A. and Julian, D.G. (1981):** Ventricular arrhythmias in first 12 hours of acute myocardial infarction: natural history study. *British Heart Journal*, 46:351.
- Campbell, R.W.F. (1994):** Arrhythmias in Julian, D. and Braunwald, E. Management of acute myocardial infarction. London, W.B. Saunders, Ltd. P. 223.
- Campbell, J.C., Yusoff, K.H. and Moore, M. (1988):** Importance of lead selection in QT interval measurement. *Am. J. Cardiol.*, 61:83-87.
- Cercek, B. and Howat, M. (1985):** Arrhythmias with brief, high dose intravenous streptokinase infusion in acute myocardial infarction. *Eur. J.*, 6:109.
- Challapalli, S., Ligamnei, R. and Ehlert, F. (1997):** Gender difference in QT dispersion. *J. Am. Coll. Cardiol.*, 29(2) Suppl. A:148.
- Chang, A.C., McAreavey, D. and Fanapanzin, L. (1995):** Identification of patients with hypertrophic cardiomyopathy at high risk for sudden death. *Curr. Opin. Cardiol.*, 10(1):9-15 (Abstr.).
- Christian, T.F., Schwartz, R.S. and Gibbons, R.J. (1992):** Determinants of infarct size in reperfusion therapy for acute myocardial infarction. *Circulation*, 86:81.
- Clarkson, P.B., Naas, A.A. and McLeod, C. (1995):** QT dispersion in essential hypertension. *QJM*; 88(5):327-32 (Abstr.).

- Clemmensen, P., Bates, E.R. and Cailff, R.M. (1991):** Complete atrioventricular block complicating inferior wall acute myocardial infarction treated with reperfusion therapy. TIMI study group. *American Journal of Cardiology*, 67:225.
- Corr, B. and Gillis, R.A. (1978):** Autonomic neural influences on the dysrhythmias resulting from myocardial infarction. *Circ. Res.*, 43:1.
- Cowan, J.C., Yusoff, K. and Moore, M. (1988):** Importance of lead selection in QT interval measurement. *American Journal of Cardiology*, 61:83-87.
- Crenshaw, B.S., Ward, S.R. and Stebbins, A.L. (1995):** Risk factors and outcomes in patients with atrial fibrillation following acute myocardial infarction. *Circulation*, 92 (Suppl.): I-777.
- Crimm, A., Severance, H.W., and Caffey, K. (1984):** Prognostic significance of isolated sinus tachycardia during the first three days of acute myocardial infarction. *American Journal of Medicine*, 76:983.
- Daniarov, B., Hilbel, T. and Brachman, J. (1997):** Shortening of prolonged QT dispersion after coronary angioplasty. *J. Am. Coll. Cardiol.*, 29(2) Suppl. A:510 A.
- Davey, P.P., Bateman, J. and Mulligan, I.P. (1994):** QT interval dispersion in chronic heart failure and left ventricular hypertrophy: relation to autonomic nervous system and Holter tape abnormalities. *Br. Heart J.*, 71:268-273.
- Day, C.P., McComb, J.M. and Campbell, R.W. (1990):** QT dispersion: an indication of arrhythmia risk in patients with long QT intervals. *Br. Heart J.*, 63:342-344.
- Day, C.P., McComb, J.M. and Mathews, J. (1991):** Reduction in QT dispersion by sotalol following myocardial infarction. *Eur. Heart J.*, 12:1423-427.
- De Luna, A.B. and Vinolas, X. (1996):** QT dispersion and heart rate variability. *Eur. Heart J.*, 17:165-166.

- DeSanctis, R.W., Block, P. and Hutter, A.M. (1972):** Tachyarrhythmias in myocardial infarction. *Circulation*, 45:681.
- Doi, T., Takada, K. and Mihara, H. (1995):** QT dispersion in acute myocardial infarction with special reference to left ventriculographic findings. *Jpn. Heart J.*, 36(5):573-581 (Abstr.).
- Dubois, C., Pierard, L.A. and Smeets, J.P. (1988):** Short and long term prognostic importance of complete bundle-branch complicating acute myocardial infarction. *Clin. Cardiol.*, 11:292.
- Durakovic, Z., Durakovic, A. and Korsic, M. (1994):** Changes in the corrected QT interval in the ECG of patient with anorexia nervosa. *Int. J. Cardiol.*, 45(2):115-20.
- Eisenberg, P.R., Sherman, L.A. and Jaffe, A.S. (1987):** Paradoxical elevation of fibronopeptide A after streptokinase: Evidence for continued thrombosis despite intense fibrinolysis. *J. Am. Coll. Cardiol.*, 10:527.
- El-Sherif, N., Myerburg, R.J. and Scherlag, B.J. (1976):** Electrocardiographic antecedents of primary ventricular fibrillation: value of the R- on T phenomenon in myocardial infarction. *British Heart Journal*, 88:415.
- Elder, M., Sievner, Z. and Goldbourt, U. (1992):** Primary ventricular tachycardia in acute myocardial infarction: clinical characteristics and mortality: the sprint study group. *Ann. Intern. Med.*, 117:31.
- Fang, Q., Bourke, J.P. and Simeomidou, E. (1996):** Increased QT dispersion: a new marker predicting induction of post myocardial infarction ventricular hypertrophy. *J. Eur. Soc. Cardiol.*, 17:30.
- Farrell, T.G., Bashir, Y. and Gripps, T. (1991):** Risk stratification for arrhythmic events in post-infarction patients based on heart rate variability, ambulatory electrocardiographic variables and the signal-averaged electrocardiogram. *Journal of American College of Cardiology*, 18:687-697.

- Farrell, T.G., Paul, V. and Gripps, T.R. (1991):** Baroreflex sensitivity and electrophysiological correlates in patients after myocardial infarction. *Circulation*, 83:945-952.
- Fei, L., Goldman, J.H. and Prasad, K. (1996):** QT dispersion and RR variations on 12 leads ECGs in patients with congestive heart failure secondary to idiopathic dilated cardiomyopathy. *Eur. Heart J.*, 17:258-263.
- Finshenfeld, J., Desser, K.B. and benchimol, A. (1973):** Non-paroxysmal A-V junctional tachycardia associated with acute myocardial infarction. *American Heart Journal*, 86:754.
- Fiol, M., Marrugat, J. and Bergada, J. (1995):** QT dispersion and ventricular fibrillation in acute myocardial infarction. *Lancet*, 346:1424-1425.
- Fitzgerald, D.J., Catella, F. and Roy, L. (1988):** Marked platelet activation in vivo after intravenous streptokinase in patients with acute myocardial infarction. *Circulation*, 77:142.
- Fitzgerald, D.J., Roy, L. and Wright, F. (1987):** Functional significance of platelet activation following coronary thrombolysis (Abstract). *Circulation*, 76 (Suppl. IV):IV:151.
- Flaherty, J.T., Pitt, B. and Gruber, J.W. (1991):** Recombinant human superoxide dismutase (h-SOD) fails to improve recovery of ventricular function in patients undergoing coronary angioplasty for acute myocardial infarction. *Circulation*, 89:1982.
- Ganz, L.I. and Friedman, P.L. (1995):** Supraventricular tachycardia. *National English Journal of Medicine*, 332:162.
- Ganz, W., Geft, I., Shah, P.K. and Lew, A.S. (1984):** Intravenous streptokinase in evolving acute myocardial infarction. *Am. J. Cardiol.*, 53:1209.
- Garson, A. (1993):** How to measure the QT interval- what is normal? *Am. J. Cardiol.*, 72:14B-16B.

- Gash, A.K., Spann, J.F. and Sherry, S. (1986):** Factors influencing reocclusion after coronary thrombolysis for acute myocardial infarction. *Am. J. Cardiol.*, 57:175.
- Gersh, B.J. and Anderson, J.L. (1993):** Thrombolysis and myocardial salvage: Results of clinical trials and the animal paradigm-paradoxical or predictable? *Circulation*, 88:296.
- Gertz, S.D., Kragel, A.H. and Kalan, J.M. (1990):** Comparison of coronary and myocardial morphologic findings in patients with and without thrombolytic therapy during fatal first acute myocardial infarction. *Am. J. Cardiol.*, 66:904.
- Gilman, J.K., Jalal, S. and Naccarelli, G.V. (1994):** Predicting and preventing sudden death from cardiac causes. *Circulation*, 90:1082-1092.
- Glancy, J.M., Garrett, C.J. and Woods, K.L. (1995):** QT dispersion and mortality after myocardial infarction. *Lancet*, 345:945-948.
- Glancy, J.M., Garrett, C.J. and Woods, K.L. (1995):** Use of lead adjustment formulas for QT dispersion after myocardial infarction. *Br. Heart J.*, 74:676-679.
- Glancy, J.M., Weston, P.J. and Bhullar, H.K. (1996):** Reproducibility and automatic measurement of QT dispersion. *Eur. Heart J.*, 17:1035-1039.
- Glancy, J.M., Garrett, C.J. and Woods, K.L. (1995):** Three lead measurement of QT dispersion. *J. Cardiovasc. Electrophysiol.*, 6(11):987-992 (Abstr.).
- Gluza, M.T., Skowerska, I.W. and Gie, C.L. (1996):** Prognostic value of increased repolarization dispersion in patients with coronary heart disease. *J. Eur. Soc. Cardiol.*, 17:29.
- Goldhaber, S.Z. and Braunwald, E. (1988):** Pulmonary embolism. In: Braunwald E. (eds.): *Heart Disease. A textbook of cardiovascular medicine*. Third edition, W.B. Saunders Co., Philadelphia, pp. 1577.

- Goldman, L. (1995):** Cost and quality of life: thrombolysis and primary angioplasty. *JACC*; 25:7 (Suppl.):385-415.
- Goldstein, S. (1982):** The necessity of a uniform definition of sudden coronary death: witnessed death within one hour of the onset of acute symptoms. *American Heart Journal*, 103:156.
- Gomes, J.A., Winters, S.L. and Martinson, M. (1989):** The prognostic significance of quantitative signal-averaged variables relative to clinical variables, site of myocardial infarction, ejection fraction and ventricular beats: a prospective study. *Journal of American College of Cardiology*, 13:377-384.
- Graner, L.E., Gershen, B.J. and Orlando, M.M. (1973):** Bradycardia and its complications in the pre-hospital phase of acute myocardial infarction. *American Journal of Cardiology*, 32:607.
- Greco, M.D., Della, M. and Cemin, C. (1996):** QT dispersion is a good predictor of cardiac death after anterior myocardial infarction. *J. Eur. Soc. Cardiol.*, 17:30.
- Gressin, V., Gorgels, A.P. and Louvard, Y. (1993):** Is arrhythmogenicity related to the speed of reperfusion during thrombolysis for myocardial infarction? *European Heart Journal*, 14:516.
- Gressin, V., Louvard, Y. and Pezzano, M. (1991):** Significance of accelerated idioventricular rhythm during thrombolysis for acute myocardial infarction. *J. Am. Coll. Cardiol.*, 17:16A.
- Handin, R.I. and Lascenzo, J. (1988):** Hemostasis, thrombosis, fibrinolysis, and cardiovascular disease. In: Braunwald E. (ed.): *Heart Disease; A Textbook of cardiovascular medicine*, Philadelphia; pp. 1758.
- Hearse, D.J. and Tosaki, A. (1988):** Free radicals and calcium: Simultaneous interacting triggers as determinants of vulnerability to reperfusion induced arrhythmias in the rat heart. *J. Mol. Cell. Cardiol.*, 20:213.

- Higham, P.D., Furniss, S.S. and Campbell, R.W. (1995):** QT dispersion and components of the QT interval in ischemia and infarction. *Br. Heart J.*, 73:32-36.
- Hii, J.T., Wyse, G. and Gillis, A.M. (1992):** Precordial QT interval dispersion as a marker of torsade de pointes. Disparate effects of class Ia antiarrhythmic drugs and amiodarone. *Circ.*, 86:1376-1382.
- Hnatkova, K., Malik, M. and Kautzner, J. (1994):** Adjustment of QT dispersion assessed from 12 lead ECGs for different numbers of analysed electrocardiographic leads: Comparison of stability of different methods. *Br. Heart J.*, 72:390-396.
- Hohnloser, S.H., Van-de-Loo, A. and Arendts, W. (1993):** QT dispersion in the surface ECG as a parameter of increased electrical vulnerability in acute myocardial ischemia. *Z. Cardiol.*, 82(1):678-382 (Abstr.).
- Holmes, D.R., Califf, R.M. and Topol, E.J. (1995):** Lessons we have learned from the Gusto Trial *JACC.* 25:7 (Suppl.) 105-75.
- Holmes, W.E., Pennica, D. and Blader, M. (1985):** Cloning and expression of the gene for prourokinase in *Escherichia coli*. *Biotechnology*, 3:923-924.
- ISAM Study Group (1986):** A prospective trial of intravenous streptokinase in acute myocardial infarction (ISAM): Mortality, morbidity and infarct size at 21 days. *National English Journal of Medicine*, 314:1965-1471.
- Ito, H., Maruyama, A. and Iwakura, K. (1996):** Clinical implications of the "No Reflow" phenomenon. A predictor of complications and left ventricular remodelling in reperfused anterior wall myocardial infarction. *Circulation*, 93:223-228.
- Ito, H., Tomooka, T. and Sakai, N. (1992):** Lack of myocardial perfusion immediately after successful thrombolysis: A predictor of poor recovery of left ventricular function in anterior myocardial infarction. *Circulation*, 85:1699.

- Janse, M.J. and Opthof, T. (1995):** Mechanisms of ischaemia induced arrhythmias. In Zipes, D.P. and Jalife, J. (eds.) Cardiac electrophysiology from cell to bedside. 2nd ed. Philadelphia, W.B. Saunders Company, pp. 489-496.
- Johns, J.A., Gold, H.K. and Leinback, R.C. (1988):** Prevention of coronary artery reocclusion and reduction in late coronary stenosis after thrombolytic therapy in patients with acute myocardial infarction: A randomized study of maintenance infusion of recombinant human tissue-type plasminogen activator. *Circulation*, 78:546.
- Kennedy, H.L., Whitlock, J.A. and Sprague, M.K. (1985):** Long-term follow-up of asymptomatic healthy subjects with frequent and complex ventricular ectopy. *National English Journal of Medicine*, 312:193-197.
- Ketley, D., Woods, K.L. for the European Secondary Prevention Study Group (1995):** Selection factors for the use of thrombolytic treatment in acute myocardial infarction: a population based study of current practice in the United Kingdom. *British Heart Journal*, 79:224-228.
- Kidwell, G.A. and Chung, U.K. (1996):** Ischaemic ventricular arrhythmias. In: Fuster, V., Ross, R. and Topol, E.J. (eds.): Atherosclerosis and coronary artery disease. Philadelphia, Lippincott-Raven, 995-1012.
- Kinch, J.W. and Ryant, J. (1995):** Right ventricular infarction. *National English Journal of Medicine*, 330:1211.
- Kink, J.W. and Ryan, T.J. (1994):** Right ventricular infarction. *New England Journal of Medicine*, 330:1211.
- Kirshenbaum, J.M., Kloner, R.F., McGowan, N. (1988):** Use of an ultra-short-acting beta receptor blocker (Esmolol) in patients with acute myocardial ischemia and relative contraindications to beta-blockade therapy. *Journal of American College of Cardiology*, 12:773.

- Kleiger, R.E., Miller, J.P. and Bigger, J.T. (1987):** Decreased heart rate variability and its association with increased mortality after acute myocardial infarction. *American Journal of Cardiology*, 59:256-262.
- Kleiman, R.B., Miller, J.M. and Buxton, A.E. (1988):** Prognosis following sustained ventricular tachycardia occurring early after myocardial infarction. *American Journal of Cardiology*, 62:528.
- Klein, R.C., Vera, Z. and Mason, D.T. (1984):** Intraventricular conduction defects in acute myocardial infarction: incidence, prognosis and therapy. *American Heart Journal*, 108:1007.
- Klein, H.H., Pich, S. and Bohle, R.M. (1995):** Myocardial protection by Na⁺-H⁺ exchange inhibition in ischaemic, reperfused porcine hearts. *Circulation*, 92:912.
- Kloner, R.A. and Przylenk, K. (1993):** Understanding the jargon: a glossary of terms used and (misused) in the study of ischemia and reperfusion. *Cardiovasc. Res.*, 27:162.
- Kloner, R.A. (1993):** Does reperfusion injury exist in humans? *J. Am. Coll. Cardiol.*, 21:537.
- Kloner, R.A. and Yellon, D. (1994):** Does ischaemic preconditioning occur in patients. *J. Am. Coll. Cardiol.*, 19:1123.
- Kloner, R.A., Przykrent, K. and Whittaker, P. (1989):** Deleterious effects of oxygen radicals in ischemic reperfusion. Resolved and Unresolved Issues. *Circulation*, 80:1115.
- Kluger, J., Hathaway, L. and Giedrimiene, D. (1997):** Does left ventricular function influences QT dispersion in patients with previous myocardial infarction and ventricular tachyarrhythmia? *J. Am. Coll. Cardiol.*, 29(2): Suppl. A:510 A.
- Koren, G., Weiss, A.T. and Bem-David (1986):** Bradycardia and hypotension following reperfusion with streptokinase (Bezold-Jarish reflex): A sign of coronary thrombolysis and myocardial salvage. *American Heart Journal*, 112:468.

- Kostuk, W.J. and Beanlands, D.S. (1970):** Complete heart block associated with acute myocardial infarction. *American Journal of Cardiology*, 26:380.
- Kubler, W., Schula, G. and Schwarz, E. (1987):** Interventions in acute myocardial infarction. *Am. J. Cardiol.*, 60:2A.
- Kuchar, D.L., Thorburn, C.W. and Sammel, N.L. (1987):** Prediction of serious arrhythmic events after myocardial infarction: signal-averaged electrocardiogram, Holter monitoring and radionuclide ventriculography. *Journal of American College of Cardiology*, 9:531-538.
- Kulan, K., Komsuoglu, B. and Tuncerc, C. (1996):** Significance of QT dispersion on ventricular tachyarrhythmias in mitral valve prolapse. *Int. J. Cardiol.*, 54(3):251-257.
- Kuo, C.S., Munakata, K. and Reddy, C.P. (1983):** Characteristics and possible mechanisms of ventricular arrhythmia depend on dispersion of action potential durations. *Circ.*, 67(6):1356-1367.
- La-Rovere, M., Specchia, G., Mortara, A. and Schwartz, P.J. (1988):** Baroreflex sensitivity, clinical correlates, and cardiovascular mortality among patients with a first myocardial infarction: a prospective study. *Circulation*, 78:816-824.
- Lamas, G.A., Mueller, J.E. and Turi, A.G. (1986):** A simplified method to predict occurrence of complete heart block during acute myocardial infarction. *American Journal of Cardiology*, 57:1213.
- Lamas, G.A., Flaker, G.C. and Mitchell, G. (1995):** Effect of infarct artery patency on prognosis after acute myocardial infarction. *Circulation*, 92:1101-1109.
- Lavie, C.J., O'Keefe, J.H. and Chesebro, J.H. (1990):** Prevention of late ventricular dilatation after acute myocardial infarction by successful thrombolytic reperfusion. *American Journal of Cardiology*, 66:31.

- Lee, K.J., Wellens, H.J.J. and Dorsnar, E. (1975):** Observations on patients with primary ventricular fibrillation complicating acute myocardial infarction. *Circulation*, 52:755.
- Lee, L.V., for the Timi 6 Investigators (1995):** Initial experience with hirudin and streptokinase in acute myocardial infarction: results of the thrombolysis in myocardial infarction (TIMI) 6 trial. *American Journal of Cardiology*, 75:7-13.
- Leitch, J., Bosta, M. and Dobson, A. (1995):** QT dispersion does not predict early ventricular fibrillation after acute myocardial infarction. *Pacing Clin. Electrophysiol.*, 18:45-48 (Abstr.).
- Lie, K.L., Liem, K.L. and Schuilenburg, R.M. (1978):** Early identification of patients developing late in-hospital ventricular fibrillation after discharge from the coronary care unit. *American Journal of Cardiology*, 41:674.
- Linker, N.J., Colonna, P. and Kekwick, C.A. (1992):** Assessment of QT dispersion in symptomatic patients with congenital long QT syndromes. *Am. J. Cardiol.*, 69:634-638.
- Lo, S.S., Mathias, C.J. and John, S.M. (1996):** QT interval and dispersion in primary autonomic failure. *Heart*, 75:498-501.
- Lown, B., Vassan, X. and Hood, W.B. (1967):** Unresolved problems in coronary care. *American Journal of Cardiology*, 20:494-508.
- Lucore, C.L., Fry, E.T.A. and Nachowiak, D.A. (1988):** Biochemical determinants of clearance of tissue-type plasminogen activator from the circulation. *Circulation*, 77:906.
- Marder, V.J. and Sherry, S. (1988):** Thrombolytic therapy: Current status. Part one. *N. Engl. J. Med.*, 318:1512.
- Mark, A.L. (1983):** The Bezold-Jarish reflex revisited: clinical implications of inhibitory reflexes originating in the heart. *Journal of American College of Cardiology*, 1:90.

- Marvic, Z., Zaputovic, L. and Matana, A. (1990):** Prognostic significance of complete atrioventricular block in patients with acute inferior myocardial infarction with and without right ventricular involvement. *American Heart Journal*, 119:823.
- McLaughlin, N.B., Campbell, R.W. and Murray, A. (1995):** Comparison of automatic QT measurement techniques in the normal 12 leads ECG. *Br. Heart J.*, 74:84-89.
- Medias, J.E., Patel, D.C. and Singh, D. (1996):** Atrial fibrillation in acute myocardial infarction. A prospective study based on data from a consecutive series of patients admitted to the coronary care unit. *Clin. Cardiol.*, 19:180.
- Meltzer, L.E. and Cohen, H.E. (1972):** The incidence of arrhythmias associated with acute myocardial infarction. *Textbook of coronary care unit*. Philadelphia, Charles Press.
- Mentzer, R.L., Budzynski, A.Z. and Sherry, S. (1986):** High-dose, brief-duration intravenous infusion of streptokinase in acute myocardial infarction: Description of effects in the circulation. *Am. J. Cardiol.*, 57:1220.
- Michael, B.S. and Fenzer, J. (1995):** Thrombolytics and Maritime medical care. *American Heart Journal*, 129:1222-1223.
- Miorelli, M., Buja, G. and Melacini, P. (1994):** QT interval variability in hypertrophic cardiomyopathy patients with cardiac arrest. *Int. J. Cardiol.* 45(2):121-127.
- Mirvis, D.M. (1985):** Spatial variation of QT intervals in normal persons and in patients with acute myocardial infarction. *J. Am. Coll. Cardiol.*, 3:625-631.
- Mohammed, R., Forsey, P.R. and Davis, M.K. (1996):** Effect of liver transplantation on QT interval prolongation and autonomic dysfunction in end stage liver disease. *Hepatology*, 23(5):1128-1134.

- Monlar, J., Weiss, J.S., Rosinthal, J.E. and Somberg, J.C. (1996):** QT interval dispersion in survivors of sudden cardiac death: a 24 hour assessment. *J. Eur. Soc. Cardiol.*, 17:29.
- Moreno, F.L., Villanueva, M.T. and Karagounis, L.A. (1994):** Reduction in QT interval dispersion by successful thrombolytic therapy in acute myocardial infarction. *Circ.*, 90:94-100.
- Moss, A.J. (1983):** Prognosis after myocardial infarction. *American Journal of Cardiology*, 52:667-669.
- Moss, A.J., Schwartz, P.J. and Cranpton, R.S. (1985):** The long QT syndrome: a prospective international study. *Circ.*, 71:17-21.
- Murray, A., McLaughlin, N. and Bourke, J.P. (1994):** *British Heart Journal*, 71:386-390.
- Myerburg, R.J. and Castellanos, A. (1996):** Cardiac arrest and sudden cardiac death. Braunwald: Heart Disease: A Textbook of Cardiovascular Medicine, Fifth ed., W.B. Saunders Company, Philadelphia, p. 746.
- Neijima, J., Knight, D.R. and Fallon, J.T. (1989):** Superoxide dismutase reduced reperfusion arrhythmias but fail to salvage regional function and myocardium at risk in conscious dogs. *Circulation*, 79:143.
- Neuhaus, K.L. for the GAUS Study Group (1987):** Thrombolysis in acute myocardial infarction: Results of the German Activator Urokinase Study (GAUS). *Eur. Heart J.*, 8:49.
- Neumann, F.J., Oti, I. and Gawaz, M. (1995):** Cardiac release of cytokines and inflammatory responses in acute myocardial infarction. *Circulation*, 92:748.
- Niwa, H., Meeda, T. and Shimoyama, N. (1993):** Serial changes in QT interval during acute myocardial infarction: Comparison of QT interval changes of reperfused cases and non-reperfused cases. *J. Cardiol.*, 23(1):14-50 (Abstr.).

- Oberg, K.C. and Bauman, J.L. (1995):** QT interval prolongation and torsades de pointes due to erythromycin lactobionates. *Pharmacotherapy*, 15(6):687-692.
- Ohnisi, Y., Butterfield, M.C. and Saffitz, J.E. (1995):** Deleterious effects of a systemic lytic states on reperfused myocardium: minimization of reperfusion injury and enhanced recovery of myocardial function by direct angioplasty. *Circulation*, 92:500.
- Opie, L.H. (1989):** Reperfusion injury and its pharmacologic modification. *Circulation*. 80:1049.
- Owen, J., Friedman, K.D. and Grossman, B.A. (1988):** Thrombolytic therapy with tissue plasminogen activator or streptokinase induced transient thrombin activity. *Blood*, 72:616.
- Pantridge, J.F. and Adgey, A.A.J. (1969):** Pre-hospital coronary care: the mobile coronary care unit. *American Journal of Cardiology*, 24:666.
- Perkiomaki, J.S., Koistinen, M.J. and Mayry, S. (1995):** Dispersion of QT interval in patients with and without susceptibility to ventricular tachyarrhythmias after previous myocardial infarction. *J. Am. Coll. Cardiol.*, 26(1):174-9.
- Pfeffer, M.A. and Braunwald, E. (1990):** Ventricular remodelling after myocardial infarction: experimental observations and clinical implications. *Circulation*, 81:1161.
- Priori, S.G., Napolitano, C. and Diehl, L. (1994):** Dispersion of the QT interval: A marker of therapeutic efficacy in the idiopathic long QT syndrome. *Circ.*, 89(4):1681-1689.
- Pye, M., Quin, A.C. and Cobbe, S.M. (1994):** QT interval dispersion: a non-invasive marker of susceptibility to arrhythmia in patients with sustained ventricular arrhythmias? *Br. Heart J.*, 71(6):511-4.
- Raeder, E.A., Rosenbaum, D.S. and Bhasin, R. (1992):** Alternating morphology of the QRST complex preceding sudden death. *national English Journal of Medicine*, 326:271-272.

- Rashba, E.J., Zareba, W. and Narins, C. (1997):** QT dispersion is associated with severe reversible defects in exercise thallium scans after an acute coronary event. *J. Am. Coll. Cardiol.*, 29(2) Suppl. A:81A.
- Ricou, F., Nicad, P. and Gilpin, E. (1991):** Influence of right bundle branch block on short and long-term survival after inferior Q-wave myocardial infarction. *American Journal of Cardiology*, 67:1143.
- Ritchie, J.L., Cerqueira, M. and Maynard, C. (1988):** Ventricular function and infarct size: the Western Washington Intravenous Streptokinase in Myocardial Infarction. *Journal of American Colleague of Cardiology*, 11:689-697.
- Roberts, R., Rogers, W.J. and Mueller, H.S. (1991):** Immediate versus deferred beta-blockade following thrombolytic therapy in patients with acute myocardial infarction: Results of the thrombolysis in myocardial infarction (TIMI) II-B study. *Circulation*, 83:422.
- Roberts, R., Pratt, C.M. and Morris, D. (1994):** Pathophysiology, recognition and treatment of acute myocardial infarction and its complications. In: Hurst, J.W. and Schlant, R.C. *The Heart*, 8th ed. McGraw-Hill Inc., New York, London, Tokyo, Torenó, Sydney. PP. 1107-1184.
- Rosenbaum, D.S., Jackson, L.E. and Smith, J.M. (1994):** Electrical alternans and vulnerability to ventricular arrhythmias. *National English Journal of Medicine*, 330:23-241.
- Rotman, M., Wagner, G.S. and Wallace, A.G.P. (1972):** Bradyarrhythmias in acute myocardial infarction. *Circulation*, 45:703.
- Ruberman, W., Weinblatt, E. and Goldberg, J.D. (1977):** Ventricular premature beats and mortality after myocardial infarction. *National English Journal of Medicine*, 297:750-755.

- Sanz, G., Castaner, A. and Betriu, A. (1982):** Determinants of prognosis in survivors of myocardial infarction: a prospective clinical angiographic study. *National English Journal of Medicine*, 306:1065-1070.
- Sarubbi, B., Ducceschi, V. and Esposito, V. (1995):** Assessment of dispersion of ventricular recovery in patients with chronic obstructive pulmonary disease. *Cardioplegia*, 40(4):247-251 (Abstr.).
- Sausa, M.J., Arnaha, J. and Cotrim, C. (1995):** The QTc interval and its dispersion in hypertrophic cardiomyopathy. Its relation to complex ventricular arrhythmias and the effect of antiarrhythmia agents. *Rev. Port. Cardiol.*, 14(6):461-7, 477-8 (Abstr.).
- Scheiman, M.M. and Gonzalez, R.P. (1980):** Fascicular and acute myocardial infarction. *JAMA*, 244-2646.
- Schwartz, P.J., LaRovere, M.T. and Vanoli, E. (1992):** Autonomic nervous system and sudden cardiac death: Experimental basis and clinical observation for post-myocardial infarction risk stratification. *Circulation*, 85:177-191.
- Schwartz, P.J., Vanoli, E. and Stramba-Badiale, M. (1988):** Autonomic mechanisms and sudden death: new insights from analysis of baroreceptor reflexes in conscious dogs with and without a myocardial infarction. *Circulation*, 78:969-979.
- Serruys, P.W., Simoons, M.L. and Suryaprinta, H. (1986):** Preservation of global and regional left ventricular function after early thrombolysis in acute myocardial infarction. *Journal of American College of Cardiology*, 7:729-742.
- Sherry, S., Bell, W.R. and Duckert, F.H. (1980):** Thrombolytic therapy in thrombosis: A National Institutes of Health Consensus Development Conference. *Ann. Intern. Med.*, 93:141.
- Sherry, S. (1990):** Streptokinase. In: Messerli F.H. (ed.): *Cardiovascular Drug Therapy*. W.B. Saunders Co., Philadelphia, pp. 1479.

- Silver, M.J., Sutton, J.M. and Hook, S. (1995):** Adjunctive selectin blockade successfully reduces infarct size beyond the thrombolysis in the electrolytic canine coronary artery model. *Circulation*, 92:492.
- Six, A.J., Louwerenburg, J.H. and Kingma, J.H. (1991):** Predictive value of ventricular arrhythmias for patency of the infarct-related coronary artery after thrombolytic therapy. *British Heart Journal*, 66:143.
- Sobel, B.E. (1989):** Coronary thrombolysis and new biology. *J. Am. Coll. Cardiol.*, 14:850.
- Spann, J.F., Sherry, S. and Rubin, R.N. (1986):** Techniques of achieving pulmonary, peripheral, and coronary thrombolysis. In: Hurst, J.W. (ed.): *The Heart*. Sixth edition. McGraw-Hill Book Company, New York, pp. 1916.
- Statters, D.J., Malik, M. and Ward, D.E. (1994):** QT dispersion: problems of methodology and clinical significance. *J. Cardiovasc. Electrophysiol.*, 5(8):672-85 (Abstr.).
- Sterns, L.D., Hilbel, T. and Horacek, M. (1997):** Measures of QT dispersion from signal averaged 12 leads ECGs are better discriminators than those measured from individual beats. *J. Am. Coll. Cardiol.*, 29(2) Suppl. A 148A.
- Surawicz, B. (1996):** Will QT dispersion play a role in clinical decision-making? *J. Cardiovasc. Electrophysiol.*, 7(8):777-84.
- Swan, L., Birnie, D. and Connell, J. (1997):** Familial influences on QT and QTc dispersion. *J. Am. Coll. Cardiol.*, 29(2)A Suppl.:82A.
- Taylor, G.J., Crampton, R.S. and Gibson, R.S. (1981):** Prolonged QT interval at onset of acute myocardial infarction in predicting early phase ventricular tachycardia. *Am. Heart J.*, 102:16-24.
- The Cardiac Arrhythmia Suppression Trial II Investigators (1982):** Effect of the antiarrhythmic agent moricizine on survival after myocardial infarction. *National English Journal of Medicine*, 327:227-233.

- The Cardiac Arrhythmias Suppression Trial (CAST) Investigators (1989):** Preliminary report: effect of ecainide and flecainide on mortality in a randomized trial of arrhythmia suppression after myocardial infarction. *National English Journal of Medicine*, 321:406-412.
- Theres, H., Broges, A.C. and Langel, J. (1997):** Ischemia induced changes in QT-peak dispersion during dipyridamole stress echocardiography. *J. Am. Cardiol.*, 29(2) Suppl. A:81A.
- Tieleman, R.G., Grijns, H.J. and Weisfeld, A.C. (1995):** Increased dispersion of refractoriness in the absence of QT prolongation in patients with mitral valve prolapse and ventricular arrhythmia. *Br. Heart J.*, 73(1):37-40.
- Timmis, A.D., Griffin, B., Crick, J.C.P. and Sowton, E. (1987):** Anisoylated plasminogen streptokinase activator complex in acute myocardial infarction: A placebo controlled arteriographic coronary recanalization study. *J. Am. Coll. Cardiol.*, 10:205.
- Topol, E.J., Califf, R.M. and George, B.S. (1988):** Coronary arterial thrombolysis with combined infusion of recombinant tissue-type plasminogen activator and urokinase in patients with acute myocardial infarction. *Circulation*, 77:1100.
- Topol, E.J., George, B.S. and Kereiakes, D.J. (1989):** A randomized controlled trial of intravenous tissue plasminogen activator and early intravenous heparin in acute myocardial infarction. *Circulation*, 79:281.
- Topol, E.J. (1990):** Thrombolytic intervention. In: Topol E.J. (ed.); *Textbook of Interventional Cardiology*, W.B. Saunders Company, Philadelphia; pp. 76.
- Topol, E.J. (1987):** Advanced in thrombolytic therapy for acute myocardial infarction. *J. Clin. Pharmacol.*, 27:735.

- Van de Werf, F. and Arnold, A.E.R. (1988):** For the European Cooperative Study Group for Recombinant Tissue Type Plasminogen Activator. Intravenous tissue plasminogen activator and size of infarct, left ventricular function and survival in acute myocardial infarction. *British Heart Journal*, 297:1374-1379.
- Van-de-Loo, A., Klingenheben, T. and Hohnloser, S.H. (1994):** Amiodarone therapy after sotalol induced torsade de pointes prolonged QT interval and QT dispersion in differentiation of proarrhythmic effect. *Z. Cardiol.*, 83(12):887-90 (Abstr.).
- Vaughan, D.E. and Lascalzo, J. (1986):** Disaggregation of platelets: A comparison of t-PA, SK and UK (Abstract). *Circulation*, 74 (Suppl. II):II-95.
- Volpi, A., Cavalli, A. and Franzosi, M.G. (1989):** One-year prognosis of primary ventricular fibrillation complicating acute myocardial infarction. *American Journal of Cardiology*, 63:1174.
- Waller, B.F., Rothbaum, D.A. and Pinkerton, C.A. (1987):** Status of the myocardium and infarct-related coronary artery in 19 necropsy patients with acute recanalization using pharmacologic (Streptokinase, r-tissue plasminogen activator), mechanical (percutaneous transluminal coronary angioplasty) or combined types of reperfusion therapy. *J. Am. Coll. Cardiol.*, 9:785.
- Warner, J.P., Barnes, T.R. and Henry, J.A. (1996):** Electrocardiographic changes in patients receiving neuroleptic medications. *Acta Psychiatr. Scand.*, 93(4):311-3 (Abstr.).
- Wei, J.Y., Markis, J.E. and Malagold, M. (1983):** Cardiovascular reflexes stimulated by reperfusion of ischemic myocardium in acute myocardial infarction. *Circulation*, 67:796.
- White, H.D. (1991):** A symposium evaluating thrombolytic therapy. *American Journal of Cardiology*, 67:1-2E.
- White, H.D., Norris, R.M. and Brown, M.A. (1987):** Effect of intravenous streptokinase on left ventricular function and early survival after acute myocardial infarction. *National English Journal of Medicine*, 317:850-855.

- Williams, D.O., Borer, J. and Braunwald, E. (1986):** Intravenous recombinant tissue-type plasminogen activator in patients with acute myocardial infarction. A report from the NHLBI thrombolysis in myocardial infarction trial. *Circulation*; 73:338.
- Wolfe, C.L., Nibley, C. and Bhandari, A. (1991):** Polymorphous ventricular tachycardia associated with acute myocardial infarction. *Circulation*, 84:1543.
- Xiang, H. (1993):** The relationship between increased QT dispersion of acute myocardial infarction and ventricular fibrillation. *Chung-Hua-Hsin-Hsueh-Kuan-Ping-Tsa-Chih*, 21(3):282-3-315.
- Yelamanchi, V., Ranada, V. and Cao, W. (1997):** Influence of electrolyte abnormality on interlead variability of ventricular repolarization times in 12 leads ECG. *J. Am. Col. Cardiol.*, 29(2) Suppl. A: 148A.
- Yotsukura, M., Tomano, Y. and Yamaguchi, T. (1997):** QT dispersion and ventricular arrhythmias in patients with progressive muscular dystrophy of the Duchenne type. *J. Am. Coll. Cardiol.*, 29(2) Suppl. A: 149A.
- Zamarron C., Lijnen H.R. and Collen, D. (1984):** Kinetics of the activation of plasminogen by neutral and recombinant tissue type plasminogen activator. *J. Biochem. Chem.*, 259:2080.
- Zareba, W. and Moss, A.J. (1995):** Dispersion of repolarization: relation to heart rate and repolarization duration. *J. Electrocardiol.*, 28 Suppl. 202-6.
- Zehender, M., Kasper, W. and Kauder, E. (1994):** Eligibility for and benefit of thrombolytic therapy in inferior myocardial infarction: Focus on the prognostic importance of right ventricular infarction. *JACC*, vol. 29, No. 2, 362-9.