

REFERENCES

REFERENCES

Aas K. 1980:

The codfish allergen model.

Prog. Allergol. Appl. Immunol 339.

Aas. K. 1984:

Antigens in Foods.

Nutri. Rev. 42:85.

Abrahamsen TG, Froland SS, Natvig JB. 1978:

In vitro mitogen stimulation of synovial fluid lymphocytes from rheumatoid arthritis and juvenile R.A. patients: Dissociation between the response to antigens and polyclonal mitogens.

Scand. J. Immunol, 7: 81.

Abrass CK, Nins KM, Louie JS, Border WA. and Glasscock RT. 1980:

Correlation and predictive accuracy of circulation immune complexes with disease activity in patients with systemic lupus erythematosus.

Arthritis Rheum., 23: 273-82.

Anderson J.A., and Sogn. D. (ED) 1984:

Adverse reactions to foods, AAAI committee on adverse Reactions to Foods and NIAID. NIH. Publication No. 84: 2442.

Anderson J.A. 1988:

Adverse reactions to foods. In Bierman. C.W., and Pearlman D.S. (eds.): Allergic Disease from infancy to adulthood 2nd ed.: W.B. Saunders Co. P. 130.

Antonowez, I., and Lebenthal E. 1977:

Develomental pattern of small intestinal enterokinase
and disaccharidase activities in the human fetus.

Gastroenterology 72: 1299.

Askenase 1976:

Augmented immediate hypersensitivity.

Clin. Res. 24: 444.

Bahna, S.L 1970:

A statistical study of allergic disorders among school
children. Thesis doctorate degree in public health,
university Alexandria, Alexandria Egypt.

Bahna S.L., and Heiner, D.C. 1980:

Allergies to milk.

New York, grune and stratton.

Bahna S.L. 1983:

Concordances in atopic twins.

J. Allergy Clin. Immunol. 71 (No. 1. Part II): 100 .

Bahna S.L., and Gandhi M.D. 1987:

Pediatric food allergy. In Breneman J.C. (ed) Handbook
of Food Allergies, New York, Marcel Dekker, Inc. P. 55.

Balfour S. 1989:

Importance of intestinal mucosal immunity in the
etiology of inflammatory joint disease.

J. Clin. Rheum. 3: 323-244.

Bandilla KK, Pitts NC and Mc Duffie FC. 1970:

Immunglobulin M deficiency in the immune response of
patients with R.A

Arthritis Rheum. 13: 214.

Barnes CG. 1971:

Turnbull AL, Vernon-Roberts B. 1971 Felty's syndrome. A
clinical and pathological survey of 21 patients and
their response to treatment.

Ann. Rheum. Dis. 30 : 359-374.

Basch CM, Spitler LE, Engleman E. and Engleman 1977:

Cellular immune reactivity in patients with rheumatoid.
J. Rheumatol, 4: 377.

Belch JJF, Mc Ardle B, Madhak R and MC Laughlin K. 1984:

Decreased plasma fibrinolysis in patients with
rheumtoid arthritis.

Ann. Rheum. Dis. 43 774-77.

Bennett JC. 1985:

The etiology of rheumatoid arthritis. In Kelley Harris,
Ruddy, sledge (ed.). W.B. "Text book of rheumatology"
2nd, Philadelphia, saunders company; 880.

Bennish H., Johansson S.J. Bahrlindstron H. and Kanison T.
1976:

Function and structure of IgE. Eds. Kay A.B. New York,
Plenum press 175.

Bienenstock H, Ehrlich GE, and Freyberg RH. 1963:

Rheumatoid arthritis of the cricoarytenoid joint: A clinicopathological study.

Arthritis Rheum.; 6 : 48-63.

Bierman C.W. and Pearlman D.S., 1988:

Preface in Bierman C.W. and Pearlman D.S. (eds.):

Allergic Diseases from Infancy to Adulthood. 2nd ed

Philadelphia W.B. Saunders Co. P XIII.

Bierman C.W., Shaprio GG, Pierson W.E. et al 1977:

Safety of influenza vaccination in allergic childrens.

J. infect. Dis. 136:652.

Bjarnason I, Williams P. et al 1984:

Intestinal Permeability and inflammation in rheumatoid arthritis effects of non steroidal anti-inflammatory drugs.

Lancet 1171-1173.

Bjarnason I., Zanelli J., Levi A.J. and Gumpel M.J. 1987:

The gut and R.A.

British J. of Rheumatology 26: 67-69.

Bleumink E. 1983:

Immunological aspects of food allergy.

Proc. Nutr. Soc. 42 (2) 219-231.

Block, K.J. 1976:

The special relationship of IgA and IgE antibodies to mucosal surfaces.

In Bouheys, A. (ed.): Lung Cells in Diseases.

Amsterdam, North Holland.

Bock, S.A. 1987:

A prospective appraisal of complaints of adverse reactions to food in children during the first 3 years of life.

Pediatric 79: 683.

Bock S.A. Lee W.Y. Holst A. and May C.D. 1978:

Appraisal of skin test with food extracts for the diagnosis of food hypersensitivity.

Clin. Allergy 8: 559.

Bohr GM, Sattar MA, Stanford JL and Shaaban MA. 1989:

HLA-Dr and Tuberculin tests in rheumatoid arthritis and tuberculosis.

Ann. Rheum. Dis.; 48: 63-68.

Bonfigilo T. and Atwater E. 1969:

Heart disease in patients with seropositive rheumatoid arthritis: a controlled autopsy study and review.

Arch Intern. Med. 124: 714.

Breneman J. C. 1987:

Immunology of Food Allergy. In Breneman J.C. (ed): Handbook of food Allergies. New York, Marcel Dekker, Inc. P. 1.

Britton MC and Schur PH. 1976:

The complement system in rheumatoid synovitis
Intracytoplasmic inclusions of immunoglobulins and
complements.

Arthritis. Rheum. 51:101.

Brooke A and Corbett M. 1977:

Radiographic changes in early rheumatoid arthritis.

Ann. Rheum. Dis. 36:71.

Brostoff J. 1982:

Food allergy.

Clin. Immunol Allergy; 2:1-260.

Brostoff J., Carini C. and Wraith D.G. 1987:

The presence of immune complex containing IgE following
food challenge and the effect of sodium cromoglycate
Proceedings of the second faishon food allergy Work
shop Fishon Corp. 30-43.

Buckely R.H. 1980:

The hyper IgE syndrome. In immunological disorders in
infants and children.

Eds. Steihm, E.R. and fulginiti V.R. W.B. Saunders
Philadelphia 229.

Burphy AF. 1968:

The evaluation of analgesic nephropathy. Nephron 5:
185.

Bywaters EGL. 1983:

Fistulous rheumatism A manifestation of rheumatoid arthritis.

Ann. Rheum. Dis. 12: 114.

Calabro J. 1962:

A critical evaluation of the diagnostic features of the feet in R.A.

Arthritis Rheum. 5:19.

Capron A, Dessaint JP, Capron M and Bazin H 1975:

Specific IgE antibodies in immune adherence of normal macrophages. Nature 253:474-1975.

Capron M, Capron A, Dessaint JP et al 1981:

Fc receptors For IgE on human and rat eosinophils.

J. Immunol 126: 2087.

Carswell F., Aughes A.O., Merrett T.G. and Meakins 1984:

Immediate hypersensitivity IgE and asthma.

Clin. Allergy 14:401.

Carson DA. 1982:

Antiglobulin antibodies: In panayi GS (ed), "Scientific Basis of rheumatology", Edinburg, London, New York, Churchill Livingstone: 124-6.

Cartwright GE. 1966:

The anaemia of chronic disorders.

Semin. Haematol, 3:351.

- Chapman M.D., Rowntree S. and Mitchell E.B. 1983:
Quantitative assessment of IgE and IgG to Inhalant
allergy in pateints with atopic dermatitis.
J. Allergy Clin. Immunol 72:27.
- Chodierker WB, and Tomas TB 1973:
Low molecular weight rheumatoid factor.
J. Clin. Invest. 42: 876-84.
- Colton C, and Dorby A. 1970:
Giant granulomtous lesions of the femoral head and neck
in rheumatoid arthritis.
Ann. Rheum. Dis. 29 : 619.
- Conn DL, McDuffie FC, and Dyck PJ. 1972:
Immunopathologic study of sural nerve in rheumatoid
arthritis.
Arthritis Rheum., 15 : 135.
- Crumpton M.J. 1974:
Protein antigens: The molecular basis of antigencity
and immunogenicity in sela M (ed) The antigens II. New
York Academic Press 1 .
- Cuvelier C. Barbatis C. Mielants et al 1987:
Histopathology of intestinal inflammation related to
reactive arthritis. Gut. 28 : 394-401.

Darlington L.G. 1985:

Does food intolerance have any role in aetiology and
managment of rheumatoid diseases.

Ann. Rheumatology dis. 44: 801-804.

Davis MJ. Dentonz, Freemont AJ and Halt P.J.L 1988:

Comparison of serial synovial fluid cytology in R.A.:
Delineation of subgroups with prognostic implications.

Ann. Rheum. dis. 47 559-620.

Day GH, Gartner HV, Bohle A. 1974:

D-penicillamine in rheumatoid desease: A long term
study.

Brit. Med. J. 1: 180.

Denman AM., Bruce Mitchell MD. and Barbara M. 1983:

Joint complaints and food allergic disorders.

Ann. of allergy. Vol. 51 August. 260-263.

Dessaint JP, Capron A, Joseph M and Bozin H. 1979:

Cytophilic binding of IgE for macrophage in immunologic
release of lysosomal enzyme from macrophages by IgE
anti IgE in the rat.

Cell immunol. 46-24 1979.

Diperri T, Auteri A, Pasini FL, Mattiolo F. 1978:

A weekly oral dose of levamisole in the treatment of
rheumatoid arthritis associated with E. rossete
lymphocyte reduction.

Eur. J. Rheumatol. 1: 155.

Dodson WH, and Hollingsworth JW. 1966:

Pleural effusion in rheumatoid arthritis.

N. Engl. J. Med. 275; 1337.

Duchateau, J., and Casimir G., (1983):

Neonatal serum IgE concentration as predictor of atopy.

Lancet 1 : 413-414.

Duthie R. and Harris C. 1969.

A radiographic and clinical survey of the hip joints in sero-positive rheumatoid arthritis.

Acta. Orthop. Scand. 40: 346.

Editorial: 1987:

Lymphocyte traffic, endothelium and rheumatoid arthritis.

Arthritis Rheum. 46: 881.

Edward D. and Harris JR. 1985:

Rheumatoid arthritis. The clinical spectrum in Kelly, Harris, Ruddy, Sledge (EDS).

Text book of rheumatology, 2nd ed. Philadelphia, WB Saunders company: 944:50.

Elson Co 1988:

The immunology of inflammatory bowel disease.

Inflammatory bowel disease pp 97-164.

Philadelphia Lea and Febiger.

Emery P, Enegl F and Gorden F. 1988:

Synovial fluid neutrophils of patients with rheumatoid arthritis have membrane changes that reflect activation.

Ann. Rheum. Dis. 74: 34-39.

Engle S. 1962:

Lung structure: Charles C. Thomas Spring filed .

Englestedt A, Strandberg O. 1966:

Hematological data and clinical activity of rheumatoid arthritis.

Acta. Med. Scand. 180:13.

Finbloom D and Metjer, 1983:

Isolation of crosslinked IgE receptor complexes from rat macrophages

J. Immunol 130: 1498. 1983.

Fish AJ, Michael AF, Gewartz H, Good RA, 1966:

Immunopathologic changes in rheumatoid arthritis synovium.

Arthritis Rheum, 1966; 9:267.

Fisher T.G. 1981:

Introduction to the immune system Manual of allergy and immunology Eds. Lawlor G.J. and Fisher. Little Brown and Company boston 1:11.

Fleming A, Benn RT, Corpett M. and Wood pH. 1976:

Early rheumatoid disease, II, patterns of joint involvement.

Ann. Rheum. Dis.; 35:61.

Franco AE. and Schurp H. 1971:

Hypocomplementnemia in rheumatoid arthritis.

Arthritis Rheum., 14 : 231.

Frank ST, Weg JG, Hark Lerpap LE and Fitch RF. 1973:

Pulmonary dysfunction in rheumatoid disease.

Chest; 63:27.

Fred M., Atkins M.D. Susan S. and Dean D. 1984:

Evaluation of immediate adverse reactions to food in adult patients. National Institutes of health.

Bethesda Md 75:3.

Galant S.P, Bullock J, and Frick O.L. 1973:

An immunological approach to the diagnosis of food sensitivity.

Clin. Allergy 3: 363-372.

Geha R.S. 1984:

Human IgE.

J. Immunol 74 P. 109.

Genord J.W. Horne, S and Vickers P 1974:

Immunoglobulins levels in smokers and non smokers.

J. Ped. 25: 660.

Gerrard J.W., Rao D.C. and Marton N.E. 1978.

A genetic study of IgE.

Am. J. Hum. Genetic 30 : 46.

Gevers G. Devos P. Deroo M. and Dequeker 1986:

Increased levels of osteocalcin in R.A.

Brit. J. Rheumatol 25: 260-262.

Goetze A. Kanellopoulos and Metzger H. 1981:

Enzymtic cleavage productes of the subunit of the
receptors for IgE. Biochemistry 20: 6341.

Golding D.N. 1982:

Indices of inflammatory disease activity. In synopsis
of R.D. Fourth Edition. Bristol London Boston 44-75.

Golding D.N. 1975:

The extra articular manifestation. In D.N. Golding
(ED). 4th. ed. Bristol London Boston.

Goldstein J.L. Anderson R.G. and Brown M.S. 1979:

Coated pits, coated vesicles and receptor mediated
endocytosis. Nature 279.

Goodman G.w. and Sultzzer B.M. 1979:

Endotoxin protein is a mitogen and polyclonal activator
of human B lymphocytes. J. Exp. Med. 149:713.

Gravallese EM. and Kantrowitz F.G. 1988:

Arthritic manifestations of inflammatory bowel disease.

Am. J. of Gastroentrology 83: 703-709.

Gripenberg M., Wafin F. Isomaki H. and Linder E. 1979:

A simple enzyme immunoassay for the demonstration of
R.F.

J. Immunol Meth. 31:109.

Grundbacher F.J. and Massie F.S. 1985:

Level of IgG, IgM, IgA, IgE at various ages in allergic
and non allergic black and white individuals.

J. Allergy Clin. Immunol 75(6): 651.

Guralnick W. 1978:

Temperomandibular joints affections

N. Eng. J. Med. 299:132.

Hall AP and Scott JT, 1966:

Synovial cysts and rupture of knee joint in rheumatoid
arthritis.

Ann. Rheum. Dis.; 25:32.

Halpern S.R. 1987:

Development of allergy in infants fed breast, soy or
cow's milk.

J. Allergy clin. Immunol 51:139.

Hancier Z, Tichy M, Salavec M, Varina J. 1972:

Immunoglobulins A, G and M in synovial fluid in
rheumatoid arthritis. Ann. Rheum. Dis., 31: 325.

Hasler F. Blkuesteil H.G. and Zvaifler N.J. 1983:

Analysis of the defects responsible for the impaired regulation of B cell proliferation by R.A. Lymphocytes
J. Exp. Med. 137:173-188.

Haslock DI, Wright V, and Harriman Dgf. 1970:

Neuromuscular disorder in rheumatoid arthritis. A motorpoint muscle biopsy study quartly.
J. Med., New series, 155: 335-358.

Hazleman BL, 1977:

Ocular complications of rheumatoid arthritis. Clinics in rheumatic disease. Philadelphia, WB Saunders; 501.

Heiner D.C 1988:

Allergy to cow's milk.
N. Engl. Soc. Allergy Proc. 2: 192-197.

Helder AW, Feltkamp-Veoom T and Neinhuis RL. 1973:

Electron and light microscopical observations and serological findings in R.A.
Ann. Rheum. Dis. 32:515.

Helliwell PS, Howe A, Wright V. 1988:

An evaluation of the dynamic Abilities of isometric grip strength.
Ann. Rhem. Dis.; 47:934.

Hench PK, Reid RT, Reames PM. 1966:

Dissecting popliteal cyst simulating thrombophlebitis.
Ann. Intern. Med.; 64:1259.

Henderson B, Revell PA, and Edwards Jcw. 1988:

Synovial lining cell hyperplasia in rheumatoid arthritis.

Ann. Rheum. Dis.; 47:348.

Hippocrates 1957:

The Hippocratic collection, in Encyclopedia Britannica
Encyclopedia Britannica Inc. 11:584.

Hoffman, D.R. 1983:

Immunochemical identification of the allergens in egg white.

J. Allergy Clin. Immunol. 74:481.

Holen E. and Elsayed 1988:

Antigenic and allergenic determination of ovalbumin in the reactivity of NH₂ Terminal decapeptide.

Scand. J. immunol 27: 587-591.

Hollander JL, McCarty DJ, Astrong G. 1965:

A studies on the Pathogenesis of rheumatoid joint inflammation.

Ann. Inter. Med. 62: 271.

Hollander J.L. 1974:

Arthritis and allied conditions.

A text book of reumatology 8th ed. Lea and Febiger,
Philadelphia 3:267-283.

- Hopkins GO, McDongall J, Mills KR, Isenbers DA. 1983: Muscle changes in ankylosing spondylitis. Brit. J. Rheumatol.; 22: 151-157.
- Horwitz DA, Garrett MA. 1977: Lymphocyte reactivity to mitogens in subjects with systemic lupus erythematosus, rheumatoid arthritis and scleroderma. Clin. Exp. Immunol.; 27:92.
- Hyland RH, Gordon DA, Bpoder I. 1983: A systematic controlled study of pulmonary abnormalities in R.A. J. Rheumatol.; 10: 395.
- Ishikawa H and Ziff M. 1976: Electron microscopic observation of immunoreactive cells in the rheumatoid synovial membrane. Arthritis Rheum.; 19:1.
- Ishizaka K. 1974: IgE and reaginic hypersensitivity John Hopkins Med. J. 135: 67.
- Ishizaka T. and Ishizaka K. 1984: Activation of mast cells for mediator release through IgE receptors. Prog. Allergy 34:188.

Ishizaka K. and Metzger L. 1982:

IgE and mechanism of IgE mediated hypersensitivity.

Ann. Allergy 48:313.

Ivesan JMI, Thadone V, Ionescu M, Wright V. 1975:

Aortic valve incompetence and replacement in rheumatoid arthritis.

Ann. Rheum. Dis. 34:312.

Jacoby R.K., Jaysom M.V. and Cosh J.A. 1973:

Onset, early stages and prognosis of R.A. A clinical study of 100 patients with 11 year follow up.

Br. Med. J. 2: 96.

Jain V.K., and Chandra, R.K. 1987:

Food allergy in adults. In Breneman, J.C. (ed): Handbook of Food Allergies. New York, Marcel Dekker, Inc. P. 71.

Jalkanen S, Bangatze RF and Butcher 1987:

Lymphocyte recognition of high endothelium.

J. of Cell biology 103: 983-990.

Johansson S.G 1984:

The relevance of anti-food antibodies for the diagnosis of food allergy.

Ann. Allergy. 53 665-672.

Johnasson S.G. and Foucard T. 1978:

IgE in immunity and disease in Middleton et al Allergy principle and practice Vol. 2: 551.

John D., Minor M.D. and Steven 1980:

Leucocyte inhibition factor in delayed onset food allergy J. Allergy.

Clin. Immunol 66: 4 314-321.

Johnson PM and Faulk UP. 1976:

Rheumatoid Factor: its nature, specificity and production in rheumatoid arthritis.

Clin. Immunol. Immunopath; 414.

Johnson PM, Watkins J, and Holporow EJ. 1975:

Antiglobulin production to altered IgG in rheumatoid arthritis. Lancet.; 611.

Juby LD, Axon TR, Wright V and Rothwell, 1986:

Intestinal permeability and inflammation in R.A.

Br. J. of Rheumatology 25: 226-227.

Kammer GM, Soter NA, and Schur PH. 1980:

Circulating immune complexes in patients with necrotizing.

Clin. Immunol. Pathol.; 15: 658-72.

Kaplan RA, Gurd JG, Deheer DH, Carson DA, Pongburn MG, Muller Eberhard HJ, Vaucha. 1980:

Metabolism of C4 and factor B in rheumatoid A. Relation to rheumatoid factor. Arthritis Rheum.; 23: 911.

Katz K.D., Hollender D. 1989:

Delineation of the Range OF Intestinal Permeability
Abnormalities in patients with Crohn's.

Gastro entrolology 94 A218.

Katz D.H. 1978:

Regulation of the IgE system in expermintal and
clinical aspects Allergy 39: 81.

Kay A.B. 1984:

Cells in allergic reactions. Allergy update publication
Ltd. London 14.

Kent D. and Daniel 1989:

Intestinal mucosal permeability and R.A.
J. Clin. Rheum. 3(2) 271-285.

Kerr RW, Rodey GE, Lee T, Schwrtz B. 1980:

Association of HLA DRW4 with rehumatoid arthritis in
black and whit patients.
Arthritis. Rheum.; 23:1241.

Keiser H, Gree Wald RA, Feinstein Gard Janoffa. 1976:

Degradation of cartilage Proteoglycan by human
leucocyte granule neutral proteases.
J. Clin. Invest. 57-625.

Kersawaka H. and Fisher T.J. 1981:

Introduction to the immune system Manual of allergy and
immunology. Ed. Lawlor G.J. and Fisher T.J. Little
Brown and Company Boston 1:1.

Khalil S, El-Sawy M, El-Badawi T, and Arab MM., 1984:

Clinical and echocardiographic study of the Heart in Rheumatoid arthritis MS thesis. Faculty of Medicine, Alex. Univ.; 68-9.

Kidd BL, Moore K, Walters MT. 1989:

Immunohistology of synovitis in ankylosing spondylitis a comparison with reumatoid arthritis.
Ann. Rheum. dis.; 48: 92.

Kilshaw, P.J., and Cant, A.J. (1984):

The Passage of maternal dietary proteins into human breast milk.
Int. Arch. Allergy Appl. Immunol. 75: 8.

King T.P. 1976:

Chemical and biological properties of some atopic allergens
Adv. Immunol. 23: 77.

Koakinen A, Helgesen A, Nousianine H. 1977:

The HLA-D determinants. Immunogenetics, 4: 05-11.

Kosaka S. 1977:

Subpopulation of B and T Iymphocytes in peripheral blood of rheumatoid patients.
J. Exp. Med.; 122:349.

Lender M, and Wolf E. 1972:

Incidence of amyloidosis in rheumatoid arthritis: some clinical observations.

Scand. J. Rheum.; 1: 109.

Levine B.B. 1974:

genetics of atopic allergy and reagin production in Brostoff J. (Ed) clinical immunology allergy in pediatric medicine. Oxford, Blackwell Scientific Publications Ltd.

Longeland, T. 1983:

A clinical and immunological study of allergy to hen's eggwhite.

A clinical study of egg allergy.

Clin. Allergy. 13:371.

Louis Tuft M.D. 1973:

Allergy management in clinical practice. Food allergy. 132-153.

Mac Donald WJ, Crawford MH, Klippel JH, Zvaifler NJ, O'rourke RA. 1977:

Echocardiographic assessment of cardiac structure and function in patients with rheumatoid arthritis.

Am. J. Med.; 63:890.

Mac Glasham J, Schleimer RP, Peters SP et al. 1983:

Comparative studies of human basophils and mast cells.

Fed. Proc. 42:2504.

- Makulowski P., Wollheim F.A., Rotmil P. and Olsem I. 1975:
Sudden death in R.A. with atlanto axial dislocation
Acta Med. Scand. 198:445.
- Marsh D.G., Meyers D.A. and Bias W.B. 1981:
The epidemiology and genetic of atopic allergy.
New Eng. J. of Med. 305: 26 1551.
- May C.D. and Bock S.A. 1984.
A modern clinical approach to food allergy
Allergy 33:160.
- Mellpye OJ, Messner RP, DE Hord JR Williams RC. 1972:
Immunoglobulin and receptor for C3 on lymphocytes from
patients with rheumatoid arthritis.
Arthritis. Rheum.; 15:371.
- Mendoza G.R., Miragawa K. and Stiehm E.R. 1978:
Basophil releasibility in the new born, factors
limiting IgE mediated histamine release.
Pediatrics 29:188-192.
- Messner RP. 1974:
Clinical aspects of T and B lymphocytes in rheumatoid
arthritis.
Arthritis. Rheum.; 17:339.

- Michel F.B., Bousquet, J., Greillier, P., Robenet-levy, M., and Colomb, Y. (1980):
Comparison of cord blood immunoglobulin E concentrations and maternal allergy for the prediction of atopic diseases in infancy.
J. allergy. Clin. Immunol. 65:422.
- Middleton A. Sherman N.A. and Smith R.S. 1983:
Effect of adrenergic compounds in vitro immunoglobulin synthesis by normal human peripheral lymphocytes
J. Allergy Clin. Immunol. 52:132.
- Miller D.L., Hirvonin T. and Gitlin D. 1973:
Synthesis of IgE by human conceptus.
J. Allergy Clin. Immunol. 52:182.
- Miller R, Gartner S, Kaplan HS. 1978:
Stimulation of mitogenic response in human peripheral blood lymphocytes by lipopolysaccharide: Serum and helper cell requirements. J. Immunol; 121:2160.
- Miyasaka N, Satok A. 1989:
Immunological and immunohistochemical analysis of rheumatoid nodules.
Ann. Rheum. Dis. 48:220.
- Mody GM, Meyers OL, Reinach SG. 1989:
Handness and deformities, endiographic changes and function of hand in rheumatoid arthritis.
Ann. Rheum. Dis.; 48:104.

Moneret-Vautrin, D.A (1986):

Food antigens and additives.

J. allergy. Clin. Immunol. 78:1040.

Mongan ES, Jolox RF. 1964:

Erythrocyte survival in rheumatoid arthritis.

Arthritis. Rheum.; 7: 481.

Morgan GL, Ochoa J. 1982:

Penicillamine induced myositis in rheumatoid arthritis.

Muscle and nerve; 4: 137-140.

Owen R.L. 1977:

Macrophage function in peyer's patches epithelium

Advances in Exp. Med. and Biology 149:507-513.

O'Sullivan J.B. and Cathcart E. 1972:

The prevalence of R.A.

Ann. Internal Med. 76:573-771.

Panush RS 1986:

Food allergy and Rhumatoid diseases.

Ann. Allergy 56: 500-503.

Panush RS, Bianco NE, and Schur PH. 1971:

Serum and fluid IgE, IgA, IgM, .anti-gamma-globulins in
rheumatoid arthritis.

Arthritis. Rheum.; 14:737.

Parke AL and Hughes GRV 1981:

Rheumatoid arthritis and food a case study.

British Med. 7. 282 : 2027.

Paulus HE, Machlder HJ, Levine S, Macdonald NS. 1977:

Lymphocytic involvement in R. arthritis:

Arthritis. Rheum.; 20:1249.

Pearson C.M., Amstutz H.C. and Bluestorne R. 1975:

Diagnosis and treatment of R.A. and other forms of joint destruction.

Ann. Internal Med. 82:241-256.

Perez-Montfort R, Kine JP and Metzger H 1983:

A previously unrecognized subunit Y of the receptor for IgE . Biochemistry 22:5722.

Percy JS, Davis P, Russel AS, Brisson E. 1978:

A longitudinal study of in vitro tests for lymphocyte function in rheumatoid arthritis.

Ann. Rheum. Dis.; 37: 416.

Perrin LH, Nydegger UE, Zublen RH, Lambert PH, Miescher PH.
1977:

Correlation between levels of breakdown products of C₃C₄ and properdin factor B in synovial fluids from patients with rheumatoid arthritis.

Arthritis. Rheum.; 20:647.

Pertusewicz IH, Jablonska S, Blaszczyk M. 1982:

Electromyographic finding in various forms of progressive systemic sclerosis.

Arthritis. Rheum.; 25: 61-65.

Pirlet. K and Schepper R. 1968:

Progress in chronic polyarthrititis.

Arch. Phys. Ther 20 487 1968.

Platts-Mills, T.A.E., Von Maur, R.K., Ishizaka, K., Norman, P.S., and Lichtenstein, L.M. 1976:

IgA and IgG anti-ragweed antibodies in nasal secretion
quantitative measurment of antibodies and correlation
with inhibition of histamine release.

J. Clin. Invest. 57:1041.

Pollock MS, Galdenhersch M, Chin-Louie J, Safai B. 1982:

The functional study of DR positive human epidermal
langhans cells with mixed cell cultures with allogenic
lymphocytes.

Clin. Immunopathol; 25:15.

Pope RM, and McDuffy SJ. 1979:

IgG Rheumatoid factor: Relationship to seropositive
rheumatoid arthritis and absence in seronegative
disorders.

Arthritis Reum.; 22: 988.

Pope RM, Teller DC, Mannik M. 1975:

The molecular basis of self association of IgG
rheumatoid factors.

J. Immunol.; 115:365.

Powrie W.D and Nakai S 1985:

Chracactristics of edible fluids of animal origin eggs
Food chemistry ed2 New York. Marcel Dkker P 829.

Prakash R, Acassi A, Pooks R, Roson KM. 1973:

Prevalance of pericardial effusion and mitral valve involvement in patients with rheumatoid arthritis without cardiac symptoms.

N. Engle. J. Med.; 289:597.

Rajopakse C, Thompson R, Gernnan DM, et al. 1983:

Increased bone metabolism in rheumatoid arthritis as measured by the whole body tention of 99t m Methylene diphosphate.

Ann. Rheum. Dis.; 42:124-141.

Ramsay I. 1980:

Metabolic bone disease. In a synopsis of endocrinology and metabolism. Second edition. Bristol wright Sons. LTD, P. 100-121.

Rhodes K, Markham RL, Monk-Jones ME. 1969:

Immunological sex differences. A study of patients with rheumatoid arthritis, their relatives and controls.

Ann. Rheum. Dis.; 23:104.

Ridolfo AS, Rubin A, Crabtree RE, Gruber CM. 1973:

Effect of fenprofen and aspirin on gastrointestinal microbleeding in man.

J. Pharmacol Ther. 14:226.

Roitt I 1989:

Essential immunology. Sixth edition.

Blackwell scientific publication P 43.

Rooney PJ, Jenkins RT, Goodacre RL. et al 1983:

Gut permeability of small molecules in R.D. (abstract).
Clin. Res. 31: 160 A .

Romey ER. 1975:

Corticosteroids and skeletal muscle. In handbook of
physiology, section 7: Endocrinology. Vol VI. Adrenal
glands. Edited by H. Blaschke, G. Sayors, and A.D.
Smith. PP. 245-261.

Ropes MA, Bennett GA, Cobbs S, Jaxos R. 1958:

Revision of diagnostic criteria for rheumatoid
arthritis.
Bull Rheum. Dis. 19: 175.

Rose HM, Racan C, Pearce E, Lipman MO. 1949:

Differential agglutination of normal and sensitized
sheep erythrocytes by sera of patients with rheumatoid
arthritis.
Proc. Soc. Exp. Biol. Med.; 68:1.

Ruddy A, Austen F. 1970:

The complement system in rheumatoid synovitis. I. An
analysis of complement component activities in rheumatoid
synovial fluid.
Arthritis. Rheum.; 13:713.

Ruddy S, Fearon DT, and Austen KF. 1975:

Depressed synovial fluid levels of properdin and
properdin factor B in patients with rheumatoid
arthritis Rheum.
Arthritis. Rheum.; 18:189.

Sabharwal UK, Vaughan JH, Fong S, Bennett PH, Carson DA, Curd JG.

Activation of the classical pathway of complement by rheumatoid factors: Assessment by radioimmunoassay for C4.

Arthritis. Rheum.; 25:161.

Sambrook PN, Abeysenkera G. 1985:

Calcium absorption in rheumatoid arthritis.

Ann. Rheum. Dis.; 44: 585.

Sampson, H.A. 1986:

Differential diagnosis in adverse reactions to foods.

J. Allergy Clin. Immunol. 78:212.

Sampson, H.A., Bucklry, R.H., and Metcalfe D.D. 1987:

Food allergy.

Jama 258:2886.

Sampson D, Holliday D, Gumpel JM. 1977:

Role of ineffective erythropoiesis in anaemia of rheumatoid arthritis.

Ann. Rheum. Dis.; 36:181.

Samulen B, Lee JC, Engleman EP, Hopper H. 1978:

Membranous phropathy in patients with rheumatoid arthritis: relationship to old therapy.

Medicine; 57: 319-327.

Scheinberg MA, Santos L, Mendes NF, Musatti C. 1978:

Decreased lymphocyte response to PHA, Con A, and calcium ionophore (A 23187) in patients with R.A and S.L.E., and reversal with Levamisole in rheumatoid arthritis.

Arthritis. Rheum.; 21: 326.

Schmid FR, Cooper NS, Ziff M, McEween C. 1961:

Arteritis in rheumatoid arthritis.

Am. J. Med.; 30:56.

Scott JT. 1966:

A case of rheumatoid arthritis with polyarteritis.

Brit. Med. J.; 2: 1027.

Schwartz H.R., Nerarkar, L.S., Spies, J.R., et al. 1980:

Milk hypersensitivity: RAST studies using new antigen generated by pepsin hydrolysis of beta-lactoglobulin.

Ann. Allergy.; 45: 242.

Seidman, B.G., and Walker, W.A 1988:

Immune mechanism in paediatric gastrointestinal and liver disease. In Triger, D.R. (ed.): Clinical immunology of the Liver and Gastrointestinal Tract. Philadelphia W.B. Saunders Co.

Seidman E. and Walker W.A. 1980:

Intestinal defenses in Kirsner J.B. and Shorter R.G. (eds) Inflammatory bowel disease 65-74. Philadelphia Lea and Febiger.

Sheldon PJ Papamichail M, Holborow EJ. 1974:

Studies on synovial fluid lymphocytes in rheumatoid arthritis.

Ann. Rheum. Dis.; 33:509.

Short CL. 1968:

Rheumatoid arthritis. Types of course and prognosis.

Clin. North. Am.; 52:549.

Smiley WK. 1974:

The eye in juvenile rheumatoid arthritis. Trans Ophthalmol soci.; 94:817.

Smith, J.M. 1983:

Epidemiology and natural history of asthma, allergic rhinitis, and atopic dermatitis. In Middleton, E., REED, C.E., ELLIS, E.F. (eds.) Allergy Principles and Practice 2nd ed. st. Louis, C.V. Mosby Co.

Smith, L.J., an Slavin, R.G. 1988:

Epidemiologic considerations in atopic disease. In Bieiman, C.W., and Pearlman, D.S. (eds.): Allergic Diseases from Infancy to Adulthood 2nd ed. Philadelehia, W.B. Saunders Co. P. 121.

Smith MD Gibson RA and Brooks PM 1985:

Abnormal bowel permeability in ankylosing spondylitis and rheumatoid arthritis.

J. of Rheumatology 12:299-305.

Sokoloff L. 1957:

Vascular lesions in rheumatoid arthritis.

J. Chron. Dis.; 5:668.

Speer 1978:

Food allergy Publisher PSG publishing company Inc
Littleton Massachusetts 161.

Spies, J.R., Steven, M.A., Stein, W.J., and Conkon, E.J. 1970:

The chemistry of allergens XX: New antigens generated
by pepsin hydrolysis of bovine milk proteins.

J. Allergy 45:200.

Stage DE, and Mannik M. 1971:

7 Sigm globulin in rheumatoid arthritis: Evaluation of
clinical significance.

Arthritis. Rheum.; 14:440-50.

Stein H, Dickson Ra. 1975:

Rheumatoid arthritis of the elbow.

Ann. Rheum. Dis.; 34: 403.

Stiehm E.R. and Funginitz V.A. 1980:

Immunologic disorders in infants and childrens 55.

Sundqvist T. Linstrom F, Magnusson KE et al 1982:

Influence of fasting on intestinal permeability
diseases activity in patients with R.A.

Scand. J. Rheum.; 11:33-38.

Swaisgood HE 1985:

Characteristic of edible fluids of animal origin Milk.
Food chemistry Ed New York Marcel Dekker P 791.

Sweney RL. and Klotz 1987:

Myocardial infarction due to rheumatoid arthritis.
JAMA. 199:191.

Tada T. 1975:

Regulation of reaginic antibody formation in animals
Prog. Allergy 19:122.

Taylor S.L 1980:

Food allergy, The engima and some potential solutions
J. Food prot 43:300.

Taylor S.L. 1985:

Food allergies. Food Technol 39 (2) 98.

Taylor S.L., Lemanske R.F. and Bush R.K. 1987:

Food allergens structure and immnologic properties
Ann. Allergy 59 (5) 93-99.

Taylor-Upsahl MM, Johnson PM, Mellbye OJ, Nativg JB. 1977:

A study of complement fixation by rheumatoid factor
using a hemlytic assay system.
Clin. Exp. Immunol.; 28: 11.

Theofilopoulos AN, Burtonboy G, Lospalluto JJ Ziff M. 1974:

IgG rheumatoid factor and low molecular weight IgM
association with vasculaitis.
Arthritis. Rheum.; 17:272.

Theofilopoulos AN, Carson DA, Tavassoli M, et al 1980:

Evidence for the presence of receptors for C3 and IgG
Fc on human synovial cells.

Arth. Rheum. 9 23:1-9.

Turner R.A. and Myers A.R. 1973:

Phagocytic function of polymorphonuclear in R.D.

J. Clin. Invest. 52:1632.

Udall, J.N. (1981):

Maturation of intestinal host defense: Ann. update.

Nter. Res. 1:399.

Unkeless JP, Fleit H, and Mellman IS. 1981:

Structural aspects as heterogeneity of immunological
FC receptors.

Adv. Immunol. 31: 247. 1981.

Vadehra D.V. and Nath K.R. 1973:

Eggs as a source of protein. Critical review in food
technology. CRP Press New York. 193-309.

Vidigal E, Jacoby R, and Dixon A. 1975:

The foot in chronic rheumatoid arthritis.

Ann. Rheum. Dis.; 34: 292.

Waalder E. 1940:

On the occurrence of a factor in human serum activating
the specific agglutination of sheep blood corpuscles

Acta Pathol. Microbiol. Scand.; 17:172.

Waldmann T.A., Ogawa M. and Strober W. 1976:

The metabolism of IgE, studies in normal individuals
and patients with IgE myeloma.

J. Immunol 117: 1139.

Walker DI., Pound JD and Griffith ID 1988:

Rheumatoid factor tests in the diagnosis and prediction
of R.A.

Ann. Rheum. Dis. 456:684-90.

Walker, W.A. 1986:

Allergen absorption in the intestine: Implication for
food allergy in infants.

J. Allergy Clin. Immunol. 78:1003.

Walker W.A. 1978:

Pathophysiology of intestinal uptake and absorption of
antigens in food allergy.

Ann. J. allergy 59:7-16.

Walker WC, Wright V. 1968:

Pulmonary lesions and rheumatoid arthritis. Medicine;
47:501.

Wands JR, Lamont JT, Mann E and Isselbacher KJ 1976:

Arthritis associated with intestinal by pass procedure
for morbid obesity.

New Engl. J. of Medicine 294. 121-144.

Webb J, Whaley K, and Roderick NM. 1975:

Liver diseases in rheumatoid arthritis and syndrome.
Ann. Rheum. Dis.; 34:70.

Weinstein A, Peters K, Brown D, and Biuestone R. 1972:

Metabolism of the third component of complement (C3) in
patients with R.A.
Arthritis Rehum., 15: 49.

Wested ML, Mohamed RD and William M. 1986:

Serum immune complexes containing IgA appear to predict
erosive arthritis in longitudinal study in R.A.
Ann. Rheum. Dis. 45 809-15.

Wilkinson M, and Torrane WN. 1967:

Clinical Background of rheumatoid vascular disease.
Ann. Rheum. Dis.; 26: 475-9.

Williams IA, Mitchell AD, and Rothman W. 1988:

Survey of the long term incidence of osteoporosis of
the hip and adverse medical events in rheumatoid
arthritis after high dose intravenous
methylprednisolone.
Ann. Rheum. Dis.; 47: 930-937.

Williams RA, Samson D, Tikerpae J, Crowhe J, and Gumpel JM.
1982:

In vitro study of ineffective erythropoiesis in
rheumatoid arthritis.
Ann. Rheum. Dis.; 41:502.