

REFERENCES

- Adams, A.E. and Finlayson, A. (1961):
Familiar aspects of preeclampsia and hypertension in pregnancy.
Lancet 2 : 1375.
- Adcock, E.W.; Teasdale, E. and August, C.S. (1973):
Human chorionic gonadotropin: its possible role in maternal lymphocyte suppression.
Science 181 : 845.
- Alanen, A. and Lassila, O. (1982):
Cell-mediated immunity in normal pregnancy and preeclampsia.
J. Reprod. Immunol. Dec. 4 (6): 349-54.
- Alanen, A. (1984):
Serum IgE and smooth muscle antibodies in pre-eclampsia.
Acta Obstet Gynecol. Scand. 63 (7): 581-2.
- Alanen, A.; Kekomaki, R.; Kero, P.; Lendstrom, P. and Wager, O. (1984):
Circulating immune complexes in hypertensive disorders of pregnancy.
J. Reprod. Immunol. May, 6 (3) : 133-40.
- Alpers, J. (1972):
Clinical and experimental immunology.
12 : 121. Quoted from WHO (1977) the role of immune complexes in disease Tech. Rep. Ser. Wld Hlth, Org 606.
- Amino, N.; Tanizawa, O. and Mijai, K. (1978):
Changes of serum immunoglobulins IgG, IgA, IgM and IgE during pregnancy.
Obstetric, Gyneco. 52, 415.
- Andrus, L.; Granelli-Piperno, A., and Reich, E. (1984):
Cytotoxic T-cells produce and respond to interleukin-2.
J. Exp. Med. 59 : 647.
- Arias, F. and Mancilla, J.R. (1976):
Hepatic fibrinogen deposits in preeclampsia.
New England J. of Medicine 295 : 578.
- Astaldi-Ricotti, G.C.B. and Astaldi, A.A.G. (1980):
The thymus-dependent human serum factor SF. a peptide including maturation of thymocytes.
Doctoral thesis. University of Amsterdam.
- Augustin, A.A. and Coutinho, A. (1980):
Specific T helper cells that activate B-cells polyclonally. J. Exp. Med. 151:587.

- Baker, D.A.; Hameed, C.; Tejani, N.; Thomas, J. and Dattwyler, R. (1987):
Lymphocyte subsets in the neonates of preeclamptic mothers.
Am. J. Repr. Immunol. Microbiol Aug. 14 (4) : 107-9.
- Baboonian, C. and Griffiths, P. (1983):
Is pregnancy immunosuppressive? Humoral immunity against viruses.
Br. J. Obstet. Gynaecol 90 : 1168.
- Bach, M.A. and Bach, J.F. (1981):
The use of monoclonal anti T-cell antibodies to study T-cell imbalances in human diseases.
Clin. Exp. Immunol. 45 : 449.
- Bach, F.H. and Good, R.A. (1980):
Text book of clinical immunology.
Vol. 4 - Ch. I-Academic press. A subsidiary of carcout
Brace jovanovich publishers.
- Barti, W. and Riss, P. (1983):
Detection and clinical significance of free circulating IgG and immune complexes in EPH gestosis.
Geburtshilfe Fraunheclkd, 43:78.
- Beer, A.E.; Quebbeman, J.F.; Ayers, J.V.T. and Haines, R. (1981):
Major histocompatibility complex antigens, maternal and paternal immune responses and chronic habitual abortions in humans.
Am. J. Obstet. Gynaecol. 141 : 981.
- Benster, B. and Wood, E.J. (1970):
Immunoglobulin levels in normal pregnancy and pregnancy complicated by hypertension.
J. Obst. Gyn. Brit. Cwith, 77 : 518.
- Bergholtz, B.O. and Thorsby, E. (1977):
Macrophage-dependent response of immune human T-lymphocytes to PPD in vitro.
Scand. J. Immunol. 6 : 779.
- Bertoglio, J.; Thierry, C.; and Flores, G. (1977):
Mouse red cell rosette formation by subpopulations of human lymphocytes.
Clin. Exp. Immunol. 27:172.
- Beverley, P.C.L. and Gallord, R.E. (1981):
Distenctive functional characteristics of human T-lymphocytes definid by E-rosetting or a monoclonal anti-T-cell antibody.
Eur. J. Immunol 11:329.

- Biggers, J.D. and Borland, R.M., (1976):
Physiological aspects of growth and development of the
preimplantation mammalian embryo.
Ann. Rev. Physiol. 38 : 95.
- Birkeland, S.A. and Kristofferson, K. (1977):
Cellular immunity in pregnancy : blast transformation
and rosette formation of maternal T and B lymphocytes
A cross-section analysis.
Clin. Exp. Immunol., 30,408.
- Birkeland S.A. and Kristofferson, K. (1979):
Preeclampsia a state of mother-foetus immune imbalance.
Lancet, 11 : 720.
- Birkeland, S.A. and Kristofferson, K. (1980):
Lymphocyte transformation with mitogens and antigens
during normal human pregnancy : a longitudinal study.
Scand. J. Immunol. 11:321.
- Bis, K.A. and Waxman, B. (1976):
Rupture of the liver associated with pregnancy.
A review of literature and report of 2 cases.
Obst. Gyn. Survey, 31: 763.
- Blumer, R. and Hancock, R. (1977):
Depletion of circulating T. lymphocytes in pregnancy.
Clin. Exp. Immunol. 28, 302.
- Bolis, P.F.; Martinalli-Banchi, M.; La Fianza, A. and
Franchi, M. (1987):
Immunogenetic aspects of pre-eclampsia.
Biol. Res. pregnancy perinatal 8 (1st half): 42-5.
- Boss, J.H. (1965):
Antigenic relationships between placenta and kidney in
humans.
Obstetric and gynaecology 93:574.
- Boussollino, F.; Bendetto, C.; Massobiric, A. and Camussi, G.
(1980):
Maternal vascular prostacyclin activity in preeclampsia.
Lancet 11:702.
- Boyme, A. (1968):
A one-stage procedure for isolation of granulocytes and
lymphocytes from human blood.
Scand J. Clin. Lab. Invest. 21,21.
- Bradbury, S.; Billington, W.D.; Kirby, D.R.S. and Williams,
E.A. (1970):
Histochemical characterization of the surface
mucoprotein of normal and abnormal human trophoblast.
Histochem. J. 2, 263.

- Brain, P.; Gordon, J.; Willetts, W.A. (1970):
Rosette formation by peripheral lymphocytes.
Clin. Exp. Immunol. 6 : 681.
- Buckley, R.H.; Schiff, R.I. and Amos, D.B. (1972):
Blocking of autologous and homologous leucocyte
responses by human alloimmune plasmas : a possible in
vitro correlate of enhancement.
J. Immunol. 108 : 34.
- Burdash, N.M.; Blake, J.M.Jr. and Hester, L.L.Jr. (1973):
Immunoglobulin levels and liver function tests in normal
and toxemic pregnancies.
Am. J. Obst. Gyn. 116, 827.
- Cagnoli, L.; Pasquali, S.; Mandreoli, M.; Beltrandi, E.;
Paronte, R.; Sasdelli, M. and Zucchelli, P. (1981):
Lymphocyte hyporesponsiveness during edema, proteinuria
and hypertension (EPH) gestosis.
Ric. Clin. Lab. Jul-Sep, Vol. 11 (3) P: 229-38 ISSN ;
0390-5748.
- Callard, R.E. (1979):
Specific in vitro antibody response to influenza virus
by human blood lymphocytes.
Nature (London) 282 : 732.
- Carr, M.C. and Stites, D.P. (1972):
Reactivity of maternal lymphocytes to phyto
haemoagglutinin.
Lancet, I : 1073.
- Carr, M.C.; Stites, D.P. and Fudenberg, H.H. (1973):
Cellular immune aspects of the human foetal maternal
relationship II. In vitro response of gravida
lymphocytes to phytohaemagglutinin.
Cell Immunol. 8, 448.
- Cauchi, N.M. (1981):
Obstetric and perinatal immunology. In "Current Topics
in Immunology" P. 16, Ed. by John Turk and Edward.
Arnold, London.
- Cauchi, N.M.; Gilbert, C.L.; Brown, J.B. (1984):
The clinical pathology of preeclampsia.
In clinical pathology of pregnancy and of the Newborn
infant "P. 351, Ed. Publisher Edward Arnold.
- Chaouat, G. and Voisin, G.A. (1980):
Regulatory T-cell subpopulations in pregnancy II. Ed
Evidence for suppressive activity of the late phase of
MLR.
Immunology 39 : 239.

- Cheever, M.A.; Greenberg, P.D.; Irle, C.; Thomason, J.A.; and Urdal, D.L. (1984):
Interleukin-2 administered in vivo induces the growth of cultured T-cells in vivo.
J. Immunol. 132 : 2259.
- Check, W. (1978):
Suppressor cells may help prevent fetal rejection.
JAMA 240 : 1226.
- Chesley, L.C.; Annitto, J.E.; Cosgrove, R.A. (1968):
The familial factor in toxemia of pregnancy.
Obst. Gyn. 32 : 303.
- Christiansen, J.S.; Oster, K.; Peitersen, B. and Bach-Mortensen, N. (1976):
B and T lymphocytes in newborn infants and their mothers.
Acta paediatr. (Stockh) 65:425.
- Chu, E.; Rosenwasser, L.J.; Dinarello, C.A.; Lareau, M. and Ceha, R.S. (1984):
Role of interleukin-1 in antigen specific T-cell proliferation.
J. Immunol. 132:1311.
- Clark, W.R. and Goldstein, P. (1982):
Mechanisms of cell-mediated cytotoxicity.
Adv. Exp. Med. 146:1.
- Clemens, L.E.; Siiter, P.K. and Stites, D.P. (1979):
Mechanism of immunosuppression of progesterone on maternal lymphocyte activation during pregnancy.
J. Immunol 122:1978.
- Clements, P.J.; Yu, D.T.Y.; Levy, J. and Pearson, C.M. (1976):
Human lymphocyte subpopulations : the effect of pregnancy.
Proc. Soc. Exp. Biol. Med. 152 : 664.
- Cochrane, C.G. and Koffler, D. (1973):
Immune complex disease in experimental animal and man.
Advances in immunology 16:185.
- Contractor, S.F. and Davies, H. (1973):
Effect of human chorionic somato tropin an HCG on phytohemagglutinin-induced lymphocyte transformation.
Nature 243 : 284.
- Coombs, R.R.; Gurper, B.M., and Wilson, A.B. (1970):
Rosette formation between human lymphocytes and sheep red cells not involving immunoglobulin receptors.
Ant. Arch. Allergy Appl. Immunol. 39 : 658.

- Cooper, D.W. and Liston, W.A. (1979):
Genetic control of sever preeclampsia.
J. Med. Genet. 16 : 409.
- Cornfield, D.B.; Jencks, J.; Binder R.A. and Rath, C.E.
(1979):
T and B lymphocytes in pregnant womens.
Obstet. Gynaecol. 53:203.
- Cosimi, A.B.; Colvin, R.B; Burlon, R.C.; Rubin, R.H. (1981):
Use of monoclonal antibodies to T-cell subsets for
immunologic monitoring and treatment in recipients of
renal allograft.
N. Eng. J. Med. 305:308.
- Cunningham F.G. and Pritchard, J.A. (1984):
How should hypertension during pregnancy be managed?
Experience at parkland Memorial Hospital.
Medical Clinics of North America 68 : 505.
- Currie, G.A.; Van Doornick, W. and Bagshawe, K.D. (1968):
Effect of neuraminidase on the immunogenicity of early
mouse trophoblast.
Nature (london) 219, 191.
- Curzen, P.; Gaugas, J.M. and Jones, E. (1973):
Quoted from Jenkins, D.M. (1976): "Preeclampsia/
eclampsia (gestosis) and other pregnancy complications
with a possible immunologic dosis". In "Immunology of
Human Reproduction" eds (Sott, J.S. and Jones, W.R.,
London. Academic press.
- Curzen, P.; Jones, E.; Gaugas, J.M. (1977):
Maternal fetal mixed lymphocyte reactivity in
preeclampsia.
Br. J. Exp. Pathol. Oct, 58 (5):500-3.
- Damle, N.K. and Engleman, E.G. (1983):
Immuno regulatory T-cell circuits in man Allo antigen-
primed inducer T-cells activate allo antigen, specific
suppressor T-cells in the absence of the initial
antigenic stimulus.
J. Exp. Med. 158 : 159.
- Damle, N.K.; Mohaghghpour, N. and Engleman, E.G. (1984):
Soluble antigen-primed inducer to cells activate antigen
specific suppressor T-cells in the absence of antigen-
pulsed accessory cells.
Phenotype definition of suppressor-inducer and
suppressor-effector cells.
J. Immunol. 132 : 644.

- Dempsey, R.A. (1982):
The differential effects of human leukocytic pyrogen/lymphocyte activating factor, T-cell growth factor and interferon on human natural killer activity.
J. Immunol 129 : 2504.
- Davies, M.H.; Wilkinson, S.P.; Portmann, B.; Bradenell, J.H. and Williams, R. (1980):
Acute liver disease with encephalopathy and renal failure in late pregnancy and early puerperium.
Br. J. of Obst. and Gyn. 87:1005.
- Dewhurst, J. (1981):
Integrated obstetrics of gynecology for postgraduates.
Third Ed. London. Blackwell scientific publications 259-78.
- Dodson, M.G.; Kerman, R.H.; Lange, C.F.; Sefani, S.S. and O'Leary, J.A. (1977):
T. and B cells in pregnancy.
Obstet. Gynaecol. 49 : 299.
- Douglas, S.D. (1983):
From Textbook of Haematology, William J. William Beutler E., Erslev, A.J. and Litchman, M.A. lymphocytes by elution microscopy P. 883.
- Duenhoelter, J.H.; Jimenez, J.M. and Baumann, G. (1975):
Pregnancy performance in patients under fifteen years of age.
Obstet. Gynecol. 46 : 49.
- Dy, M.; Lebel, B.; Kamoun, P. and Hamburger, G. (1981):
Histamine production during the anti-allo graft response. Demonstration of a new lymphokine enhancing histamine synthesis.
J. Exp. Med. 153:293.
- Escobosa V.C.; P'ere-Medina, R. G'omez-Estrada, H. (1983):
Circulating immune complex in hypertensive disease of pregnancy.
Obstet. Gynaecol. Jul, 62 (1): 45-8.
- Evans, R.L.; Breard Y.M.; and Lazarus, H. (1977):
Detection isolation and functional characterization of two human T-cell subsets.
J. Exp. Med. 145 : 221.
- Farrant, J.; Newton, C.A.; North, M.E.; Weyman, C. and Brenner, M.K. (1984):
Production of antibody by human B-cells under serum free conditions.
J. Immunol. Methods, 68 : 25.

- Faulk, W.P.; Sanderson, A.R.; and Temple A. (1973):
Disturbution of MHC antigens in human placental chronic villi.
Transplantation Proceeding 9 : 1379.
- Fearon, D.T. and Wong, W.W. (1983):
Complement ligand receptor interaction that mediate biological responses.
Ann. Rev. Immunol 1 : 243, Review of cellular receptors for complement proteins, an aspect of complement that is the basis for many of the biologic effect of this system.
- Feeney, J.G.; Tovey, L.A.D. and Scott, J.S. (1977):
Influence of previous blood transfusion on incidence of preeclampsia.
Lancet. 1 : 874.
- Ferrarini, M.; Moretta, L.; and Abrile, R.; (1975):
Receptors of IgG molecules on human lymphocytes forming spontaneous rosettes with sheep red cells.
Eur. J. Immunol. 5 : 70.
- Figueredo, M.A.; Palomino, P. and Ortiz, F. (1979):
Lymphocyte response to phytohaemagglutinin in the presence of serum from pregnant women : correlation with serum levels of alpha-fetoproteins.
Clin. Exp. Immunol 37 : 140.
- Finn, R.; Hill, C.A. St, Goven, A.J. (1972):
Immunological responses in pregnancy and survival of foetal Homograph.
Br. Med. J. 3 : 150.
- Ford, W.L. and Hunt, S.V. (1973):
The preparation and labelling of lymphocytes
In Hand book of expermental immunology .
Ed. Weir ,D.M Black well .
Scientific Publication Oxford London .
2nd ed Ch. 23 P 9-10
- Fox, H. and Elston, C.W. (1978):
Pathology of the placenta. W.B. Saunders, London. Ltd.
PP. 1, 326.
- Freedolph, D.A.; Ushyima, R.N. and Larson, C.L. (1974):
Recurrent herpes genitalis, treatment with BCG.
Obstet. Gynaeco. 43, 797.
- Gall, S.A. (1983):
Maternal adjustments in the immune system in normal pregnancy.
Obstetric and gynaecology, 26 : 521.

- Gant, N.F.; Daley, G.L.; Chand, S.; Whalley, P.J. and MacDonald, P.C. (1973):
A study of angiotensin 11 pressor response throughout primigravid pregnancy.
J. Clin. Invest. 52 : 2682.
- Gatenby, P.A. Kotzin, B.L.; Engleman, E.G. (1981):
Induction of immuno globulin secreting cells in the human autologous mixed leucocyte reaction.
Regulation of helper and suppressor lymphocyte subsets defined with monoclonal antibodies.
J. Immunol, 127:2130.
- Gatenby, P.A.; Kanas, G.S.; Xian, C.Y. Evans, R.L. and Egleman, E.G. (1982):
Dissection of immunoregulatory subpopulations of T lymphocytes within the helper and suppressor sublineages in man.
J. Immunol. 129 : 1997.
- Gaugas, J.M.; Jones, E.P. and Cursen, P. (1975):
Spontaneous lymphocyte transformation in pregnancies complicated by preeclampsia.
Am. J. Obstet. Gynecol, 121:542.
- Gehrz, R.C.; Christianson, W.R.; Linner, K.L.; Conroy, M.M.; McCue, S.A.; and Balfour, H.H. (1981):
A longitudinal analysis of lymphocyte proliferative responses to mitogens and antigens during human pregnancy.
Am. J. Obstet. Gynec. 140, 665.
- Gell, P.G.H. and Coombs, R.R.A. (1975):
In Gell, P.G.H., ed clinical aspects of immunology.
Oxford, Black well, 1975.
- Gimenez, J.M.; Carcia, D.A. and Morgan, J.M. (1975):
Lymphocyte transformation test in fixed drug eruption.
New Eng. J. Med. 292 : 819.
- Gitlin-David (1975):
Normal biology of AFP.
Ann NY Acad. Sci. 259, 7.
- Gleichner, N. and Theofilopoulos, A.N. (1979):
Immune complexes in pregnancy.
Lancet 27 : 216.
- Gleichner, N., Adelsberg, B.R. Lui, T.L., Ceder quisted, L. Phillips, R.N. and Siege, I., (1982):
Immune complex in pregnancy III immune complex in immune complex-associated conditions.
Am. J. Obst. Gyn. Apr. 15, 142 (8), 1011-5.

- Goldstein, J.J. (1976):
In concanavalin A. as a tool. Bittiger H, and Schnabli,
H.P. Eds P. 55 - 65 Wiley, New York.
- Greenberg, M.; Jacobziner, H. and Pakter, J. (1958):
Maternal mortality in the epidemic of Asian influenza.
New York City, 1957.
Am. J. Obstet. Gynaecol. 76:897.
- Griffiths, P.D.; Buie, K.J. and Heath, R.B. (1980):
Persistence of high titre antibodies to the early
antigens of cytomegalovirus in pregnant women.
Arch. Virol 64:303.
- Groenendijk, R.; Trimbos, J.B. and Wallenbug, H.C. (1984):
Haemodynamic measurements in pre-eclampsia.
Am. J. Obst. Gyn. 150:232.
- Gupta, S. and Grieco, M.H. (1974):
Erosette-test.
Lancet ii, 954.
- Gupta, S.; Frankel, R.; Rosentein, M. and Grieco, M.H.
(1975):
Lymphocyte subpopulations, serum IgE and total
eosinophil counts in patients with bronchial asthma
Clin. Exp. Immunol. 24 : 438.
- Guo, F. and Qian, S.Z. (1989):
Preliminary study on the immune function of red cells in
patients with pregnancy induced hypertension.
Chung-Hua-Fu. Chan-Ko-Tsa-Chih Jul, Vol. : 24 (4), P:215
-6, 252, ISSN : 0529-567 X.
- Gusdon, J.P. (1969):
Fetal and maternal immunoglobulin levels during
pregnancy.
Am. J. Obst. Gyn. 103, 895.
- Gusdon, J.P. (1976):
Maternal immune response in pregnancy. In "Immunology of
Human Reproduction" P. 103 Ed by Scott, J.S. and Jones,
W.R. Academic press, London.
- Gusdon, J.P. Heise, E.R.; and Herbst, G.A. (1977a):
Studies of lymphocyte populations in preeclampsia-
eclampsia.
Am. J. Obst. Gyn. 129 : 255.
- Gusdon, J.P.; Heise, E.R. and Herbst, G.A. (1977b):
The immuno suppressive effect of human glucoproteins and
their possible role in the non-rejection process during
pregnancy.
Acta. Obstet Gynecol. Scand 58:417.

- Gusdon J.P.; Heise, E.R.; Quinn, K.J.; Matthwse L.C. (1984):
Lymphocyte subpopulation in normal and preeclampsia pregnancies.
Am. J. Reprod. Immunol. Jan-Feb 5 (1) : 28-31.
- Han, T. (1974):
Inhibitory effect of human chorionic gonadotrophin on lymphocyte blastogenic response to mitogen, antigen and allo-genic cells.
Clin. Exp. Immunol. 18 : 529.
- Harrison, M.R. (1972):
Immunocomptence of maternal lymphocytes.
Lancet, 2 : 1319.
- Haynes, B.F.; Man, D.L.; and Hember, M.E. (1980):
Characterization of a new monoclonal antibody.
Proc. Natl. Acad. Sci. USA. 77 : 2914.
- Hibbard, B.M. (1962):
Hydramnious and pre-eclamptic toxæmia.
Clin. Obstet Gynec. 5 : 1044-7.
- Hill, A.B. (1977):
Textbook of Medical Statistics: 10th Ed. Holder and Stroughten, London.
- Hopper, J.J.; Farquhar, M.G.; Yamuchi, H.; Moon, H.D. and Page, E.W. (1961):
Renal lesions in pregnancy : clinical observations and light and electron microscopic findings.
Obst. Gyn. 17 : 271.
- Horne, C.M.W.; Howie, P.W. and Goudie, R.B. (1970):
Serum alpha -2- macroglobulin, transferrin, albumin and IgG levels in pre-eclampsia.
J. Clinical Pathol. 23 : 514.
- Howard, M.; Farrar, J. and Hilfiker, M. (1982):
Identification of a T-cell derived B-cell growth factor distinct from interlukin-2.
J. Exp. Med. 155:914.
- Howvert, M.H.; Claas, F.H.; Gmelig, Meyling, F.H.; Kalsbeek, G.L.; Valentijn, R.M.; Te Velds, E.R. and Schuurman, H.J. (1985):
Humoral immunity in normal and complicated pregnancy.
Eur. J. Obstet gynecol Reprod. Biol. 19 (4) 205-14.
- Hudson, L. and Hag, F.C. (1980):
Techniques in cellular immunology in Practical immunology 2 nd ed., Blackwell, Ch. 10 P: 294.

- Hyttén, F.E.; Thomason, A.M.; and Taggart, N. (1966).
Total body water in normal pregnancy.
J. Obst. Gyn. Cwlth 73, 533.
- Ihle, J.N.; Keller, J.; Greenberger, J.S. Henderson, L.;
Getter, R.A. and Morse, H.C. (1982):
Phenotypic characteristics of cell lines requiring
interlukin 3 for growth.
J. Immunol. 129 : 1377.
- Ihle, J.N.; Keller, J. and Oroszlan, S. (1983):
Biologic properties of homogenous interlukin 3 I.
Demonstration of WEHI-3. Growth factor activity and mast
cell growth factor activity, P-cell-stimulating factor
activity, colony-stimulating factor activity and
histamine producing cell-stimulating factor activity.
J. Immunol. 131 : 282.
- Iscove, N.N.; and Melchers, F. (1978):
Media for B-lymphocyte.
J. Exp. Med. 147:923.
- Jawetz, E.; Melnick, J.L.; Hdeberg, E.A.; Brooks, G.E.;
Butel, J.S. and Ornston, L.N. (1989):
Medical microbiology 18 th edition by appleton and
lange.
A publishing division of practice Hall.
- Jenkins, D.M.; Acres, M.G. and Peters, J. (1972):
Human chorionic gonadotropin and the foetal allograft.
Am. J. Obstetric Gynecol. 114:13.
- Jenkins, D.M. (1976):
In immunology of human Reproduction (edited by J.S.
Scott and W.R. Jones) P. 297 London and New York 1976.
- Jenkins, D.M.; Need, J.A. and Rajah, S.M. (1977):
Deficiency of specific HLA antibodies in sever pregnancy
pre-eclampsia.
Clin. Exp. Immunol. 27 : 485.
- Jenkins, D.M. Need, J.A.; Scott, L.S. Morris, H. and Pepper, M.
(1978):
Human leucocyte antigens and mixed lymphocyte reaction
in sever pre-eclampsia. Br. Med. J. 1 : 542.
- Jondal, M.; Holm, G.; and Wigzell, H. (1972):
Surface markers on human T and B lymphocytes A large
population of lymphocytes forming non immune rosettes
with sheep red blood cells.
J. Exp. Med. 136 : 207.

- Jondal, M. and Klein, G. (1973):
Surface markers in human B and T lymphocytes presence of
EB virus receptors on B lymphocytes.
J. Exp. Med. 138 : 1365.
- Joseph, B.S. and Oldstone, M.B.A. (1974):
Quoted from WHO (1977) the role of immune complexes in
disease Tech. Rep. Ser Wld. Hlth. Org. 606.
J. of Immunol. 113 : 1205.
- Kaieda, T.; Okada, M.; Yoshimura, N.; Kishimoto, S.;
Yamamura, Y. and Kishimoto, T. (1982):
A human helper T-cell clone secreting both killer helper
factor (s) and T-cell replacing factor (s).
J. Immunol 129 : 46.
- Kandil, D.; Elnahas, H.; Elshika, Z.; El Mekawi, T.; Aboul
Fetouh, Z. (1980):
Plasma protein pattern and immunoglobulins in normal
pregnancy and pre-eclamptic toxemia.
J. Egypt, Soc. Obst. Gyn. 45: 13.
- Katz, D.H. (1983):
The immune : An overview.
Basic and clinical immunology P. 15 4 th ed. Lange,
Medical publications Los Altos, California.
- Kasahara, T.; Dejeu, J.Y.; Dougherty, S.F. and Oppenheim,
J.J. (1983a):
Capacity of human large granular lymphocytes to produce
multiple lymphokines interleukin-2 interferon and colony
stimulating factor.
J. Immunol 131 : 2379.
- Kasahara, T.; Hook, J.J.; Dougherty, S.F.; and Oppenheim, J.J.
(1983b).
Interleukin 2-mediated immune interferon production by
human T cells and T cell subsets .
J. Immunol. 130 :1684.
- Kaye, D.M.; and Jones, W.R.. (1971):
Effect of HCG on invitro lymphocyte transformation .
Am. J. Obstet Gynecol. 109 : 1296.
- Kay, H.D. and Smith, D.L. (1983):
Regulation of human lymphocyte-mediated natural killer
(NK) cell activity. I. inhibition in vitro by peripheral
blood granulocytes. J. Immunol. 130 : 475.
- Killy, A.M. and McEwan, H.P. (1973):
Proteinuria in preeclamptic toxemia of pregnancy.
J. Obst. Gyn. Brit. CWLTH, 80, 520.

- Kirby, D.R.S.; Billington, W.D.; Bradbury, S. and Goldstein, D.J. (1964):
Antigen barrier of the mouse placenta.
Nature, 204, 548.
- Kitzmler, J.L. and Bernischke, K. (1973):
Immunofluorescent study of placental bed vessels in preeclampsia of pregnancy.
Am. J. Obstet. Gynaecol. 115:248.
- Kitzmler, J.L.; Stoneburger, L.; Yelonosky, P.F. and Lucas, W.E. (1973):
Serum complement in normal pregnancy and pre-eclampsia.
Amer. J. Obstet. Gynec. 117, 312.
- Klapper, D.G. and Mendenhall, H.W. (1971):
Immunoglobulin D concentration in pregnant women.
J. Immunol. 107, 912.
- Knox, G.E.; Stagno, S.; Volanakis, Huddleston, J.F. (1978):
A search for antigen antibody complexes in preeclampsia: further evidence against immunologic pathogenesis.
Am. J. Obstet Gynecol. Sep. 1, 132 (1): 87-9.
- Koslowski, J.P.; Gurguet, M.; and Toquoi, G. (1978):
Gynecol. Obstet. Biol. Reprod. 5, 923-93.
- Kuramoto, M.; Okamura, K, Hamazaki, Furakawak Suzuki, M. (1982):
The role of circulation immune complex in pregnancy.
Tohoku. J. Exp. Med. Sep. 138 (1):7-15.
- Lamb, J.R.; Skidmore, B.J.; Green, N. Chiller, J.M. and Feldmann, M. (1983):
Induction of tolerance in influenza virus-immune T-lymphocytes clones with synthetic peptides of influenza haemagglutinin.
J. Exp. Med.; 157 : 1434-47.
- Landesmann, R.; Douglas, R.G. and Holze, E. (1954):
The bulbar conjunctival vascular bed in the toxæmias of pregnancy.
Am. J. Obstet. Gynaecol. 68:170.
- Leibson, H.; Marrach, P. and Kappler, J. (1981):
B-cell helper factors. I. requirements for both interleukin-2 and another 40,000 mol. wt factor.
J. Exp. Med. 154:1681.
- Leiken, S. (1972):
Depressed maternal lymphocyte response to phytohaemagglutinin in pregnancy.
Lancet 2 : 43.

- Lipkowitz, S.; Greene, W.C.; Rubbin, A.L.; Novogrodsky, A. and Stenzel, K.H. (1984):
Expression of receptors for interleukin-2: Role in the commitment T-lymphocytes to proliferate.
J. Immunol. 132 : 31.
- LoCasio, N.J.; Haugnton, G.; Arnold, L.W. and Corley, R.B. (1984):
Role of cell surface immunoglobulin in B lymphocyte activation.
Proc. Natl. Acad. Sci. USA 81 : 2466.
- Lohrmann, H.P. and Novikous, L. (1974):
Rosette formation between human T-lymphocyte and unsensitized rhesus monkey erythrocytes.
Clin. Immunol. Immunopath. 3:99.
- Lum, L.G.; Muchmore, A.V. and Jereu, D. (1979):
A receptor for IgA human T-lymphocytes.
J. Immunol. 122:65.
- Maccario, R.; Ferrari, F.A. and Siens, S. (1981a):
Receptors for peanut agglutinin on a high percentage of human cord blood lymphocytes. phenotype characterization of peanut-positive cells.
Thymus, 2 : 329.
- Maccario, R.; Nespoli, L.; Ferrari, F.A.; Vitiello, N.A.; Ugazio, A.G. (1981b):
Neonatal T-cell subset with membrane receptors for peanut agglutinin (PNA) and low avidity for sheep erythrocytes (SRBC).
Paediatr. Res. 15:1211.
- MacGilliveray, I. (1958):
Some observations on the incidence of pre-eclampsia.
J. Obst. Gyn. Brit. Emp. 63 :536.
- MacKay, D.G. (1965):
Disseminated intravascular coagulation.
New York, Harper and Row.
- Mahran, M. (1980):
Blood viscosity in EPH gestosis. Proceedings of the twelfth international meeting of organization.
Gestosis. Dubrovnic.
- Mancini, G.; Carbonara, A.O. and Heremans, J.F. (1965):
Immunochemical quantitation of antigens by single radial immunodiffusion.
Immunochemistry, 2 : 235-254.

- Mannik, M and Arend, W.P. (1971):**
Quoted from WHO (1977) the role of immune complexes in disease Tech. Rep. Ser Wld. Hlth Org. 606.
Journal of experimental medicine 134 : suppl. 19.
- Maroni, E.S. and Parrot, D.M.V. (1975):**
Clinical and experimental immunology 13: 253. Quoted from British Med J. 29 (May) (1976) : 1307.
- Maroulis, G.B.; Buckley, R.H. and Younger, J.B. (1971):**
Serum immunoglobulin concentrations during normal pregnancy.
Am. J. Obst. Gyn. 109, 917.
- Marti, J.T. and Herrman, V. (1977):**
Immunogestosis : A new etiological concept of "essential" EPH Gestosis, with special consideration of the primigravid patient. Preliminary report of clinical study.
Am. J. Obstet. Gynaecol, 128 : 489.
- Massayeff, R.; Gilli, F. and Krebs, B. (1975):**
Evolution of AFP serum levels throughout life in humans and rates and during pregnancy in the rate.
Ann. NY. Acad. Sci. 259 : 17.
- Massobrio, M.; Benedetto, C.; Bertini, E. Tetta, and Caunussi, G. (1985):**
Immune complexes in preeclampsia and normal pregnancy.
Am. J. Obstet Gynecol. Jul. I., 152 (5): 578-83.
- Masson, P.L. Delire, M. and Cambiaro, C.L. (1977):**
Circulating immune complexes in normal human pregnancy
Nature, 266, 542.
- McEwan, H.P. (1968):**
Investigation of proteinuria in pregnancy by immuno electrophoresis.
J. Obst. and Gyn. of Brit. COMNLTH. 75, 289.
- Medcalf, R.L.; Kuhn, R.J.; Iwanov, Mathews, J.D. and Moulds, R.F. (1983):**
Vaso-activity generated from platelets by immune complexes in pre-eclampsia.
Clin. Exp. Pharmacol. Physiol. May-Jun; 10 (3):369-73.
- Mekori, Y.A.; Becker, M.; Moalm, I.; Schneider, A.; Bott, G. and Klajman, A. (1981):**
Immunological features of pre-eclampsia increased frequency of antilymphocyte antibodies, but not of immune complexes.
Isr. J. Med. Sci. Nov., 17 (11): 105-5.

- Meuer, S.; Hussey, R.E.; Penta, A.C.; Fitzgerald, K.A.; Stadler, B.M.; Schlossman, S.F. and Reinherz, E.L. (1982a):
Cellular origin of interleukin 2 in man : Evidence for stimulus restricted IL-2 production by T4+ and T8+ lymphocytes.
J. Immunol. 129 : 1076.
- Meuer, S.C.; Schlossman, S.F. and Reinherz, E.L. (1982b):
Clonal analysis of human cytotoxic T-lymphocytes: T4+ and T8+ effector T-cell recognize products of different MHC regions.
Proc. Natl. Acad. Sci. USA, 79 : 4395-98.
- Meuer, S.C. Acuto, O.; Hussey, R.E.; Hodgdon, J.C.; Fitzgerald, K.A.; Schlossman, S.F. and Reinherz, E.L. (1983a):
Evidence for the T3 associated 90 K heterodimer as the T-cell antigen receptor.
Nature 303:808-10.
- Meuer, S.C.; Fitzgerald, K.A.; Hussey, R.E. Hodgdon, J.C.; Schlossman, S.F.; Reinherz, E.L. (1983b):
Clonotypic structures involved in antigen specific human T-cell function.
J. Exp. Med. 157 : 705.
- Mingari, M.C.; Moretta, L. and Morretta, A. (1978):
Fc receptors for IgG and IgM on human T-lymphocytes.
J. Immunol. 121 : 767.
- Mohagheghpour, N.; Benike, C.J.; Kanas, G.S.; Bieber, C. and Engleman, E.G. (1983):
Activation of antigen specific suppressor T-cells in the presence of cyclosporin A requires interactions between T-cells of inducer and suppressor lineage.
J. Clin. Invest. 72 : 2092.
- Moore, M.P.; Carter, N.P.; Redman, C.W. (1983):
Lymphocyte subsets in normal and pre-eclamptic pregnancies.
Br. J. Obstetric Gynecol. Apr.; 90 (4) : 326-31.
- Moretta, L.; Ferrarini, M. and Durante, M.L. (1975):
Expression of a receptor for IgM by human T-cell in vitro.
Eur. J. Immunol 5 : 565.
- Moretta, L.; Mingari, M.C. and Romanzi, C.A. (1978):
Loss of Fc receptors of IgG from human T-lymphocytes exposed to IgG immune complexes.
Nature, 272 : 168.

- Moretta, L.; Mingari, M.C.; Moretta, A. (1979):**
Human T-cell subpopulations in normal and pathologic conditions.
Immunol. Rev. 45 : 163.
- Morimoto, C.; Reinherz, E.L.; Borel, Y. and Schlossman, S.F. (1983):**
Direct demonstration of the human suppressor inducer subset by anti-T-cell antibodies.
J. Immunol. 130 : 157.
- Morse, J.H.; Stearns, G. and Arden, J. (1976):**
The effect of crude and purified human gonadotrophin on in vitro stimulated human lymphocyte culutres.
Cell Immunol. 25 : 178.
- Murgita, R.A. and Tomasi, T.B. (1975a):**
Suppression of immune response by alpha fetoprotein I. primary and secondary response.
J. Exp. Med. 141 : 269.
- Murgita, R.A. and Tomasi, T.B. (1975b):**
Suppression of the immune response by alpha fetoprotein II. MLR and mitogen-induced lymphocyte transformation.
J. Exp. Med. 141 : 440.
- Nahamis, A.J. Josey, W.E. and Naib, Z.M. (1971):**
Perinatal risk associated with maternal genital herpes simplex virus infection.
Am. J. Obstet. Gynec. 110, 825.
- Need, J.A. (1976):**
Some immunological aspects of pre-eclmpsia.
Perspect Nephrol. Hypertens, 5 : 169-76.
- Need, J.A.; Jenkins, D.M. and Scott, J.S. (1976):**
The response of lymphocytes to PHA in women with pre-eclampsia.
Br. J. Obstet. Gynaecol. 83 : 438.
- Oldstone, M.B. (1975):**
Quoted from WHO (1977) the role of immune complexes in disease Tech. Rep. Serr Wld Hlth Org. 606.
Progress in medical virology 19 : 84.
- Oppenheim, J.J. and Schechter, B. (1980):**
Lymphocyte transformation in Manual of clinical immunology. "Ed. Rose. N.R. and Friedman, H.; American Society for Microbiology.
Washington Ch. 28 . P. 233-245.
- Pasca, A.S. (1977):**
Impairment of immunity during pregnancy and antiviral effect of amniotic fluid. Lancet 1 : 330.

- Pattillo, R.A. (1980):
Histocompatibility antigens in pregnancy, abortions,
infertility, pre-eclampsia and trophoblast neoplasms.
Am. J. Reprod. Immunol. I (1) : 29-34.
- Paul, W.E. (1984):
Fundamental immunology.
New York, Raven Press, 1984. A general textbook of basic
immunologic mechanisms.
- Perlamann, P. Perlmann, H.; Moretta, L. (1981):
Regulation of antibody dependent cellular cytotoxicity
in vitro by IgM antibody.
Scand. J. Immunol. 14 : 57.
- Petrie, H.T.; Klassen, L.W. and Kay, H.D. (1985):
Inhibition of human cytotoxic T lymphocyte activity in
vitro by autologous peripheral blood granulocytes.
J. Immunol. 134:230.
- Petrucchio, O.M.; Thomson, N.M.; Lawrence, J.R. and Weldon,
M.W. (1974):
Immunofluorescent studies in renal biopsies in pre-
eclampsia.
Brit. Med. J. I., 473.
- Petrucchio, O.M.; Seemark, R.F.; Holmes, K.; Forbes, I.J. and
SSymons, R.G. (1976):
Changes in lymphocyte function during pregnancy.
Brit. J. Obst. Gyn. 83 : 245.
- Pope, R.M.; Yoshinoya, S. and Persellin, R.H. (1982):
The detection of circulating immune complexes and IgG
and IgM rheumatoid factors in normal human pregnancy.
Am. J. Reprod. Immunol. 2 : 208.
- Pritchard, J.A. and MacDonald, P.C. (1980):
Hypertensive disorders in pregnancy, P, 665 Williams
Obst. 16 th edn. Appleton, Century-Crafts (Norwalk).
- Pritchard, J.A.; MacDonald, P.C. and Grants, N.F. (1985):
Hypertensive disorder in pregnancy P. 525 Williams Obst.
17 th edn. Appleton-century - crafts (Norwalk
connecticut).
- Puck, J.M. and Rich, R.R. (1984):
Regulatory interactions governing the proliferation of T
cell subsets stimulated with pokeweed mitogen.
J. Immunol. 132 : 1106.
- Pulm, J.; Thiery, M. and Sabbe, L. (1978):
Distribution of mononuclear cells during pregnancy.
Clin. Exp. Immunol. 31 : 45.

- Pure, E.; Isakson, P.C. Kappler, J.W.; Marrack, P.; Krammer, P.H. and Vitetta, E.S. (1983):
T-cell-derived B-cell growth and differentiation factors.
J.Exp. Med. 157 : 600.
- Purtilo, D.T.; Hallgren, H.M. and Yunis E.J. (1972):
Depressed maternal lymphocyte response to phyto haemagglutinin in human pregnancy.
Lancet, I : 769.
- Quintans, J. and Dick, R.F. (1983):
B-cell destruction by T-cell driven factors.
J. Immunol. 131 : 1609.
- Raab, W.; Schraeder, G.; Wagner, R.; and Gige, W. (1956):
Vascular reactivity and electrolytes in normal and toxæmic pregnancy.
J. clin. Endocrinol. 16: 1196.
- Ramon, R. (1982):
Pre-eclampsia-eclampsia and other gestational edema-proteinuria-hypertension disorders (GEPH).
In : Benson R.C. Current obstetric and gynecologic diagnosis and treatment. Los Altos, California ; Lange Medical Publication, 738-55.
- Redman, C.W. and Sargents, I.L. (1986):
Immunological disorders of human pregnancy.
Oxford Rev. Reprod. Biol., 8 : 223-65.
- Reinherz, E.L. and Kung, P.C. (1980):
A monoclonal antibody reactive with the human cytotoxic suppressor T-cell subset previously defined by a hetero-antiserum termed TH2.
J. Immunol 124 : 1301.
- Reinherz, E.L.; and Schlossman, S.F. (1980a):
The differentiation and function of human T. lymphocytes.
Cell, 19 : 821.
- Reinherz, E.L. and Schlossman, S.F. (1980b):
Regulation of the immune response inducer and suppressor T-lymphocyte subsets in human beings.
N. England J. Med. 303 : 370.
- Reisner, Y. Linker-Israeli, N. and Sharon, N. (1976):
Separation of mouse thymocytes into two subpopulations by the use of peanut agglutinin.
Cell. Immunol. 25:129.

- Robertson, W.B.; Borsevis, I. and Dixon, H.G. (1975):
uteroplacental vascular pathology.
European Journal of obstetrics, Gynaecology and
Reproductive Biology 5 : 47.
- Rocklin, R.E.; Bendtzen, K. and Greineder, D. (1980):
In advances in immunology (E.J. Dixon and H.G. Kunkel,
Eds,) Vol. 28, P. 55. Academic press, New York.
- Rocklin, R.E. (1983):
Mediators of cellular immunity. Basic and clinical
immunology P. 97:4th edn. Lange.
Medical publications, Los Altos, California.
- Rosenthal, A.S. and Shevach, E.M. (1973):
Function of macrophage in antigen recognition by guinea
pig T lymphocytes. I. Requirements for histocompatible
macrophages and lymphocytes.
J. Exp. Med. 138:1194.
- Rote, N.S. and Caudle, M.R. (1983):
Circulating immune complexes in pregnancy, pre-eclampsia
and autoimmune disease : evaluation of Raji cell enzyme-
linked immunosorbent assay and polyethylene glycol
precipitation methods.
Am. J. Obstet. Gynecol. Oct. 1; 147 (3): 267-73.
- Said, M.E.; Campbell, D.M.; Azzam, M.C. and MacGillivray, I.
(1984):
Beta-human chorionic gonadotropin levels before and after
the development of pre-eclampsia.
Br. J. Obst. Gyn. 91 : 772.
- Sargent I.L.; Redman, C.W.; and Stirratt, G.M. (1982):
Maternal cell mediated immunity in normal and
pre-eclamptic pregnancy.
Clin. Exp. Immunol Dec. 50 (3), 601-9.
- Scala, G.; Allavena, P.; Djou, J.Y.; Kasakara, T.; Ortaldo,
J.R.; Herberman, R.B.; and Oppenheim, J.J. (1984):
Human large granular lymphocytes are potent producers of
interleukin-1. Nature 309 : 56.
- Schechter, B.; Segal, S. and Feldman, M. (1978):
Generation of Suppressor lymphocytes during
sensitization in culture, affinity chromatography on
insolubilized histamine.
J. Immunol. 120:1268.
- Schena, F.P.; Selvaggi, L.; and Manno, C. (1978):
Role of immune complexes and complement in normal
pregnancy and EPH Gestosis. In "Recent advances in EPH
Gestosis" Ed. by Mahran and Rippman, Shoreview, Press,
Cairo.

- Schena, F.P.; Manno, C.; Selvaggi, L.; Loverro, G.; Bettocchi, S. and Bonom, L. (1982):
Behaviour of immune complexes and the complement system in normal pregnancy and preeclampsia.
J. Clin. Lab. Immunol. Jan. 7 (1) : 21-6.
- Schrader, J.W.; Lewis, S.J.; Clark Lewis, I. and Culvenor, J.G. (1981):
The persisting (P) cell : histamine content, regulation by a T-cell : histamine content, regulation by a T-cell derived factor, origin from a bone marrow precursor and relation-ship to mast cells.
Proc.Natl.Acad.Sci.USA 78:323.
- Scott, J.R. and Beer, A.A. (1976):
Immunologic aspects of pre-eclampsia.
Am. J. Obst. Gyn. 125, 418.
- Scott, J.S. and Jenkins, D.M. (1976):
Immunogenic factors in etiology of pre-eclampsia /eclampsia (gestosis).
J. Med. Genet, 13, 200.
- Scott, J.S.; Jenkins, D.M. and Need, J.A. (1978):
Immunology of pre-eclampsia.
Lancet, Apr. 1,1 (8066): 704-6.
- Septz, S. (1965):
Quoted from browne, J.C.; Mcc and Dixon, G. "Antenatal care "J. and A. Churchill, Linvingstone".
- Seymour, A.E. Petrucco, O.M.; Clarkson, A.R.; Haynes, W.D.; Lawrence, J.R.; Jackson, B.; Thompson, A.J.; Thomson, N.M. (1976):
Monophological and immunological evidence of coagulopathy in renal complications of pregnancy.
Perspect. Nephrol Hypetens, 5 : 139-53.
- Siegel, M. and Greenberg, M. (1955):
Incidence of poliomyelitis in pregnancy.
New England Journal of Medicine 253:841.
- Simmons, R.L. (1969):
Histocompatibility and the survival of the fetus.
Transpl. Proc. I : 47.
- Smith, J.K.; Caspary, E.A. and Field, E.J. (1972a):
Lymphocyte reactivity to antigen in pregnancy.
Am. J. Obstet-gynaec. 113 : 602.
- Smith, J.K. Caspary, E.A. and Field E.J. (1972b):
Immune responses in pregnancy.
Lancet 1 : 96.

- Spargo, B.H.; Lichting, C.; Luger, A.M.; Katz, A.I.;
Lundhemier, M.R. (1976):
The renal lesion in preeclampsia : P. 129. In :
"Hypertension in pregnancy" Eds. Ludhemer, A., Katz,
A.I., Luspan, F.P. New York, John, Wiley.
- Sridama, V.; Pacini, F.; Yang, S.L.; Moawad, A. Reilly, M.
and Degroot, L.J. (1982):
Decreased levels of helper T-cells : A possible cause
for immuno deficiency in pregnancy.
N. Engl. J. Med. 307 : 352.
- Sridama, V.; Yang, S.L.; Moaward, A. and Degroot, L.J. (1983):
T-cell subsets in patients with preeclampsia.
Am. J. Obstet Gynaecol. 147 : 566.
- Stevenson, A.C.; Davidson, BCC (1971):
Contribution of fetal/maternal incompatibility to
aetiology of pre-eclamptic toxemia Lancet : ii 1286-89.
- Stimson, W.H.; McAdam, A.; Hutchison, R.S. (1981):
An assay for antigen-antibody complexes in human sera
using Clq-enzyme conjugates.
J. Clin. Lab. Immunol. Mar. 5 (2) : 129-31.
- Stirrat, G.M.; Redman, C.W.G. and Levinsky, R.J. (1978):
Circulating immune complexes in preeclampsia.
Brit. Med. J. I, 450.
- Strelkauskas, A.J. Davies, I.J. and Dray, S. (1978):
Longitudinal studies showing alteration in the levels
and functional response of T and B lymphocytes in human
pregnancy.
Clin. Exp. Immunol, 32 : 531.
- Studd, J.W. (1971):
Immunoglobulins in normal pregnancy, pre-eclampsia and
pregnancy complicated by nephrotic syndrome.
J. Obstet. Gynaecol. Br. Commonw 78:786.
- Studd, J.W.; Shaw, R.W. and Bailey, E.D. (1972):
Maternal and foetal serum protein concentrations in
normal pregnancy and pregnancy complicated by
proteinuria preclampsia.
Am. J. Obstet. Gynaecol. 114 : 582.
- Sulovic, V. and Poljakovic, L. (1973):
Immunoglobulins (IgG, IgM and IgA) in normal and high
risk pregnancy.
Acta. Eur. Fertil. 4 : 89.

- Suzuki, K. and Tomai, T.B. (1979):
Immune responses during pregnancy. Evidence of
suppressor cells for splenic antibody response.
J. Exp. Med. 150:898.
- Talledo, O.E.; Chesley, L.C.; Zuspan, F.P. (1968):
Renin-angiotensin system in normal and toxæmic
pregnancies. II. Differential sensitivity to angiotensin
II and norepinephrine in toxæmia of pregnancy.
Am. J. Obstet. Gynaecol. 100:218.
- Taufield P.A.; Suthanthirian, M.; Ales, K.; Druzin, M.;
Resniki, L.M.; Laragh, J.H.; Stenzel K.H. and Rubin,
A.L. (1983):
Maternal-fetal immunity : presence of specific cellular
hyporesponsivenesses and humoral suppressor activity in
normal pregnancy and their absence in preeclampsia.
Clin. Exp. Hypertension (B) 2 (1) : 123 - 31.
- Teinsner, B.; Hay, J. and Tucker, M. (1982):
Circulating, C3c and C3d during normal pregnancy.
Am. J. Reprod. Immunol 2 : 309.
- Theofilopoulous, A.N.; Gleicher, N.; Pereua, A.B. and Dixon,
F.J. (1981):
The biology of immune complexes and their possible role
in pregnancy.
Am. J. Reprod. Immunol. 1:92.
- Thomas, Y.; Sosman, J.; Lrigogen, O.; Friedmann, S.M.; King,
P.C.; Goldstein, G. and Chess, L. (1980):
Functional analysis of human T-cells subsets defined by
monoclonal antibodies. I-collaborative T-T interactions
in the immuno regulatory of B-cell differentiation.
J. Immunol. 125:2402.
- Thomson, D.; Paterson, W.G. and Smart, C.E. (1972):
The renal lesions of toxæmia and abruptio placenta
studied by light and electron microscopy.
Journal of obstetric and Gynaecology of the British
Commonwealth 79 : 311.
- Thomson, N.C. Stevenson, R.D.; Behan, W.M.; Sloan, D.P. and
Horne, C.H.W. (1976):
Immunological studies in pre-eclampsia toxæmia.
Brit. Med. J. I, 1307.
- Thong, Y.H.; Steele, R.W. and Vincet, M.M. (1973):
Impaired invitro cell-mediated immunity to rubella virus
during pregnancy.
N. Engl. J. Med. 289, 604.

- Tiilikainen, A.; Schroder, J. and DeLa Chapelle, A. (1974):
Foetal leucocytes in the maternal circulation after
delivery. II. Masking of HL-A antigens.
Transplant, 17, 355.
- Ting, C.; Yang, S.S. and Hargroove, M.E. (1984):
Induction of suppressor T-cells by interleukin-2.
J. Immunol. 133 : 261.
- Tizard, I.R. (1988):
Immunology an introduction.
2 nd ed. by W.B. Saunders Company.
- Trevino, R.J. and Sanjose, R. (1981):
Immunologic mechanisms in the production of food
sensitivities.
Larngoscope 91:1913.
- Tribe, C.R.; Smart, G.E.; Davies, D.R. and Mackenzie, J.C.
(1979):
A renal biopsy study in toxemia of pregnancy.
Journal of clinical pathology, 32 : 681.
- Ugazio, A.G.; Altamura, D.; Giraudi, V.; Mingrat, G.;
Belloni, C.; and bargio, G.R. (1976):
Peripheral blood T-lymphocyte subpopulations in
newborns.
Boll. 1st. Sieroter Milan. 55 : 451.
- Van Hoof, J.P., Kalff, M.W.; Van Paelgest, A.E.; Persijn,
G.G. and Van Rood, (1976):
J. Transplantation 22 : 306 Quoted from Lancet April, I
1978.
- Wagner, H.; Rollinghoff, M.; Pfizenmaier, K.; Hardt, C. and
Jonscher, G. (1980):
T-T cell interactions during in vitro cytotoxic T-
lymphocyte responses.
J. Immunol. 124 : 1058.
- Walker, J. MacGillivray, I. and Macnaughton, M.C. (1976):
Combined textbook of obstetrics and Gynaecology. 9 th
ed. Edinburgh: Longman group limited, 1976, 173-92.
- Webb, D.R. and Winkelstein, A. (1983):
Immunosuppression, Immunopotential and anti-
inflammatory drugs. Basic and clinical immunology P.
289, 4 th edn.
Lange, Medical publications Los Altos, California.
- Weigle, W.O. (1961):
Quoted from WHO (1977) immune complexes in disease
Tech. Rep. Ser Wld. Hlth. Org. 606.
Advances in immunology 1 : 283.

- Weinstein, Y. (1981):
Expression of 20 alpha hydroxy-steroid dehydrogenase in the mouse marrow cells:
Strain differences, thymic effect on enzymatic activity and possible localization in pre-T. Lymphocytes.
Thymus, 2 : 305.
- Weinstein, L. (1982):
Syndrome of haemolysis, elevated liver enzymes and low platelet count : a severe consequence of hypertension on pregnancy.
Am. J. Obst. and Gyn. 142 : 159.
- Weir, D.M. (1983):
Immunology. An outline for students of medicine and biology 5 th edn. The English language book society and churchill livingstone. Edinburgh, London. Melbourne.
- Weir, R.J. (1979):
Hypertension and pre-eclampsia in pregnancy.
In: Ian Donald ed. Practical obstetric problems, 5 th ed.
London : Lloyd. Luke Ltd, 284-320.
- Werthamer, S.; Govindaraj, S. and Amaral, L. (1976):
Placenta, transcortin and localized immune response.
J. Clin. Invest. 57 : 1000.
- West, W.H.; Sienknecht, C.W. and Towners, A.S. (1976):
Performance of a rosette assay between lymphocytes and sheep erythrocytes at elevated temperature to study patients with cancer and other diseases.
Clin. Immunol. Immunopath. 5 : 60.
- William, W.J.; Beutler, E.; Erslev, A.J.; Rundles, R.W. (1977):
Haematology 2 nd. edn.
McGraw-Hill Book Company A Blakiston Publication.
- Winchester, R.J. and Ross, G. (1976):
Methods for enumerating lymphocytes populations Manual of Cli. Imm. P. 64 - 76.
American Society Microbiology. Washington, D.C.
- Wohlert, M.; Solling, J.; Pedersen, E.B.; Johannessen, P.; Kristensen, S. Lauritsen, J.G.; Rasmussen, A.B. (1984):
Circulating immune complex and hypertension in pregnancy.
Acta Obstet Gynaecol Scand 63 (7): 609-11.
- Yang, S.L.; Kleinman, A.M. and Wei, P.Y. (1975):
Immunologic aspects of term pregnancy toxemia.
A study of immunoglobulins and complement.
Am. J. Obstet. Gynaecol. 122 : 727.

- Yang, P. and Moore, M.A.s. (1982):
Long-term in vitro culture of murine mast cells III.
Discrimination of mast cell growth factor and
granulocyte CSF.
J. Immunol. 129 : 1256.
- Zinkernagel, R.M.; Doherty, P.C. (1979):
MHC-restricted cytotoxic T-cells.
Adv. Immunol. 27 : 51 - 177.
- Zuspan, F.P. (1978):
Problems encountered in the treatment of pregnancy
induced hypertension.
Am. J. Obst. Gyn. 131 : 591.