

REFERENCES

- Abdel Rahim F, Yones MN and Abou El Saad AA. (1989)**
Urethral syndrome in females. In : 24th Annual Congress of the Egypt.
Urol. Asso.
- Addiss DG, Vaughn ML, and Hozhueter MA. (1987)**
Detection of *C. trachomatis* antibodies. J. Clin. Path, 13: 78-93.
- Alexander JJ. (1968)**
Separation of protein synthesis in meningo-pneumonitis agent from that
in L-cells by differential susceptibility to cycloheximide. Microbiol.; 95:
327-32.
- Allaniand Pearcef (1979)**
Improved isolation of *C. trachomatis* J. Clin. Microbi 31: 292-5.
- Amortegui AI, and Mayer MP (1985)**
Enzyme immunoassay for detection of *C. trachomatis* from the cervix.
Obstet. Gynecol. 65: 523-526.
- Ault KA, and Faro S. (1993)**
Pelvic inflammatory disease. Postgrad Med.; 93(2); 85-6, 89-91.
- Bailey F, and Scott G. (1986)**
Diagnostic Microbiology 8th ed by C.V Mosby comp. Toronto P. 134-56.

- Banks J, Eddie B, and Sung M** (1970).
Plane reduction technique for demonstrating neutralizing antibodies for Chlamydia. Infect Immun. 2: 443-7.
- Barnes, RC.** (1989)
Laboratory diagnosis of human chlamydial infections. clin. Microbiol Rev., 2(2) : 119-136.
- Baron CR, and Fineodi BG.** (1990)
Diagnostic Microbiology. chlamydia ch. 38 P. 351-72. 8th ed by Cippincott comp. New York.
- Barwell CF.** (1952)
Some observations on the antigenic structure of psittacosis and lymphogranuloma virus II. Br J Exp Pathol; 33: 268-79.
- Becker Y.** (1974)
The agent of Trachoma. Monographs in Virology Vol. 7 P 1-99. J L. Menlick. (ed) Basel Skanger.
- Bedson, J. Quoted from Jones BR.** (1937)
Ocular syndromes of C. trachomatis. Br. J. vener Dis (1964) 40: 3-15.
- Bedson SP, Western GT, and Simpson SL.** (1930)
Observation on the aetiology of psittacosis. Lancet; 1:235-6.
- Beem MO, and Saxon EM.** (1977)
Respiratory tract colonization and a distinctive pneumonia syndrome in infants infected with Chlamydia trachomatis. N Engl. J Med ; 296: 306-10.
- Bell SD, Synder JC, and Murray ES.** (1959)
Immunization of mice against toxic doses of homologues element bodies of trachoma. Science; 130: 626-27.

- Bernkopf H, and Orfila J., and Maythar G. (1966)**
Fluorescent antibodies in the fluid of the conjunctival sac of trachoma patients. *Nature*; 209: 725-6.
- Bjercke S and Purvis K (1992)**
Chlamydia serology in the investigation of infertility. *Hum Reprod.*; 7(5): 621-4.
- Blythe Mj, Katz BP and Batteiger BE (1992)**
Recurrent genitourinary Chlamydial infections in sexually active female adolescents. *J Pediatr.* , 121(3): 487-93.
- Boisvert R, Cote A, and Poulin A. (1993)**
Prevalence of cervical Chlamydia trachomatis infection in a female population seeking contraception counseling. *Can Med Assoc J.* ;15; 148(2): 191-5.
- Bose SK, and Liebhaber H. (1979)**
Deoxyribonucleic acid synthesis, cell cyclic progression and division of Chlamydia infection Hela 229 cells. *Infect* ; 24(3): 953-57.
- Byrne GL. (1976)**
Requirements for ingestion of Chlamydia Psittaci by mouse fibroblasts (L-cells). *Immun.*; 14: 645-51.
- Caldwell HD, Kromhout J, and Schachter J. (1981)**
Purificat partial characterization of the Major Outer Membrane Protein of C. trachomatis. *Infect Immun.* ; 31: 1161-76.
- Campbell LA, Patton DL and Moore DE. (1993)**
Detection of Chlamydia trachomatis deoxyribonucleic acid in women with tubal infertility. *Fertil steril.*; 59 : 45-50.
- Carroll JC. (1993)**
Chlamydia trachomatis during pregnancy. *Can. Fam. Physician. Med. Fam. Can.* 39: 97-102.

- Cavenini, R, Sarov RF, and Rumpianesi F. (1984)**
Serum specific IgA antibody to *C. trachomatis* in patients with chlamydial infections detected by EIA and an IF test. *J. Clin. Pathol.*, 37: 686-91.
- Cavenini R, Costa S, and Rumpianesi F. (1981)**
Cytological and Histopathological abnormalities of the cervix in general *Chlamydia trachomatis* infections. *Br J Vener Dis.*; 57: 34-37.
- Centers for Disease control. (1985)**
Chlamydia trachomatis infections; policy guidelines for prevention and control. *MMWR*, 34 (suppl 3) : 53-745.
- Certin R., Thelin I, and Zeeberg AM. (1992)**
C. trachomatis in genital system of women had repeated abortions. *Genito urin Med.* 67: 120-36.
- Chernesky MA; Mahony JB; and Castriciano S; (1986)**
Detection of *C. trachomatis* antigens in genital specimens *J. Clin. Path.* 32: 325-42.
- Cloud GA, Baker SL and Pass MA. (1993)**
Chlamydial infection and sexual behavior in young pregnant teenagers. *Sex Transm Dis.*; 20(1): 45-50.
- Coleman R, Hobson C., and Krech F. (1989)**
Detection of antibodies of *C. trachomatis* *J. Clin. Microb.* 15: 941-59.
- Collee C, Alane F. and Rice J. (1989)**
Methods of *chlamydia* detection *J. Microbi.* 16: 310-26.
- Collier M., Alex D. and Cetin R. (1992)**
Chlamydia infect. *Br Med Bull* 39: 109-15.

- Darougar S, Jones BR, and Kinnison JR. (1977)**
Chlamydial infection; advances in the diagnostic isolation of Chlamydia.
Br J Vener Dis; 70: 367-74.
- Darougar S. Jones BR, and Kinnison JR. (1972)**
Chlamydia, including TRIC agent, from the eye, genital tract, and rectum.
Br J. Vener Dis; 48: 416-20.
- Davies JA, Rees E, and Hobson D. (1978)**
Isolation of Chlamydia trachomatis from Bartholin's ducts. Br J Vener Dis;
54: 409-13.
- De Punzio C, Neri E, and Metelli P. (1992)**
Epidemiology and therapy of Chlamydia trachomatis genital infection in
women. J Chemother. 4(3), 163-6.
- Duke Elder WS. (1965)**
System of ophthalmology. London Henry Kimpton. Volume VIII. Part 1;
254-303.
- Dunlop EM, Darougar S, and Hare MJ. (1972)**
Isolation of Chlamydia from the urethra of a women. Br Med J; 2: 386.
- Dunlop EM, Har MJ, and Darougar S. (1971).**
Chlamydial isolates from the rectum in association with Chlamydial
infection of the eye or genital tract. Excerpta Medica.; 507-12.
- Fan VS, and Jenkin HM. (1970)**
Glycogen metabolism in Chlamydia infected Hela cells. J Bacteriol; 104:
608-9.
- Forsey JR and Dorougar Rc. (1987)**
Chlamydia trachomatis infection. cytology, culture, and treatment Appl.
microb. 12: 314-41.

- Francis RA, and Abbas AM. (1985)**
Fluorescent conjugated monoclonal antibodies to detect *C. trachomatis* in smears. *Lancet.*, 27: 222-223.
- Friis RB. (1972)**
Interaction of L-cells and *C. psittaci*: *J Bacteriol*; 110: 706-21.
- Garett AJ, Harrison MJ, and Manire GP. (1974)**
A search for the bacterial mucopeptide, muramic acid in *Chlamydia*. *J Gen Microbiol*; 80: 315-18.
- Ghadirian FD.and Robson HG. (1979)**
Chlamydial trachomatis genital infections. *Br J Vener Dis*; 55: 415-18.
- Gordan FB, and Quan AL. (1965-a)**
Occurrence of glycogen in inclusions of the psittacosis lymphogranuloma venereum *Trachoma*. *J Infect dis*; 115: 186-96.
- Gordan FB ,and Quan AL. (1965-b)**
Isolation of the trachoma agent in cell culture. *Proc Exp Biol Med* ; 118: 354-9.
- Gordan FB, Magruder GB, and Quan AL. (1963)**
Cell culture for detection of trachoma virus from experimental simian infections. *Proc Soc Exp Biol Med* ; 112: 236-42.
- Gravett MG, Nelson HP, and DeRouen T. (1986)**
Independent Associations of bacterial vaginosis and *C. trachomatis* infection with adverse pregnancy outcome. *JAMA.*; 256: 1899-1903.
- Grayston J.T, Kuo C C, and Wang. S.P. (1968)**
A new *Chlamydia psittaci* strain TWAR, isolated from acute respiratory tract infections. *New England Journal of medicine*. 315: 161-168.

Grayston JT, and Wang SP.

(1975)

New knowledge of Chlamydia and the diseases they cause. J Infect Dis; 132: 87-105.

Halberstaedter L, and Von Prowazek S

(1978)

Über Zellein schlusse parasitärer nature beim Trachoma. Arb Gesundheitsa, (1907) XXVI : 44-47. Quoted from : Human Chlamydial infections Littleton Massachusetts : PSG Publishing Company, Inc.,

Hallerstrom S, and Wassen E.

(1930)

Quoted from Taylor Robinson D, Thomas BJ. The role of Chlamydia trachomatis in genital tract and associated diseases. J Clin Pathol (1980); 33: 205-33.

Hammerschlag MR, Rettig PJ, and shields ME

(1988)

False +ve results with the use of chlamydial antigen detection test in the evaluation of suspected sexual abuse in children. Pediatr. Infect. Dis (1) : 11-4.

Hanafy N M, Zaki S, and Malaty R.

(1984)

Isolation of C. trachomatis from cases of cervicitis. J Egyptian Pub Health Assoc; LIX (3,4) : 73.

Handsfield HH, Jasman LL, and Roberts PL.

(1986)

Criteria for selective screening for C. trachomatis infection in women attending family planning clinics, JAMA., 255: 1730-4.

Hanna L.

(1977)

Microscopic demonstration of Chlamydial inclusions by Giemsa, Iodine or Immunofluorescence stain. Microbiology,;18: 266-71.

Hanna L, Okumoto M, and Thygeson P.

(1965)

TRIC agents isolated in the United States. Proc Exp Biol Med ; 119: 722-8.

Hanna L, Dawson CR, and Briones O.

(1968)

Latency in human infection with TRIC agents. J Immunol ; 101: 43-50.

- Hanna L, schmidt L. and Sharp M. (1979)**
Human cell mediated immune response to chlamydial antigens. Infect Immun; 23: 421-7.
- Hare MJ, and Thin RN. (1983)**
Chlamydial infection of the lower genital tract of women. Br Med Bull; 39(2): 138-44.
- Hare RE. and Thin CF. (1990)**
Methods for detection of C. trachomatis J. Micro. 16: 120-45.
- Harrison HR, Alexander ER, and Chiang W T. (1979)**
Experimental nasopharyngitis and pneumonia caused by significantly trachomatis in infant baboons : J infect Dis ; 139: 141-6.
- Hart G (1992)**
Factors associated with genital Chlamydial and gonococcal infection in females. Genitourin MED.; 68(4): 217-20.
- Hatch TP. (1975)**
Utilization of L-cells nucleoside Triphosphates by Chlamydia psittaci for ribonucleic acid synthesis. J., Bacteriol; 122: 393-400.
- Hatch TP, Vance DW, and AL Hossainy E. (1981)**
Identification of a major envelope protein in Chlamydia. J. Bacteriol; 146: 426-29.
- Heggi AD, Lumicao GG, and Stuart LA. (1981)**
Chlamydia trachomatis infection in mothers and infants Am J Dis Child ; 135: 507-11.
- Hilton AL, Richmond SJ, and Milne JD. (1974)**
Chlamydia A in the female genital tract. Br J Vener Is ; 50: 1-10.

- Hobson C., Addiss F. and sheth R.** (1982)
C. trachomatis infection. J. Infect. Dis 150: 577-82.
- Hobson D, Johnson FWA, and Rees E.** (1974)
Simplified method for diagnosis of genital and ocular infections with Chlamydia. Lancet; 2: 555-56.
- Hobson D, Lee N and Quayle E.** (1982)
Methods of detection of chlamydia trachomatis. Lancet, 2, 872-873.
- Hossain OM.** (1987)
Detection of C. trachomatis by different staining methods. Microb. 17: 82-103.
- Howard LV, O'Leary MP, and Nichols RL.** (1976)
Animal model studies of genital chlamydial infection conjunctivitis agent in the urethra and eye of male guinea pigs. Br J. Vener Dis.; 52: 261-5.
- Howard C, Friedman L, and Leete JK** (1991)
Correlation of the percent of positive Chlamydia trachomatis direct fluorescent antibodies detection tests with the adequacy of specimen collection. Diagn Microbiol Infect Dis.; 14(3): 233-7.
- Igietsne JU, and Rank RG.** (1991)
Susceptibility to reinfection after a primary chlamydial genital infection is associated with a decreased of antigen specific T-cells in the genital tract. Infect. Immun., 59(4) : 1346-1351.
- Ismail MA, Pridjian G, and Hibbard JU.** (1992)
Significance of positive cervical culture for Chlamydia trachomatis patients with preterm premature rupture of membranes. Am. J. perinatol. , 9 (5-6).

- Ito. JI, Harrison, H.R., and Alexander; E.R.. (1984)**
Establishment of genital tract infection in the mouse by intra-vaginal inoculation of a human oculogenital isolates of *C. trachomatis*. J. infect. Dis., 150(4) : 577-82.
- Johnson F., Alan G. and Alex D. (1982)**
Cytology as a guide to detect Chlamydia inclusions. Genitourin. 67: 120-124.
- Joklik WK, Willett HP, and Amos DB (1992).**
Chlamydia; Zinsser Microbiology, ch 52 P. 609-616 19th ed. Prentice Hall international Inc.
- Jones, RB; Brabara, VD, and Katz, BB (1989)**
Effect of differences in specimen processing and passage technique on recovery of *C. trachomatis*. J. clin. Microbiol, 27 (5) : 894-98.
- Jones BR, and Treharne JD. (1974)**
Micro-immunofluorescence type specific serological tests for Chlamydial infection. Proc. R Soc Med; 67: 735-36.
- Jones BR, Collier LH, and Smith CH (1959).**
Isolation of virus from inclusion blennorrhoea. Lancet ; 1: 92-5.
- Jones BR. (1974)**
Laboratory tests for Chlamydial infection: Their role in epidemiologic studies of trachoma and its control. Br J Ophthalmol (1974); 58: 438-54.
- Kingsbury DT, and Weiss E. (1968)**
Lack of deoxyribonucleic acid homology between species of the genus *Chlamydia*. J Bacteriol; 96: 1421-3.
- Krech F., Coleman R, and Ripa B. (1989)**
Serological tests for diagnosis of *C. trachomatis* J. Clin. Microb. 14: 937-939.

- Krieg N R, and Holt J.** (1985)
Chlamydia in Systematic Bacteriology vol.: 1 sec. 9, P. 729 edited by Williams & Wilkins Baltimore, London.
- Kuo CC, Wang SP, and Wentworth BB.** (1972)
Primary isolation of TRIC organisms in Hela 229 cells treated with DEAE dextran J. Infect Dis; 125: 665-6.
- Kuo CC, Wang SP, and Grayston JT.** (1973)
Effect of polycations, polyanions and neuraminidase on the infectivity of trachoma inclusion conjunctivitis and lymphogranuloma venereum organisms in Hela cells: Infect Immun; 8: 74-9.
- Lee. M.I., New nan D.M. and Garland, S.M..** (1988)
Simplified culture procedure for large scale screening for C. trachomatis infections. J. Clin. Microbiol. 26: 1428-1430.
- Lefebvre, J., H. Laperrere, and H. Rousseau.** (1988)
Comparison of three techniques for detection of Chlamydia trachomatis in endocervical specimens from asymptomatic women. J. Clin. Microbiol. 26: 726-731.
- Levy NJ.** (1979)
Agglutinin blockage of Chlamydial attachment sites: Antagonism by N. acetyl D. glucosamine infect Immun; 25(3): 946-23.
- Lin HS, and Moulder JW.** (1966)
Patterns of response to sulphadiazine, D-cycloserine and D-alanine in members of the psittacosis group. J Infect Dis; 116: 372-6.
- Lin JS, Jones WE, and Yan L.** (1992);
Detection of chlamydia trachomatis in infertile women. Sex Transm Dis. ; 19(5): 259-65.

- Lipkin ES, Moncada JV, and Shafer M A.** (1986)
Comparison of monoclonal antibodies staining and culture in diagnosing cervical Chlamydial infection. J Clin Microbiol. ; 23: 114-7.
- Lucisano A, Morandotti G and Marana R.** (1992)
Chlamydial genital infections and Laparoscopic finding in infertile women. Eur J Epidemiol.; 8(5): 645-9.
- Lwoff A.** (1957)
The concept of virus. J Gen Microbiol; 17: 239-53.
- Magder LS, Harrison HR, and Ehret JM.** (1988)
Factors related to genital C. trachomatis and its diagnosis by culture in a STD clinic. Am. J. Epidemiol. 28: 298-308.
- Makino S, Jenkin HM, and Townsend D.** (1970)
Lipid composition of Chlamydia psittaci grown in monkey kidney cells in defined medium. J Bacteriol; 101:62-70.
- Malaty R, Zaki S, and Vastine DW.** (1981)
Extra ocular infections in children in areas with endemic trachoma. J. Infect Dis.; 143: 853.
- Mardh PA., Ripa T., and Svensson L.** (1977)
Chlamydia trachomatis infection in patients with acute salpingitis. N Eng J Med; 296: 1377-79.
- Mart Jk.** (1992)
Symptoms and signs in cases of chlamydia infection. J Obst. & Gyna. 17: 123-41.
- Massoud M; Noweir A, and Salah M** (1991)
Chlamydial infection in Riyadh, Sudi Arabia. J Egypt Public Health Assoc. 66(3-4): 411-9.

- Matsumoto A, Fujiwara E, and Higashi N.** (1976)
Observations on the surface projection of infectious small cells of *C. Psittaci* in thin sections. *J. Elect. Microsc;* 25: 169-70.
- Matsumoto A., and Manire GP.** (1970)
Electron microscopic observations on the fine structure of cell walls of *Chlamydia psittaci*. *J bacteriol*; 104: 1332-7.
- Mayashi R. and Sheth C.** (1982)
Study of *Chlamydia* in patients attending a venereal diseases. *Clinic Br. J. Vener Dis* 47: 114-21.
- Meheus AZ.** (1986)
Practical approaches in developing nations. In Homes K.K., Mardh P.A., Sparling PF and Wienser PJ (eds) *Sexually Transm. Dis.*, Pp 998-1008. New York. Mc Graw Hill.
- Meyer A. and Eddie C.** (1956)
Trachoma and related disorders. *Microbio.* 19: 327-32
- Meyer KF.** (1967)
The host spectrum of psittacosis lymphogranuloma venereum (PL) agents. *Am J. Ophthalmol* ; 63: 1225-46.
- Meyer KF.** (1965)
Quoted from Schachter J. *Chlamydial infections* First of three parts). *N Engl J Med* (1978); 248: 428-35.
- Milano F, Gorini G, and Olliaro P.** (1991)
Evaluation of diagnostic procedures in *Chlamydial* eye infection. *Ophthalmologica.*; 203(3): 114-7.
- Modabber F, Bear SE, and Cerny J.** (1976)
The effect of cycloheximide on the recovery from a local chlamydial infection guinea pig inclusion conjunctivitis (GPIC). *Immunology* 31: 929-33.

- Moller, BR and Mardh P.A.** (1982)
Pp 367-370. In : Mardh P.A, Holma S.K.K, Orield Piot P., and Schachter J. ed. Chlamydia infections (forstrom foundation series, vl (2) Pp. 357-366 Elsevier Biomedical press, Amsterdam.
- Moller BR, Westrom L, and Ahrons S.** (1979)
Histological findings in two patients suffering from Chlamydia trachomatis infection. Br J. Vener Dis.; 55: 422-24.
- Monno R, Vena G . and Cafforio P.** (1991)
Polymorphonuclear cell function impairment in patients with Chlamydia trachomatis urogenital infections. Acta Microbiol Hung.; 38(1): 75-9.
- Mordorest CH.** (1967)
Studies on oculogenital TRIC agents isolated in Denmark. Am J Ophthalmol; 63: 1282-8.
- Morgan. HR, Bader JP., and Mardh BA.** (1954)
Factors related to the growth of psittacosis virus (Strain 6BC) IV. Certain amino acids, vitamins and other substances. J Exp Med; 99: 451-60.
- Moulder JW, Hatch TP, and Byrne GI.** (1976)
Immediate toxicity of high multiplication of Chlamydia psittaci for mouse fibroblasts (L. cells). Infect. Immun., 14: 463-85.
- Moulder JW.** (1966)
The relation of the psittacosis group (chlamydiae) to bacteria and viruses. Ann Rev Microbiol; 20: 107-30.
- Mourad AS, Ramadan M, and Rizk MA.** (1976)
The Tric agent in the female genital tract; A cytologic and virologic study in a trachoma hyperendemic area. J. Egyptian Pub Health Assoc V1 : 56-76.

- Muller Schoop JW, Wang SP, and Munzinger J. (1978)**
Chlamydia trachomatis as possible cause of peritonitis and perihepatitis in young women. Br Med J ; 1: 1022-4.
- Murray P.R, Drew WL., and Kobayashi Gs. (1990)**
Medical Microbiology int. student ed., Wolfe Publi, ch26-267-77.
- Nagashima, T.. (1987)**
A High Prevalence of chlamydial cervicitis in post. Menopausal women. AJOG. 15. 6(1). 31-32.
- Nettleman R. and Jones B. (1986)**
C. trachomatis in female genital system J. Obst. & Gynae 16: 123-46.
- Nichols RL, Mc Comb DE, and Haddad N. (1963)**
Studies or Trachoma: II. Comparison of fluorescent antibody, Giemsa and egg isolation methods for detection of trachoma virus in human conjunctival scrapings. Am J. Trop Med Hyg ; 12: 223-9.
- Nugent RP and Hillier SL. (1992)**
Mucopurulent cervicitis as a predictor of Chlamydia infection and adverse pregnancy outcome. Sex Transm Dis.; 19(4): 198-202.
- Oriel, J.D.; and Ridgway, G.L. (1982)**
Genital infection by C. trachomatis. Cure. Top infect series : 2: 86-98.
- Oriel JD. Powis PA, and Reeve P. (1974)**
Chlamydial infections of the cervix. Br J Vener Dis; 50: 11-16.
- Oriel. J. D. (1982)**
Epidemiolgy of genital chlamydia infection. Infect. 10 (suppl 1). 532-39.
- Orndorff GR. (1991)**
Screening for Chlamydia trachomatis by the direct fluorescent antibody test. Mil Med.; 156(12): 675-7.

- Osser S and Persson K.** (1992)
Chlamydia antibodies and deoxyribonucleic acid in patients with ectopic pregnancy. *Fertil Steril.*; 57(3) : 578-82.
- Ostergaard L, Traulsen J and Birkelund S.** (1991)
Evaluation of urogenital Chlamydia trachomatis infections by cell culture and the polymerase chain reaction using a closed system. *Eur J Clin Microbiol Infect Dis.* ; 10(12); 1057-61.
- Oyelese, A.O., Brunham.R.C. , and Dowell. DC.** (1987)
Enhanced susceptibility of trypsinized Hela cells to Chlamydia trachomatis infection. *Eur. Clinic Microbiol.* 6 : 594-596.
- Paavonen J. Saikku P, and Vesterinen E.** (1978)
Genital Chlamydial infections in patients attending a gynaecological outpatients clinic. *Br J Vener Dis*; 54: 257-61.
- Paavonen J.** (1992)
Genital Chlamydia trachomatis infections in the female. *J Infect.*; 1: 39-45.
- Page LA.** (1971)
Bergey's Manual of determination bacteriology Baltimore London. The William and Wilkin Co. 8th Ed 914-28.
- Pearlman MD; and McNeeley SG.** (1992)
A review of the microbiology, immunology, and clinical implications of Chlamydia trachomatis infections. *Obstet Gynecol Surv.*; 47(7): 448-61.
- Philip RN, Hill DA, and Greaves AB.** (1971)
Study of chlamydiae in patients with lymphogranuloma venereum and urethritis attending a venereal diseases clinic. *Br J Vener Dis*; 47 : 114-21.

- Potts, M.J., Paul, I.D., and Roome A.P.** (1986)
Rapid diagnosis of *C. trachomatis* infection in patients attending an ophthalmic department Br. J. Ophth. 70: 677-680.
- Quinn, T.C., Waefield. P. and Kappus. C.** (1985)
Screening for chlamydia trachomatis infection in an inner-city population : A comparison of diagnostic methods. J. Infect. Dis. 152: 419-423.
- Rack, G. Mckee, C.M. and Shaffer, M.F.** (1940)
Proc. Soc exp. Biol. N.Y. 43, 332. C.F. Collier, L.H. (1985).
- Rees E, Tail IA, and Hobson D.** (1977)
Chlamydia in relation to cervical infection and Pelvic inflammatory disease, nongonococcal urethritis related infections. Edited by KK Holmes, D Hobson Washington DC American Society of Microbiology.; 67-76.
- Rein, M.F..** (1990)
Urethritis in "Principle and Practice of Infectious Diseases", edited by Mandell, G.L. et al., third edition. Churchill livingstone, New York, Edinburgh, London, Melbourne, PP : 942-952.
- Rice, JP.** (1936)
Quoted from Mayer et al., (trachoma and related disorders) Micro. 19: 327-32.
- Richmond, S. J; Paul, I.D and Taybr, P.K.** (1980)
Value and Feasibility of screening women attending S.T.S clinics for cervical chlamydial infection Br. J. Vener. Dis. 56: 92-95.
- Richmond, S.J., and E.O. Caul** (1975)
Fluorescent antibody studies in chlamydia infections. J. Clin Microbiol. 1: 345-352.
- Richmond SJ.** (1976)
Genital Chlamydial infections. Am J Epidemiol; 103: 428-35.

- Richmond SJ, and Sterling P.** (1981)
Localization of Chlamydial group antigen in McCoy cell monolayers infected with Chlamydia trachomatis or Chlamydia PSITTACI. Infect Immun; 34: 561-70.
- Ridgway GL.** (1992)
Advances in the antimicrobial therapy of Chlamydial genital infections. J infect.; 25 Suppl 1: 51-9.
- Ripa, K.T. and Mardh, P.A.** (1977)
Cultivation of C. trachomatis in cycloheximide treated McCoy cells J. Clin. Microbiol. 6: 328-331.
- Ripa KT, and Mardh PA.** (1977)
New simplified culture technique for Chlamydia trachomatis. In : Hobson D, Homes KK, eds. Nongonococcal Urethritis and Related Infections. Washington DC: American society for Microbiology, ; 323-7.
- Ripa KT, Moller BR, and Mardh P.A..** (1979)
Experimental acute salpingitis in grivet monkeys provoked by C. trachomatis. Acta path. Microbiol scand 87: 65-70.
- Rose L, and Schachter J.** (1964)
Genitourinary aspects of inclusion conjunctivitis. Invest Ophthalmol ; 3: 680.
- Rota, T.R. and Nichols, R.L.** (1973)
C. trachomatis in cell culture. Appl. Microbiol. 26: 560-565.
- Schachter, J.; Cleo, L.,; and Ray R.** (1979)
Failure of serology in diagnosing chlamydial infections of the female genital tract. J. Clin. Microbiol., 10(5): 647-649.

- Schachter EM.** (1966)
Synthesis of nucleic acid and protein in L-cells infected with the agent of meningitis. J Bacteriol; 91: 9069-80.
- Schachter J, Hill EC, and King EB.** (1975)
Chlamydial infection in women with cervical dysplasia. Am J Obstet Gynecol 123: 753-57.
- Schachter J.** (1980)
Chlamydial antigens. J Microbiol.;52:211-36.
- Schachter J, and Dawson CR.** (1978)
Human Chlamydial infections. Littleton, Massachusetts: PSG publishing company Inc. Co, PP. 64, 68, 69, 70, 72, 74, 113, 161, 183, 190, 193, 198, 216.
- Schachter J, and Calwell HD.** (1980)
Chlamydiae. Ann Rev Microb. ; 34: 285-309.
- Schachter J, Storz J, and Tarizzo ML.** (1973)
Chlamydiae as agents of human and animal diseases. Bull Wld Hlth Org ; 49: 443-9.
- Schachter J, Causse G, and Tarizzo ML.** (1976)
Chlamydiae as agents of sexually transmitted diseases. Bull WHO ; 54: 245-54.
- Schachter J, and Grossman M.** (1981)
Chlamydial infections. Annu Rev Med ; 32: 45-61.
- Schachter J, Stamm WE and Chernesky MA** (1992)
Non culture tests for genital tract Chlamydial infection. Sex Transm Dis. ; 19(5): 243-4.

- Schachter J, and Dawson CR. (1981)**
Chlamydial infections, a worldwide problem: Epidemiology and implications for trachoma therapy. *Sex Transm Dis*; 8: 167-74.
- Schachter J (1978)**
Chlamydial infections (Second of three parts). *N Engl J Med* ; 298: 490-5.
- Schachter J. (1976)**
Manual of clinical Immunology Washington DC : American Society for Microbiology ; 494-9.
- Schachter J. and Caldwell HD. (1980)**
Chlamydia. *Ann Rev. Microbiol*; 285-309.
- Schubiner HH, Lebar WD and Oseph S. (1992)**
Evaluation of two rapid tests for the diagnosis of trachomatis genital infections. *Eur J Clin Microbiol Infect Dis.*;11(6): 533-6.
- Schuller JL, Ulsen JP, and Veeken IV. (1979)**
Antibodies agents Chlamydia of lymphogranuloma venereum type in Crohn's disease. *Lancet* ; 1: 19-20.
- Shaaban, MM.; Shokeir, AA.; and Wasfy, I. A. (1972)**
Female genital infection with TRIC agents in a trachomatous population. *J. Egypt. Pub. Health Assoc.* 79: 360.
- Shafer M A, Vaughan E, and Lipkin ES. (1986)**
Evaluation of fluorescein conjugated monoclonal antibody test to detect Chlamydia trachomatis . *J. pediat*, 108(5,1) : 776-783.
- Singer Al., Jordan JA, and Sharp F. (1982)**
Pre clinical neoplasia of the cervix. Royal college of obstetric and Gynaecologists, London. 1-10.
- Smith BR, Leba JD. and Galet B. (1989)**
Isolation of chlamydia trachomatis. *Acta Obst. Gyne.* 64: 149-56.

- Sollers JM, Bleckman M, and Paatez R. (1991)**
Chlamydia trachomatis in cervicitis and urethritis in women. Second.
Infect. Dis. 32: 45-54.
- Sompolinsky D, and Richmond S. (1974)**
Growth of Chlamydia trachomatis in McCoy cells treated with cytochalasin
B. Appl Microbiol ; 28: 912-4.
- Soren, K. and Willis, E. (1989)**
The enzyme immunoassay as a screening tool. JIDC, 143: 51-54.
- Sowa J, Collier LH, and Sowa S. (1971)**
A comparison of the iodine and fluorescent antibody methods for staining
trachoma inclusion in the conjunctiva. J Hyg Camb ; 69: 693-708.
- Stanier RY. (1964)**
The bacteria : A treatise on structure and function. New York and London
: Academic Press. vol. 3; 445-64.
- Storz J, and Page LA. (1971)**
Taxonomy of the Chlamydiae : Reasons for classifying organism of the
genus Chlamydia, family Chlamydia case, in a separate order
Chlamydias ord. nov. Int J Sys Bacteriol; 21: 332-4.
- Svensson L, Westrom L, and Mardh PA (1980)**
Chlamydia trachomatis in women attending a gynaecological outpatient
clinic with lower genital tract infection. Br J Vener Dis ; 56: 37-45.
- Swarbrick ET, Kingham JG, and Prince HL. (1979)**
Chlamydia, Cytomegalovirus, and Yersinia in inflammatory bowel disease.
Lancet. ; 2: 11-2.

- Szarewski A, Pompey A and Crono D. (1991)**
Use of the Cytobrush for concurrent cytology and Chlamydia sampling a comparison of immunofluorescence and culture for detection of Chlamydia. *Int J STD AIDS.*; 2(5): 367-8.
- Tait IA, Rees E, and Hobson D. (1980)**
Chlamydial infection of the cervix in contracts of men with nongonococcal urethritis *Br J Vener Dis*; 56: 37-45.
- Tang FE, Chang HL, and Huang YT. (1957)**
Quoted from Jones BR. Ocular syndromes of TRIC virus infection and their possible genital significance. *Br J Vener Dis* (1964); 40: 3-15.
- Tayler R, and Thoms BJ. (1980)**
The role of Chlamydia trachomatis in genital tract and associated disease. *J. clin Pathol* 33: 205-233.
- Taylor H, Homes K, and Boninp MW (1979)**
Chlamydial classification structure and detection. *Br. Med bull* 39: 109-15.
- Taylor HR; Rapoza, PA; and Kiessling LA . (1984)**
Rapid detection of C. trachomatis with monoclonal antibodies. *Lancet*, ii: 38.
- Theils H; Gnarp J and Lundkvist O (1991)**
Diagnosis and prevalence of persistent Chlamydia infection in infertile women. *Fertil Steril.*; 55(2); 304-10.
- Thelin I, Wennstrom A, and Mardh PA. (1980)**
Contract tracing in patients with genital Chlamydial infection. *Br J Vener dis.*; 56: 259-62.
- Theunissen JJ, Van Heijst BY, and Chin A . (1993)**
Detection of IgG, IgM and IgA antibodies in patients with uncomplicated Chlamydia trachomatis infection: *Int J ST AIDS.* ; 4(1): 43-8.


- Thomas, BJ; Evans, RT; and Hawkins DA** (1984)
Sensitivity of detecting *C. trachomatis* EBs in smears by use of a fluorescein labeled monoclonal antibodies: *J Clin. Pathol.* 42:759-62.
- Thomas BJ; Osborn MF; and Gilchrist C.** (1989)
Improved sensitivity of an enzyme immunoassay IDEIA for detecting *C. trachomatis*. *J. Clin. Pathol.*, 42: 759-762.
- Thompson, S.E.; and Washington, A.E.** (1983)
Epidemiology of sexually transmitted *Chlamydia trachomatis* infections. *Epidemiologic Reviews*; 5 : 96-123.
- Thygeson P.** (1962)
Trachoma virus : Historical background and review of isolates. *Ann NY Acad Sci*; 98: 6-12.
- Thygeson P.** (1963)
Epidemiologic observation on trachoma in the United States. *Invest Ophthalmol* ; 2: 482-9.
- Thygeson P.** (1971)
Historical review of oculogenital disease. *Am J Ophthalmol*; 71: 975-85.
- Thygeson P. and Richards P.** (1938)
Nature of the filterable agent of trachoma. *Arch Ophthalmol*; 569-84.
quoted from *Human Chlamydial infections* Littleton, Massachusetts : PSG publishing Company. Inc. (1978).
- Tood WJ, and Storz J.** (1975)
Ultra-structural cytochemical evidence for the activation of lysosomes in cytotoxic effect of *C. psittaci*. *Infect Immun*; 12: 638-46.
- Topley, J. and Wilson, R.** (1984)
Chlamydial diseases in principles of Bacteriology, virology, and Immunity vol. 3, ch. 76, P. 460 edited by Edward Arnold.

- Trachtenberg AJ, Washington A and Hallodorsen S. (1988)**
A cost based detection analysis for Chlamydia screening in California family planning clinics. *Obstet. Gynecol* 71: 101-108.
- Treharne JD, Forsey T, and Thomas BJ. (1983)**
Chlamydial serology. *Br. Med Bull*; 39(2) 194-200.
- Wall MJ. (1946)**
Isolation of the virus of lymphogranuloma venereum from twenty eight patients : *J. Immunol*; 54: 59-64.
- Wang S P, and Grayston J T. (1982)**
Micro-immunofluorescence antibody responses in *C. trachomatis* infection. a review, P. 301-316. In P-A. Mardh, et al., (ed), *chlamydial infections*.
- Wang SP, Grayston. JT, and Alexander ER. (1975)**
Simplified micro immunofluorescent test with trachoma lymphogranuloma venereum (*Chlamydia trachomatis*) antigens for use as a screening test for antibodies. *J. Clin Microbiol*: 1: 250-5.
- Wang SP, and Grayston JT. (1970)**
Immunologic relationship between genital TRIC. lymphogranuloma venereum and related organisms in a new microtiter indirect immunofluorescence test. *Am J. Ophthalmol* : 70: 367-74.
- Ward ME. (1983)**
Chlamydial classification. development and structure. *Br Med Bull*; 39(2): 109-15.
- Warford, AL, Carter T L, and Levy RA. (1985)**
Comparison of treated and non treated specimens, for the isolation of *C. trachomatis*. *Am. J. Clin. Pathol*. 83: 635-629.

(156)

Weinstock I, Alane F, and Collee C.

(1992)



(199)

- Weinstock I, Alane F, and Collee C.** (1992)
New methods of *C. trachomatis* detection Int. J Std ATDS. 16: 355-9.
- Weinstock HS, Bolan GA, and Kohn R.** (1992)
Chlamydia trachomatis infection in women. Am J Epidemiol. 1; 135(1): 41-7.
- Weiss E.** (1971)
Trachoma and related disorders. Amsterdam Excerpta Medica,; 3-12.
- Wentworth BB, Bonin P, and Holmes KK.** (1973)
Isolation of viruses, bacteria and other organisms from venereal disease clinic patients, methodology and problems associated with multiple isolations. Health lab Sci.; 10: 75-81.
- Wentworth BB, and Alexander ER.** (1974)
Isolation of *Chlamydia trachomatis* by use of 5-iodo-2-deoxyuridine treated cells. Appl Microbiol ; 27: 912-6.
- Wessels PH, Viljoen GJ, and Marais NF.** (1991)
The prevalence, risk and management of *Chlamydia trachomatis* infections in fertile and infertile patients from the high socioeconomic bracket of the South African Publication. Fertil Steril. ; 56(3): 485-8.
- Winkler B. and Crum P..** (1987)
Chlamydia trachomatis infection of the female genital tract. Pathogenesis and clinipathologic correlations. Path of annu. 22 Pt 1, 193-223.
- Wolfitt JM, and Watt L** (1977)
Chlamydial infection of the urogenital tract in promiscuous and non-promiscuous women. Br J Vener Dis; 53: 93-5.
- Wolner H, Hassan P, and Mardh PA** (1980)
Perihepatitis and *Chlamydial* salpingitis. Lancet ; 1: 901-9.

- Wood JJ, Bolton JP, and Cannon S.** (1982)
Biliary type pain as a manifestation of genital tract infection. The Curtis Fitz-Hugh-Syndrome. Br J. Surg; 69: 251-53.
- World Health Organization. (WHO)** (1975)
Guide to the laboratory diagnosis of trachoma Geneva : World Health Organization.
- World Health Organization.(WHO)** (1962)
Expert Committee on Trachoma. Trd report; tech r No. 234: 3-48. Geneva : World Health Organization.
- Yoneda C, Dawson CR, and Daghfous T.** (1975)
Cytology as a guide to the presence of Chlamydial inclusions in Giemsa stained conjunctival smears in severe endemic trachoma. Br J Ophthalmol (1975); 59: 116-24.
- Young H, Moyes A and Lough H.** (1991)
Preliminary evaluation of "Clear view Chlamydia" for the rapid detection of Chlamydia antigen in cervical sections. Genitourin Med.; 67(2): 120-3.
- Zapata, MM. Chernesky HS, and Mahony J.** (1984)
Indirect immunofluorescence staining of Chlamydia trachomatis inclusions in micro culture plates with monoclonal antibodies. J. clin Microbiol 14: 937-939.
- Zeeberg B, Thelin I and Schalen C.** (1992)
Chlamydia trachomatis antigen detection by Chlamydiazyme combined with Chlamydia blishing reagent verification. Int J Std AIDS.; 3(5) 355-9