

Adams J III, Schechtman KB, Landty, et al. (1994):

Comparable, detection of acute myocardiac infarction. Clin. Chem, 40: 1291 – 1295.

Adams J. III, Bodor G.S., Davila et al. (1993):

Cardiac troponin I: A marker with high specificity for cardiac injury. Circulation 88: 101 – 1063.

Adams J. III, Bodor GS, Davila et al. (1993):

Cardiac Troponin I circulation 88: 101 – 106.

Adams J. III, Davila IV. G., Bessey P.Q. et al. (1996):

Improved detection of cardiac contusion with cardiac troponin I. Am Heart J. 131: 308 -- 312.

Adams S.J. III, Abdendschein D., Jaffe A., et al. (1993):

Biochemical markers of myocardiac injury. Circulation, 88: 750 – 752.

Adams, J.J. III, Abendschien, D. and Jaffe, A. (1993):

Biochemical markers of myocardia injury. Circulation, 88: 750 – 751.

Ahmed W.H., Bittl J.A. and Braunwald, E. (1993):

Relation between clinical presentation and angiographic findings in unstable angina pectoris. Am. JACC, 72: 544.

Ahmed, W.H., Bittl J.A.A. and Braunwald, E. (1993):

Relation between clinical presentation and angiographic findings in unstable angina patients. Am. J. Cardiol. 72: 544.

Aji, Varki M.D., Havary Watbe et al. (1980):

Serum myoglobin in acute myocardial infarction. *Am. H.J.* 96, No. 3, 679 – 688.

Alfonso F., Rev. Esp. (1999):

Insights provided by new invasive imaging technique into the biopathology of unstable angina. *JACC* (52): Suppl. 1: 23 – 38.

Allen GS., Ahn HS., Prezigs J.J. et al. (1983):

Cerebral arterial spasm; a controlled trial of nimodipine in patients with subarachnoid haemorrhage. *Heart*, 308 – 319.

Ambrose J., Winters S., Stern A., et al. (1985):

Angiographic morphology and the pathogenesis of unstable angina. *J. Am. Coll. Cardiol*, 5: 609 – 616.

Andreson, P.A.W., Malouf N.N., Oulelely, E., et al. (1991):

Troponin T isoform expression in human. *Circu.*, 69: 1226 – 1233.

Andrew T.C., Fenton T., Toyosaki N., et al., (1993):

Subsets of ambulatory myocardial ischaemia based as heart rate activity. *Circulation* 88: 92 – 100.

Antman, E.M., Tansaijevic, M.J., Thompson, B., et al. (1996):

Cardiac specific troponin levels to predict risk of mortality in patients with acute coronary syndromes. *Heart*, 335: 1342 – 1349.

Antman, EM., Gradzien, C., and sacks D., (1995):

Evaluation of rapid bed side assay for detection of serum cardiac Troponin T. J.A.M.A. 273, 1279.

Appel F.S., Rogers, M.A. (1986):

Skeletal muscle lactate dehydrogenase iso-enzyme alterations in man and woman runner. J. Appl. Physiology, 61: 477 – 481.

Apple F.S. and McGue, M.K. (1983):

Serum changes during marathon training. Am. J. Clini-pathology, 79: 716 – 719.

Apple F.S., Maturen A.J., Mullins R.E., et al. (1999):

Multicenter clinical and analytical evaluation of the AX SYSTEM troponin i immunoassay. Clin. Chem., 45: 206 – 212.

Apple, F.S. and Press, L.M. (1994):

Creatine kinase MB. Detection of myocardial infarction and monitoring reperfusion. J. Clin. Immunoassay, 17: 24 – 29.

Arbustini E., Dalbello P., Morbini P., et al. (1999):

Plaque erosion is a major substrate for coronary thrombosis in acute myocardial infarction. Heart, 82: 269 – 272.

Bakker AJ., Koelemay, M.J.W., Gorgels, J.P.M. et al. (1993):

Failure of new biochemical markers to exclude A.M.I. at admission lancet 342: 1220 – 1222.

Barf W., Verhenght F.W., Col J., et al. (1992):

Thrombolysis in patients with unstable angina improves the angiographic but not the clinical outcome. *Circulation*, 86: 131 – 137.

Baum, H., Braun, S., Gerhardt, W., et al. (1997):

Multicenter evaluation of a second generation on assay for cardiac troponin T. *Clin. Chem.*, 43: 1877 – 1884.

Bhayana V., Cohen S., Leung F.Y. et al. (1993):

Diagnostic evaluation of CK₂ mass and CK₃ in diagnosis of A.M.I. *Clin. Chem.*, 39: 480 – 495.

Bodor G.S., Portfield, D., Vossi, E., et al. (1997):

CTnT composition in normal and regenerating human skeletal muscle. *Clin. Chem.*, 43: 476 – 484.

Bodor, GS., Porter S., Landty et al. (1992):

Development of monoclonal antibodies for an assay of cardiac troponin I. *Clin. Chem.*, 38: 2203 – 2205.

Braunwald E. (1989):

Unstable angina: A classification. *Circulation*, 80: 410 – 414.

Braunwald E. (1998):

Unstable angina. An oetiological approach to management circulation, 98: 2219 – 2222.

Braunwald E., Jones B.M., Mark D.B., et al., (1994):

Diagnosis and managing unstable angina. Circulation, 90: 613 – 622.

Breizinski D.A., Tofler G.H., Pohjola S., et al., (1988):

Morning increase in platelet aggregability association with assumption of upright posture. Circulation, 78: 35 – 40.

Breshahan DR., Davis JL., Homes Dr. Jr., et al., (1985):

Angiographic occurrence and clinical correlates of intraluminal coronary artery thrombus, role of unstable angina. J. Am. Coll. Cardiol., 16: 285 – 289.

Brian H., Stephen DM, Keith MC., et al. (1995):

Differential expression of tissue factor proteins in directional at therectomy specimens from patients with stable and unstable coronary syndromes. Circulation, 91: 619 – 622.

Bridges A.B., McLaren M., Scott NA., et al., (1993):

Circardian variation of tissue plasminogen activator and its inhibitor. Br. Heart. J., 69: 121 – 124.

Bugiardini R., Pozzati A., Borghi A., et al. (1991):

Angiographic morphology in unstable angina. JACC, 67: 460 – 461.

Capture Investigators (1997):

Randomized placebo controlled trial of abciximab before and during coronary intervention in refractory unstable angina. *Lancet*, 349: 1429 – 1435.

Cauliez B., Hue G., Lavoigne A. (1998):

Assay of cardiac troponin T on elecyszone: comparison with cardiac troponin I. *Ann. Biol. Clin.*, 56(6): 711 – 5.

Chapelle, J.P. and Hensghen C. (1980):

Further heterogeneity demonstrated for serum CK iso-enzymes. *M.M. Clin Chem*, 26: 457 – 461.

Chen L., Chester M., Redwood S., et al. (1995):

Angiographic stenosis progression and coronary events in patients with "stabilized" unstable angina-circulation, 91: 2319 – 2324.

Chierchia S., Simonnetti I., Brunelli C., et al. (1980):

Sequence of events in angina at rest, primary reduction in coronary flow. *Circulation*, 61: 759 – 763.

Collinson D.O. (1998):

Troponin T or troponin I or CK MB or none
Heart. J. 19, 16 – 24.

Collinson, D.O., Stubbs, A.J., Rosalki, S.B., et al. (1995):

Cardiac troponin T in renal disease. *Clin. Chem.*, 41: 1671 – 1672.

Dan gas G., Mehran R., Wallenstein S., et al. (1997):

Correlation of angiographic morphology and clinical presentation in unstable angina. JACC, 29: 519 – 25.

Davis M. (1997):

The composition of coronary artery plaques.

Heart, 336: 1312 – 1313.

Davis M.J., Thomas AC., Knapman P.A., et al. (1986):

Intramyocardial platelet aggregation in patients with unstable angina suffering sudden ischaemic cardiac death. Circulation, 73: 418 – 427.

De Servi S., Arbustini E., Marsica F., et al., (1996):

Correlation between clinical and morphologic findings in unstable angina. JACC. 77: 128 – 132.

Deedwania P.C. and Melson J.R. (1990):

Pathophysiology of transient myocardial ischaemia in acute coronary syndromes.

Circulation, 95: 1185 – 1192.

Depre C., Wijns W., Robert A.M. et al., (1997):

Pathology of unstable plaque correlation with the clinical severity of acute coronary syndromes. Heart, 30: 694 – 702.

Diver, Bier, Ferreria, et al. (1994):

Clinical and arteriographic catheterization of patients with unstable angina. JACC, 74: 531.

Drexel, H., Dwarzak, E., Kirchmair, W., et al., (1983):

Myoglobinaemia in the early phase of acute myocardial infarction.
Am. Heart. J., 105: 642 – 650.

Eduard R. (1999):

Characteristics of cardiac markers and time course. Clin Chem. 3:
1186 – 1206.

Falk E. (1983):

Plaque rupture with severe pre-existing stenosis precipitating
coronary thrombosis. Heart, 50: 127.

Falk E. (1985):

Unstable angina with fatal outcome. Circulation, 71: 699 – 708.

Forbes M.S. (1995):

Ultrastructure of mammalian cardiac muscle. In Forbes M.S. (eds):
Physiology and pathology of the heart. 3rd, Boston:
Kluwer Academic Publishers, pp. 132.

Fredricks, Collinson PO, Holt D.W. et al. (2000):

Response to increase CK MB, CTnT with normal CTnI in
metastatic alveolar rhabdomyosarcoma. Clin. Chem., 146 (3): 432 – 5.

Freeman MR., Williams A.E., Chisholm R.J., et al. (1984):

Intracoronary thrombus and complex morphology in unstable
angina. Circulation, 80: 17 – 23.

Fuster V., Stein B., Ambrose J., et al. (1990):

Atherosclerotic plaque rupture and thrombosis evolving concepts.
Circulation, 82: 47 – 49.

Fuster, V., Badiman L., Chesebro TH., et al. (1992):

The pathogenesis of coronary artery disease and the acute coronary syndrome. Heart, 326: 242 – 250.

Galbrith L.V., Leung F.X., Tab Lonsky, et al., (1990):

Time related changes in the diagnostic utility of total LDH., LDH₁, LDH₂, isoenzyme ratio in serum after myocardial infarction. Clin. Chem, 36: 1317 – 1322.

Galis ZS., Muscznski M., Simon E., et al., (1995):

Enhanced expression of vascular matrix metalloproteinase induced in vitro by cytokines and regions of human atherosclerotic lesions. Heart: 614: 501 – 507.

Gerhardt W., Katus H., Ravkilde J., et al., (1991):

Serum troponin T in suspected ischaemic myocardial injury compared with mass and catalytic concentrations of Serum creatine kinase iso-enzymes. M.B. Clin. Chem. 37: 1405 – 1411.

Gibler, W.B., Gilber, C.D., Weinshenker, E., et al. (1997):

Myoglobin as an early indicator of acute myocardial infarction. Ann. Emerg. Med., 16: 851 – 856.

Goldman L. (1995):

Using prediction models and cost effectiveness analysis to improve clinical decisions: Emergency department patients with acute chest pain. *Am. Physician J.*, 107: 329 – 333.

Guest, T.M., Romanthan, A.V., Tuteur, D.G. et al. (1995):

Myocardial injury in critically ill patients. *J.A.M.A.*, 273: 1945 – 1949.

Gulbi S.B., Unger D., Lenares A. et al. (1990):

Mass concentration of creatine kinase MB iso-enzymes and LDH iso-enzymes in diagnosis of MI. *Clin. Chem.*, 36: 1784 – 1788.

Haft, Mariano D.L. and Goldstein J. (1997):

Comparison of the histopathology of culprit lesion in chronic stable angina, unstable angina and myocardial infarction. *Clin. Cardiol.*, 20(7): 651 – 5.

Hakim Benamer, Philippe, Joelle B., et al. (1999):

Elevated CTnI predicts a high risk angiographic anatomy of the culprit lesion in U.A. *Heart*, 137 (5): 815 – 820.

Hamm C.W., Goldman B.V., Heeschen C., et al., (1997):

Emergency room triage of patients with acute chest pain by means of rapid testing for cardiac troponin T or TnI. *Heart*, 337: 1648 – 1653.

Hamm C.W., Heeschen C., Goldman B., et al. (1999):

Benefit of abciximab in patients with refractory unstable angina in relation to serum troponin levels. JACC, 340: 1623 – 1629.

Hamm, Christian W., Braunwald E. (2000):

A classification of unstable angina. Circulation, 102 (1): 118 – 122.

Hawkins S.R. and Tanhl (1999):

Comparison of the diagnostic utility of CK, CKMB, TnT and TnI in patients with suspected acute myocardial infarction. Singapore Med. J., 40 (11): 680 – 4.

Heeschen. C., Hamm C.W., Goldman B., et al. (1999):

Troponin concentration for stratification of patients with acute coronary syndromes in relation to therapeutic efficacy of tirofiban. Lancet, 345: 1757 – 1762.

Jaffe A.S., Grafinkel B.T., Richter, G.S., et al. (1984):

Plasma CK MB after vigorous exercise in professional athletes. Am. J. Cardiol, 53: 856.

Jude B., Agraou B., Mefadden E.P., et al. (1994):

Evidence for time dependent activation of monocytes in the systemic circulation in unstable angina. Circulation, 90: 1662 – 1668.

Kaski, J.C., Chester M.R., Chen L., et al. (1995):

Rapid angiographic progression of coronary disease in patients with unstable angina pectoris circulation, 92: 258 – 259.

Katrukha, A.G., Bere Znikova, A.V., Esakova, T.V., et al. (1997):

TnI is released in blood stream of patients with AMI not in free form but as complex. Clin. Chem., 43: 1379 – 1385.

Katus H.A., Remppis S., Neumann F.J., et al. (1991):

Diagnostic efficiency of troponin T measurements in acute myocardial infarction. Circulation, 83: 902 – 912.

Katus, H., Scheffold, T., Remppis A., et al. (1992):

Proteins of the troponin complex. Lab. Med., 23: 311.

Laurino J.P., Behder E.N., Kessimian NC., et al. (1996):

Comparative sensitivities and specificities of the mass measurements of CK MBz, CKMB and myoglobin for diagnosing A.M.I. Clin Chem 42: 1454 – 9.

Lee TH and Goldman L. (1986):

Serum enzyme assay in the diagnosis of A.M.I. Ann. Inter. Med., 105: 221 – 223.

Libby P. and Ridker P.M. (1999):

Novel inflammatory markers of coronary risk, theory and practice. Circulation. 100: 1148 – 1150.

Libby P., Egan D. and Sharlatos S. (1997):

Roles of infectious agents in atherosclerosis and restenosis-circulation, 96: 4095 – 4103.

Mair J. (1999):

Tissue release of cardiac markers from physiology to clinical application. Clin. Chem. Lab. Med., 123: 16 – 17.

Mair J., Dienst LF and Puschendorf B. (1992):

Cardiac specific troponin T in the diagnosis of myocradial injury. Clin. Lab. Med., 29: 31 – 35.

Mann J., Kaski J., Periera W., et al. (1998):

Histological patterns of atherosclerotic plaques in unstable angina patients. Heart, 80: 19 – 22.

Marken Vard, J., Dell borg M., Jagenburg, R., et al. (1992):

The predictive value of CK-MB mass concentration in unstable angina pectoris. J. Int. Med., 231: 433 – 436.

Martin G.S., Becker, B.N., Schulman G. (1998):

Cardiac troponin I accurately predicts myocardial injury in renal failure. Nephrol. Dial. Transplant, 13(7): 1709 – 12.

Martins JT, Lidj, Baskin L.B., et al. (1996):

Comparison of cardiac troponin I and lactate dehydrogenase enzymes for the late diagnosis of myocardial injury. Am. J. Clin. Pathol., 106(6): 705 – 713.

Maseri A., Chierchia S., L'Abbate A. (1980):

Pathogenetic mechanisms underlying the clinical events associated with atherosclerotic heart disease. Circulation, 62: 1 – 3.

Mautner P.K., Cooper M.D. and Phillips JH (1983):

Catheter induced coronary artery spasm, an angiographic manifestation of vasospastic angina. *Heart* 295, 106: 659.

McCullough P.A., Ayad O., O'Neil WW., et al. (1998):

Costs and outcomes of patients admitted with chest pain and essentially normal electrocardiograms. *J. Clin. Cardiol.*, 21: 22 – 26.

Mclaurin, M.D., Apple, F.S., Voss, E.M. et al. (1997):

Cardiac Troponin I, CTnT and CKMB in dialysis patients without ischaemic heart disease. *Clin. Chem.* 43: 976 – 982.

Meber K.T., Sun X. and Cleatjens T.P.M. (1994):

Collagen network of the myocardium. *J. Mol. Cell. Cardiol.*, 26: 239 – 249.

Mehta (1994):

The roles of myoglobin-MB iso-enzymes of CK and ALT in serum in the acute phase of myocardial infarction. *J. Indian Med.*, 92 (6): 186 – 191.

Michael J.D., Anthony C.T., Paul A.K., et al., (1986):

Intramyocardiac platelet aggregation in patients with unstable angina suffering sudden ischaemia cardiac death. *Circulation*, 73: 418 – 427.

Miltenburg van Zijl A.J., Simoons M.L., Veerhock R.J., et al. (1995):

Incidence and follow up of Braunwald subgroups in unstable angina pectoris. JACC, 25: 1286 – 1292.

Mizumok, Miyamoto A., Satomurak, et al., (1991):

Angioscopic coronary macromorphology in patients with acute coronary disorders. Lancet, 337: 813 – 815.

Mizuno K., Satmoura K., Migamoto A., et al. (1992):

Angioscopic evaluation of coronary artery thrombi in acute coronary syndromes. Heart, 326: 287 – 291.

Möckel M., Störkt, Heller G., et al. (1998):

Troponin in patients with low grade or atypical angina. Heart, 42: 1802 – 1807.

Moreno P.R., Bernardiv H., Lopez Cuellar J., et al. (1996):

Macrophages, smooth muscle cells and tissue factor in unstable angina. Circulation, 94: 3093 – 3097.

Morrow D.A., Rifai N., Antman E.M., et al. (1998):

C-reactive protein is a potent predictor of mortality independently and in combination with troponin T in acute coronary syndromes. JACC, 31: 1460 – 1465.

Muller J.E., Stone P.H., Turi 3 G, et al., (1985):

Circadian variation in the frequency of onset of acute myocardial infarction. N. England J. Med., 313: 1315 – 1322.

Muller JE., Ludmer P.L., Willich S.N., et al. (1987):

Circadian variation in the frequency of sudden cardiac death. *Circulation* 75: 131 – 138.

Nelken N.A., Coughlin S.R., Gordon D., et al. (1992):

Monocyte chemoattractant protein 1 in human atheromatous plaque. *J. Clin. Invest.*, 88: 1121 – 1127.

Neriserneri GG., Abbate R., Gori AM., et al. (1992):

A transient intermittent lymphocyte activation is responsible for the instability of angina. *Circulation*, 86: 790 – 797.

Ohman E.M., Armstrong P.W., Christenson R.H., et al. (1996):

Cardiac troponin-T levels for risk stratification in acute myocardial ischaemia. *Heart*, 335: 1333 – 1341.

Ottani, F., Galvani M., Ferini D. et al. (1999):

Direct comparison between early elevations of cardiac troponin T and I in patients with clinical unstable angina. *Heart*, 137 (2): 284 – 91.

Owa M., Origasa H. and Sarto M. (1997):

Predictive validity of the Braunwald classification of unstable angina for angiographic findings. *Angiology*, 48: 663 – 670.

Panteghini M. (1994):

Creatine kinase MB isoforms. *J. Clin. Immunoassay*, 17: 30 – 34.

Perry S.V. (1989):

The regulation of contractile activity in muscle. *J. Bio. Chem.*, 7: 593 – 617.

Perryman M.B., Knell J.D., Roberts, R. (1985):

Carboxy Peptidase, Catalyzed hydrolysis of C. terminal lysine. *Clin. Chem.*, 30: 662 – 665.

Pervaiz S., Andreson F.P., Lohmann T.P., et al. (1997):

Comparative analysis of cardiac troponin I and CK MB as markers of acute myocardial infarction. *Clin. Cardiac*, 20 (3): 269 – 71.

Plebani M and Zanimotto M. (1999):

Cardiac markers present and future. *Int. J. Clin. Lab.* 20: 56 – 63.

Polanczyk C.A., Lee T.H., Cook F., et al. (1998):

Ctnt as a predicator of major cardiac events in emergency department patients with acute chest pain. *JACC*, 32: 8 - 14.

Puleo, P.R., Guadagno P.A., Roberts R., et al. (1990):

Early diagnosis of acute myocardial infarction based on assay for subforms of creatine kinase MB. *Circulation*, 82: 759 – 764.

Ricchiut, V. and Apple F.S. (1999):

RNA expression of cardiac TnT isoform in diseased human skeletal muscle. *Clin. Chem.*, 45(2): 219 – 254.

Ridker P., Cashman M. and Stampfer M. (1997):

Inflammation aspirin and the risk of cardiovascular disease in apparently healthy men. *Heart*, 336: 973 – 979.

Roberts R. (1981):

Diagnostic assessment of myocardial infarction on lactate dehydrogenase and creatine kinase iso-enzymes. *Circulation*, 10: 486 -- 506.

Roberts W.C. (1989):

Qualitative comparison of amounts of narrowing by atherosclerotic plaques in the major epicardiac coronary arteries at necropsy in sudden coronary death. *JACC*, 64: 324.

Roberts, Calif, Harrel, et al., (1983):

The prognosis for patients with new onset angina who have undergone cardiac catheterization. *Circulation*, 68: 970.

Ross R. (1999):

Atherosclerosis is an inflammatory disease. *Heart*, 430: 115 – 126.

Rupperech H.J., Terres W., Ozbekc, et al. (1995):

Recombinant hirudin (HBW 023) prevents Troponin T release after coronary angioplasty in patients with unstable angina. *JACC*, 26: 1637 – 42.

Ryan TJ., Faxon DP., Gunnar R.M. et al., (1988):

Guidelines for percutaneous transluminal coronary angioplasty.
JACC, 12: 529 – 543.

Sacks DB (1999):

Acute coronary ischaemia. Vasc. Med., 49: 253 – 259.

Shivvers, S.A., Wians, F.H.J., Keffer JH., et al. (1999):

Maternal CTnI level during normal labour and delivery. Am.J.
Obstet. Gynaecol 180: 122 – 123.

St. Georgels (2000):

The pathophysiology of acute coronary syndromes. Heart, 83 (3):
316 – 366.

Stery H., Chandler A., Dinsgnore R., et al. (1995):

A definition of advanced types of atherosclerotic lesions and
histological classification of atherosclerosis. Circulation, 92: 1355
– 1374.

Stromme J.H., Rolstad, O.J., Mangschaw A. et al., (2000):

Troponins and other biochemical cardiac markers.

Norlungeforen, 16: 1863 – 9.

Tofler G.H., Brezinski Dischafer A.I., et al. (1987):

Concurrent morning increase in platelet aggregability and the risk
of myocardial infarction and sudden death. Heart, 316: 1514 – 1518.

Tsung J.S. and Tsung S.S. (1986):

Creative kinase iso-enzymes in extracts of various human skeletal muscles. Clin. Chem 32: 1586

Vaidja, (1992):

Myoglobin Lab. Med. 23: 306 – 310.

Van dem Burg E.K., Schmitz J.M., Benedict CK., et al. (1989):

Transcardiac serotonin concentration is increased in selected patients with limiting angina and complex coronary lesion morphology. Circulation, 79: 116 – 124.

Westfall M.V., Albayya, F.P., Metzger, J.M., (1999):

Functional analysis of TnI regulatory domains in the intact myofilaments of adult single cardiac myocytes. J. Biochem., 2: 120 – 122.

Willerson JT., Campbell W.B., Winnifor M.D., et al. (1989):

Conversion from chronic to acute coronary artery disease speculation regarding mechanisms. JACC, 54: 1349.

Witzman J. (1994):

The oxidation hypothesis of atherosclerosis. Lancet, 344: 793 – 795.

Wu A., Abbas S.A., Green S., et al. (1995):

Prognostic value of CTnT in unstable angina pectoris. Am. J. Cardiol., 76: 970 – 972.

Wu A.H.B, Wang X.M., Ordone Z. Lianos, J. et al. (1992):

CK2 isoforms in patients with skeletal muscle injury. Clin Chem, 38: 2396 – 2400.

Xamashita, T., Abbes et al. (1993):

Myocardial infarct size can be estimated from serial plasma myoglobin measurements. Circulation, 87: 1840 – 1843.

Yusuf, S., Flather, M., Poque J., et al. (1998):

Variations between countries in invasive cardiac procedures and outcomes in patients with suspected unstable angina or myocardial infarction without initial S,T-elevation. Lancet, 352: 507 – 514.

Zack PM., Ischinger T., Akeyr UT., et al. (1998):

The occurrence of angiographically detected intra coronary thrombus in patients with unstable angina. Heart, 108: 1408 – 1412.

Zhang R., Zhas J., Mandueno A., et al. (1995):

Cardiac Troponin I phosphorylation increases the rate of cardiac muscle relaxation. Circulation, 76: 1028 – 1035.