

REFERENCE

- Ahmed, W.H.; Bittl, J.A. and Braunwald, E. [1993]:** Relation between clinical presentation and angiographic findings in unstable angina pectoris and comparison with that in stable angina. *Am. J. Cardiol.*, 72: pp544-550.
- Altman, J.D. [1997]:** The coronary collateral circulation. *Acc. Curr. J. Rev.*, 6: pp17-21.
- Ambrose, J.A.; Winters, S.L.; Stern, A.; Teicholz, L.E.; Gorlin, R. and Fuster, V. [1985]:** Angiographic morphology and the pathogenesis of unstable angina pectoris. *J. Am. Coll. Cardiol.*, 5: pp609-616.
- Ambrosio, G.; Betocchi, S.; Pace, L.; Losi, M.A.; Soricelli, A. and Chiariello, M. [1996]:** Prolonged impairment of regional contractile function after resolution of exercise induced angina: Evidence of myocardial stunning in patients with coronary artery disease. *Circulation.*, 94: pp2455-2464.
- Antman, E.L. and Braunwald, E. [1997]:** Acute myocardial infarction: In: Braunwald, E. (ed.): *Heart Disease: A textbook of cardiovascular medicine*, 5th. Ed., W.B. Saunders Company, Philadelphia, pp.1184-1288.
- Applegate, R.J. and Little, W.C. [1991]:** Systolic and diastolic left ventricular function. *Prog. Cardiol.* 4: p63.

Appleton, C.P. [1993]: Doppler assessment of left ventricular diastolic function: The refinements continue. *J. Am. Coll. Cardiol.*, 21: p1697.

Ardehali, A.; and Ports, T. [1990]: Myocardial oxygen supply and demand. *Chest*, 98: pp699-709.

Austin, W.G.; Edwards, J.E.; Frye, R.L.; Gensini, G.C. and Ross, B.B. [1975]: A reporting system on patients evaluated for coronary artery disease: Report of the Ad Hoc Committee for Grading Coronary Artery Disease, Council on Cardiovascular Surgery, American Heart Association. *Circulation*, 51 (Suppl.4): pp30-65.

Bargiggia, G.S.; Bertucci, C. and Recusani, F. [1989]: A new method for estimating left ventricular dp/dt by continuous wave Doppler echocardiography. *Circulation*, 80: p1287.

Baxter, G.F.; Goma, F.M. and Yellon, D.M [1997]: Characterization of the infarct limiting effect of delayed preconditioning. *Basic Res. Cardiol.* 92: pp159-167.

Belenkie, I.; Knudston, M.; and Roth, D. [1991]: Relation between flow grade after thrombolytic therapy and the effect of angioplasty on left ventricular function. *Am. Heart J.*, 121: pp407-415.

Bhargava, V. [1990]: A new videointensity based wall motion analysis technique. *Comput. Med. Imaging. Graph.*, 14: pp107-118.

Bhargava, V. [1997]: Left and right contrast

ventriculography: Methods for quantitation of volume and mass. In: Peterson, K.L. and Nicod, P (eds.): Cardiac Catheterization: Methods, diagnosis and therapy, W.B. Saunders Co., Philadelphia, pp144-158.

Bittl, J.A. and Levin, D.C. [1997]: Coronary Arteriography. In Braunwald, E. (ed.): Heart Disease, 5th. Ed., W.B. Saunders Company, Philadelphia, pp240-272.

Blumgart, H.; Schlesinger, M. and Davis, D. [1940]: Studies on the relationship of the clinical manifestations of angina pectoris, coronary thrombosis and myocardial infarction to the pathologic findings. Am. Heart J., 19: pp1-19.

Bolli, R. [1990]: Mechanism of myocardial stunning. Circulation, 82: pp723-738.

Bolli, R. [1992]: Myocardial stunning in man. Circulation, 86: pp1671-1691.

Bolli, R. [1997]: Oxyradicals in the pathogenesis of myocardial stunning. In: Heyndrick, G.R.; Vatner, S.F. and Wijns, W. (eds.): Stunning, Hibernation and Preconditioning: Clinical pathophysiology of myocardial ischemia, Lippincott Raven Press, Philadelphia, pp205-228.

Bolli, R.; Hartley, C.J. and Rabinovitz, R.S. [1992]: Clinical relevance of myocardial stunning. In: Opie, L.H. (ed.): Stunning, Hibernation and Calcium in Myocardial Ischemia and Reperfusion, Kluwer Academic Publisher, Boston, pp56-82.

- Bonow, K.O.; Bacharach, S.L. and Green, M.V. [1987]:** Prognostic implications of symptomatic versus asymptomatic (silent) myocardial ischemia induced by exercise in mildly symptomatic and in asymptomatic patients with angiographically documented coronary artery disease. *Am. J. Cardiol.*, 60: pp778-783.
- Bourdillon, P.D.; Boderick, T.M. and Williams, E.S. [1989]:** Early recovery of regional left ventricular function after reperfusion in acute myocardial infarction. *Am. J. Cardiol.*, 63: p641.
- Braunwald, E. [1989]:** -Unstable angina: A classification. *Circulation*, 80: pp410-414.
- Braunwald, E. and Kim, C.B. [1994]:** Late establishment of patency of the infarct related artery. In: Julian, D. and Braunwald, E. (eds.): *Acute myocardial infarction*, W.B. Saunders Company, London, p147.
- Braunwald, E. and Kloner, R.A. [1982]:** The stunned myocardium: Prolonged postischemic ventricular dysfunction. *Circulation*, 66: pp1146-1149.
- Braunwald, E. and Pfeffer, M.A. [1991]:** Ventricular enlargement and remodeling following acute myocardial infarction: Mechanisms and management. *Am. J. Cardiol.*, 68: p1D.
- Braunwald, E.; Colucci, W.S. and Grossman, W. [1997]:** Clinical aspects of heart failure: High output heart failure; pulmonary edema. In: Braunwald, E. (ed.): *Heart Disease: A textbook of cardiovascular*

medicine, 5th. Ed. W.B. Saunders Company, Philadelphia, pp445-470.

Brustsaert, D.; Rademakers, F.E. and Sys, S.U. [1984]:
Triple control of relaxation: Implications in cardiac disease. *Circulation*, 69: pp190-196.

Buxton, D.B. [1993]: Dysfunction in collateral dependent myocardium: Hibernation or repetitive stunning? *Circulation*, 87: pp1756-1758.

Califf, R.M.; Phillips, H.R.; Hindman, M.C.; Mark, D.B.; Lee, K.L.; Behar, V.S. and Harrell, F.E. [1985]: Prognostic value of a coronary artery jeopardy score. *J. Am. Coll. Cardiol.* 5: pp1055-1060.

Califf, R.M.; Tomabechi, Y. and Lee, K.L. [1983]: Outcome in one-vessel coronary artery disease. *Circulation*, 67: pp283-290.

Cantly, J.M. and Fallavollita, J.A. [1995]: Hibernating myocardium represents a primary downregulation of regional myocardial oxygen consumption distal to a critical stenosis. *Basic Res. Cardiol.*, 90: pp5-8.

Carroll, R.; Verani, M. and Falseth, H. [1974]: The effect of collateral circulation on segmental left ventricular contraction. *Circulation*, 50: pp709-713.

Casscells, W.; Speir, E.; Sassse, J.; Klagsbrun, M.; Lee, M.; Calvo, B.; Chiba, M. and Folkman, J. [1990]: Isolation, characterization and localization of heparin binding growth factors in the heart. *J. Clin. Invest.*, 85: pp433-441.

- Castellano, P.N.; Garcia, E.J.; Abeytua, M.; Soriano, J.; Serrano, J.A.; Elizaga, J.; Botas, J. and Delacan, J.L. [1998]:** Influence of collateral circulation on in-hospital death from anterior acute myocardial infarction. *J. Am. Coll. Cardiol.*, 31: pp512-518.
- Chappuis, F.P.; Widmann, T.F.; Nicod, P. and Peterson, K.L. [1988]:** Densitometric regional ejection fraction. *J. Am. Coll. Cardiol.*, 11: pp72-82.
- Chilian, W.M.; Mass, H.J.; Williams, S.E.; Layne, S.M.; Smith, E.E. and Scheel, K.W. [1990]:** Microvascular occlusions promote coronary collateral growth. *Am. J. Physiol.*, 258: ppH1103-H1111.
- Christian, T.F.; Gibbons, R.J. and Clements, I.P. [1995]:** Estimates of myocardium at risk and collateral flow in acute myocardial infarction using electrocardiographic indexes with comparison to radionuclide and angiographic measures. *J. Am. Coll. Cardiol.*, 26: pp388-395.
- Connaughton, M. and Hearse, D.J. [1996]:** Three questions about preconditioning. *Basic Res. Cardiol.*, 91: pp12-15.
- Cortina, A.; Ambrose, J.A. and Granada, J. [1985]:** Left ventricular function after myocardial infarction: Clinical and angiographic correlations. *J. Am. Coll. Cardiol.*, 5: p619.
- Cortis, B.S. and Serratto, M. [1998]:** The collateral coronary circulation in the human fetus: Angiographic findings. *Cardiologia*, 43: pp77-81.

- Dameron, K.M.; Volpert, O.V.; Tainsky, M.A. and Bouck, N. [1995]:** Control of angiogenesis. *Science*, 265: pp1582-1584.
- Detrano, R.; MacIntyre, W.J. and Salcedo, E.E. [1985]:** Videodensitometric ejection fraction from intravenous digital subtraction ventriculograms. *Radiology*, 155: pp19-23.
- Diamond, G.A.; Forrester, J.S.; Detuz, P.L.; Wyatt, H.L. and Swan, H.J. [1978]:** Post-extrasystolic potentiation of ischemic myocardium by atrial stimulation. *Am. Heart J.*, 95: pp204-209.
- Dinsmore, R.E.; Wismer, G.L. and Miller, S.W. [1985]:** Magnetic resonance imaging of the heart using image planes oriented to cardiac axes. *A.J.R.*, 145: pp1177-1183.
- Diver, D.J.; Bier, J.D. and Ferrira, P.E. [1994]:** Clinical and arteriographic characterization of patients with unstable angina without critical coronary arterial narrowing (from the TIMI-III A trial). *Am. J. Cardiol.*, 74: pp531-540.
- Dodge, H.T. and Sheehan, F.H. [1983]:** Quantitative contrast angiography for assessment of ventricular performance in heart disease. *J. Am. Coll. Cardiol.* 1: 73-79.
- Douglas, J.S. and King III, S.B. [1985]:** Pathoanatomy of the coronary arteries. In: King III, S.B. and Douglas, J.S. (eds): *Coronary Arteriography and Angioplasty*, McGraw – Hill Book Company, New York, pp86-

- Edep, M.E.; Guarneri, E.M.; Teirstein, P.S.; Phillips, P.S. and Brwon, D.L. [1999]:** Difference in TIMI frame count following successful reperfusion with stenting or percutaneous transluminal coronary angioplasty for acute myocardial infarction. *Am. J. Cardiol.*, 83: pp1326-1329.
- Eichhorn, P.; Grimm, J. and Koch, R. [1982]:** Left ventricular relaxation in patients with left ventricular hypertrophy secondary to aortic valve disease. *Circulation*, 65: pp1394-1404.
- Ejdeback, J.; Varnauskas, E. and Wallin, J. [1982]:** Angiographic findings of infarct survivors with positive or negative predischage exercise test. *Circulation*, 66 (Suppl. II): p11-342.
- Ellis, S.G. [1996]:** Chronic stable angina: Role of coronary angiography. In: Fuster, V.; Ross, R. and Topol, E.J. (eds): *Atherosclerosis and coronary artery disease*, J.B.Lippincott, Philadelphia, pp1433-1450.
- Emond, M.; Mark, M.B.; Davis, K.B.; Fisher, L.D.; Schick, E.C. and McCabe, C.H. [1994]:** Long term survival of medically treated patients in the coronary artery surgery study (CASS) registry. *Circulation*, 90: pp2645-2652.
- Fifer, M.A. and Grossman, W. [1991]:** Measurement of ventricular volumes, ejection fraction, mass and wall stress. In: Grossman, W. and Baim, D.S. (eds.): *Cardiac catheterization, Angiography and*

Intervention, Lea and Fibiger, Philadelphia, p300.

Folkman, J. [1995]: Clinical applications of research on angiogenesis. *N. Engl. J. Med.*, 333: pp1757-1763.

Folland, E.D.; Vogel, R.A.; Hartigan, P.; Bates, E.R. and the Veterans, Affairs ACME Investigators [1994]: Relation between coronary artery stenosis assessed by visual, caliper and computer methods and exercise capacity in patients with single vessel coronary artery disease. *Circulation*, 89: pp2005-2014.

Forrester, J.S.; Wyatt, H.L. and Daluz, P.L. [1976]: Functional significance of regional ischemic contraction abnormalities. *Circulation*, 54: p64.

Fragasso, G.; Benti, R.; Sciammarella, M.; Rsoetti, E.; Savi, A. and Chierchia, S.L. [1991]: Symptoms limited exercise testing causes sustained diastolic dysfunction in patients with coronary artery disease and low effort tolerance. *J. Am. Col. Cardiol.*, 17: pp1251-1255.

Franch, R.H.; King, S.B. and Douglas, J.S. [1990]: Techniques of cardiac catheterization including coronary arteriography. In Hurst, J.W. (ed.): *The heart*, 7th ed., McGraw –Hill Inc., New York, pp1858-1899.

Franklin, D.; McKown, D.; McKown, M.; Hartly, J. and Caldwell, M. [1981]: Development and regression of coronary collaterals induced by repeated reversible ischemia in dogs. *Fed. Proc.*, 40: p339.

French, J.K.; Ellis, C.J. and White, H.D. [1998]: The

corrected TIMI frame count: the new gold standard.
Aust. N.Z. J. Med., 28: pp569-573.

French, J.K.; Ellis, C.J.; Webber, B.J.; Williams, B.; Amos, D.J.; Ramanathan, K.; Whitlock, R.M. and White, H.D. [1998]: Abnormal coronary flow in infarct arteries one year after myocardial infarction is predicted at 4 weeks by corrected. Thrombolysis in Myocardial Infarction (TIMI) frame count and stenosis severity. *Am. J. Cardiol.*, 81: pp, 665-671.

French, J.K.; Straznicky, I.T.; Webber, B.J.; Aylward, P.E.; Frey, M.J.; Adgey, A.A.; Williams, B.F.; McLaughlin, S.C. and White, H.D. [1999]: Angiographic frame count 90 minutes after streptokinase predict left ventricular function at 48 hours following myocardial infarction. *Heart*, 81: pp128-133.

Friesinger, G.C. [1990]: The natural history of atherosclerotic heart disease. In: Hurst, J.W. (ed.): *The Heart*, 7th. Ed., McGraw-Hill Inc., New York, p1001.

Friesinger, G.C.; O'Neal, H.J. and Ross, R.C. [1973]: Prognostic significance of coronary arteriography. In: Kaltemback, M.; Lichten, P; and Friesinger, G.C. (eds.): *Coronary Heart Disease*, George Thieme, Stuttgart.

Fujita, M.; Sasayama, S.; Ohno, A.; Yamanishi, K.; Araie, E. and Franklin, D. [1990]: Importance of myocardial ischemia for coronary collateral development. *Int. J. Cardiol.*, 27: pp179-186.

- Fuster, V.; Stein, B. and Ambrose, J.A. [1990]:** Artherosclerotic plaque rupture and thrombosis: Evolving concepts. *Circulation*, 82(Suppl. 2): pp.47-56.
- Galvani, M.; Ottani, F.; Ferrini, D.; Sorbello, F. and Rusticali, F. [1993]:** Patency of the infarct related artery and left ventricular function as the major determinants of survival after Q-wave myocardial infarction. *Am. J. Cardiol.*, 71: pp1-7.
- Ganz, P; and Braunwald, E. [1997]:** Coronary blood flow and myocardial ischemia. In: Braunwald, E. (ed.): *Heart disease. A textbook of cardiovascular medicine*, 5th. Ed. W.B. Saunders Company, Philadelphia, pp, 1161-1183.
- Gasser, R.N.A. and Klein, W. [1994]:** Contractile failure in early myocardial ischemia: Models and mechanisms. *Cardiovasc. Drugs Ther.*, 8: pp813-520.
- Gelberg, H.J.; Brundage, B.H.; Glantz, S. and Barmley, W.W. [1979]:** Quantitative left ventricular wall motion analysis: A comparison of area, chord and radial methods. *Circulation*, 59: pp991-1000.
- Gensini, G.G. [1975]:** Anatomy of the normal coronary arteries. In: Gensini, G.G. (ed.): *Coronary Arteriography*, Futura Publishing Co., New York, pp163-230.
- Gensini, G.G. [1983]:** A more meaningful scoring system for determining the severity of coronary artery disease. *Am. J. Cardiol.*, 51; p606.

- Gibson, C.M.; Cannon, C.P.; Daley, W.L.; Dodge, J.J.; Alexander, B.; Marble, S.; McCabe, B.S.; Raymond, L.; Fortin, T.; Poole, W.K.; Braunwald, E. and the TIMI 4 study group [1996]:** TIMI frame count: A quantitative method of assessing coronary artery flow. *Circulation*, 93: 879-888.
- Gibson, C.M.; Murphy, S.A.; Rizzo, M.J.; Ryan, K.A.; Marble, S.J.; McCabe, C.H.; Cannon, C.P. and Braunwald, E. [1999]:** Relationship between TIMI frame count and clinical outcomes after thrombolytic administration. Thrombolysis in Myocardial Infarction (TIMI) study group. *Circulation*, 99: pp1945-1950.
- Gibson, D. [1989]:** Left ventricular function. In: Julian, D.G.; Camm, A.J.; Fox, K.M. and Hall, R.J.C. (eds.): *Disease of the Heart*, 1st. ed., Bailliere Tindall, London, p471.
- Gilbert, J.C. and Glantz, S.A. [1989]:** Determinants of left ventricular filling and of the diastolic pressure volume relations. *Circ. Res.*, 64: p827.
- Glower, D.D.; Spart, J.A. and Snow N.D. [1985]:** Linearity of the Frank-Starling relationship in the intact heart: The concept of preload recruitable stroke work. *Circulation*, 71: pp994-1009.
- Gould, K.L.; Kennedy, J.W. and Frimer, M. [1976]:** Analysis of wall motion dynamics and directional components of left ventricular contraction in man. *Am. J. Cardiol.*, 38: pp322-331.

- Gould, K.L.; Lipscomb, K. and Hamittan, G.W. [1974]:**
Physiologic basis for assessing critical coronary stenosis. *Am. J. Cardiol.*, 33: pp87-96.
- Gresh, B.J.; Braunwald, E. and Rutherford, J.D. [1997]:**
Chronic coronary artery disease. In: Braunwald, E. (ed.): *Heart disease: A textbook of cardiovascular medicine*, 5th. Ed. W.B. Saunders Company, Philadelphia, pp1289-1365.
- Grossman, W. [1986]:** Assessment of regional myocardial function. *J.Am. Coll. Cardiol.*, 7: pp327-328.
- Grossman, W. [1991a]:** Evaluation of systolic and diastolic function of the myocardium. In: Grossman, W. and Baim, D.S. (eds.): *Cardiac Catheterisation, Angiography and Intervention*, Lea and Febiger, Philadelphia, p326.
- Grossman, W. [1991b]:** Pressure measurement. In: Grossman, W. and Baim, D.S. (eds.): *Cardiac catheterization, Angiography and Intervention*, Lea and Febiger, Philadelphia, p123.
- Habib, G.B.; Heibig, J.; Forman, S.A.; Brown, B.G.; Roberts, R.; Terrin, M.L.; Bolli, R. and the TIMI Investigators [1991]:** Influence of coronary collateral vessels on myocardial infarct size in humans: Results of phase I Thrombolysis in Myocardial Infarction (TIMI) Trial. *Circulation*, 83: pp739-746.
- Hansen, J.F. [1989]:** Coronary collateral circulation: Clinical significance and influence on survival in patients with coronary artery occlusion. *Am. Heart J.*,

117: pp290-295.

Harris, P.J.; Harrel, F.E. and Lee, K.L. [1979]: Survival in medically treated coronary artery disease. *Circulation*, 60: pp1259-1269.

Harrison, D.G. and Simonetti, I. [1991]: Neurohumoral regulation of collateral perfusion. *Circulation*, 83(Suppl.3): pp62-67.

Helfant, R.H.; Kemp, H.G. and Gorlin, R. [1970]: Coronary atherosclerosis, coronary collaterals and their relation to cardiac function. *Ann. Intern. Med.*, 73: p189.

Herman, M.V.; Heinle, R.A. and Klein, M.D. [1967]: Localized disorders in myocardial contraction. *N. Engl. Med.*, 227: p222.

Hess, O.M. [1997]: Assessment of diastolic left ventricular function. In: Peterson, K.L. and Nicod, P. (eds.): *Cardiac Catheterization: methods, diagnosis and therapy*, W.B. Saunders Company, Philadelphia, pp214-227.

Heyndrick, G.R.; Baig, H.; Nellens, P.; Leusen, I.; Fishbein, M.C. and Vatner, S.F. [1975]: Regional myocardial functional and electrophysiological alterations after brief coronary artery occlusion in conscious dogs. *J. Clin. Invest.*, 56: pp978-985.

Hill, A.B. [1977]: A short Textbook of Medical Statistics. The English Language Book Society (ELB). 10th Ed., London. pp43-183.

- Ho, Y.L.; Wu, C.C.; Lin, L.C.; Liu, Y.B.; Chen, W.J.; Chen, M.F.; Liao, C.S. and Lee, Y.T. [1997]:** Assessment of the functional significance of coronary artery stenosis by dobutamine atropine stress echocardiography. *Cardiology*, 88: pp386-392.
- Hochman, J.S. and Choo, H. [1987]:** Limitation of myocardial infarct expansion by reperfusion independent of myocardial salvage. *Circulation.*, 75: pp299-306.
- Hoffmann, R.; Lethen, H.; Marwick, T.; Arnesen, M.; Fioretti, P.; and Pingitore, A. [1996]:** Analysis of interinstitutional observer agreement in interpretation of dobutamine stress echocardiograms. *J. Am. Coll. Cardiol.*, 27: pp330-336.
- Ilia, R.; Carmel, S.; Cafri, C. and Gueron, M. [1998]:** Coronary collaterals in patients with normal and impaired left ventricular systolic function. *Int. J. Cardiol.*, 63: pp151-153.
- Judkins, M.P.[1967]:** selective coronary arteriography: A percutaneous transfemoral technique. *Radiology*, 89: p815.
- Julliere, Y.; Marie, P.Y.; Danchin, N.; Karcher, G.; Bertrand, A. and Cherrier, F. [1991]:** Evolution of myocardial ischemia and left ventricular function in patients with angina pectoris without myocardial infarction and total occlusion of the left anterior descending coronary artery and collaterals from other coronary arteries. *Am. J. Cardiol.*, 68: pp7-12.

- Kalbfleish, S.J.; McGillen, M.J. and Pinto, I.M. [1990]:**
Comparison of automated quantitative coronary
angiography with caliper method of percent diameter
stenosis. *Am. J. Cardiol.*, 65: pp1181-1184.
- Kanasawa, T. [1994]:** Coronary collateral circulation. *Jpn.
Circ. J.*, 58: p151.
- Kass, A.; Maughan, W.L.; and Guo, A.M.[1987]:**
Comparative influence of load versus intropic state on
indexes of ventricular contractility. *Circulation*, 76:
p1422.
- Katayama, K.; Guth, B. and Widmann, T. [1988]:**
Temporal fourier transformation of digital angiograms
for left ventricular regional wall motion analysis. *Jpn.
Circulation J.*, 52: pp607-616.
- Kemp, H.G. [1985]:** Coronary arteriography: Indications,
techniques and morbidity. In Schroder, J.S. (ed):
Invasive Cardiology, F.A. Davis Company,
Philadelphia, pp1-15.
- Kern, M.J. and Ludbrook, P.A. [1997]:** Measurement of
coronary blood flow. In: Peterson, K.L. and Nicod, P.
(eds): *Cardiac Catheterization: Methods, diagnosis
and therapy*, W.B. Saunders Company, Philadelphia,
pp99-129.
- Kloner R.A.; Bolli, R.; Marban, E.; Reinlib, L. and
Braunwald, E. [1998]:** Medical and cellular
implications of stunning, hibernation and
preconditioning. *Circulation*, 97: pp1848-1867.
- Kloner, R.A.; Ellis, S.G.; Lange, R. and Braunwald, E.**
-

[1983]: Studies of experimental coronary artery reperfusion: Effects on infarct size, myocardial function, biochemistry, ultrastructure and microvascular change. *Circulation*, 68(Supl. I): pp118-125.

Kloner, R.A.; Przyklenk, K. and Kay, G.L. [1994]: Clinical evidence for stunned myocardium after coronary artery bypass surgery. *J. Cardiac. Surg.*, 9: pp397-402.

Kloner, R.A.; Rude, R.E.; Carlson, N.; Maroko, P.R.; DeBoer, L.W. and Braunwald, E. [1980]: Ultrastructural evidence of microvascular damage and myocardial cell injury after coronary artery occlusion: Which comes first? . *Circulation*, 62: pp945-952.

Kloner, R.A.; Shook, T.; Antman, E.M.; Cannon, C.P.; Przklenk, K.; Braunwald, E. and TIMI 9 Investigators [1996]: A prospective analysis on the potential preconditioning effect of preinfarct angina in TIMI 9. *Circulation*, 94 (Supl.I): pI-611.

Kloner, R.A.; Shook, T.; Przklenk, K.; Davis, V.G.; Junio, L.; Matthews, R.V.; Burstein, S. and TIMI 4 Investigators [1995]: Previous angina alters in hospital outcome in TIMI 4: A clinical correlate to preconditioning? *Circulation*, 91: pp37-47.

Kodama, K.; Kusuoka, H.; Sakai, A.; Adachi, T.; Hasegawa, S.; Mishima, M.; Hori, M. and Hirayama, A. [1996]: Collateral channel that develop after an acute myocardial infarction prevent subsequent left ventricular dilation. *J. Am. Coll.*

Cardiol., 27: pp1133-1139.

Kozman, H.; Cook, J.R.; Wiseman, A.H.; Dann, R.H. and Engelman, R.M. [1998]: Presence of angiographic coronary collaterals predicts myocardial recovery after coronary bypass surgery in patients with severe left ventricular dysfunction. *Circulation*, 98(Suppl.I): ppII57-61.

Krayenbuhl, H.P. and Hess, O.M. [1997]: Assessment of systolic left ventricular function. In: Peterson, K.L. and Nicod, P. (eds.): *Cardiac catheterization: Methods, diagnosis and therapy*, W.B. Saunders Company, Philadelphia, pp201-213.

Krayenbuhl, H.P.; Rutishauser, W. and Wirz, P. [1973]: High fidelity left ventricular pressure measurements for the assessment of cardiac contractility in man. *Am. J. Cardiol.*, 31: pp415-427.

Kumar, S.; West, D.; Shahabuddin, S.; Arnold, F.; Haboubi, N.; Reid, H. and Carr, T. [1983]: Angiogenesis factor from human myocardial infarcts. *Lancet*, 2: pp364-367.

Lavine, P.; Zbigniew, F.; Najmi, M.; Kimbiris, D.; Segal, B.L. and Linhart, J.W. [1974]: Clinical and hemodynamic evaluation of coronary collateral vessels in coronary artery disease. *Am. Heart J.*, 84: pp343-349.

Levin, D.C. [1974]: Pathways and functional significance of the coronary collateral circulation. *Circulation*, 50: p831.

- Levin, D.C. [1982]:** Significance of the angiographic morphology of localized coronary stenosis: Histopathologic correlation. *Circulation*, 66: pp316-322.
- Lim, J.S.; Proudfit, W.L. and Sones, F.M. [1975]:** Left main coronary arterial obstruction: Long term follow-up of 141 non-surgical cases. *Am. J. Cardiol.*, 36:pp. 131-135.
- Lipton, M.J.; Higgins, C.B. and Boyd, D.P. [1985]:** Computed tomography of the heart: Evaluation of anatomy and function. *J. Am. Coll. Cardiol.*, 5: pp55s-69s.
- Little, W.C. and Applegate, R.J. [1993]:** Congestive heart failure: Systolic and diastolic function. *J. Cardiothor. Vasc. Anesth.*, 6 (Suppl.2):p. 2.
- Little, W.C. and Braunwald, E. [1997]:** Assessment of cardiac function. In: Braunwald, E. (ed.): *Heart Disease: A textbook of cardiovascular medicine*, 5th. Ed. W.B. Saunders Company, Philadelphia, pp421-444.
- Little, W.C. and Downes, T.R. [1990]:** Clinical evaluation of left ventricular diastolic performance. *Prog. Cardiovasc. Dis.*, 32: pp273.
- Low, W.Y.; Chen, Z. and Guth, B. [1985]:** Mechanisms of augmented segment shortening in nonischemic areas during acute ischemia of the canine left ventricle. *Circ. Res.*, 56: p351.
- Lyons, J.; Norell, M. and Gardner, J. [1989]:** Phase and

amplitude analysis of exercise digital left ventriculograms in patients with coronary disease.

Maes, A.; Flameng, W. and Nuyts, J. [1994]: Histological alterations in chronically hypoperfused myocardium: Correlations with PET findings. *Circulation*, 90: pp735-745.

Maisonpierre, P.C.; Suri, C.; Jones, P.F.; Bartunkova, S.; Wiegand, S.J.; Radziejewski, C. and Compton, D. et al.[1997]: Angiopoietin-2 a natural antagonist for Tie 2 that disrupts in vivo angiogenesis. *Science*, 277: pp55-60.

Mancini, G.B.J. [1997]: Digital cardiac angiography. In: Peterson, K.L. and Nicod, P. (eds.): *Cardiac Catheterization: methods, diagnosis and therapy*, W.B. Saunders Company, Philadelphia, pp180-199.

Mancini, G.B.J.; Bourassa, M.G.; Williamson, P.R.; Leclerc, G.; DeBoe, S.F.; and Pitt, B. [1992]: Prognostic importance of quantitative analysis of coronary cineangiograms. *Am. J. Cardiol.*, 69: pp1022-1027.

Mancini, G.B.J.; DeBoe, S.F.; McGillen, M.J. and Bats, E.R. [1988]: Quantitative regional curvature analysis. *Am. Heart J.*, 116: pp1616-1624.

Mancini, G.B.J.; Simon, S.B.; McGillem, M.J.; LeFree, M.T.; Friedman, H.Z. and Vogel, R.A. [1987]: Automated quantitative coronary arteriography: Morphologic and physiologic validation in vivo of a rapid digital angiographic method. *Circulation*, 75:

pp452-460.

Manginas, A.; Gatzav, P.; Chasikidis, C.; Voudris, V.; Pavlides, G. and Cokkinos, D.V. [1999]: Estimation of coronary flow reserve using the Thrombolysis in Myocardial Infarction. (TIMI) frame count method. Am. J. Cardiol., 83: pp1562-1565.

Maraski, R.E.; Russell, R.O.; smith, K. and Rackley, C.E. [1975]: Left ventricular function in patients with and without myocardial infarction and one, two or three vessel coronary artery disease. Am. J. Cardiol., 35: pp1-10.

Marcus, E.; Barta, E. and Beyar, R. [1988]: Characterization of regional left ventricular contraction by curvature difference analysis. Basic. Res. Cardiol., 83: pp486-500.

Marcus, M.L. [1983]: The coronary circulation. In: Marcus, M.L. (ed.): The coronary circulation in health and disease, McGraw-Hill Book Company, New York, pp221-241.

Marcus, M.L. and Harrison, D.G. [1991]: Physiologic basis for myocardial perfusion imaging. In: Schelbert, H.R.; Skorton, D.J. and Wolf, G.I. (eds.): Cardiac Imaging: A companion to Braunwald's Heart Disease, W.B. Saunders Co., Philadelphia, pp8-23.

Marcus, M.L.; Wright, C. and Doty, D. [1981]: Measurements of coronary velocity and reactive hyperemia in the coronary circulation of humans. Circ. Res., 49: p877.

- Mason, D.T. [1969]:** Usefulness and limitations of the rate of rise of intraventricular pressure in the evaluation of myocardial contractility in man. *Am. J. Cardiol.*, 23: pp516-527.
- McMahon, M.M.; Brown, B.G.; Cukingnan, R.; Rolett, E.L.; Bolson, E.; Frimer, M. and Dodge, H.T. [1979]:** Quantitative coronary angiography: Measurement of the critical stenosis in patients with unstable angine and single vessel disease. *Circulation*, 60: pp106-115.
- Miller, S.W. [1984]:** Normal angiographic anatomy and measurements. In: Miller, S.W. (ed.): *Cardiac Angiography*, 1st. ed. , Little Brown Co., Boston, pp62-79.
- Mirsky, I. [1990]:** Clinical assessment of diastolic function. *Prog. Cardiovasc. Dis.*, 32: pp291-318.
- Mock, M.B.; Ringavist, I.; Fisher, L.D.; Davis, K.B.; Zack, P.M. and Schick, E.C. [1982]:** Survival of medically treated patients in the coronary artery surgery study (CASS) registry. *Circulation*, 66: pp.562-570.
- Mohri, M.; Tomoike, H.; Noma, M.; Inoue, T.; Hisano, K. and Nakamura, M. [1989]:** Duration of ischemia is vital for collateral development. *Circ. Res.*, 64: pp287-296.
- Morris, D.C.; Douglas, J.S. and King III, S.B. [1985]:** Quantitative evaluation of left ventricular function. In: King III, S.B. and Douglas, J.S. (eds): *Coronary*

Arteriography and Angioplasty, McGraw – Hill Book Company, New York, pp288-300.

Multlak, D.M.; Habib, S.; Markiewicz, W. and Beyar, R. [1998]: Determinants of regional myocardial function in patients with chronic significant coronary stenosis or occlusion. *Am. Heart J.*, 136: pp169-175.

Murry, C.E.; Jennings, R.B. and Reimer, K.A. [1986]: Preconditioning with ischemia: A delay of lethal cell injury in ischemic myocardium. *Circulation*, 75: pp1124-1136.

Nagel, T.; Resnick, N. and Atkenson, W.J. [1994]: Shear stress selectively up-regulates intercellular adhesion molecule-I expression in cultured human vascular endothelial cells. *J. Clin. Invest.*, 94: pp885-890.

Nicolau, J.C.; Nogueira, R.P.; Pinto, M.; Serrano, C.V. and Garzon, S.A. [1999]: Early infarct collateral flow does not improve long-term survival following thrombolytic therapy for acute myocardial infarction. *Am. J. Cardiol.*, 83: pp21-26.

Nissen, S.E.; Elion, J.L. and Grayburn, p[1987]: Determination of left ventricular ejection fraction by computer densitometric analysis of digital subtraction angiography.

O'Brien, E. [1985]: Blood pressure measurement: Current practice and future trends, *Br. Med. J.*, 290: p729.

Olsson, R.A.; and Bugni, W.J. [1986]: Coronary circulation. In: Fozzard, H.A.; Jennings, R.B.; and Haber, E. (eds.): *The Heart and Cardiovascular*

System. Raven Press, New York, pp987-1038.

Opie, L.H. [1997]: Mechanisms of cardiac contraction and relaxation. In: Braunwald, E. (ed.): Heart disease: A textbook of cardiovascular medicine, 5th. Ed. W.B. Saunders company, Philadelphia, pp360-393.

Pellinen, T.J.; Virtanen, K.S.; Toivonen, L.; Heikkila, J.; Hekali, P.; and Frick, M.H. [1991]: Coronary collateral circulation. Clin. Cardiol., 14: pp111-118.

Pepine, C.J.; Allen, H.D.; Bashore, T.M.; Brinker, J.A.; Cohn, L.H.; Dillon, J.C.; Hillis, D.; Klocke, F.J.; Parmley, W.W. et al. [1991]: ACC/AHA guidelines of cardiac catheterization and cardiac catheterization laboratories: American College of Cardiology/ American Heart Association Ad Hoc Task Force on Cardiac Catheterization. Circulation, 84:pp. 2213-2247.

Peterson, J.; King, S.B.; Fajaman, W.A.; Douglas, J.S. and Jones, R.H. [1983]: Relationship of coronary artery stenosis and gradient to exercise induced ischemia. J. Am. Coll. Cardiol., 1: pp673-679.

Peterson, K.L.; Bhargava, V. and Nicod, P. [1997]: Catheterization and angiography in coronary heart disease. In: Peterson, K.L. and Nicod, P. (eds.): Cardiac Catheterization: Methods, diagnosis and therapy, W.B. Saunders Company, Philadelphia, pp323-351.

Peterson, K.L.; Skloven, D. and Ludbrook, P. [1974]: Comparison of isovolumic and ejection phase indices

of myocardial performance in man. *Circulation*, 49: pp1088-1101.

Petronio, A.S.; Baglini, R.; Limbruno, U.; Mengozzi, G.; Amoroso, G.; Cantarelli, A. and Vagheti, M. et al. [1998]: Coronary collateral circulation behaviour and myocardial viability in chronic total occlusion treated with coronary angioplasty. *Eur. Heart J.*, 19: pp1681-1687.

Pfeffer, M.A. and Braunwald, E. [1990]: Ventricular remodeling after myocardial infarction: Experimental observations and clinical implications. *Circulation*. 81: p1161.

Produfit, W.L.; Bruschke, A.V.G.; Mac Millan, J.P. and Sones, F.M. [1983]: Fifteen years survival study of patients with obstructive coronary artery disease. *Circulation*, 68: pp986-994.

Pujadas, G. [1980]: Radiological anatomy of coronary arteries. In: Pujadas, G. (ed.): *Coronary Angiography*, 1st. Ed., McGraw-Hill Book Company, New York, pp55-88.

Rackley, C.E.; Russell, R.O. and Bush, D.E. [1977]: Modern approach to the patient with acute myocardial infarction. *Curr. Probl. Cardiol.*, 1: p49.

Rahimtoola, S.H. [1997]: Myocardial hibernation: Current clinical perspectives. In: Yellon, D.M.; Rahimtoola, S.H. and Opie, L.H. (eds.): *New Ischemic Syndromes*, Lippincott-Raven Publishers, Philadelphia, pp215-234.

- Ramires, J.A.; Serrano, C.V.; Solimene, M.C.; Moffa, P.J.; Caramelli, B. and Pileggi, F. [1996]:** Prognostic significance of ST.T segment alterations in patients with non Q-wave myocardial infarction. *Heart*, 75: pp582-587.
- Rentrop, K.P.; Cohen, M.; Blank, H. and Phillips, R.A. [1985]:** Changes in collateral channel filling immediately after controlled coronary artery occlusion by an angioplasty balloon in human subjects. *J. Am. Coll. Cardiol.*, 5: pp587-591.
- Rentrop, K.P.; Feit, F.; Sherman, W.; Stecy, P.; Hosat, S. and Cohen, M. [1989]:** Late thrombolytic therapy preserves left ventricular function in patients with collateralized total coronary occlusion: Primary end findings of the second Mount-Sinai New York University reperfusion Trial. *J.Am. Coll. Cardiol.*, 14: pp58-64.
- Rentrop, K.P.; Thornton, J.C.; Feit, F. and Buskirk, V. [1988]:** Determinants and protective potential of coronary arterial collaterals as assessed by an angioplasty model. *Am. J. Cardiol.*, 61:pp. 677-682.
- Roberts, W.C. [1989]:** Qualitative and quantitative comparison of amounts of narrowing by atherosclerotic plaques in the major epicardial coronary arteries at necropsy in sudden coronary death, transmural acute myocardial infarction, transmural healed myocardial infarction and unstable angina pectoris. *Am. J. Cardiol.*, 64: pp324-336.
- Ross, J. [1986]:** Assessment of ischemic regional

myocardial dysfunction and its reversibility.
Circulation, 74: pp1186-1190.

Ryan, T.J.; Faxon, D.P. and Gunnar, R.M. et al. [1988]:
Guidelines for percutaneous transluminal coronary
angioplasty: A report of the American College of
Cardiology / American Heart Association Task Force
on assessment of diagnostic and therapeutic
cardiovascular procedures (subcommittee on
percutaneous transluminal coronary angioplasty). J.
Am. Coll. Cardiol., 12: p529.

Sabia, P.J.; Powers, E.R. and Ragosta, M. [1992]: An
association between collateral blood flow and
myocardial viability in patients with recent
myocardial infarction. N.Engl. J. Med., 327: pp1825-
1831.

**Saito, Y.; Yasuno, M.; Ishida, M.; Suzuki, K.; Matoba,
Y. and Emura, M.[1985]:** Importance of coronary
collaterals for restoration of left ventricular function
after intracoronary thrombolysis. Am. J. Cardiol., 55:
pp1259-1263.

Sambuceti, G.; Parodi, O. and L'Abbate, A. [1998]:
Collateral circulation and the coronary reserve.
Cardiologia, 43: pp163-171.

**Sambuceti, G.; Parodi, O.; Marcassa, C.; Negli, D.;
Salvadori, P.; Giorgetti, A.; Bellina, R.C. and
Sacco, S.D. et al. [1993]:** Alteration in regulation of
myocardial blood flow in one vessel coronary artery
disease determined by positron emission tomography.
Am. J. Cardiol. 72; pp538-543.

- Sang, Q.X. [1998]:** Complex role of matrix metalloproteinases in angiogenesis. *Cell Res.*, 8: pp171-177.
- Sanz, G.; Castaner, A. and Betriu, A. [1982]:** Determinants of prognosis in survivors of myocardial infarction. *N. Engl. J. Med.*, 306: pp1065-1069.
- Sasayama, S. and Fujuta, M. [1992]:** Recent insights into coronary collateral circulation. *Circulation*, 85: pp1197-1204.
- Sawada, S.; Eisner, G.; Segar, D.S.; O'Shaughnessy, M.; Khouri, S.; Folts, J. and Hutchins, G.D. [1997]:** Evaluation of patterns of perfusion and metabolism in dobutamine responsive myocardium. *J. Am. Coll. Cardiol.*, 29: pp55-61.
- Schaper, W. [1991]:** Biological and molecular aspects of angiogenesis in coronary collateral development. In: Nakamura, M. and Vanhoutte, D.M. (eds.): *Coronary Circulation in Physiological and Pathological States*, Springer-Verlag, Tokyo, pp21-27.
- Schaper, W. [1993]:** New paradigms for collateral vessel growth. *Basic Res. Cardiol.*, 88: pp193-198.
- Schaper, W.; George, G.; Winkler, J. and Schaper, J. [1988]:** The collateral circulation of the heart. *Prog. Cardiovasc. Dis.*, 31: p57.
- Schlant, R.C. and Sonnenblick, E.H. [1990]:** Normal physiology of the cardiovascular system. In: Hurst, J.W. (ed.): *The Heart 7th. Ed.*, McGraw-Hill Inc., New York, pp35-71.

- Schnittger, I.; Fitzgerald, P.J.; Gordon, E.P.; Alderman, E.L. and Ropp, R.L. [1984]:** Computerized quantitative analysis of left ventricular wall motion by two-dimensional echocardiography. *Circulation*, 70: pp242-247.
- Schuster, E.H. and Bulkley, G.H. [1980]:** Ischemia at a distance after acute myocardial infarction: A cause of early postinfarction angina. *Circulation*, 62; p509.
- Schwartz, F.; Flammeng, W.; Ensslen, R.; Sesto, M. and Thormann, J. [1978]:** Effect of collaterals on left ventricular function at rest and during stress. *Am. Heart J.*, 95: pp570-578.
- Schwartz, H.; Leifoff, R.H.; Bren, G.B.; Wasserman, A.G.; Katz, R.J. and Varghese, p[1984]:** Temporal evolution of the human coronary collateral circulation after myocardial infarction. *J. Am. Coll. Cardiol.*, 4: pp1088-1093.
- Seiler, C.; Fleisch, M. and Meier, B. [1997]:** Direct intracoronary evidence of collateral steal in humans. *Circulation*, 96: pp4261-4267.
- Shahi, M.; Radhakrishnan, S.; Sinha, N. and Shrivastava, S. [1996]:** Transesophageal dobutamine atropine stress echocardiography: Diagnostic accuracy for coronary stenosis detection and localization, *Int. J. Cardiol.* 56: pp185-192.
- Sheehan, F.H.; Braunwald, E.; Canner, P.; Dodge, H.T.; Gore, J. and Natta, P.V. [1987]:** The effect of intravenous thrombolytic therapy on left ventricular

function. A report on tissue type plasminogen activator and streptokinase from the Thrombolysis in Myocardial Infarction (TIMI phase I) trial. *Circulation*, 75: pp817-829.

Sheehan, F.H.; Stewart, D.K. and Dodge, H.T. [1983]: Variability in the measurement of regional left ventricular wall from contrast angiogram. *Circulation*, 68: pp550-560.

Sheiban, I.; Tonni, S.; Marini, A. and Trevi, G. [1995]: Clinical and therapeutic implications of chronic left ventricular dysfunction in coronary artery disease. *Am. J. Cardiol.*, 75: pp22E-30E.

Shing, Y.; Folkman, J.; Sullivan, R.; Butterfield, C.; Murray, J. and Klagsburn, M. [1984]: Heparin affinity: Purification of a tumor derived capillary endothelial cell growth factor. *Science*, 223: pp1296-1299.

Slager, C.J.; Hooghoudt, T.E.H.; Serruys, P.W.; Schurbiers, J.C.H.; Reiber, J.H.; Meester, G.T.; Verdouw, P.D. and Hugenholtz, P.G. [1986]: Quantitative assessment of regional left ventricular motion using endocardial landmarks. *J. Am. Coll. Cardiol.*, 7: pp317-326.

Snow, P.; Jones, A. and Daber, R. [1955]: Coronary disease: A pathologic study. *Br. Heart J.*, 17: pp503-510.

Speir, E.; Zhou, Y.F.; Lee, M. and Casscells, W. [1988]: Fibroblast growth factors are present in adult cardiac

myocytes in vivo. Biochem. Biophys. Res. Commun., 157: pp1336-1340.

Sunnerhagen, S.; Smith, S.C.; Jaski, B.E. and Bhargava, V. [1991]: Ishcemic heart disease and regional left ventricular wall motion: A study comparing radial, centerline and a videointensity based slope technique. Int. J. Card. Imaging, 6: pp85-96.

The GUSTO Angiographic Investigators [1993]: The effect of tissue plasminogen activator, streptokinase or both on coronary artery patency, ventricular function and survival after acute myocardial infarction. N. Engl. J. Med., 329: pp1615-1622.

The TIMI Study Group [1985]: The thrombolysis in myocardial infarction (TIMI) Trial: Phase I findings. N. Engl. J. Med., 312: pp932-942.

Theroux, P.; Franklin, D. and Ross, J. [1974]: Regional myocardial function during acute coronary artery occlusion. Circ. Res., 35: p896.

Thuring, C.H.; Hess, O.M. and Murakami, T. [1989]: Normal werte der linksventrikularen Funktion: Biplane angiokardiographic. Fortschr Rontgenstr, 150: pp562-568.

Touchstone, D.A.; Beller, G.A.; Nygard, T.W.; Tedesco, C. and Karl, S. [1989]: Effect of successful intravenous reperfusion therapy on regional myocardial function and geometry in humans: A tomographic assessment using two dimension echocardiography. J. Am. Coll. Cardiol., 13: pp1506-

Uehata, A.; Matsuguchi, T.; Bittl, J.A.; Orav, J. and Meredith, U.T. [1993]: Accuracy of electronic digital calipers compared with quantitative angiography in measuring coronary arterial diameter. *Circulation*, 88: pp1724-1729.

Valsania, P.; Zarich, S.W.; Kowalchuk, G.J.; Kosinski, E. and Krowlewski, A.S. [1991]: Severity of coronary artery disease in young patients with insulin dependent diabetes mellitus. *Am. Heart J.*, 122; pp695-700 s.

Vanoverschelde, J.L.; Wijns, W.; Borgers, M.; Heyndrick, G.R.; Flameng, W. and Melin, J.A. [1997]: Chronic myocardial hibernation in humans: From bedside to bench. *Circulation*, 95: pp1961-1971.

Vanoverschelde, J.L.; Wijns, W.; Depre, C.; Essamri, B.; heyndrick, G.R.; Borgers, M.; Bol, A. and Melin, J. [1993]: Mechanisms of chronic regional postischemic dysfunction in humans: New insights from the study of noninfarcted collateral dependent myocardium. *Circulation*, 87: pp1513-1523.

Verani, M.S. [1983]: The functional significance of coronary collateral vessels. *Cathet. Cardiovasc. Diagn.*, 9: pp333-337.

Wallace, W.C.; Skinner, N.S. and Mitchell, J.H. [1963]: Hemodynamic determinants of the maximal rate of rise of left ventricular pressure. *Am. J. Physiol.*, 205: pp30-36.

- Waters, D.; graven, T.E. and Lesperance, J. [1993]:**
Prognostic significance of progression of coronary atherosclerosis. *Circulation*, 87:pp. 1067-1075.
- Weiner, H.L.; Swain, L. and Allen, P. [1989]:** Acidic fibroblast growth factor in RNA is expressed by cardiac myocytes in culture and the protein is localized to the extracellular matrix. *Proc. Natl. Acad. Sci. USA*, 86: pp2683-2687.
- White, H.D.; Cross, D.B.; Elliott, J.M.; Norris, R.M. and Yee, T.W. [1994]:** Long-term prognostic importance of patency of the infarct-related coronary artery after thrombolytic therapy for acute myocardial infarction. *Circulation*, 89: pp61-67.
- White, H.D.; Norris, R.M. and Brown, M.A. [1987]:** Left ventricular end-systolic volume as the major determinant of survival after recovery from myocardial infarction. *Circulation*. 76: p44.
- Wijns, W.; Serruys, P.W.; Reiber, H.C.; Brand, M.; Simoons, M.L. and Kooijman, C.J. [1985]:** Quantitative angiography of the left anterior descending coronary artery: Correlations with pressure gradient and results of exercise thallium scintigraphy. *Circulation*, 71: pp273-279.
- Wilson, R.F.; Marcus, M.L. and White, C.W. [1987]:** Prediction of the physiologic significance of coronary arterial lesions by quantitative lesion geometry in patients with limited coronary artery disease. *Circulation*, 72: p723.

- Wynne, J.; Green, L.H. and Mann, T. [1978]:** Estimation of left ventricular volumes in man from biplane cineangiograms filmed in oblique projections. *Am. J. Cardiol.* 41: pp726-732.
- Ytrehus, K. and Downey, J.M. [1993]:** Experimental models assessing the physiology of myocardial ischemia. *Curr. Opin. Cardiol.*, 8: pp581-586.
- Zack, P.M.; Chaitman, B.R.; Davis, K.B.; Fisher, L.D. and Mock, M. [1989]:** Survival pattern in clinical and angiographic subsets of medically treated patients with combined proximal left anterior descending and proximal left circumflex coronary artery disease. *Am. Heart J.*, 118: pp220-227.