

REFERENCES

1. **Nordet, P. (1993):** WHO/ISFC Global programme for the prevention and control of RF/RHD. *J. Int. Soc. Fed. Cardiol.* 3: 4-5.
2. **Eisenberg, M.J. (1993):** Rheumatic heart disease in the developing world: prevalence, prevention and control. *Eur. Heart J.*; 14: 122-128.
3. **Haffejee, I. (1992): Rheumatic fever and rheumatic heart disease:** The current status of its immunology, diagnostic criteria and prophylaxis. 84: 691-658.
4. **Vardi, P.; Markiewicz Z, W.; Weiss, Y.; Levi, J.; and Benderly, A. (1983):**Clinical echocardiographic correlations in acute rheumatic fever. *Pediatrics* 71: 830-843.
5. **Keith,J.D.; Rowe,R.D.; and Vald, P. (1958):** Rheumatic fever and rheumatic heart disease, in *Heart diseases in infancy and childhood.* Mc millan Co. 611.
6. **Veasy, L.G.; Wiedmere, S.E.; and Orsmond, G.S. (1987):** Resurgence of acute rheumatic fever in the intemountain area of the United State. *N. Engl. J. Med.*; 416: 421-427 .
7. **Abernathy, M.; Bass, N.; Sharpe, N.; Grant, C.; Neutze, J.; Clarkson, P.; Greaves, S.; Lennon, D.; and Snow, S.**

(1994): Doppler echocardiography and the early diagnosis of carditis in acute rheumatic fever. Aust. NZJ. Med. 24: 530-535.

8. De Bruyne, B.; Lerch, R.; Meier, B.; et al. (1989): Doppler assesment of left ventricular diastolic filling during brief coronary occlusion. Am. Heart J. 117: pp 629-635.

9. Vasan, M.D.; Savitri-shrivastava, M.D.; Manam, V.; Rajiv, N.; and Bradford, C. (1996): Echocardiographic evaluation of patients with acute rheumatic fever and rheumatis carditis. Circulation 94: pp 37-82.

10. Dodu, SRA; and Bothing, S. (1989): Rheumatic fever and Rheumatic heart disease in developing contries . World Health Forum; 10:203-212.

11. Bezold, LI ; and Bricker, JT. (1995): Advances in acquired paediatric heart disease. Curr-opin cardiology jan; 10 (1) 78.

12. Elia, M.; and Ayoub, M.D. (1996): Acute rheumatic fever in: Moss and Adams, Textbook, volume II, heart disease in infants, children and adolscents including the fetus and young adult. 1400-1414.

- 13. Stollerman GH. (1990):** Rheumatogenic group A streptococci and the return of rheumatic fever. *Adv Internal Med*; 35: 1-26.
- 14. WHO study group. (1988):** Rheumatic fever and rheumatic heart disease. *World Health Organ. Tech Rep Ser* ; 764 : 21-25.
- 15. El-Said, G.M.; and Sorour, K.A. (1990):** Acute rheumatic fever chapter 86 in : Arthur Garson textbook, the science and practice of pediatric cardiology, vol II : 1485-1501.
- 16. Kaplan, E.L.; Janson, D.R.; and Cleary, P.P. (1989):** Group A streptococcal serotypes, isolated from patients and sibling contacts during the resurgence of rheumatic fever in the United States in the mid-1980 's. *J. Infect. Dis.*, 159: 101-103.
- 17. Rammelkamp, C.H.Jr.; Denny, F.W.Jr.; and Wannamaker, L.W. (1952):** studies on the epidemiology of Rheumatic fever in the armed services in: Thomas Ltd.. *Rheumatic fever* . Minneapolis: university of Minnesota Press, 72-89.
- 18. Gordis, L.; Lilienfeld, A.; and Rodriguez, R. (1969):** Studies in the epidemiology and preventability of rheumatic fever. I: Demographic factors and the incidence of acute attacks. *J. Charon. Dis.* 21 : 645-654.

- 19. Dajani, A.S.; Bisno, A.L.; and Chung, K.J.(1988):** Prevention of rheumatic fever: A statement for health professionals by the committee on rheumatic fever, endocarditis, and Kawasaki disease of the council on cardiovascular disease in the young, The American Heart Association. *Circulation* 78: 1082-1086.
- 20. Wannamaker, L.W. (1975):** Quoted from Nelson " Textbook of pediatrics " Vaughan, V.; and McKay, R.J. (eds.), 10th ed. W.B. Saunders company, Philadelphia, London, Toronto. 546.
- 21. Cheadle, W.B. (1889):** Harveian lectures on the various manifestations of the rheumatic state as exemplified in childhood and early life. *Lancet* 1:82.
- 22. Taranta, A.; Metrakos, J.; and Uchida, I. (1959):** Rheumatic fever in monozygotic and dizygotic twins. *Circulation*. 20: 778.
- 23. Ayoub, E.M. ; Barrett, D.J.; Maclaren, N.K.; and Krish, J.P. (1986):** Association of class II human histocompatibility leukocyte antigens with rheumatic fever. *J. Clin. Invest.* 77(6) : 2019 .
- 24. Zabriskie, J.B. (1975) :** Rheumatic fever , associated B cell alloantigenes as identified by monoclonal antibodies. *Arthritis. Rheum.* 28 (b) : 1047.

- 25. Bundred, P. (1982):** Rheumatic fever. *Medicine International*. 18 : 817.
- 26. Majeed, H.A.; Khan, N.; and Dabbagh, M. (1981) :**Acute rheumatic fever during childhood in kuwait :The mild nature of the initial attack. *Ann . Trop .Paediatr*. 1 : 13-20 .
- 27. Palmieri, G.; Joun perselbin, Antoni Tex. (1976) :** Rheumatic fever in warm climate. *J.A.M.A*. 235 (2) 143 , 12 .
- 28. Chen, S.U.; Tsai, C.C.; and Nouri, S. (1986):** Carditis associated with mycoplasma pneumoniae infection. *Am.J.dis.child* 140 : 471-472.
- 29. Steven, D.L. (1992) :** Invasive group A streptococcus infections. *Clin. Infect. Dis.* ; 14: 2-13.
- 30. Shulman, S.T.; Ayoub, E.M.; and Victoria, B.E. (1974):** Differences in antibody response to streptococcal antigens in children with rheumatic and non-rheumatic mitral valve disease. *Circulation* ; 50: 1244-1251 .
- 31. Appleton, R.S.; Victoria, B.E.; and Ayoub,E.M. (1985):** Specificity of persistance of antibody to the streptococcal group A carbohydrate in rheumatic valvular heart disease. *J. Lab clin Med*; 105: 114-119 .
- 32. Widdowson, J.P.; Maxted, W.R.; Notly, C.M.; and Pinney, A.M. (1974):** The antibody responses in man to

infection with different serotypes of group A streptococci. J. Med. Microbiol.; 7: 483 .

33. Pattarroyo, M.E.; Winchester, R. and Vejerano, A. (1979): Association of B-cell alloantigen with susceptibility to rheumatic fever. Nature; 278:173.

34. Zabriskie, J.B.; Lavenchy, D.; and Williams, R.C. (1985): Rheumatic fever associated B cell alloantigen as identified by monoclonal antibodies. Arthritis Rheum.; 28:1007.

35. Stollerman, G.H. (1986): Autoimmunity and rheumatic fever. In Cohen, J.R. (ed.): Perspectives in Autoimmunity. Boca Raton, FL. CRC press.

36. Kaplan, M.H. (1963): Immunologic relation of streptococcal and tissue antigens. properties of an antigen in certain strains of group A streptococci exhibiting an immunologic cross-reaction with human heart tissue. J. Immunol; 90-595.

37. Winchester, R.J. (1989): The major histocompatibility complex. In Kelly, W.N., Harris, E.D.; Ruddy, S.; Sledge, C.B. eds. Text book of rheumatology .3rd ed. Philadelphia :WB Saunders.

38. Kaplan, M.H.; and Suchy, M.L. (1964): Immunologic relation of streptococcal and tissue antigens II: cross reactions of

antisera to mammalian heart tissue and the cell wall constituent of certain strains of group A streptococci. *J. Exp. Med.*; 119: 643-650.

39. Kaplan, M.H. (1979): Rheumatic fever, rheumatic heart disease and the streptococcal connection: The role of streptococcal antigens cross reactive with heart tissue. *Rev. Infect. Dis.*; 1: 988-996 .

40. Cunningham, M.W.; and Swerlick, R.A. (1987): Polyspecificity of antistreptococcal murine monoclonal antibodies and their implication in autoimmunity. *J. Exp. Med.*; 164: 998.

41. Husby, G.; Van de Rijn, J., and Zabriskie, K.B. (1976): Antibodies reacting with cytoplasm of the subthalamic and caudate nuclei neurons in chorea and acute rheumatic fever. *J. Exp. Med.*; 144: 1094-1110 .

42. Sandson, J.; Hamerman, D. and Janis, R. (1968): Immunologic and chemical similarities between the streptococcus and human connective tissue. *Trans. Assoc. Am. Physicians*; 81: 249-257.

43. Yong, L.C.; Sopyrey, P.R., Wittner, M.K. (1977): Streptococcal induced cell mediated immune destruction of cardiac myofibres. *J. Exp. Med.*; 146: 344-360 .

- 44. Khanna, A.K; Bukirk, D.R.; and Williams, R.C. (1989):** Presence of a non-HLA B cell antigen in rheumatic fever patients and their families as defined by a monoclonal antibody. *J. clin. Invest.*; 83: 1710.
- 45. Tomai, M.; Kotb, M.; Majundar, G.; and Beachey, E.H. (1990):** Superantigenicity of streptococcal M protein. *J. Exp. Med.*; 172-359.
- 46. Kemeny, E.; Grieve, T.; Marcus, R.; Saret, P.; and Zabriskie, J.B. (1989):** Identification of mononuclear cells and T cells subsets in rheumatic valvulitis. *Clin.Immunol. Immunopathol.* 52: 225-237.
- 47. Braunwald, E. (1992):** Assessment of cardiac function in: Heart disease, 4th ed., A textbook of cardiovascular medicine. Braunwald, E. (eds.). Saunders W.B., company. 419.
- 48. Aschoff , L. (1904) :** Zur myocardistis frage. *Dutsch Ges* 8: 46-53 .
- 49. Becker, G.G.; and Murphy, G.E. (1980):** on the pathology of rheumatic heart disease in read, S.E.; and Zabriniskie, J.B. (eds.) :streptococcal disease and immune response. New York, Academic press. 23.

- 50. Husby, G.H.; Arora, R.; and William, R.C. (1986):**Immunofluorescent studies of florid rheumatic Aschoff lesions. *Arthritis Rheum*; 29: 270 .
- 51. Rheubner, B. (1954):** The relationship between muscle damage and aschoff cell in rheumatic carditis. *J. Pathol. Bacteriol.* 68:101 .
- 52. Markowitz, M.; and Gordis, I.J (1972):** rheumatic fever. Philadelphia: WB saunders .
- 53. Baig, M.M.; Daicoff, R.G.; and Ayoub, E.M. (1978):** Comperative studies of acid mucopolysaccharide composition of rheumatic and normal heart valves in man. *Circ. Res.* 42: 271-275 .
- 54. Cotran, R.S.; Kumar, V.; and Robbins, S.L. (1984) :** Rheumatic fever and rheumatic heart disease in : Robbins pothological basis of Disease. 3rd. ed. Philadelphia, London, Toronto: WB saunders Company 571.
- 55. Cotran, R.S.; Kumar, V.; and Robbins, S.L. (1989):** Rheumatic fever and rheumatic heart disease in Robbins Pathological basis of Disease. 4th. ed. Philadelphia, London, Toronto: WB saunders Company. 629-633.
- 56. Anderson, W.A.D.; and Thomas, M.; Scotti, (1980) :** Rheumatic fever and rheumatic heart disease. Quoted from

«synopsis of Pathology» 10th. edition Anderson and Thomas eds., C.V. Mosby company st. louis Toronto, London 305.

57. Robbins, S.L., and Cotran, R.S. (1981): Rheumatic heart disease. Quoted from Robbins and Cotran (eds.) Pathological basis of disease. Holt-saunders. Japan Ltd. 665.

58. Dajani, A.S.; Ayoub, E.; and Bierman, F.Z. (1993): Guidelines for the diagnosis of rheumatic fever. Jones criteria, updated 1992. circulation 87: 302-307.

59. Sanyal, S.K. (1974): The initial attack of acute rheumatic fever during childhood in north india: A prospective study of the clinical profile. circulation 49: 7.

60. Disciascio, G.; and Taranta, A. (1980): Rheumatic fever in children. Am. Heart J. 99: 635-55.

61. Eckered, J.M.; Mcjunkin, J.E. (1989): Recent increase in incidence of acute rheumatic fever in Southern West Virginia. WV. Med. J.; 85: 323-325.

62. Braunwald, E. (1997): Assessment of cardiac function in : Heart disease, 5th ed., A textbook of cardiovascular medicine . Braunwald, E.(eds.): Saunders W.B., company: 1771 .

63. Aron, A.M., Freeman, J.M. and Cater, S. (1965): The natural history of sydenham's chorea. Am. J. Med ., 38: 83-95.

- 64. Kaplan, E. (1990) :** Acute rheumatic fever and its management in: Hurst, J.W.; Logue, R.B.; Rockly, C.E.; Schlant, R.C.; Sonnenblick, E.H.; Wallace, A.G.; Wanger, N.K. The Heart Arteries and veins. 7th. ed. New York, st. louis, San Francisco: Mc Graw-Hill Book company, 1523-8.
- 65. Taranta, A.; and Stollerman, G.H. (1956) :** The relationship of sydenham's chorea to infection with group A streptococci. Am. J. Med. 20:170 .
- 66. Baldwin, J.S.; Kerr, J.M.; Kuttner, A.G.; and Loyle, F.E. (1960) :** observations on rheumatic nodules over a 30-year period. J. Paediatr; 56: 465.
- 67. Massel, B.F.; Mote, J.R.; Jones, T.D. (1980):** The artificial induction of subcutaneous nodules in patients with rheumatic fever. Clin. Invest. 1937; 16:25. Quoted from: Disciascio, G.; Taranta, A. Rheumatic fever in children. Am. Heart J.; 99 (5): 635-58.
- 68. Bruke, J.B.; (1955):** Erythema marginatum. Arch. Dis. Child, 30: 359-65.
- 69. Feinstein, A.R.; and Spagnuolo, M. (1962):** The clinical pattern of acute rheumatic fever . A reappraisal; Medicine; 41: 279-84.

- 70. Westlake, R.M.; Graham, T.P. and Edwards, K.M. (1990):** An outbreak of acute rheumatic fever in Tennessee. *Pediatr. Infect. Dis. J.*; 9: 97-100.

- 71. Lin, J.S.; and Rodriguez Torres, S. (1969):** Appendectomy in children with acute rheumatic fever. *Pediatrics*; 43-573.

- 72. Kaplan, E.I.; and Wannamaker, L.W. (1977):** The c-reactive protein in streptococcal pharyngitis. *Pediatrics*; 60: 28-32.

- 73. Gewurz; Mold, C.; Siegel, J.; and Fiedel, B. (1982):** C-reactive protein and the acute phase response. *Adv. Intern. Med.*; 27-345.

- 74. Wood, p. (1969):** Quoted from «Diseases of the heart and circulation » 3rd. edition, Eyre and Spottis, Wood, D.P. 573-596.

- 75. Feinstein, A.R.; and Dimassa, R. (1959):** Prognostic significance of valvular involvement in acute rheumatic fever. *N. Engl. J. Med.*; 260: 1001.

- 76. Feinstein, A.R.; Wood, H.F.; and Spagnuolo, M. (1964):** Rheumatic fever in children and adolescents: VII. Cardiac changes and sequelae. *Ann. Intern. Med.*; 60 (suppl 5); 87.

- 77. Burdash, N.M.; Teti, G.; and Hund, P. (1986):** Streptococcal antibody test in acute rheumatic fever. *Ann. Clin. Lab. Sci.* 16 (2): 136-170.
- 78. Watanabe, N.; Kobayashi, M.; Arimura, A.; and Oshima, M. (1981):** Follow up study of ASO ADNase-B and ask levels in children with rheumatic fever. *Jpn. Circ. J.* 45 (12): 1379.
- 79. Makowitz, M.; and Kuttner, A.F. (1965):** Quoted from rheumatic fever diagnosis, management, and prevention. 1st. edition, WB saunders company, Philadelphia and London.
- 80. Appleton, R.S.; Victoria, B.E.; Tamer, D.; and Ayoub, E.M. (1985):** Specificity for persistance of antibody to the streptococcal group A carbohydrate in rheumatic valvular heart disease. *J. Lab. Clin. Med.* 105: 114-119.
- 81. Kaplan, E.L.; and Huwe, B.B. (1980):** The sensitivity and specificity of an agglutination test for antibodies to streptococcal extracellular antigens. *J. Pediatr.* 96: 367.
- 82. Park, M.K. (1996):** non invasive techniques: MYUNGK. Park pediatric cardiology for practitioners, 3rd. ed. In: *Textbook of pediatric cardiology*: 67-77.
- 83. Park, M.K.; and M.D. (1996):** Acute rheumatic fever. Chapter 20, *pediatric cardiology* 3rd. ed., *Textbook.* 302-309.

- 84. Gillum, R.F. (1986):** Trends in acute rheumatic fever and chronic rheumatic heart disease. A national perspective. *Am. Heart J.* 111 (2): 430.
- 85. Behrman, R.E.; Kliegman, R.M.; and Arvin, A.M. (1996):** Quoted from Nelson « Textbook of pediatrics ». 15th. ed. W.B. saunders company, Philadelphia, London, Toronto, 758.
- 86. Rajapakse, C.N.A.; Halim, K.; Al-Orainey, L.; AL-Nozha, M.; and AL-Aska, A.K. (1987):** A genetic marker for rheumatic heart disease. *Br. Heart J.*; 58: 659-662.
- 87. United Kingdom and united States joint report (1955):** The treatment of acute rheumatic fever in children, a cooperative clinical trial of ACTH, cortisone and aspirin. *Circulation*, 11: 343-371.
- 88. Combined rheumatic fever study group (1960):** Comparison of the effect of prednisone and acetyl salicylic acid on the incidence of residual rheumatic heart disease. *N. Engl. J. Med.*; 262-272: 895-902.
- 89. Schaffer, F.M.; Agarwal, R.; Helm, J. et al (1994):** Post streptococcal reactive arthritis and silent carditis: A case report and review of the literature. *Pediatrics*; 93: 837.

- 90. United Kingdom and united States joint report on rheumatic heart disease (1965):** The natural history of rheumatic fever and rheumatic heart disease. Ten-years report of a cooperative clinical trial of ACTH, cortisone and aspirin. *Circulation*; 32: 457.

- 91. Swedo, S.E.; Leonard, H.L.; and Shapiro, M.B. (1993):** Sydenham's chorea: physical and psychological symptoms of st. vitus Dance. *Pediatrics*; 91: 706-713.

- 92. Bass, J.W. (1991):** Antibiotic management of group A streptococcal pharyngo tonsillitis. *Pediatric Inf. Dis.* 10-43.

- 93. Makowitz, M.; Gerber, M.A.; and Kaplan, E.L.(1993):** Treatment of streptococcal pharyngo tonsillitis: Reports of penicillin's demise are premature. *J. Pediatr.* 123:679.

- 94. Dajani, A.S.; Taubert, K.; and Ferrieri, P. (1995):** Treatment of streptococcal pharyngitis and prevention of rheumatic fever. *Pediatrics*, 96:758.

- 95. Coonan, K.M.; and Kaplan, E.L.(1994):** In vitro susceptibility of recent North American group A streptococcal isolates to eleven oral antibiotics. *Infect. Dis. J.* 13:630.

- 96. Nordet, P. (1992):** WHO program for the prevention of rheumatic fever / rheumatic heart disease in 16 developing

countries: Report from phase I (1986-1990). Bull, World Health Organ. 70: 213-218.

97. Berrios, X.; Del campo, E.; and Guzman, B. (1993): Discontinuing rheumatic fever prophylaxis in selected adolescents and young adults. Ann. Intern. Med. 118: 401.

98. Lue, H.C.; Wu, M.H.; and Hsieh, K.H. (1986): Rheumatic fever recurrences: controlled study of a 3-week versus 4-week benzathine penicillin prevention program. J. Pediatr. 108:299.

99. Lue, H.C.; Wu, M.H.; and Wang, J.K. (1994): long-term outcome of patients with rheumatic fever receiving benzathine penicillin G prophylaxis every three weeks versus four weeks. J. Pediatr. 125: 812.

100. Taubert, K.A.; Rowley, A.H.; and Shulman, S.T. (1994): seven years national survey of kawasaki disease and acute rheumatic fever. Pediatr. Infect. Dis. J. 13: 704-708.

101. Beder, S.D. (1989): Ambulatory electrocardiography. In: Moss' heart disease in infants, children and adolescents, 4th. ed. Adams, F.H.; Emmanouilides, G.C.; Riemenschneider, T.A. (eds). Williams and Wilkins, Baltimore.

102. Feigenbaum, H. (1994): Current status of M-mode echocardiography. A.C.C. current J. Review 3:58.

- 103. Huwez, F.U.; Houston, A.B.; and Waston, J. (1994):** Age and body surface area related normal upper and lower limits of m-mode echocardiographic measurements and left ventricular volume and mass from infancy to early adulthood. *Br. Heart J.* 72: 276.
- 104. Henry, W.L.; Ware, J.; Gardin, J.M.; Hepner, S.I.; McKay, K.; and Weidner, M. (1987):** Echocardiography measurements in normal subjects: Growth related changes that occur between infancy and early adulthood. *Circulation.* 57: 278-285.
- 105. Tajik, A.J.; Seward, J.B.; Hagler, D.J.; Mair, D.D.; and Lie, J.T. (1978):** Two dimensional real time ultrasonic imaging of the heart and great vessels: Technique, image orientation structure identification and validation. *Mayo Clin. Proc.* 53: 271.
- 106. Henry, W.L.; et al (1980):** Report of the American Society of Echocardiography Committee on nomenclature and standards in two dimensional echocardiography. *Circulation.* 62: 212.
- 107. Feigenbaum, H. (1994):** The echocardiographic examination, echocardiography, vol I, 5th. ed. 95: 106.

- 108. Steinfeld, L.; Ritter, S.; Rappaport, H.; and Martinez, E. (1986):** silent rheumatic mitral regurgitation unmasked by Doppler studies. (Abstr.) *Circulation*; 74: 385 (suppl. II).
- 109. Nishimura, R.A.; Abel, M.D.; Hatle, L.K.; et al. (1989):** Assessment of diastolic function of the heart: Background and current applications of Doppler echocardiography, II: clinical studies, *Mayo. Clin. Proc.* 64: 181-204.
- 110. Baggenstoss, A.H.; and Titus, J.L. (1968):** Rheumatic and collagen disorders of the heart. In: *Pathology of the heart and blood vessels*, 3rd. ed. Gould, S.E.; (eds). Charles C. Thomas, Springfield, 649-722.
- 111. Brand, A.; and Dollbergs, K.A. (1992):** The prevalence of valvular regurgitation in children with structurally normal hearts, A color doppler echocardiographic study. *Am. Heart J.* 123: 177-180.
- 112. Helmeke, F.; Nanda, N.C.; Hsiung, M.C.; Soto, B.; Adey, C.K.; Goyal, R.G.; and Gatewood, R.P. (1987):** color Doppler assessment of mitral regurgitation with orthogonal planes. *Circulation*; 75: 175-183.
- 113. Stewart, W.J.; Currie, P.J.; Salcedo, E.E.; Klein, A.L.; Marwick, T.; Agler, D.A.; Homa, D.; and Cosgrove, D.M. (1992):** Evaluation of mitral leaflet motion by echocardiography and jet direction by Doppler color flow mapping to determine

the mechanisms of mitral regurgitation. J. Am. Coll. Cardiol. 20: 1353-1361.

114. Perloff, J.K.; and Roberts, W.C. (1972): The mitral apparatus: Functional anatomy of mitral regurgitation. Circulation; 46: 227-239.

115. Hatle, L.; Angelsen, B.; and Tromsdal, A. (1979): Non-invasive assessment of atrioventricular pressure half time by Doppler ultrasound. Circulation; 60: 1096-1104.

116. Essop, M.R.; Wisenbaugh, T.; and Sareli, P. (1993): Evidence against a myocardial factor as the cause of left ventricular dilatation in active rheumatic carditis. J. Am. Coll. Cardiol. 22: 826-829.

117. Narula, J.; Chopra, P.; Talwar, K.K.; Reddy, K.S.; Vasan, R.S.; Tandon, R.; Bhatia, M.L.; and Southern, J.F. (1993): Does endomyocardial biopsy aid in the diagnosis of active rheumatic carditis ? Circulation; 88: 2198-2205.

118. Mohan, J.C.; Khalilullah, M.; and Arora, R. (1989): Left ventricular intrinsic contractility in pure rheumatic mitral stenosis. Am. J. Cardiol. 64: 240-242.

119. Wisenbaugh, T.; Essope, R.; Middlemost, S.; Skoularigis, J.; and Sareli, P. (1992):

Excessive vasoconstriction in rheumatic mitral stenosis with modestly reduced ejection fraction. J. Am. Coll. Cardiol. 20: 1339-1344.

120. Gillbert, J.C.; and Glantz, S.A. (1989): Determinants of left ventricular filling and of the diastolic pressure volume relation. Circ. Res. 64: 827-832.

121. Nishimura, R.A.; Schwartz, R.S.; Tajik, A.J.; and Holmes, D.R. (1993): Non-invasive measurement of rate of left ventricular relaxation by Doppler Echocardiography. Circulation; 88: 146-155.

122. Nishimura, R.A.; Miller, F.A.; Callahan, M.J.; Benassi, R.C.; Seward, J.B.;and Tajik, A.J. (1985): Doppler echocardiography: Theory, instrumentation, technique, and application. Mayo. clin. Proc. 60: 321-343 .

123. Smith, M.D. (1997): Left ventricular diastolic function: Clinical utility of Doppler Echocardiography. Quoted from: The practice of clinical echocardiography: Otto, C.M. WB saunders company .

124. Plotnick, G.D. (1989): Changes in diastolic function difficult to measure, harder to interpret. Am. Heart J. 118:637.

- 125. Fanburg, B.; Finkel, R.M.; and Martonosi, A. (1984):** The role of calcium in the Mechanism of relaxation of cardiac muscle. *J. Biol. Chem.* 259: 298-305 .
- 126. Harizi, R.C.; Bianco, J.A., and Alpert, J.S. (1988):** Diastolic function of the heart in clinical Cardiology. *Arch. Intern. Med.* 148: 99-109 .
- 127. Zile, M.R. (1989):** Diastolic dysfunction: Detection, Consequences, and treatment. Part I: Definition and determinants of diastolic function. *Mod. concepts cardiovasc. Dis.* 58:67.
- 128. Sabbah, H.N.; Stein, P.D. (1981):** Negative diastolic pressure in the intact Canine ventricle: Evidence of diastolic suction. *Circ. Res.* 49:108.
- 129. Zile, M.R. (1992):** Hemodynamic determinants of echocardiographically-derived indices of left ventricular filling. *Echocardiography* 9: 289.
- 130. Zoghbi, W.A.; and Bolli, R. (1991):** The increasing complexity of assessing diastolic function from ventricular filing dynamics. *J. Am. Coll. Cardiol.* 17(1): 237.
- 131. Iskandrian, A.S.; Heo, J.; segal, B.L.; and Askenase, A. (1988):** Left ventricular diastolic function: Evaluation by radionuclide angiography. *Am. Heart j.* 115: 924.

132. Takenaka, K.; Dabestani, A.; and Gardin, J.M.; (1986): Left ventricular filling in hypertrophic Cardiomyopathy: A pulsed Doppler echocardiography study. *J. Am. Coll. Cardiol.* 8:1263.

133. Stoddard, M.F.; Pearson, A.C.; and Kern, M.J. (1989): Left ventricular diastolic function: comparison of pulsed Doppler echocardiographic and hemodynamic indexes in subjects with and without coronary artery disease. *J. Am. Coll. Cardiol.*; 13-327.

134. Rahko, P.S.; Shaver, J.A; Salerni, R.; and Uretsky, B.F. (1986): Non-invasive evaluation of systolic and diastolic function in severe congestive heart failure secondary to coronary artery disease or dilated cardiomyopathy. *Am. J. Cardiol.* 57:1315.

135. Shapiro, S.M.; Bersohn, M.M.; and Laks, M.M.(1991): In search of the Holy Grail: The study of diastolic ventricular function by the use of Doppler echocardiography. *J. Am. coll. Cardiol.* 17:1517.

136. Rokey, R., Kuo, L.C.; Zoghbi, W.A.; Limacher, M.C.; and Quinones, M.A. (1985): Determination of parameters of left ventricular diastolic filling with pulsed Doppler echocardiography comparison with cineangiography. *Circulation* 71:543-50 .

- 137. Yamamoto, K.; Redfield, M.M.; and Nishimura, R.A. (1996):** Analysis of left ventricular diastolic function. *British Heart Journal* 72 (suppl II): 27-35.
- 138. Golderisi, M.; Benjamin, E.J.; Evans, J.C.; Dagostino, R.B., Fuller, D.L.; Lehman, B.; Wolf, P.A.; and Lery, D.(1997):** Intra and interobserver reproducibility of Doppler assessed indexes of left ventricular diastolic function in a population based study (the Framingham heart study). *Am. J. Cardiol.* 70: 1341.
- 139. Appleton, C.P.; and Hatle, L.K(1992):** The natural history of left ventricular filling abnormalities: Assessment by two dimensional and Doppler echocardiography . *Echcardiography* 9:437.
- 140. Appleton C.P., Hatle, L.K., and Popp, R.L.(1988) :** Relation of transmitral flow velocity patterns to left ventricular diastolic function New insights from a combined hemodynamic and Doppler echocardiographic study. *J. Am. Coll. Cardiol.* 12: 426.
- 141. Klien, A.L.; Hatle, L.K.; and Burstow, D.J. (1989):** Doppler characterization of left ventricular diastolic function in cardiac amyloidosis. *J. Am. Coll. Cardiol.* 13: 1017.
- 142. Brecker, S.J.D.; Lee, C.H.; and Gibson, D.G. (1992):** Relation of left ventricular isovolumic relaxation time and in

coordination to transmitral Doppler filling patterns. *Br. Heart J.* 68: 567.

143. Buda, A.J.; Li, Y.; Brant, D.; Kaase, L.C.; and Julius, S. (1991): Changes in left ventricular diastolic filling during the development of left ventricular hypertrophy: Observations using Doppler echocardiography in a unique canine model. *Am. Heart J.* 121: 1759.

144. Lee, C.H.; Hogan, J.C.; and Gibson, D.G. (1991): Diastolic disease in left ventricular hypertrophy: Comparison of M- mode and Doppler echocardiography for the assessment of rapid ventricular filling. *Br. Heart J.* 65: 194.

145. Kono, T.; Sabbah, H.N.; Rosman, H.; Alam, M.; Stein, P.D.; and Goldstein, S. (1992): Left atrial contribution to ventricular filling during the course of evolving heart failure. *Circulation*; 86: 1317.

146. Nishimura, R.A.; Schwartz, R.S.; Holmes, D.R.; and Tajik, A.J. (1993): Failure of calcium channel blockers to improve ventricular relaxation in humans. *J. Am. Coll. Cardiol.* 21: 182-8.

147. Gardin, J.M.; Rohan, M.K.; and Davidson, D.M. (1987): Doppler transmitral flow velocity parameters: Relationship between age, body surface area, blood pressure and gender in normal subjects. *Am. J. Non-invasive Cardiol.* 1: 3.

- 148. Bryg, R.J., Williams, G.A.; and Labovitz, A.J. (1987):** Effects of aging on left ventricular diastolic filling in normal subjects. *Am. J. Cardiol.* 59: 971.
- 149. Miyatake, K.; Okamoto, M.; and Kinowhita, N. (1984):** Augmentation of atrial contribution of left ventricular inflow with aging as assessed by intracardiac Doppler flowmetry. *Am. J. Cardiol.* 53: 586.
- 150. Herzog, C.A.; Elsperger, K.J.; and manoles, M. (1987):** Effects of atrial pacing on left ventricular diastolic filling measured by pulsed Doppler echocardiography (abstr.) *J. Am. Coll. Cardiol.* (suppl A): 197 A.
- 151. Harrison, M.R.; Clifton, E.D.; Pennell, A.; and Demaria, A.N. (1991):** Effects of heart rate on left ventricular diastolic transmitral flow velocity patterns assessed by Doppler echocardiography in normal subjects. *Am. J. Cardiol.* 67: 622.
- 152. Choong, C.Y.; Herrmann, H.C.; Weyman, A.E.; and Fifer, M.A.(1987):** Preload dependence of Doppler derived indexes of left ventricular diastolic function in humans. *J. Am. Coll. Cardiol.* 10: 800.
- 153. Nishimura, R.A.; Abel, M.D.; Hatle, L.K.; and Tajik, A.J. (1989):** Assessment of diastolic function of the heart: Background and current applications of Doppler

echocardiography: part II. Clinical Studies. Mayo. Clin. Proc. 64: 181.

154. Choong, C.Y.; Abascal, V.M.; and Thomas, J.D.(1988). Combined influence of ventricular loading and relaxation on the transmitral flow velocity profile in dogs measured by Doppler echocardiography. Circulation 78: 672.

155. Miki, S.; Yokota, Y.; Seo, T.; and Yokoyama, M. (1991): Dependence of Doppler echocardiography transmitral early peak velocity on left ventricular systolic function in coronary artery disease. Am. J. Cardiol. 67: 475.

156. Manning, W.J.; Leeman, D.E.; Gotch, P.J.;and Come, P.C. (1989): Pulsed Doppler evaluation of atrial mechanical function after electrical cardioversion of atrial fibrillation. J. Am. Coll. Cardiol. 13:617.

157. Grimm, R.A.; Stewart, W.J.; and Maloney, J.D.(1993): Impact of electrical cardioversion of atrial fibrillation an atrial appendage function and spontaneous echo contrast: Characterization by simultaneous transesophageal echocardiography. J. Am. Coll. Cardiol. 22: 1359.

158. Riggs, T.W.; and Snider, A.R. (1989): Respiratory influence on right and left ventricular diastolic function in normal children. Am. J. Cardiol. 63: 858.

- 159. Dabestani, A.; Takenaka, K.; and Allen, B. (1988):** Effects of spontaneous respiration on left Ventricular filling as assessed by Doppler echocardiography. *Am. J. Cardiol.* 61: 1356.
- 160. Hirota, Y.(1980):** A clinical study of left ventricular relaxation. *Circulation*; 62: 756-63.
- 161. Rousseau, M.F.; Veriter, C.; Detry, J.M.R.; Brasseur, L. and Pouleur, H. (1980):** Impaired early left ventricular relaxation in coronary artery disease: effects of intracoronary nifedipine. *Circulation*; 62:764-72.
- 162. Dougherty, A.H.; Naccarelli, G.V.; Gray, E.L.; Hicks, C.H.; and Goldstine, R.A. (1984):** Congestive heart failure with normal systolic function. *Am. J. Cardiol.* 54: 778-82.
- 163. Soufer, R.; Wohlgelehter, D.; Vitg, N.A.; Amuchestegui, M.; Sostman, H.D.; and Berger, H.J. (1985):** Intact systolic left ventricular function in clinical congestive heart failure. *Am. J. Cardiol.* 55: 1032-6.
- 164. Aguirre, F.V.; Pearson, A.C.; Lewen, M.K.; McCluskey, M.; and Labovitz, A.J. (1989):** Usefulness of Doppler echocardiography in the diagnosis of congestive heart failure. *Am. J. Cardiol.* 63: 1098-102.

- 165. Vanoverschelde, J.L.; Raphael, D.A.; Robert, A.R.; and Cosyns, J.R. (1990):** Left ventricular filling in dilated cardiomyopathy: relation to functional class and hemodynamics. *J. Am. Coll. Cardiol.* 15:1288-95.
- 166. Packer, M. (1990):** Abnormalities of diastolic function as a potential cause of exercise intolerance in chronic heart failure. *Circulation*; 81 suppl III: III-78- III-86.
- 167. Sobue, T.; Yokota, M.; Iwase, M.; and Ishihara, H. (1995) :** Influence of left ventricular hypertrophy on left ventricular function during dynamic exercise in the presence or absence of coronary artery disease. *J.Am.Coll.Cardiol.* 25: 91-8.
- 168. Bonow, R.O.; and Udelson, J.E. (1992):** Left ventricular diastolic dysfunction as a cause of congestive heart failure. *Am. Intern. Med.* 117: 502-10.
- 169. Knapp, R.G.; and Miller, M.C. (1992):** Clinical Epidemiology and Biostatistics, 1st ed., National Medical Series (NMS), Egyptian edition, MASS PUBLISHING Co.
- 170. Goldsmith, S,R.; and Dick, C. (1993):** Differentiating systolic from diastolic heart failure:Pathophysiologic and therapeutic consideration. *Am. J. Med.,* 95: 645-655.

- 171. Maron, B.J.; Spirito, P.; Green, K.J. et al. (1987):** Non-invasive assessment of left ventricular diastolic function by pulsed Doppler echocardiography in patients with hypertrophic cardiomyopathy. *J. Am. Coll. Cardiol.*, 10:733.
- 172. Pnina Vardi, Markiewioz, W.; Weiss, Y.; Levi, J. and Benderly, A. (1983):** Clinical -echocardiographic correlations in acute rheumatic fever. *Pediatrics*. 71(5): 830-834.
- 173. Madkour, A.A.; Hammad, H.A.; Madina, E.M.H.; El-Azzouni, O.Z.; and Massoud, M.N.Z. (1989):** left ventricular performance in children during their first attack of rheumatic carditis: on echocardiographic study. *Alex, J. Pediatric*; 3: 323-32.
- 174. Steinfeld, L.; Ritter, S.; Rappaport, H.; and Martinez, E. (1986):** Silent rheumatic mitral regurgitation unmasked by Doppler studies. (Abstr.) *Circulation* 74: 385 (Suppl.II).
- 175. Douglas, P.S.; Berko, B.; Lesh, M.; et al. (1989):** Alteration in diastolic function in response to progressive left ventricular hypertrophy. *J. Am. Coll. Cardiol.* 13: 461-467.
- 176. Starling, M.R.; Montgomery, D.G.; Mancini, J.; et al. (1987):** Load independence of the rate of isovolumic relaxation in man. *Circulation* 76: 1274-1281.