




REFERENCES

REFERENCES

- Abd Elrehim, S.I.; Attia, M.W.; Nafie, E.; Assal, A.U. and Arafa, R.M.I. (1988):*** Bacteriological study of acute and chronic suppurative otitis media. *Az. J. Microbiol.* Vol. 3, June.
- Ahmad, F.; McLeod, D.T.; Croughan, M.J. and Calder, M.A. (1984):*** "Antimicrobial susceptibility of Branhamella catarrhalis isolated from bronchopulmonary infections". *Antimicrob. Agents Chemother.* 26: 424-425.
- Anderson, A.B.; Ambrosino, D.M. and Siber, C.R. (1987):*** "Haemophilus influenzae type b. unsuspected bacteremia" *Pediatr. Emerg. Care.* 3: 82-85.
- Applebaum, P.C.; Bhamjee, A.; Scragg, J.N.; Hallett, A.F.; Brown, A.J. and Cooper, R.C. (1977):*** Streptococcus pneumoniae resistant to penicillin and chloramphenicol. *Lancet*, 2: 955-997.
- Armitage, P. (1983):*** Statistical methods in medical research. Blackwell Scientific Publications Oxford-London: 1.
- Baron, J. and Shapiro, E.D. (1985):*** Unsuspected bacteremia caused by Branhamella catarrhalis. *Pediatr. Infect. Dis. J.* 4: 101-102.

Berman, S.A.; Balkany, T.J. and Simmons, M.A. (1978): Otitis media in the neonatal intensive care unit. *Pediatrics*, 62: 198.

Bland, R.D. (1972): Otitis media in the first six weeks of life. Diagnosis bacteriology and management. *Pediatrics*; 49: 187-197.

Bluestone, C.D. and Klein, J.O. (1983): Otitis media with effusion, atelectasis and eustachian tube dysfunction P. 356. In Bluestone C.D. Stool. S.E. (eds). *Pediatric otolaryngology*, W.B. Saunders, Philadelphia.

Bluestone, C.D. (1988): Management of otitis media in infants and children: current role of old and new antimicrobial agents. *Pediatr., Infect. Dis.* 7: S 129- S 136.

Bluestone, C.D. and Klein, J.O. (1988 d): Epidemiology of otitis media in infants and children. Darlene cooke. W.B. Saunders Company. Philadelphia. PP. 31-43.

Bluestone, C.D. and Klein, J.O. (1988 e): Microbiology of otitis media in infants and children. Darlene Cooke. W.B. Saunders Company Philadelphia. PP. 50-52.

Bluestone, C.D. and Klein, J.O. (1988 g): Immunology of otitis media in infants and children. Darlene Cooke. W.B. Saunders Company Philadelfia. PP. 60-62.

Bluestone, C.D. and Klein, J.O. (1988 i): Management of otitis media in infants and children. Darlene Cooke. W.B Saunders Company. Philadelphia. PP. 160-170.

Bodor, F.F. (1989): Systemic antibiotics for treatment of conjunctivitis-otitis media syndrome. *Pediatr. Infect. Dis.* 8: 887-290.

Bone, R.C.; Fisher, C.J.Jr. and Clemmer, T.P. (1989): Sepsis syndrome: A vaild clinical entity *crit care Med.* 17: 389.

Box, Q.T.; Cleveland, R.T. and Willard, C.Y. (1961): *Am. J. Dis. child*, 102, 295. In Topley and Wilson's Principles of bacteriology, virology and immunity 6th (ed). Vol. II; (Wilson G.S. and Dick H.M eds) The Williams and Wilkinns Co. Baltimore. PP. 2614-2617; 1975.

Bratton, L.; Teele, D.W. and Klein, J. (1977): Outcome of unsuspected pneumococcaemia in children intially admitted to the hospital. *J. Pediatr.* 90: 703-706.

Brook, I. (1979): Otitis media in children: a prospective study of aerobic and anaerobic bacteriology: *Laryngoscope*; 89: 992.

Brook, I. (1981): Aerobic and anaerobic bacteriology of cholesteatoma *Laryngoscope*, 91: 250.

Brook, I. and Schwartz, R. (1981): Anaerobic bacteria in acute otitis media; Acta Otolaryngol (Stockh); 91: 111.

Bryant, R.E. (1987): Pas: friend or foe: In Contemporary Issues in Infectious Diseases. Vol. 6. New Surgical and Medical Approaches in Infectious Diseases (Root R.K., Trunkey, D.D. and Sande, M.A. eds). Churchill Livingstone, Inc. New York. PP. 31-48.

Carlos, Gonzalez, James Arnold. James B. Erhardt (1986): Prevention of recurrent otitis media, chemoprophylaxis versus tympanostomy tubes. Laryngoscope 96, December. PP. 1330-1334.

Casselbrant, M.L.; Okeowo, P.A.; Flaherty, M. (1984): Prevalence and incidence of otitis media in a group of preschool children in the United States P. 16 In Lim D.J. Bluestone, C.D. Klein, J.O. Nelson, J.D. eds: Recent Advances in otitis Media with Effusion B.C. Decker, Philadelphia.

Cates, K.L.; Gerrard, J.M. and Grebinh, G.S. (1978): A penicillin resistant pneumococcus. J. Pediatr. 93: 684.

Caltin, B.W. (1970): Transfer of the organism named Neisseria catarrhalis to Branhamella gen nov. Int. J. Syst. Bacteriol. 20: 155.

Chambers, H.F. (1988): Methicillin-resistant staphylococci:
Clin. Microbiol. Rev. 1, 173-186.

**Chaput de Saintonge, D.M.; Levine, D.E. and Templae Savage,
I. (1982):** Trial of three-day and ten-day courses of
amoxicillin in otitis media. Br. Med. J. 284: 1078-1081.

Chomaitree, T.; Howie, V.M. and Traunt, A.L. (1986):
Presence of respiratory viruses in middle ear fluids
and nasal wash specimens from children with acute
otitis media. Pediatrics. 77: 698-702.

Cruickshank (1989): Mackie and McCartney Practical
medical microbiology. 13th ed. Vol. II. Churchill-
Livingston Edinburgh, London, Melbourne and New
York. PP. 38-373.

Dajani, A.S.; Asmar, B.I. and Thiromoorthi, M.C. (1979):
Systemic H. influenzae disease. J. Pediatr. 94: 355.

Dashefsky, B.; Teele, D.W. and Klein, J.O. (1983): "Unsuspected
meningococcarmia. J. Pediatr.; 102: 69-72.

Datta, N. and Nugent, M.E. (1984): Bacterial variation: In
Topley and Wilson's Principles of bacteriology,
virology and immunity 7th ed. Vol. I (Wilson G.S. and
Dick H.M. eds). The Williams and Wilkins Co.,
Baltimore PP. 154-176.

Davies, B.I. and Maesen, F.P.V. (1988): "The epidemiology of respiratory pathogen in Southern Neatherlands". Eur. Respir. J. 1: 415-420.

Dawson, D.; Wood, T.R. and Rose, L. (1967): Experimental inclusion conjunctivitis in man III- Keratitis and other complications. Arch. Ophthalmol 78: 341.

Dever, G.J.; Stewart, J.L. and Davis, A. (1985): Prevalence of otitis media in selected populations on pohnpei, A. Preliminary study. Int. J. Pediatr. Otorhinol Laryngol. 10: 143-152.

Doern, G.V. and Tubert, T.A. (1988): In vitro activities of 39 antimicrobial agents of Branhamella catarrhalis and Comparison of results with different quantitative susceptibility test methods. Antimicrob Agents. Chemother. 32: 259-261.

Dugdale, A.E.; Lewis, A.N. and Canty, A.A. (1982): The natural history of chronic otitis media. N. Engl. J. Med.; 307: 1459-1460.

Farley, M.M.; Stephens, D.S. and Mulks, M.H. (1986): Pathogenesis of IgA1 Protease producing and non producing Haemophilus influenzae in human nasopharyngeal organ cultures. J. Infect. Dis. 154: 752-759.

Gundel, M. and Schwartz, F.K.T. (1932): Z. Hyg. Infekt Kr. 113, 411. In Topley and Wilson's Principles of bacteriology, Virology and Immunity 6th (ed). Vol. II (Wilson, G.S. and Dick. H.M. eds) the Williams and Wilkins, Co. Baltimore PP. 2614-8617, 1975.

Haley, R.W.; Hightower, A.W. and Khabbaz, R.F. (1982): The emergence of methicillin-resistant Staphylococcus aureus infections in the United States hospitals. Possible role of the house staff-patients transfer circuit. Ann. Intern. Med. 97, 297.

Halsted, C.; Lepow, M.L. and Balassanian, V. (1968): Otitis media. clinical observations, microbiology and evaluation of therapy. Ann. J. Dis. Child. 115, 542.

Hamilton, C.G.; Trott, T.A.; Sanders, B.A. and Strange, R.G. (1977): Emergency medicine an approach to clinical problem-solving. W.B. Saunders Co. Philadelphia. Kondon, Toronto, Montreal, Sydney, Tokyo, PP. 629-63.

Hanninen, P.; Terho, P. and Toivanen, A. (1971): Septicaemia in a pediatric unit: a twenty year study. Scand. J. Infect. Dis. 3: 201.

Harding, A.L.; Andeson, P.; Hoie, V.M.; Ploussard, J.H. and Smith, D.H. (1972): Haemophilus influenzae isolated from children with otitis media in sell SHW and Karzon D.T. editors. Haemophilus influenza Nashville, Vanderbilt University Press. PP. 21-28.

Harding, A.L.; Anderson, P. and Howie, V.M. (1973): Haemophilus influenzae isolates from children with otitis media. In sell, S.H. and Karzon, D.T. (eds): Haemophilus influenzae. Nashville, Vanderbilt University. Press.

Harold, A.; Kessler and Ruth, S. (1983): Campenella, Hlanharis David Calderelli Pediatric Otolayngology New edition in therapy Copyright Medical examination Publishing, Co. Inc. on experta Medica Company Ch. 1. PP. 1-23.

Henderson, F.W.; Collier, A.M. and Sanyal, M.A. (1982): A longtidinal study of respiratory viruses and bacteria in the etiology of acute otitis media with effusion. N. Engl. J. Med. 306: 1377-1383.

Hoeblich, P.D. (1983): Bacterial pneumonias PP. 349; 356. Hoeblich P.D. (ed). Infectious diseases 3rd Ed. Harper and Row Philadelphia.

Hoekelman, R.A. (1977): Infectious illness during the first year of life Pediatrics.; 59: 119-187

Howie, V.M.; Ploussard, J.H. and Lester, R. (1970): Otitis media: a clinical and bacteriological correlation; Pediatrics; 45: 29-35.

Howie, V.M.; Ploussard, J.H. and Sloyer, J. (1975): The otitis prone condition. Am. J. Dis. Child. 129: 676.

Ingvarsson, L.; Lundgren K.; Olofsson, B. and Wall, S. (1982): "Epidemiology of acute otitis media in children". Acta Oto-Laryngologica (suppl): 388: 5.

Jacobs, M.R.; Koornhof, H.J. and Robins-Brown, R.M. (1978): Emergence of multiply resistant pneumococci. N. Eng. J. Med. 299-755.

Jaffe, A.; Chabbert, Y.A. and Derlot, E. (1983): Selection and characterization of beta-lactam-resistant. Escherichia coli K-12 mutants. Antimicrob. Agents Chemother, 23: 62-625.

Jaffe, D.M.; Tanz, R.R.; Davis, A.T.; Henreting, F. and Fleisher, G. (1987): Antibiotic administration to treat possible occult bacteremia in febrile children. N. Eng. J. Med., 317: 1175-80.

Johnson, M.A.; Drew, W.L. and Roberts, M. (1981): Branhamella (Neisseria) a lower respiratory tract pathogen. J. Clin. Microbiol.; 13: 1066.

Johnston, R.B. and Sell, S.H. (1964): Septicaemia in infants and children. *Pediatrics*. 34: 473.

Jokipii, A.M.M.; Karma, P. and Ojala, K. (1977): Anaerobic bacteria in chronic otitis media. *Arch. Otolaryngol.* 103: 278.

Jorgensen, J.H.; Maher, L.A.; Howell, A.W.; Redding, J.S. and Doern, G.V. (1989): National surveillance of antimicrobial resistance among respiratory isolates of Haemophilus influenzae, Branhamella catarrhalis and Streptococcus pneumoniae (Abstr. 1989). Program and abstracts of the 29th interscience conference of Antimicrobial agents and chemotherapy. The American Society for Microbiology. Washington D.C.

Kallings, I.; Bengtsson, S.S.; Christensen, P.; Halm, S.E.; Lind, L. and Kalin, M. (1983): Antibiotic sensitivity of Haemophilus influenzae, Streptococcus pneumoniae, Streptococcus pyogenes and Branhamella catarrhalis isolated from upper respiratory tract infections in Sweden. *Scand. J. Infect. Dis. (Suppl.)*; 39: 100-105.

Kamme, C.; Lundgren, K. and Mardth, P.A. (1971): The etiology of acute otitis media in children. *Scand. J. Infect. Dis.* 3: 217-223.

Kaplan, G.J.; Fleshman, J.K.; Bender, T.R.; Baum, C. and Clark, P.S. (1973): Long term effects of otitis media. A ten-year cohort study of Alaskan Eskimo children. Pediatrics, 52: 577.

Kaplan, S.L.; Taber, L.H. and Frank, A.L. (1981): Nasopharyngeal viral isolates in children with Haemophilus influenzae type b meningitis. J. Pediatr. 99: 591-593.

Karma, P.; Virtanen, T. and Pukander, J. (1985): Branhamella catarrhalis in acute otitis media. Acta Otolaryngol; 99: 285-290.

Kessner, D.M.; Snow, C.K. and Singer, J.A. (1973): Assessment of Medical care in children. Contrasts in Health status Vol. 3. National Academy of Science, Washington, D.C.

Klein, J.O. (1980): "Microbiology of otitis media". Ann Otol Rhinol. Laryngol. Suppl. 68: 89-98.

Klein, J.O. (1981): "The epidemiology of pneumococcal disease in infants and children Rev. Infect. Dis. 3: 246.

Klein, J.O. and Teele, D.W. (1976): Isolation of viruses and mycoplasmas from middle ear effusion. A review. Ann. Otol. Rhinol. Laryngol. 85 (Suppl. 25): 140-144.

Knopp, J.S. and Hook, E.W. (1988): Prevalence and persistence of Neisseria cinea and other Neisseria Spp. in adults. J. Clin. Microbiol. 26: 896-90.

Koch, H. and Dennison, N.J. (1974): Office visits to pediatricians. National Ambulatory Medical Service. National Center for Health Statistics. Washington, D.C.

Kogan, B.M. (1980): Antimicrobial therapy "third Edition". W.B. Saunders Company. London. Page; 37.

Koneman, V.E.; Allen, D.S.; Janda, M.W.; Schreckenberger, C.P. and Winn, C.W.Jr. (1992): Color atlas and textbook of Diagnostic Microbiology 4th ed. by J.B. Lippincott Company; Philadelphia PP. 609-668.

Kovatch, A.L.; Wald, E.R. and Michaels, R.H. (1983): B-lactamase producing Branhamella catarrhalis causing otitis media in children. J. Pediatr. 102: 261-263.

Kraemer, M.J.; Richardson, M.A. and Weiss N.S. (1983): Risk factors of persistent middle ear effusion: otitis media, catarrh. cigarette smoke exposure, and atopy. JAMA, 249: 1022.

Krause, P.J.; Owens, N.J. and Nightingale, C.H. (1982):
Penetration of amoxicillin, cefaclor erythromycin-sulphisoxazole and trimethoprim-sulphamethoxazole into the middle ear fluid of patients with chronic serous otitis media. J. Infect. Dis. 145: 815-821.

Kreger, B.E.; Croven, D.E. and Carling, P.C. (1980): Gram-negative bacteremia III- Reassessment of etiology epidemiology and ecology in 612 patients. Am. J. Med. 68: 332.

Lim, D.J. and DeMaria, T.F. (1982): Pathogenesis of otitis media. Bacteriology and immunology. Laryngoscope 92: 278.

Loda, F.A.; Collier, A.M. and Glezen, W.P. (1975): Occurrence of Diplococcus pneumoniae in the upper respiratory tract of children. Pediatr. 87: 1087.

Long, S.S.; Heuretig, F.M. and Teter, M.J. (1983):
Nasopharyngeal flora and acute otitis media. Infect. Immun. 41: 187-99.

Lundgren, K.; Ingvarson, L. and Olofsson, B. (1984):
Epidemiologic aspects in children with recurrent otitis media. In Lim. D.J. Bluestone C.D. Klein, J.O. and Nelson, J.D. (Eds.). Recent advances in otitis media with effusion. Burlington. Ontario B.C. Decker Inc.

Macleod, J.; Edwards, C. and Bouchier, I. (1987): Davidson's Principles and practice of medicine. A text book for students and doctors. English Language Book Society/Churchil Livingstone. 15th ed. PP. 48.

Magi, G.; Yoshida, T.; Honjo, S. and Maeda, S. (1973): Middle ear effusions: quantitative analysis of immunoglobulins. Ann. Otol. Rhinol. Laryngol. 82: 196-202.

Maher, A. Bassiouny, A.; Moawad, M.X. and Hendawy, D.S. (1982): Otomycosis, an experimental evaluation of six antimycotic agents. J. Laryngol Otol. 96: 205.

Marchant, C.D.; Shurin, P.A.; Turczyk, V.A.; Wasikowski, D.E.; Tutihasa, M.A. and Kinney, S.E. (1984): Course and outcome of otitis media in early infancy: A prospective study. J. Pediatr.: 104: 826-831.

McCarthy, P.L.; Grundy, G.W. and Spiesel (1976): Bacteremia in children: an outpatient clinical review. Pediatrics; 57: 861-868.

McCarthy, P.L. Jekel, J.F. and Dolon, T.F. (1977): Temperature greater than or equal to 40°C in children less than 24 months of age. A prospective study. Pediatrics 59: 663-668.

McCracken, G.H.Jr. (1985): Comparative evaluation of the aminopenicillins for oral use. In Nelson, J.D. and McCracken, G.H. (eds): clinical Reviews in Pediatric. Infectious Disease Toronto. Decker. PP. 73-77.

McGowan, J.E.Jr.; Brotton, L.; Klein, J.O. and Finland, M. (1973): "Bacteremia in febrile children seen in A "Walk in" "Pediatric clinic". N. Engl. J. Med. 288: 1309.

Meilstrup-Larsen, K.I.; Sorensen, H.; Johnson, N.J.; Thomson, J.; Mygind, N. and Sederberg-Olsen, D. (1983): Two versus seven days penicillin treatment for acute otitis media. Acta Otolaryngol (Stockh). 96: 99-104.

Meurman, O.H.; Sarkkinen, H.K.; Puhakka, H.J. and Virolainen, E.S. (1980): Local IgA-class antibodies against respiratory viruses in middle ear and nasopharyngeal secretions of children with secretory otitis media Laryngoscope: 90: 304-311.

Meyerhoff, W.; Paparella, M.M.; Oda, M. and Shea, D. (1979): Mycotic infections of the inner ear. Laryngoscope. 89: 1725.

Michaels, R.H.; Myerowitz, R.L. and Klaw, R. (1977): Potentiations of experimental meningitis due to Haemophilus influenzae by influenza A virus. J. Infect. Dis. 135: 641-645.

Newing, W.J. and Christie, R. (1974): Meningitis isolation of an organism resembling Neisseria catarrhalis from cerebrospinal fluid "report of a case". Med. J. Aust. 1: 306.

Noble, W.C.; Fisher, E.A. and Brainard, D.H. (1928): J. Prev. Med. Baltimore, 2, 105. In Topley and Wilson's Principles of bacteriology, virology and immunity 6th (ed). Vol. II. (Wilson, G.S. and Dick, H.M. eds). The Williams and Wilkins Co. Baltimore. PP. 2614-2617.

Oberhoffer, T.R. and Towle, D.W. (1982): Evaluation of the rapid penicillinase paper strip test for detection of beta-lactamase. J. Clin. Microbiol., 15: 196-199.

Paradise, J.L.; Bluestone, C.D. and Felder, H. (1969): The Universality of otitis media in fifty infants with cleft palate. Pediatrics 44: 35-42.

Pukander, J.; Luotonen, J.; Sibila, M. and Karma, P. (1982): Incidence of acute otitis media. Acta Otolaryngol (Stockh); 93: 47-53.

Pukander, J.; Lutonen, J. Mitonen and P. Karma (1985): Risk factors affecting the occurrence of otitis media among 2-3 year old urban children: Acta Otolaryngol, 100; PP. 260-265.

Ralph, O. Feigin and Gershon Spector (1981): Otitis media. Text book of pediatric infectious disease. W.B. Saunders Company. Philadelphia London. Toronto. Sydney. PP. 122-137.

Riding, K.H.; Bluestone, C.D. and Michaelis, R.H. (1978): Microbiology of recurrent and chronic otitis media with effusion. J. Pediatr. 93: 739.

Riley, I.D. and Douglas, R.M. (1981): An epidemiologic approach to pneumococcal disease, Rev. Infect. Dis. 3: 233.

Rohn, D.D.; Wald, E.R. and Bluestone, C.D. (1985): Unpublished data from Pittsburgh Otitis Media Research Center.

Sando, I. and Harada, T. (1981): Temporal bone histopathologic findings in Down Syndrome. Arch. Otolaryngol. 107: 96.

Sando, L.C. and Shaw, W.V. (1973): Mechanism of chloramphenicol resistance in staphylococci: characterization and hybridization of variants of chloramphenicol acetyltransferase. Antimicrob. Agents Chemother, 3: 299-305.

Schachter, J.; Grossman, M. and Holt, J. (1979): Prospective study of chlamydial infection in neonates. *Lancet*, 2: 377.

Schwartz, R.H.; Rodriguez, W.J.; Mann, R. Khan, W. and Ross, S. (1979): The nasopharyngeal culture in acute otitis media. A reappraisal of its unsefulness *JAMA*; 241: 2170-2773.

Schwartz, A. (1981): Bacteriology of otitis media: a review *Otolaryngol. Head. Neck. Surg*: 89: 444-50.

Schwartz, R.H. and Rodriguez, W.J. (1981): Acute otitis media in children eight years old an older: A reappraisal of the role of Haemophilus influenzae. *Am. J. Otolaryngol.* 2: 19-21.

Schwartz, R.H.; Weintzen, R.L. (1982): Occult bacteremia in toxic appearing febrile infants. *Clin. Pediatr*; 21: 559-663.

Schutzman, S.A.; Petrycki, R.N.S. and Fleisher, R.G. (1991): Bacteremia with otitis media. *Pediatrics*; 1: 48-53.

Seinonen, M.; Luotonen, J. and Herva, E. (1981): Preliminary evidence for a pathogenic role of Branhamella catarrhalis. *J. Infect. Dis.*; 144: 570.

Senturia, B.H.; Bluestone, C.D.; Klein, J.O.; Lim, D.J. and Paradise, J.L. (1980): "Report of the ad hoc committee on defination and classification of otitis media with effusion. Ann. Otol. Rhinol Laryngol 89 (68): 3-4.

Senturia, M.B.H. and Lucente, F.E. (1980): Diseases of the external Ear: An Otologic-Dermatologic Manual. 2nd Ed. Grune & Stratton. New York.

Sheagren, J.N. (1984): Staphylococcus aureus-the persistant pathogen. N. Engl. J. Med. 310: 1368-1437-1448.

Shurin, P.A.; Howie, V.M.; Pelton, S.I.; Ploussard, J.H. and Klein, J.O. (1978): Bacterial etiology of otitis media during the first six weeks of life. J. Pediatr. 92: 893-896.

Shurin, P.A.; Marchant, C.D. and Kim, C.H. (1983): Emergence of beta-lactamase producing strains of Branhamella catarrhalis as important agents of acute otitis media. Pediatr. Infect. Dis. 2: 34-38.

Silverstein, H.; Bernstein, J.M. and Lerner, P.I. (1966): Antibiotic concentrations in middle ear effusions. Pediatrics. 38: 33-39.

Slack, P.E.; Whelden, D.B. and Turk, D.C. (1977): Rapid detection of chloramphenicol resistance in H. Infuenzae, Lancet 24 and 31; 1366.

Sly, R.M.; Zambie, M.F.; Fernandes, D.A. and Fraser, M. (1980): Tympanometry in Kindergarten children. Ann. Allergy 44: 1-7.

Smillie, W.G.; Calderone, F.A. and Onslow, J.M. (1943): Am. J. Hyg. 37, 156. In Topley and Wilson's Principles of Bacteriology, Virology and Immunity 6th. Ed. Vol. II (Wilson, G.S. and Dick, H.M. eds). The Williams and Wilkins Company. Baltimore PP. 2614-2617. 1975.

Solomon, N.E. and Harris, L.J. (1976): Otitis media in children assessing the quality of medical care using short-term outcome measures. Eight Disease-specific Applications. Santa Monica Ca. Rand. Corp.

Standiford, H.C. (1985): The tetracycline and chloramphenicol. In Principles and Practice of infectious diseases 2nd ed. (Mandel, G.L. Douglas, R.G.Jr. and Bennett, J. eds). John Wiley and Sons Inc. New York. PP. 602-612.

Stangerup, S.E. and Tos, M. (1986): Epidemiology of acute suppurative otitis media. Am. J. Otolaryngol, 7: 47.

Stephens, D.S.; Hoffman, L.H. and McGee, Z.A. (1983): Interaction of Neisseria meningitidis with human nasopharyngeal mucosa: Attachment and entry into columnar epithelial cells. J. Infect. Dis. 148: 369-376.

Staurt, R. Mowson (1974): Otitis media-Disease of Middle Ear part 4. Diseases of the ear 3rd edition. Award Arnold Publication.

Teele, D.W.; Pelton, S.I. and Grant, M.J. (1975): Bacteremia in febrile children under 2 years of age: results of cultures of blood of 600 consecutive febrile children seen in a "wall in" clinic. J. Pediatr.; 87: 227-230.

Teele, D.W.; Klein, J.O. and Rosner, B. (1980): Epidemiology of otitis media in children. Ann. Otol. Rhinol. Larygol; 89: 5-6.

Teele, D.W.; Klein, J.O. and Rosner, B. (1983): Middle ear disease and the practice of pediatrics. JAMA. 249: 1026-1029.

Teele, D.W.; Klein, J.O. and Rosner, B. (1989): Epidemiology of otitis media during the first seven years of life in children in greater Boston: A prospective cohort study. J. Infect. Dis. 160: 83-84.

Tetzlaff, T.R.; Ashworth, C. and Nelson, J.D. (1977): Otitis media in children less than 12 weeks of age pediatrics, 59: 827-832.

Thornsberry, C.J.; Anhalt, A.L.; Barry, F.H.; Gerlach, J.; Hosson, R.N.; Jones, J.M.; Matsen, R.C.; Moellering and R. Norton (1983): Methods for dilution: antimicrobial susceptibility tests for bacteria that grow aerobically. PP. 39-47. In national committee for clinical laboratory standards. Vol. 3, No. 2.

Tipple, M.A.; Beem, M.O. and Saxon, E.M. (1979): Clinical characteristics of a febrile pneumonia associated with Chlamydia trachomatis infection in infants less than 6 months of age. Pediatrics. 63: 192.

Vaneechoutte, M.; Verschraegen, G. and Claeys, G. (1990): Respiratory tract carrier rates of Moraxella (Branhamella) catarrhalis in adults and children and interpretation of isolation of M. catarrhalis from sputum. J. Clin. Microbiol. 28: 2674-2680.

Van Hare, G.F.; Shurin, P.A. and Marchant, C.D. (1987): Acute otitis media caused by Branhamella catarrhalis: Biology and therapy. Rev. infect. Dis. 9: 16-27.

Vaudaux, P. (1981): Peripheral inactivation of Gentamycin. J. Antimicrob. Chemother, 8, Suppl. A, S 17- S 25.

Visscher, V.; Mandel, J.S. and Batalden, P.B. (1984): A case-control study exploring possible risk factors for childhood otitis media. P. 13. In Lim D.J. Bluestone, C.D. Klein, J.O., Nelson, J.D. (eds). Recent Advances in otitis media with Effusion. B.C. Decker, Philadelphia.

Wald, E.R.; Dashafsky, B.; Byers, C.; Guerra, N. and Taylor, F. (1988): "Frequency and severity of infections in day care". J. Pediatr; 172: 540-6.

Wallace, R.J.Jr.; Steingrube, V.A. and Nash, Dr. (1989): "Bro-B-lactamses of Branhamella catarrhalis and subgenus Moraxella including evidence of chromosomal B-lactamase transfer by conjugation in B. catarrhalis, M. nonliquefaciens and M. lacunata". Antimicrob. Agents chemother; 33: 1845-1854.

Ward, J. (1981): Antibiotic resistant Streptococcus pneumoniae: clinical and epidemiologic aspects, Rev. Infect. Dis.; 3: 254.

Wilson, S.G. and Mills, A. (1975): Topley and Wilson's principles of bacteriology, virology and Immunity. Volume II. (Wilson, G.S. and Dick, H.M. eds). The Williams and Wilkinns co. Baltimore. 6th. ed. PP. 1959.

Winchester, P.D.; Todd, J.K. and Rose, M.H. (1977):
Bacteremia in hospitalized children. Am. J. Dis. Child.
131: 753-758.

**Wright, P.F.; McConnell, K.B.; Thompson, J.M.; Vaughn, W.K.
and Sell, S.H. (1985):** "A longitudinal study of the
detection of otitis media in the first two years of life".
Int. J. Pediatr. Otorhino Laryngol. 10: 245-252.

Wyngaarden, B.J.; Smith, H.L. and Bennett, C.J. (1992): "Cecil
textbook of medicine 19th (ed). Vol. II. by W.B.
Saunders Company. Philadelphia. London. Toronto,
Montreal. Sydney. Tokyo. PP. 1655-1707.

Yamaguchi, T.; Urasawa, T. and Kataura, A. (1984): Secretory
immunoglobulins and antibodies to respiratory viruses
in middle ear effusion of chronic otitis media with
effusion. Ann. Otol. Rhinol. Laryngol.; 93: 73-75.