

REFERENCES

Abad, F. X.; Pinto, R. M. and Diez, J. M. (1994):

Disinfection of human enteric viruses in water by copper and silver in combination with low levels of chlorine.

Appl. Envirom. Microbiol, 60: 2377- 2383.

Abad, F.X.; Pinto, R.M. and Villena, C. (1997):

Astrovirus survival in drinking water.

Appl. Envirom. Microbiol, 63: 3119- 3122.

Bass, D.N. and Qiu, S. (2000):

Proteolytic processing of the astrovirus capsid.

J. Virol., 74: 1810- 1814.

Belliot, G.; Laveran, M. and Monroe, S.S. (1997):

Outbreak of gastroenteritis in military recruits associated with serotype 3 astrovirus infection.

J. med. Virol., 51: 101-106.

Belliot, G.; Lee, T. and Kurtz, J.L. (1999):

Protein and genetic characterization of astrovirus types 8.

Abstracts of the American Society for virology Meeting, Amberst, AM, 176.

Black, R.E. (1995):

Epidemiology of diarrheal disease: implications for control by vaccines.

Vaccine, 11: 100-106.

Blacklow, N.R. and Greenberg, H.B. (1999):

Viral gastroenteritis.

N. Engl. J. Med, 325: 252-264.

Bridger, J.C.; Hall, G.A. and Brown, J.F. (1984):

Characterization of a calici-like virus (Newburg agent) found in association with astroviruses in bovine diarrhea.

Infect. Immun., 43: 133- 138.

Carman, W.F.; Gunson, R.N. and Mackie, P. (2003):

First rotavirus, now astrovirus: the evolving benefits of RT-PCR. Common Dis.

Public Health, 6 (1): 66-67.

Caul, E.O. and Appleton, H. (1982):

The electron microscopical and physical characteristics of small round human fecal viruses. An interim scheme for classification.

J. Med. Virol, 9: 257- 265.

Charpron, C.D.; Ballester, N.A. and Fontaine, J.H. (2000):

Detection of astroviruses, enteroviruses, and adenovirus type 40 and 4a in surface waters collected and evaluated by the information collection rule and integrated cell culture- nested PCR procedure.

Appl. Environ. Microbiol, 66: 2520-2525.

Chichi-Brachet, R.; Bon, F. and Toubiana, L. (2002):

Virus diversity in a winter epidemic of acute diarrhea in France.

J. Clin. Microbiol, 40(11): 4266-4272.

Coppop, P; Scieux, C. and Ferchal, F. (2000):

Astrovirus enteritis in chronic lymphocytic leukemia patient treated with fludarabin monophosphate.

Ann. Hematol., 74: 43-45.

Cruz, J.R.; Bartlett , A.V. and Herrmann, J.E. (1992):

Astrovirus associated diarrhea among Guatemalan ambulatory rural children.

J. Clin. Microbiol., 30: 1140- 1144.

Dalton, R.M.; Roman, E.R. and Negredo, A.A. (2002):

Astrovirus acute gastroenteritis among children in Madrid, Spain; Pediatr. Infect. Dis.

J., 21(11): 1038-1041.

Dennehy, P.H.; Nelson, S.M. and Spangenberger, S. (2001):

A prospective cases-control study of the role of astrovirus in acute diarrhea among hospitalized young children.

J. infect. Dis., 184: 10-15.

Dewitt, T.G. (1998):

Acute diarrhea in children.

Pediatr. Rev., 11 (1): 6-13.

Donelli, G.; Superti, F. and Tinari, A. (1992):

Mechanism of astroviruses entry into Garham 293 cell.

J. Med. Viral., 38: 271- 277.

Espul, C.; Martinez, N.; Noel, J.S; Cuello, H.; Abrile, C.; Grucci, S.; Glass, I.; Berke, T. and Matson, D.O. (2004):

Prevalence and characterization of astroviruses in Argentina children with acute gastroenteritis.

J. Med. Virol. Jan; 72(1): 75-82.

Farthing, M.J. (2001):

Treatment of gastrointestinal viruses.

Novartis Found symp., 238: 289- 300.

Fiaccardori, F.S.; Bringel Martins, R.M. and Gagliardileite, J.P. (2002):

Detection and genotyping of astroviruses from children with acute gastroenteritis.

Med. Sci Monit, 8 (9): CR 624-628.

Gaggero, A.; O’Ryan, M. and Noel, J.S. (1998):

Prevalence of astrovirus infection among children with acute gastroenteritis.

J. Clin. Microbiol, 36: 3691- 3693.

Gibson, C.A.; Chen, J. and Monroe, S.A. (1998):

Expression and processing of nonstructural proteins of the human astroviruses.

Adv. Exp. Med. Biol., 440: 387-391.

Giordano, M.O.; Martinez, L. C.; Isa, M.B.; Paez Rearte, M. and Nates, S.V. (2004):

Childhood astrovirus-associated diarrhea in the ambulatory setting in a Public Hospital in Cordoba city, Argentina.

Rev. Inst. Med Trop Sao Paulo Mar-Apr; 46(2): 93-96.

Glass, R.I.; Bresse, J. and Jiang, B. (2001):

Gastroenteritis viruses: an Overview.

Novartis found symp, 238: 5-19.

Glass, R.I.; Bresse, J. and Jiang, B. (2001):

Gastroenteritis viruses: an overview.

Novartis found symp,, 238: 5-19.

Gray, E.W.; Angus, K.W. and Snodgrass, D.R. (1980):

Ultrastructure of the small intestine in astrovirus-infected lambs.

J. Gen. Virol, 49: 71-82.

Gray, J.J.; Wreghitt, T.G. and Cubitt, W.D. (1987):

An outbreak of gastroenteritis in a bone for the elderly associated with astrovirus type 1 and human calicivirus.

J. Med. Viral, 23: 377- 381.

Guerrero, M.L.; Noel, J.S. and Mitchell, D.K. (1998):

A prospective study of astrovirus diarrhea in infancy in Mexico City.

Pediatr. Infect. Dis. J.; 17:723-727.

Harbour, D.A.; Ashley, C.R. and Williams, P.D. (1987):

Natural and experimental astrovirus infection of cat.

Vet. Rec.,120: 555- 557.

Herrmann, J.E. Nowak, N.A. and Perron- Henry, D.M. (1990):

Diagnosis of astrovirus gastroenteritis by antigen detection with monoclonal antibodies.

J. Infect. Dis., 161: 226- 229.

Herrmann, J.E.; Taylor, D.N. and Echeverria, P. (1997):

Astroviruses as a cause of gastroenteritis in children

N. Engl. J. Med., 324: 1757-1760.

Imada, T.; Yamaguchi, S. and Mase, M. (2000):

Avian nephritis virus (ANV) as a new member of the family Astroviridae and construction of infection ANV CDNA.

J. Virol., 74: 8487- 8493.

Jiang, B.; Monroe, S.S. and Koonin, E.V. (1993):

RNA sequence of astrovirus distribution genomic organization and a putative retrovirus-like ribosomal frameshifting signal that directs the viral replicase synthesis.

Proc. Natl Acad. Sci. US., 90: 10539-10543.

Kiang, D. and Matsui, S.M. (2000):

Proteolytic processing of a human astrovirus nonstructural protein.

J. Clin. Microbiol., 38: 2873-2877.

Kitahashi, T.; Tanaka, T. and Utagawa, E. (1999):

Detection of HAV, SRSV and astrovirus genomes from native oysters in Chiba city, Japan. *Kansenshogaku Zasshi*.

J. Jpn. Assoc. Infect. Dis., 73: 559-564.

Koci, M.D.; Seal, B.S. and Shultz-Cherry, S. (2000):

Molecular characterization of an avian astrovirus.

J. Virol., 24: 6173-6177.

Kurtz, J.B. and Lee, T.W. (1978):

Astrovirus gastroenteritis age distribution of antibody.

Med. Microbiol. and Immunol., 166: 227-230.

Kurtz, J.B. and Lee, T.W. (1984):

Human astrovirus serotypes.

Lancet, 2: 1405.

Kurtz, J.B. and Lee, T.W. (1987):

Human and animal. In Bock G. Novel Diarrhoea viruses.

Ciba foundation symposium 128. Chichester. Wiley, 92-107.

Kurtz, J.B.; Lee, T.W. and Graig, J.W. (1979):

Astrovirus infection in volunteers.

J. Med. Virol., 3: 221- 230.

Kurtz, J.B.; Lee, T.W. and Parsons, A.J. (1980):

The action of alcohols on rotavirus, astrovirus and enterovirus.

J. Hosp. Infection, 1: 321- 325.

Landaeta, M.E.; Dove, W. and Vinh, H. (2003):

Characterization of rotaviruses causing diarrhea in Vietnamese children.

Ann. Trop. Med. Parasitol., 97 (1): 53-59.

Leanne, E.; UnIcomb, B.S.C. and Nurun Nahar Banu, M.S.C. (1998):

Astrovirus infection in association with acute persistent and nosocomial diarrhea in Bangladesh.

J. Pediatr. Infect. Dis., 17: 611-614.

LeBaron, C.W.; Furutan, N.P. and Lew, J.F. (1990):

Viral agents of gastroenteritis.

MMWR Morb Mortal Wkly Rep., 39(RR-5): 1-24.

Lee, T.W. and Kurtz, J.B. (1977):

Astrovirus detected by immunofluorescence.

lancet, 2: 406.

Lee, T.W. and Kurtz, J.B. (1981):

Serial propagation of astrovirus in tissue culture with the aid of trypsin.

J. Gen. Virol., 57: 421-424.

Lewis, T.L.; Greenberg, H.B. and Herrmann, J.E. (1994):

Analysis of astrovirus serotype 1 RNA. Identification of the viral RNA dependent RNA polymerase motif, and expression of a viral structural protein.

J. Virol., 68: 77-83.

Liste, M.B.; Natera, I. And Suaraz, J.A. (2000):

Enteric virus infections and diarrhea in healthy and human immunodeficiency virus infected children.

J. Clin. Microbio., 38: 2873 – 2877.

Liu, C.Y.; Shen, K.L.; Wang, S.X.; Liu Y.Y. and Zhaori, G.T. (2004):

Astrovirus infection in young children with diarrhea at Beijing Children's Hospital.

Chin Med. J. (Engl). Mar; 117(3): 353-356.

Madeley, C.R. and Cosgrove, B.P. (1975):

28nm particles in faeces in infantile gastroenteritis.

Lancet, 2: 451-452.

Maldonado, Y.; Cantwell, M. and Old, M. (1998):

Population based prevalence of symptomatic and asymptomatic astrovirus infection in rural Mayan infant.

J. Infect. Dis., 178: 334- 339.

Matsui, S.M.; Kim, J.P. and Greenberg, H.B. (1993):

Cloning and characterization of human astrovirus immunoreactive epitopes.

J. Virol., 67: 1712- 1715.

Matsui, S.M.; Lewis, T.L. and Chiu, E. (1994):

An outbreak of astrovirus gastroenteritis in a nursing home and molecular characterization of the virus.

Gastroenterology, 106: A 730.

Matsui, S.M.; Ushijima, H. and Hachiya, M. (1998):

Determination of serotypes of astroviruses by reverse transcription – polymerase chain reaction and homologies of the types by the sequencing of the Japanese isolates.

Microbiol. and Immunol., 42: 539- 547.

Mclver, C.J.; Palombo, E.A. and Doultree, J.C. (2000):

Detection of astrovirus gastroenteritis in children.

J. Viral Methods, 84: 99- 105.

Midthun, K.; Greenberg, M.B. and Kurtz, J.B. (1993):

Characterization and seroepidemiology of a type 5 astrovirus associated with an outbreak of gastroenteritis in Marin country, California.

J. Clin Microbiol., 31: 955-962.

Mitchell, D.K.; Matson, D.O. and Jiang, X. (1999):

Molecular epidemiology of childhood astrovirus infection in childcare centers.

J. Infect. Dis., 180: 514-517.

Moe, C.L.; Allen, J.R. and Monroe, S.S. (1991):

Detection of astrovirus in pediatric stool samples by immunoassay and RNA probe.

J. Clin. Microbiol., 24: 2390-2395.

Monroe, S.S.; Carter, M.J. and Herrmann, J.E. (1995):

Family Astroviridae In virus taxonomy. Classification and Nomenclature of viruses.

New York. Springer-Verlag, 364-367.

Monroe, S.S., Glass, R.I. and Noah, N. (1991):

Electron microsocpic reporting of gastrointestinal virus in the United Kingdom, 1985-1987.

J. Med. Virol., 33: 193- 198.

Monroe, S.S.; Jiang, B. and Stine, S.E. (1993):

Subgenomic RNA sequence of human astrovirus supports classification of Astroviridae as a new family of RNA viruses.

J. Virol., 67: 3611-3614.

Naficy, N.B.; Rao, M.R. and Holmes, J.L. (2000):

Astrovirus diarrhea in Egyptian childhood.

J. Infect Dis., 182: 685- 690.

Oishi, I.; Yamazaki, K. and Kimoto, T. (1994):

A large outbreak of acute gastroenteritis associated with astrovirus among students and teachers in Osaka, Japan.

J. Infect, Dis., 170: 439- 443.

Oliver, A.R. and Phillips, A.D. (1988):

An electron microscopical investigation of Faecal small round viruses.

J. Med. Virol., 24: 211-218.

Oshiro, L.S.; Haley, C.E. and Roberto, R.R. (1981):

A 27-nm virus isolated during an outbreak of acute infectious nonbacterial gastroenteritis in a convalescent hospital: a possible new serotype.

J. Infect. Dis., 143: 791-795.

Pang, X.L. and Vesikari, T. (1999):

Human astrovirus-associated gastroenteritis in children under 2 years of age followed prospectively during a rotavirus vaccine trial.

Acta. Pediatr., 88: 532- 536.

Philips, A.D.; Rice, S.J. and Walker-Smith, J.A., (1982):

Astrovirus within human small intestinal mucosa.

Gut, 23: A 923- 924.

Pinto, R.M.; Abad, F.X. and Gajardo, R. (1996):

Detection of infectious astroviruses in water.

Appl. Envirom. Mircobiol., 62: 1811-1813.

Roman, E.; Wilhelmi, I. and Colomina, J. (2003):

Acute viral gastroenteritis: proportion and clinical relevance of multiple infections in Spanish children.

J. Med. Microbiol., 52 (pt 5): 435-440.

Sanchez-Fauquier, A.; Carrascosa, A.L. and Carrascosa, J.L. (1994):

Characterization of a human astrovirus serotype 2 structural protein (vp2b) that contains an epitope involved in virus neutralization.

Virology, 201: 312-320.

Semler, B.L.; Kuhn, R.J. and Wimmer, E. (1988):

Replication of the poliovirus genome in RNA genetics, Vol 1:
RNA-directed virus replication.

Boca Raton, CRC press, 23-48.

Shastri, S.; Doane, A.M. and Gonzales, J. (1998):

Prevalence of astrovirus in a children's hospital.

J. Clin. Microbiol., 36: 2571- 2574.

Shultz-Cherry, S.; Kapezynski, D.R. and Simmons, VM. (2000):

Identifying agent(s) associated with poult enteritis mortality
syndrome: Importance of the thymus.

Avian Dis., 44: 256- 265.

Snodgrass, D.R. and Gray, E.W. (1977):

Detection and transmission of 30 nm virus particles (astroviruses)
in faeces of lambs with diarrhea.

Arch Viral., 55: 287- 291.

Snodgrass, D.R.; Angus, K.W. and Gray, E.W. (1979):

Pathogenesis of diarrhea caused by astrovirus infection in lambs.

Arch Viral, 60: 217-226.

Superti, F.; Seganti, L. and Orsi, N. (1990):

In vitro effect of synthetic flavanoids on astrovirus infection.

Antivir. Res., 13: 201- 208.

Valerie, W.; Margaret, F. and Paul, C. (2000):

Etiology of community-acquired pediatric viral diarrhea; a prospective longitudinal study in hospitals, Emergency Departments, pediatric practices and childcare centers during the winter rotavirus outbreak, 1997 to 1998.

Pediatr. Infect. Dis. J., 19: 843-848.

Walter, J.E.; Mitchell, D.K. and Guerrero, M.L. (2001):

Molecular epidemiology of human astrovirus diarrhea among children from a periurban community of Mexico City.

J. Infect. Dis., 183: 681-686.

Warren, P. and Bishop, M.D. (2003):

Chronic nonspecific diarrhea of childhood: pathophysiology and management.

Pediatr. Clin. North Am., 01- Apr. 2003; 43 (2): 375-390.

Wilhelmi, I.; Roman, E. and Sanchez-Fanquier, A. (2003):

Viruses causing gastroenteritis.

Clin. Microbiol. Infect., 9 (4): 247-262.

Willcocks, M.M.; Boxall, A.S. and Carter, M.J. (1999):

Processing and intracellular location of human astrovirus non-structural proteins.

J. Gen. Virol., 80: 2607-2611.

Willcocks, M.M.; Brown, T.D.K. and Madeley, C.R. (1994):

The complete sequence of a human astrovirus.

J. Gen. Virol., 75: 1785 –1788.

Willcocks, M.M. and Carter, M.J. (1993):

Identification and sequence determination of the capsid protein gene of human astrovirus sterotype 1.

FEMS Microbiol. Lett., 114: 1-8.

Willcocks, M.M.; Carter, M.J. and Laidler, F.R. (1990):

Growth and characterization of human faecal astrovirus in a continuous cell line.

Arch. Virol., 113: 73-81.

Willcocks, M.M.; Carter, M.J. and Madeley, C.R. (1992):

Astrovirus. Rev.

Med. Virol., 2: 97- 106.

Williams, F.P. (1989):

Electron microscopy of stool-shed viruses: Retention of characteristic morphologies after long-term storage at ultralow temperatures.

J. Med. Viral, 29: 192-195.

Yeager, M.; Tihova, M. and Nowotny, N. (2000):

Icosahedral design of human astrovirus.

J. Med. Virol., 61: 326-331.

Yuen, K.Y.; Woo, P.C.Y.; Liang, and R.H.S. (1998):

Clinical significance of alimentary tract microbes in bone marrow transplant recipients.

Diag. Microbial infect. Dis., 30: 75-81.