

REFERENCES

- Aballi A.J., and Delamerens S. (1962):-
Coagulation changes in neonatal period and early
infancy. *Pediatr. Clin. North Am.* 9 : 785.
- Adams, C.W. and Davison, A.N. (1965):
The myelin sheath. In "Neurohistochemistry"(Eds)
Elsevier Excerpta Medica, Amsterdam, P.332.
- Adinolfi, M., Haddad, S.A. (1977):
Levels of plasma proteins in human and rat
fetal CSF and the development of the blood-CSF
barrier. *Neuro pediatrie*, 8: 345.
- Ahmann PA, Lazzara A, Dykes FD, et al, (1980):
Intraventricular hemorrhage in the high risk
preterm infant: Incidence & outcome. *Ann Neurol*,
7 : 118.
- Amiel-Tison, C.(1976):
A method for neurologic evaluation within the
first year of life. In Gluck. L. (Ed): "Current
problems in pediatrics". Chicago, your boock
publishers vol. II P.10.
- Arnold P. and Jost .M. (1982):
Cerebrovascular Diseases. In "Pediatrics, 17 th,
edition" (Eds.) A.M. Rudolph and J.I.Hoffman .P..
1598.
- Babcock D.S. and Han B.K. (1981):
The accuracy of high resolution real time
ultrasonography of the head in infancy.
Radiology 139 : 665.

Bada, H.S., Salmon, J.H., and Pearson, D.H. (1979):
Early surgical intervention in post-hemorrhagic hydrocephalus. Childs Brain 5: 109.

Baehner R. L. and Strauss H.S., (1966):
Hemophilia in the first year life. N.Engl. J.Med.
275 : 524.

Banna M., Porteous C. and Molot M. (1979):
Water cylinder for cerebral CT of premature
neonates. J. Comput. Assist. Tomogr. 3 (1) : 132.

Barrington N.A. and Hewitt N.A. (1977):
Indications for contrast medium enhancement in
computed tomography of the brain. Clinical Radiology,
28 : 535.

Bartelmez G.W. and Dekaban A.S. (1962):
The early development of the human brain. Contrib.
Embryol. Carneg. Inst. 37:14 quoted from "Pediatric
Neuropathology (Ed.) Smith J.F., Blakiston publications
(1974).

Behrman R.E. (1980):
Serial lumbar punctures and intraventricular hemorrhage.
Editor's Column. J. pediatr. 97 (2) : 250.

Bent R.H. (1985):
Perinatal brain injury and cerebral blood flow in
newborn infants. Acta Pediatr. Scand. 74 : 323.

Bertil E.G. (1984):
Bleeding disorders in the newborn infant. In
Schaffer's diseases of the newborn , 5 th edition
(Ed.) M.E. Avery and H.W. Taeusch, Saunders Co.,
Philadelphia P. 560.

- Cepeda E.E., Heilbronner, D.M., Poland, P.L (1978)
Glucose intolerance in premature infants with massive intracranial hemorrhage. *Pediatric Research*, 12:521.
- Chaplin E.R. Goldstein G.W. and Norman D. (1979):
Neonatal seizures, intracerebral hemstoma and subarachnoid hemorrhage in full term infants. *Pediatrics* 63 : 812.
- Charles F., Abildgaard (1981):
Hematology of infancy and childhood. Edited by David G. Nathan and Frank A. Oski. B. Saunders company, Philadelphia.
- Chemnitz G., Nevermann L., and Schmidt E. (1979):
Creatine Kinase and Creatine kinase isoenzymes during pregnancy and labour and in the cord blood. *Clin. Biochem.* 12 :277.
- Chessells J.M., Wigglesworth J.S. (1970):
Secondary hemorrhagic disease of the newborn. *Arch Dis. Child*, 45 : 539.
- Chemnitz G., Nevermann L., and Schmidt E. (1979):
Creatine kinase and creatine kinase isoenzymes during pregnancy and labour and in the cord blood. *Clin. Biochem.* 12 : 277.
- Cole V.A., Durbin G.M., Olafsson A., et al., (1974):
Pathogenesis of IVH in newborn infants. *Arch. Dis. Child.* 49 : 722.
- Craig W.S. (1938):
Intra cranial hemorrhage in the newborn. *Arch. Dis Child*, 13 : 89.
- Cuestas R.A. (1980):
Creatine kinase isoenzymes in high-risk infants, *pediatr. Res*, 14 : 935.

Davison A.N. and Dobbing J. (1968):

The developing brain. In "Applied Neurochemistry"
(Eds), Blackwell, Oxford P. 253.

Delemos R.A., Tomosovic J.J. (1978):

Effects of positive pressure ventilation on cerebral blood flow in the newborn infant. Clin.
Perinatol 5 : 395.

Demonna T., Rayot M., Probst A. and Prodham L.S. (1975)!

Neonatal intracranial hemorrhage in premature
infants. pediatrics 56 : 1056.

Di Chiro G. (1980):

CT features of the premature and full term brain.
Editor's note. J. Comput. Assist. Tomogr. 4(4):434.

Di Chiro G., Arimitsu T., Pellock J.M. and Londes R.D.
(1978):

Periventricular leukomalacia related to neonatal
anoxia : recognition by computed tomography.J.
Comput. Assist. Tomogr., 2:352.

Dobbing J. (1968) :

Vulnerable periods in the developing brain. In
"Applied Neurochemistry" Eds. A.N. Davison and
J. Dobbing, Blackwell, Oxford. P. 287.

Dobbing J. (1974):

The later development of the brain and its vulnerability. In "Scientific Foundations of pediatrics"
(Ed.) Saunders, Philadelphia P. 105.

Dobbing J. and Sands J. (1971):

Vulnerability of the developing brain. Biol.
Neonate 19 : 363.

Donat J.F., Okazaki H., Kleinberg F. and Reogon T.J.
(1978):

Intraventricular hemorrhage in full term and
premature infants. Mayo Clin. Proc. 53 : 437.

Dubynsky O., Vannucci R., Maisels, M.J. (1978):

Post-hemorrhagic encephalopathy in premature infants.
Pediatric Research 12 : 551.

Dykes F.D., et al., (1980):

Intraventricular hemorrhage- a prospective evaluation
of etiopathogenesis. Pediatrics 66 : 42.

El-Rakhawi H.T. (1971):

Neuroanatomy, Ahram press, Cairo , P. 21.

Epstein F., Hochwold G. M. Ransohoff J. (1973) :

Neonatal hydrocephalus treated by compressive head
wrapping. Lancet, I, 634.

Farwell J.R. and Scott D.T. (1978):

Intracranial hemorrhage in premature infants. Ann
Neural 4 : 186.

Fedrick J. and Butler N.R. (1970):

Certain causes of neonatal death. II. Intraventricu-
lar hemorrhage. Biol. Neonate 15 : 257.

Fenichel G.M., Olson B.J., and Fitzpatrick J.E. (1980):

Heart rate changes in convulsive and non-convulsive neonatal apnea. Ann. Neurol., 7 : 577.

Fitzhardinge P. (1979):

Neurologic problems In "Care of the high risk newborn" (Eds). M.H Klaus and A.A. Fanaroff, Saunders, Philadelphia P.361.

Fitzharding P. Pape K.E. (1981):

Follow up studies of the high risk newborn In "Neonatology: Pathophysiology and and management of the newborn" (Ed.) G.B. Avery, Lippincott, Philadelphia P.350.

Flemming G.B., and Morton E.D. (1930):

Henigeal hemorrhage in the newborn. Arch. Dis. Child. 5 : 361.

Forfar J.D .,and Keker M.M. (1984):

Trauma in the newborn . In "Textbook of Pediatrics 3rd édition (Eds.) J.O. Forfar and G.C.Arneil P. 153.

Freeman J.M. and Myer E.C. (1973):

Centrol nervous system disturbonces. In "Neonatology: Diseases of the fetus and infant".(Ed.) R.E. Behrman, Mosby, St., Louis P. 517.

Friede R.L. (1975):

Developmental Neuropathology (Ed.) springer-Verlag, New York P. 11.

Friis-Hansen B, Lou H.C., Lassen N.A., Wimberly P.D (1981):

The pathogenesis of cerebral hypoxic lesions and intraventricular hemorrhage in the newborn preterm infant. In: Stern L, Salle B, Friis - Hansen B, eds. Intensive care in the newborn III 62 : 253.

Garfunkel J.M., and Quilligen E.J. (1954):

The relationship of oxygen consumption to cerebral function activity J. Pediatr. 44 : 64.

Gerald M.F. (1980):

Intracranial hemorrhage . In "Neonatal Neurology" (Ed.) F.M. Gerald. Churchill Livingstone, New York, P. 110.

Giddings J.C. (1980):

Blood coagulation and hemostasis, Edited by Jean M. Thomson, second (ed.) , Churchill Livingstone, Edinburgh London.

Grant E. G., Bortz F.T., Fehellinger D., Mc Cullough D.C, Sivasubramanian K. N., and Smith Y. (1981):

Real time ultrasonography of neonatal intraventricular hemorrhage and comparison with computed tomography, Radiology, 139 : 687.

Goodwin L.S., Hellman J. Vannucci R.C., and Maisles J. (1981):

Ventricular dimensions of the brain in premature and full term infants. Arch. Neurol. 38 : 447.

Greisen G. (1984):

CBF in the newborn infant: Issues and methods with special referance to the intravenous 133-Xenon Clearance technique. r CBF bull, Acta pediatr. Scand, 74: 328.

Gresham. E.L. (1975):

Birth trauma. Ped. Clin. North. Am. 22 : 317.

Grode M.L, Saunders M., and Carton C.A. (1978):

Subarachnoid hemorrhage secondary to ruptured aneurysms in infants. J.Neurosurg. 49 : 898.

Grogaard J.B., Stahlman M.T., Cotton R.B., Coulam C.M. (1979):

Early detection of intraventricular hemorrhage in premature babies by transcephalic impedance society for pediatric Research Abstracts, P.525.

Grontoft O. (1953):

Intracerebral and meningeal hemorrhages in Perinatally decreased infants. I. Intracerebral hemorrhages: a pathologico-anatomical and obstetric study. Acta Obstertica et Gynecologica. Scandinavica, 32 : 308.

Grunnet M.L. , Curless K.G., Bray D.F., and Jung A.L. (1974) :

Brain changes in newborns from intensive care Unit. Dev. Med . Child .Neurol. 16:320

Grunt M.L. and Shields W.D. (1976):

Cerebellar hemorrhage in the premature infant J. Pediatr 88 : 605.

Haller E.S., Nesbitt R.E. and Anderson G.W. (1959):

Clinical and Pathological concepts of gross intracranial hemorrhage in perinatal mortality. Obstet. Gynecol Surv. 11 : 179.

Harcke H.T. Naeye R.L., Storch A., and Blance W.A. (1972): Perinatal cerebral intraventricular hemorrhage. J. Pediatr., 80 : 37.

Harrington W.J., Sprague C.C., Minnich V., and Dubach R. (1953):

Immunologic mechanisms in idiopathic and neonatal thrombocytopenic purpura. Ann. Intern. Med. 38:433.

Harrison V.C., Heese H.V. and Klein (1968):

Intracranial hemorrhage associated with hyaline membrane disease. Arch. Dis. Child, 43 : 116.

Harwood - Nash D.C. and Breckbill D.L. (1976):

Computed tomography in children: a new diagnostic technique. J. Pediatr 89 : 343.

Harwood-Nash D.C. (1977):-

Congenital craniocerebral abnormalities and computed tomography. Sewin Roentgenol., 12 : 39.

Harwood-Nash D.C. (1980):

Intracranial hemorrhage in children. J. Comput. Assist. Tomogr., 4(5): 700.

Hill A. and Volpe J.J. (1981):

Measurement of intracranial pressure using the Ladd intracranial

Illingworth R.S. (1970):

The development of the infant and young child:
normal and abnormal . William and Willins Co.,
Baltimore, P. 117.

James A., Charles S., Richard A. and David T., (1982):

Intraventricular hemorrhage in the preterm
neonate! Timing and Cerebral blood flow changes.
J. Pediatr. 104 : 420.

Johnson M.L. Mack L.A., Runack C.M., Frost M. and Rash-
baum C. (1979):

B-mode echoencephalography in the normal and
high risk infant, AJR, 133 : 375.

Kaiser A.M. & Whitelow AGL (1985):

Cerebrospinal fluid pressure during post hemor-
rhagic ventricular dilatation in newborn infants.
Arch. Dis. Child. 60 : 920.

Karpatkin M., Porges R.F., and Karpatkin S. (1981):

Platelet counts in infants of women with autoimmune
thrombocytopenia. N. Engl. J. Med. 305 : 936.

Kelly J.J. Mellinger J.F. and Sundt T.M. (1978):

Intracranial arteriovenous malformations in
Childhood. Ann. Neurol . 3 : 343.

Kennedy C. (1961):

Physiologic characteristics of growth of the human
brain. J. Pediatr. 59 : 928.

Ketty S.S., and Schmidt C.F. (1945):

The determination of cerebral blood flow in man
by the use of nitrous oxide in low concentration.
Am. J. Physiol., 149 : 53.

Kirks D.R., Maravilla K.R., and Maravilla A.M. (1978):

Craniocerebral computed tomography in the neonate.
Computerized tomogr. 2 : 207.

Krishnamoorthy K.S., Fernandez R.A., Momose K.J., De. Long

G.R., Moylan F., Todres I.D. , and Shannon D.C.

(1977):

Evaluation of neonatal intracranial hemorrhage by
computerized tomography , pediatrics 59 : 165.

Lacey D.J. and Terplan K. (1982):

Intraventricular hemorrhage in full term neonates.
Dev. Med. Child. Neurol 24: 332.

Lagos J.C. , and Riley H.D. (1971):

Congenital intracranial Vascular malformations in
children . Arch. Dis. Child. 46 : 285.

Lange S., Grumme T. and Meese W. (1980):

Computerized Tomography of the brain (Eds.) Shering
AG, Berlin. P.81.

Larroche J. (1964):

Hemorrhages cerebrales interventriculaires chez le
premiere . J. Anatomie et physiologie . Biol.
Neonate 7 : 26.

Larrache J. (1966):

The development of central nervous system during
intrauterine life. In "Human Development "(Ed.) F.
Falkner, Souder Co., Philadelphia, P. 257.

Larroche J. (1976):

Developmental pathology of the neonate. North
Holland, Elsevier Excerpta Medica P.545.

Larroche J. (1977):

Lesions of hemorrhage type , mainly venous in
Developmental pathology of the Neonate. Amster-
dam, Excerpta Medica, P. 355.

Lassen N.A. (1974):

Control of cerebral circulation in health and
disease. Circ. Res. 34 : 749.

Leblanc R. and O'Gorman A. (1980):

Neonatal intracranial hemorrhage. J. Neurosurg.
53 : 642.

Levine M.I. and Starte D.R. (1981):

A longitudinal study of post hemorrhagic ventricular
dilatation in the newborn Arch. Dis child. 56:905.

Leech R.W. and Kohnen P. (1974):

Subependymal and intraventricular hemorrhages in
the newborn . Am.J. pathology , 77 : 465.

Lipscomb A.P., Thornburn R.J. and Renolds E. O.R. (1981):

Pneumothorax and Cerebral hemorrhage in the
premature infants Lancet I: 414.

Lorber J. and Bhat U.S. (1974):

Post hemorrhagic hydrocephalus. Arch. Dis. Child.
49 : 751.

Lou H.C., Lassen N.A., Friis-Hansen B. (1977):

Low cerebral blood flow in hypotensive perinatal distress. Acta. Neurol. Scand. 56 : 343.

Lou H.C., Lassen N.A. Friis -Hansen B. (1979):

Impaired autoregulation of cerebral blood flow in the distressed newborn. J. Pediatr. 94 : 118.

Lowrey G.H. (1978):

Growth and Development of children. (Ed.) Year Book Medical publishers, Chicago P. 215.

Luttreble C.N. and Finberg L. (1959):

Hemorrhagic encephalopathy induced by hypernatremia. I. Clinical, laboratory and APathological observations. Arch. Neural. Psychiatry. 81 : 424.

Mac Donald J.T., Weitz R. and Sher Ph. (1977):

Intrauterine subdural hematoma. Arch . Neural. 34 : 777 .

Macfarlane R. (1978):

The treatment of Hemophilia A. and B and Von Willebrand's disease. Edited by Rosemary, Biggs, Blackwell Scientific Publications, Oxford London.

Maki Y. and Shirai S. (1975):

Angiographic findings in intraventricular hemorrhage in newborn infants. Acta. Radiol . 347 : 167.

Mantovani J.F., Posternak J.F. and Mathew O.P. (1980):

Failure of daily lumbar puncture to prevent the development of hydrocephalus following intraventricular hemorrhage. J. Pediatr., 97 : 278.

Martin R., Roessmann U., and Fanaroff A. (1976):

Massive intracerebellar hemorrhage in low birth weight infants. J. Pediatr. 89 : 290.

Mauer A.M, De Vaux L.O., and Lahey M.E. (1957):

Neonatal & maternal thrombocytopenic purpura due to quinine. Pediatrics 19:84.

Mc Millan R. (1981):

Chronic idiopathic thrombocytopenic purpura.
N. Engl. J. Med. 304 : 1145.

Ment L.R., Duncan C.C., and Ehrenkranz R.A. (1984):

Intraventricular hemorrhage in the preterm neonate: timing and cerebral blood flow changes. J. pediatr., 104 : 419.

Milhorat T.H. (1978):

Pediatric Neurosurg. F.A. Davis, Philadelphia P.68.

Milhorat T.H. (1981):

Disorders of neurosurgical importance . In "Neonatology: Pathophysiology and management of the newborn". (Ed.) G. Avery. Lippincott, Philadelphia, P. 973.

Milligan D.W.A. (1981):

Positive pressure ventilation and cranial volume in newborn infants. Arch. Dis. Child. 56: 331.

Monin P. and Vert P. (1978) :

Pneumothorax clin. perinatol, 5 : 335.

Mori K. Handa H., Itoh M., and Okuno T. (1980):
Benign Subdural effusion in infants. J. Comput.
Assist. Tomogr. 41 (4) : 466.

Morison J.E. (1970):
Foetal and neonatal pathology . London, Butter
worth and Co. Ltd. P. 107.

Naidoo B.T. (1978):
The cerebrospinal fluid in the healthy newborn
infant. South African Medical . Journal. 42:933.

Nelson R.M. Bucciarelli R.L., Nagel J.W., Beale E.F., and
Eitzman D.V. (1978):
Hydrocephalus associated with intracranial
hemorrhage in the newborn. Pediatric Research,
12 : 554.

Nelson K.B. and Ellenberg J.H. (1979):
Neonatal Signs as predictors of cerebral palsy.
pediatrics, 64 : 225.

Norman D. (1977):
Computed tomography in intracranial hemorrhage
in Norman D., Korobtin M., Newton (eds) :
Computed tomography. St.Louis C.V., Mosby Co.
P. 279.

Odeku E.L. and Adcock K.J. (1969):
Neonatal hydrocephalus due to intracerebellar
hematoma. Int. Surg., 51 : 302.

Palma P.A., Morriss F.H., Miner, et al. (1980):

Pape K.E. , Armstrong D., and Fitzhardinge P.(1975):

Intracerebellar hemorrhage as a possible complication of most -applied mechanical ventilation in the low birth weight infant. *Pediatr Res.*, 9:383.

Pape K.E. and Wigglesworth J.S. (1979):

Hemorrhage, Ischemia and the perinatal brain. In "Clinics in Developmental Medicine " Heinemann Medical, P.25.

Papile L.A., Buristein Y., Burstein R., and Koops B.(1978):

Incidence and evaluation of subependymal and intraventricular hemorrhage. *J. Pediatr.* 92:529.

Papile L.A., et al., (1979):

Cerebral intraventricular hemorrhage in infants less than 1500 grams: developmental follow-up at one year. *Pediatr. Res.* 13 : 528.

Patten B.M. (1968):

Human Embryology, 3 rd edition, New york , Mc. Graw-Hill Book Company , Inc. P.11.

Paxon G.L. (1979):

Brain growth. In "Van Leewen's, Newborn Medicine" 2 nd edition, Lange, Coliforania, P. 453.

Pearse W. and Kolbech T.J. (1972):

Compressive Forces of the shute forceps . *Am. J. obstet. Gynec.*, 133 : 44.

Pevsner P.H. , Garcia-Bunel R., Leeds and Finkelstein M. (1976):

Subependymal and intraventricular hemorrhage in neonates. Early diagnosis by computed Tomography Radiology, 119 : 111.

Pomerance J.J. and Richardson C.J. (1973):

Hyperpyrexia as a sign of intraventricular hemorrhage in the neonate . Am J. Dis. Child. 126 : 854.

Potter E. and Craig J.M. (1975):

Pathology of the fetus and infant (Eds) Chicago, year Book Medical Publishers, P. 502.

Rabe E.F. Flynn R.E., and Dodge P.R. (1968):

Subdural Collections of fluid in infants and children: study 62 patients with special reference to Factors influencing prognosis and efficacy of various forms of therapy. Neurology 18:559.

Rapaport S.I., Hori M., and Klatzoi I. (1972):

Testing of a hypothesis of osmotic opening of the blood -brain barrier. Am. J. Physiology, 223 : 323.

Ratnoff O.D. (1972) :

The molecular basis of hereditary clotting disorders, In Spaet, T. (Ed.) : prognosis in Hemostasis and Thrombosis . Vol. I New York, Grune. & Stratton P.39.

Ravanel S.D. (1979):

Reynolds E.O. (1977):

Hypoxia in the newborn infant. J. Clin. pathol.,
11 : 134 .

Richard K. (1982):

Intracranial hemorrhage . "In Acute Encephalopath-
ies of Infancy . " Pediatrics seventeenth edition
(Ed.) Abraham M.R. and Julien I.E. Appleton

P. 1598

Robinson R.O., Rolfe P., and Sutton P. (1977):

Non invasive method for measuring intracranial
pressure in normal newborn infants. Dev. Med.
Child. Neural, 19 : 305.

Rom S., Serfontein G.L. and Humphreys R.P. (1978):

Intracerebellar hematoma in neonate .J. Pediatr.
93 : 486.

Rose A.L. and Lombroso C.T. (1970):

Neonatal seizure states. A study of clinical,
pathological and electroencephalographic features
Pediatrics 45 : 404.

Rumack C.M. , MC. Donald M.M., O'Meara O.P., savders B.B.,
and Rudikoff J.C. (1978):

C.T. detection and course of intracranial hemorr-
hage in premature infants . AJR, 131 : 493.

Rumack C., dohnson M., Schrooder M. (1979):

Shelds W.D. and Feldman R.D. (1982):

Serum CK-BB isoenzyme in premature infants
with peri ventricular hemorrhage. J.Pediatr.
100: 464.

Shipke R.Riege D. and Scoville W. (1954):

Acute subdural hemorrhage at birth. Pediatrics,
14 : 468.

Shulman N.R. Marder V.J., and Hiller M.C. (1964):

Platelet and leucocyte isoantigens and their
antibodies : serologic, physiologic and clinical
studies. Progr. Hematol. 4:222.

Simmons D.H., Hemingraw A., and Ricchiuti N. (1958):

Acute circulatory effects of pneumothorax in
dogs.J.APPL physiol. 12 : 255.

Simmon M.A., Adcock E.W., Bard H., Battaglia F.C.(1974):

Hypernatremia and intracranial hemorrhage in
neonates. New Engl. J. of Med. 291 : 6.

Smith J.F. (1974):

Pediatric Neurapathology, Mc. Grawhill Book
company, London, P.24.

Stewart A.L. Thorburn A.J., Hope P.L., Goldsmith M.,

Lipscomb A.P., and Reynolds E.O.R. (1983):
Ultrasound appearance of the brain in very
premature infants and neuro-developmental outcome
at 18 months of age. Arch. Dis. Child. 58:598.

Sutton D. (1981):

Computed Tomography . In "A textbook of Radiology and Imaging " (Ed.) 3rd. edition, Churechill Livingstone, London, P. 1066.

Svenningsen N.W., Blennow G., Lindroth M., et al., (1982):

Brain-Oriented intensive care treatment in severe neonatal asphyxia: Effects of phenobarbitone protection . Arch. Dis. Child. 57 : 176.

Tanner J.M. (1978):

Growth and Development of the brain. In "Fetus into Man, physical growth from conception of maturity" Harvard University Press, Cambridge Massochusetts, P. 103.

Theodore J., Valpe JJ. and Volpe T.J (1982):

I.V.H. in the premature infant. Newborn ped. Clinic. 1085 : 1104.

Till K. (1968):

Subdural hematama and effusion in infancy . Br. Med. J. 3 : 400.

Towbin A. (1970):

Central nervous system damage in the human fetus and newborn infant. Am. J. Dis. Child. 119:529 .

Truex P.C. and Carpenter M.B. (1969):

Human Neuroanatomy. Baltimore , William and
Wilkins Co., P. 32.

Tsiantos A., Victorin L., Relier J.P., Dyer N., Sundel H.,
Brill A.B. and Stahlman N. (1974);
Intracranial hemorrhage in the prematurely born
infant. J. Pediatr., 85 : 854.

Tsung S.H. (1976) :

Creatine kinase isoenzyme patterns in human tissue
obtained at surgery. Clin. Chem. 22 : 173.

Vaagenes P., Kjeskshus J., and Torvik A. (1980):

The relationship between cerebrospinal fluid creatine
kinase and morphologic changes in the brain after
cardiac arrest, Circulation 61 : 1194.

Volpe J.J. (1975):

"Neurological disorders". In Neonatology: Pathophy-
siology and Management of the newborn. Philadel-
phia : Lippincott. P. 729.

Volpe J.J. (1976):

Neonatal intracranial hemorrhage. Iatrogenic
etiology? N.Engl. J. Med. 291 : 43.

Volpe J.J., Pasternak J.F. and Allan W.C. (1977):

Ventricular dilatation preceding rapid head
growth following neonatal intracranial hemorrhage.
Am. J. Dis. Child., 131 : 1212.

Volpe J.J. (1978):

Neonatal periventricular hemorrhage: Past, Present
and Future. J. Pediatr. 92 : 693.

Volpe J.J. (1979 a):

Intracranial hemorrhage in the newborn: Current understanding and dilemmas. *Neurology*, 29:632.

Volpe J.J. (1981):

Neonatal intraventricular hemorrhage. *N. Engl. J. Med.* 304 : 886.

Welch K. (1975):

The principles of physiology of the CSF in relation to hydrocephalus including normal pressure hydrocephalus. In "Advances in Neurology" Vol. 13, New York, Raven Press , P. 247.

Welch K. (1977):

Emergence of hydrocephalus after ventricular hemorrhage and estimation of intracranial pressure in infants. *Am. J. Dis. Child.* 131 : 1203.

Wigglesworth J.S., Pape K.E. (1978):

An integrated model for hemorrhagic and ischemic lesions in the newborn brain. *Early Human Dev.* 2 : 179.

Wigglesworth J.S. and Karen E.P. (1979):

Hemorrhage, Ischemia and the perinatal brain. In "Clinics in Developmental Medicine". Heinemann Medical Books. Philadelphia, J.P. Lippincott, P.60.

Yakovlev P.I. (1962):

Morphological criteria of growth and maturation of the nervous system. In "Mental Retardation" (Eds.) L.C.Kolb, R.L. Masland and R.E. Cooke, Williams and Wilkins Co., Baltimore, P.6.

Yakovlev P.J. (1970):

Distribution of the terminal hemorrhages in the brains wall in stillborn. Premature and non viable neonates . In "Physical trauma as an etiologic agent in mental retardation"(Eds.) C.R . Angle and E.A.Bering, Washington, U.S. Government Limiting office , P.112.