

REFERENCES

A

Adams, H. (1963) :

Adenosine 5'-triphosphate determination with phosphoglycerate kinase..

In Methods of Enzymatic Analysis Ed. by H.U. Bergmeyer, Academic Press, New York, P. 539.

Allan, D. and Michell, R.H. (1975) ;

Accumulation of 1,2-diacylglycerol in the plasma membrane may lead to echinocyte transformation of erythrocytes.

Nature, 258 : 348.

Allan, D.; Watts, R. and Michell, R. (1976) :

Production of 1,2-diacylglycerol and phosphatide in human erythrocytes treated with calcium ions and ionophore A23187.

Biochemical Journal, 156 : 225.

Allen, D.W. and Cadman, S. (1979) :

Calcium induced erythrocyte membrane changes. The role of adsorption of cytosol proteins and proteases.

Biochem. Biophys. Acta, 551 : 1.

Anderson, R.A. (1986) :

Glycophorin-protein 4.1 : A transmembrane protein

complex that may regulate the erythrocyte membrane skeleton, in Membrane skeletons and cytoskeletal-membrane Association, 223, Liss, New York.

Anderson, J.M. and Tyler, J.M. (1980) :

State of spectrin phosphorylation 'does not affect erythrocyte shape or spectrin binding to erythrocyte membranes.

J. Biol. Chem., 225 : 1259.

Anderson, R.A. and Lovrien, R.E. (1984) :

Glycophorin is linked by band 4.1 protein to the human erythrocyte membrane skeleton.

Nature, 307 : 655.

Avruch, J., and Fairbanks, G. (1974) :

Phosphorylation of endogenous substrates by erythrocyte membrane protein kinases. A monovalent cation stimulated reaction.

Biochemistry, 13 : 5507.

Awany, A.Y. and Zagloul, I. (1955) :

Haemolytic anemias in Egypt.

Bull. Clin. Sci. Soc., Faculty of Medicine, Ain Shams University, 6:1.

Azim, A.A.; Kamel, K.; Gaballah, M.F.; Sabry, F.H.; Ibrahim,

W.N.; Selim, O. and Moafy, N. (1974) :

Genetic blood markers and anthropometry of the

populations in Aswan Governorate.

Egypt. Hum. Hered., 24 : 12.

B

Behrman, R.E.; Kliegman, R.M.; Nelson, W.E., and Vaughan,

V.C. (1992) :

The thalassaemia syndromes. In : Nelson Textbook of
Pediatrics 14th

ed. W.B. Saunders Company, Philadelphia, 16- 1253.

Beutler, E. (1978) :

Hemolytic Anemia in Disorders of Red Cell Metabolism.
226. New York. Plenum Medical.

Beutler, E.; Guinto, E. and Johnson (1976) :

Human red cell protein kinase in normal subject and
patients with hereditary spherocytosis, sickle cell
disease and autoimmune hemolytic anemia.
Blood, 48 : 887.

Birchmeier, W. and Singer, S.J. (1977) :

On the mechanism of ATP induced shape changes in human
erythrocyte membranes. The Role of ATP.

J. Cell. Biol., 73 : 647.

Boivin, P.; Michel, G. and Galand, G. (1980) :

Determination of protein kinase.

Int. J. Biochem., Vol. 12 : 445.

Bookchin, R.M.; Ortiz, O.E.; Shalev, O.; Tsurel, S.;
Rachmilewitz, E.A.; Hockaday, A. and Lew, V.L. (1988) :
Calcium transport and ultrastructure of Red Cell in B-
thalassaemia intermedia.
Blood, Vol.72, No.5, 1602.

Bretscher, M. (1972) :

A symmetrical lipid bilayer structure for biological
membranes.

Nature (New Biol.), 236 : 11.

Bretscher, M.S. (1973) :

Membrane structure : some general principles.

Science, 181 : 623.

Bull, B.S., and Brailsford, J.D. (1973) :

The biconcavity of the red cell : an analysis of
several hypotheses.

Blood, 41 : 833.

Run, H.F., and Forget, B.G. (1986) :

Hemoglobin : Molecular, genetic and clinical aspects.

Saunders, Philadelphia.

C

Chailley, B.; Giraud, F. and Claret, M. (1981) :

Human red cell shape and membrane protein
phosphorylation : effect of cholesterol depletion.

Scand. J. Clin. Lab. Invest., 41, 156 : 285.

Chais, J.A., and Shohet, S.B. (1987) :

Red cell biochemical anatomy and membrane properties.

Annu. Rev. Physiol., 49 : 237.

Chapman, S.J.; Allison, J.V. and Grimes, A.J. (1973) :

Abnormal cation movements in human hypochromic cell incubated in vitro.

Scand. J. of Hematol., 10 : 225.

Chasis, J.A.; Mohandas, N. and Shohet, S.B. (1985) :

Erythrocyte membrane rigidity induced by glycophorin A.

Ligand interaction. Evidence for a ligand-induced association between glycophorin A and skeletal proteins.

J. Clin. Invest., 75 : 1919.

Chien, S. (1981) :

Determinants of blood viscosity and red cell deformability.

Scand. J. Clin. Lab. Invest., 41 (Suppl.), 156 : 7.

Chiu, D.; Lupin, B. and Shohet, S.B. (1979) :

Erythrocyte membrane lipid reorganization during the sickling process.

Br. J. Haematol., 41 : 223.

Clark, M.R.; Mohandas, N.; Jacobs, M.S. and Shohet, S.B.

(1979) :

Calcium does not affect rigidity of red blood cell membranes.

Blood, 54 (Suppl. 1), 259.

Clark, M.R.; Mohandas, N. and Shohet, S.B. (1980) :

Deformability of oxygenated irreversibly sickled cells.
J. of Clin. Invest., 65 : 189.

Cooper, R.A. (1970) :

Lipid of human red cell membrane : normal composition
and variability in disease.
Semin Hematol., 7 : 296.

Cooper, R.A.; Kimball, D.B. and Durocher, J.R. (1974) :

Role of the spleen in membrane conditioning and
haemolysis of spur cells in liver disease.
N. Engl. J. Med., 290 : 1279.

Corrocher, R.; Ferrari, S. and Bassi, A. (1987) :

Membrane polyunsaturated fatty acids and lithium-sodium
counter transport in human erythrocytes.
Life Sci., 41 : 1171.

Cotte, J.; Kissin, C.; Mathieu, M.; Pancet, J.; Monnet, P.;

Salle, B. and Germain, D. (1968) :

Observation on a case of partial deficiency of
erythrocyte ATPase.

Revue Francaise d'Etudes Cliniques et Biologiques, 13 :
284.

Curatola, G.; Ferretti, G.; Bertoli, E.; Dotti, M.;

Bartolotta, E. and Giorgi, P. (1987) :

Changes of membrane fluidity in erythrocytes of obese

children : a spin label study.

Pediatr. Res., 22 (2) : 141.

D

Dandona, P.; Menon, R.K.; Houlder, S.; Thomas, M.;

Hoffbrand, Av.; and Flynn, D.M. (1987) :

Serum 1,25-dihydroxyvitamin D and osteocalcin concentrations in thalassaemia major.

Arch. Dis. Child., 62 (5) : 474.

Diwani, M. (1944) :

Erythrocytic anaemia with bone changes in Egyptian children. Possible Cooley's type.

Arch. Dis. Child., 19 : 163.

Dodge, J.T.; Michel, G. and Hanhan, D.J. (1963) :

Preparation and isolation of haemoglobin free ghosts of human erythrocytes.

Arch. Biochem. Biophys., 100 : 119.

Dougherty, R.M.; Galli, C.; Ferro-Luzzi, A. and Iacono, J.M. (1987) :

Lipid and phospholipid fatty acid composition of plasma, red blood cells, and platelets and how they are affected by dietary lipids : A study of normal subjects from Italy, Finland and the U.S.A.

Am. J. Clin. Nutr., 45 : 443.

E

Eaton, J.W.; Skelton, J.D. and Swofford, H.S. (1973) :

Elevated erythrocyte calcium in sickle cell disease.

Nature, 246 : 105.

Evans, E.A. and Hochmuth, R.M. (1976a) :

Membrane visco-elasticity.

Biophysical. Journal, 16 : 1.

Evans, E.A. and Hochmuth, R.M. (1976b) :

Membrane visco-plastic flow.

Biophysical Journal, 16 : 13.

Evans, E.A.; Waugh, R. and Melnik, L. (1976) :

Elastic area compressibility modulus of red cell membrane.

Biophysical Journal, 16 : 585.

Erbland, J.F. and Marinetti, G.V. (1965) :

The enzymatic acylation and hydrolysis of lysolecithin.

Biochim. Biophys. Acta, 106 : 128.

Erusalimski, J.; Shinar, E.; Rachmilewitz, E.A. and Milner,

Y. (1985) :

Alterations in membrane proteins and phosphorylation

pattern in beta thalassaemic red cells.

Ann. N.Y. Acad. Sci., 445 : 81.

F

Feig, S.A. and Bassilian, S. (1975) :

Increased erythrocyte Ca^{++} content in hereditary spherocytosis.

Pediatric Res., 9 : 928.

Feig, S.A. and Guidotti, G. (1974) :

Relative deficiency of Ca^{++} dependent adenosine triphosphatase activity of red cell membranes in hereditary spherocytosis.

Bioch. and Biophys. Resea. Comm., 58 : 487.

Ferber, K.; Kruger, J. and Munder, P.G. (1969) :

Acyltransferase und lysophospholipase-Aktivitt in Membrane von Erythrocyten Whrend der Alterung in vivo und in vitro, in Metabolism and Membrane Permeability of erythrocytes and thrombocytes, edited by E. Deutch, E. Gerlach, K. Moser, 393. Thieme, Stuttgart.

Ferretti, G.; Curatola, G.; Bertoli, E.; Catassi, C.; and

Giorgs, P.L. (1991) :

Erythrocyte membrane fluidity and changes in plasma lipid composition : a possible relationship in childhood obesity.

Biochem. med. Metab. Biol., 46 (1) : 1.

Ferretti, G.; Dotti, M.; Bartolotta, E.; Giorgi, P.L.;

Curatola, G. and Bertoli, E. (1988) :

Changes of erythrocyte membrane fluidity associates
with childhood obesity a molecular study using
fluorescence spectroscopy.

Biochem. Med. Metab. Biol., 40 (2) : 101.

Fessas, P. (1963) :

Inclusion of hemoglobin in erythrocytes of
thalassaemia.

Blood, 21 : 21.

Forget, B.G., and Others (1979) :

Structure of the human globin genes. In Maniatis, T. ;
Axel, R., and Fox, C.F. (editors), Eukaryotic gene
regulation : I.C.N. - V.C.L.A. Symposia on Molecular
and Cellular Biologh, Vol. 14, New York, Acadmic Press,
Inc.

Fossati, P. (1982) :

Determination of triglycerides by enzymatic method.

Clin. Chem., 28 : 2077.

G

Galili, U.; Korkesh, A.; Kahane, I. and Rachmilewitz, E.A.

(1983) :

Demonstration of a natural antigalactosyl IgG antibody

on thalassaemia red blood cells.

Blood, 61 : 1258.

Gardos, G. (1966) :

The mechanism of iron transport in human erythrocytes.

Acta. Biochim. Biophys. of Acad. of Science, Hungary,
1:139.

Gitelman, H.F. (1967) :

Direct colorimetric determination of calcium.

"Anal Biochem.", 18 : 521.

Glader, B.E. (1976) :

Salicylate-induced injury of pyruvate-kinase-deficient
erythrocytes.

New England. J. of Med., 294 : 916.

Goldfarb, A.W.; Rachmilewitz, E.A. and Eisenberg, S. (1991):

Abnormal low and high density lipoproteins in
homozygous beta-thalassaemia.

Br. J. Haematol., 79 (3) : 481.

Goodman, D.S. (1958) :

The interaction of human erythrocytes with sodium
palmitate.

J. Clin. Invest., 37 : 1729.

Gordesky, S.E. and Marinetti, G.V. (1973) :

The asymmetric arrangement of phospholipids in the
human erythrocyte membrane.

Biophys. Res. Commun., 50 : 1027.

Gottfried, E.L., and Miller, D.R. (1975) :

Decreased ATPase activity in hereditary hemolytic anemia with increased membrane phosphatidylcholine.
American Society of Hematology, 18th Annual Meeting
(Abstract).

Greenquist, A.C. and Shohet, S.B. (1976) :

Phosphorylation in erythrocyte membranes from abnormally shaped cells.
Blood, 48 : 877.

Grimes, A.J. (1980) :

In Human Red Cell Metabolism. Blackwell Scientific Publications Oxford, London, Edinburgh, Melbourne (2):
73.

Gunn, R.B.; Silvers, D.N. and Rosse, W.F. (1972) :

Potassium permeability in B thalassaemia minor red blood cells.
J. of Clin. Invest., 51 : 1044.

Guthrow, C.E.; Alen, J.E. and Rasmussen, H. (1972) :

Phosphorylation of an endogenous membrane protein by an endogenous membrane associated cyclic adenosine 3',5'-monophosphate dependent protein kinase in human erythrocyte ghosts.
J. Biol. Chem., 247 : 8145.

H

Hafeiz, A.A.; Mokhtar, N.; Abbas, E.Z.; Ayad, F.A.; and

Halawa, F.A. (1985) :

Adenosinetriphosphatase activity of erythrocyte
membrane in thalassaemia.

Arab. J. Lab. Med., 11 : 39.

Hafeiz, A.A.; Mokhtar, N.; Abbas, E.Z.; Ayad, F.A.; Halawa,

F.A.; Kaddah, N.; and El-Hennawy, M. (1986) :

Protein kinase activities of erythrocyte membrane in
thalassaemia.

Arab. J. Lab. Med., 11 : 197.

Hayness, J.R.; Kalb, F.; Rostek, P.; Lingrel, J.B. (1978) :

The absence of a precursor larger than 16 S to globin
RNA.

F.E.B.S. Letters, 91 : 173.

Hill, A.B. (1979) :

In : A short Textbook of Medical Statistics, 10th
edition, P. 129. The English Language Book Society,
Hodder and Staughlon, London.

Hinds, T.R.; Larsen, F.L. and Vincenzi, F.F. (1978) :

Plasma membrane Ca^{++} transport : Stimulation by soluble
proteins.

Bioch. and Biophys. Rese. Commu., 81 : 455.

Hoffman, W.S. (1966) :

Colorimetric determination of calcium.

The Biochemistry of Clinical Medicine, 3rd ed., Year,
Book Medical Publishers, Chicago, 1966, 2 : 132.

I

Ingram, V.M. (1963) :

The hemoglobins in genetic and evolution.

New York, Columbia University Press.

J

Jacob, H.S. and Lux, S.E. (1968) :

Degradation of membrane phospholipids and thiols in
peroxide haemolysis studies in vitamin E deficiency.

Blood, 32 : 549.

Jandl, J.H. (1987) :

Physiology of red cells. In : Blood, A textbook of
hematology. Little, Brown and company, Boston, Toronto,
49.

Jarrett, H.W. and Penniston, J.T. (1978) :

Purification of the Ca^{++} stimulated ATPase activator
from human erythrocytes. Its membership in the class of
 Ca^{++} binding proteins.

J. of Biol. Chemi., 253 : 4676.

Jorgensen, P.L. (1975) :

Isolation and characterization of the components of the sodium pump.

Quarterly Reviews of Biophysics, 7 : 239.

Joshi, W.; Leb, L.; Piotrowski, J.; Fortier, N. and Synder, L.M. (1983) :

Increased insensitivity of isolated alpha subunits of normal human haemoglobin to oxidative damage and cross linkage with spectrin.

J. Lab. Clin. Med., 102 : 46.

K

Kahane, I.; Benchetrit, E.; Shifler, A.; and Rachmilewitz, E.A. (1980) :

The erythrocyte membrane in B thalassaemia. Lower sialic acid levels in glycophorin.

Biochim. Biophys. Acta., 596 : 10.

Kahane, I.; Polliack, A.; Rachmilewitz, E.A.; Bayer, E.A. and Skuteisky, E. (1978a) :

Distribution of sialic acids on the red blood cell membrane in B thalassaemia.

Nature, 271 : 674.

Kahane, I.; Shifter, A. and Rachmilewitz, E.A. (1978b) :

Cross linking of red blood cell membrane proteins

induced by oxidation stress in beta thalassaemia.

F F B S Lett., 85 : 267.

Kamel, K.; Hoerman, K.; Miale, A. and Awany, A. (1960) :

L'incidence d'haemoglobins congenitalement a normals
chez les enfants aucaire.

R A U Sang., 31 : 307.

Kinniburgh, A.J.; Maquat, L.E.; Schedlt, T.; Rachmilewitz,

E. and Ross, J. (1982) :

mRNA-deficient B-thalassaemia results from a single
nucleotide deletion.

Nucleic Acids Res., 10 : 5421.

Know-Macaulay, H.H.M. and Weatherall, D.J. (1974) :

Studies of red cell membrane function in heterozygous B-
thalassaemia and other hypochromic anaemias.

Br. J. of Haematol., 28 : 277.

Kroes, J. and Ostwald, R. (1971) :

Erythrocyte membranes : effect of increased cholesterol
content on permeability.

Biochim. Biophys. Acta, 249 : 647.

L

La Celle, P.L. (1970) :

Alteration of membrane deformability in hemolytic
anemias.

Seminars in Hematology, 7 : 355.

Lichtman, M.A. and Weed, R.I. (1972) :

Divalent cation content of normal and ATP-depleted erythrocytes and erythrocyte membranes.

Nouvelle Revue Francaise d'Hematologie, 12 : 799.

Lodish, H.F. (1976) :

Translocational control of protein synthesis.

Annu. Rev. Biochem., 45 : 39.

Loehr, G.W.(1969) :

Genetische Enzymdefekte der Hexokinase und der transport-Adenosintriphosphate-phosphohydrolase der Erythrozyten.

Folia Haematologica (Leipzig), 91 : 28.

Lorand, L.; Siefiring, G.E., Jr.; and Lowe-Krentz, L. (1979) :

Enzymatic basis of membrane stiffening in human erythrocytes.

Seminars in Hematology, 16 : 65.

Loukopoulos, D. and Fessas, P. (1965) :

The distribution of hemoglobin types in thalassaemic erythrocytes.

J. Clin. Invest., 44 : 231.

Low, M.G. and Saltiel, A.R. (1988) :

Structural and functional roles of glycosyl-phosphatidyl-inositol in membranes.

Science, 239.

Lubin, B.; Chiu, D. and Bastacky, J. (1981) :

Abnormalities in membrane phospholipid organization in sickled erythrocytes.

J. Clin. Invest., 67 : 1643.

Lubin, B.H.; Shohet, S.B. and Nathan, D.G. (1972) :

Changes in fatty acid metabolism after erythrocyte peroxidation : stimulation of a membrane repair process.

J. Clin. Invest., 51 : 338.

M

Maioli, M.; Pettinato, S.; Cherchi, G.M.; Giraudi, D.;

Pacifico, A.; Pupita, G. and Tidore, M.G. (1989) :

Plasma lipids in beta-thalassaemia minor.

Atherosclerosis, 75 (2-3) : 245.

McLeod, M.E. and Bressler, R. (1967) :

Some aspects of phospholipid metabolism in the red cell.

Biochim. Biophys. Acta, 144 : 391.

Meiselman, H.J. (1981) :

Morphological determinants of red cell deformability.

Scand. J. Clin. Lab. Invest., 41 : 156.

Meiselman, M.J. (1978) :

Pheology of shape-transformed human red cells.

Biorheology, 15 : 225.

Moafi, N. (1977) :

A pathological study of the thalassaemia syndromes in Egypt.

M.D. Thesis.

Mohandas, N.; Clark, M.R.; Jacobs, M.S. and Shohet, S.B.

(1980) :

Analysis of factors regulating erythrocyte deformability.

J. Clin. Invest., 66 : 563.

Mohandas, N.; Greenquist, A. and Shohet, S.B. (1978a) :

Effect of heat and metabolic depletion on erythrocyte deformability, spectrin extractability and phosphorylation. In the red cell.

Progress in Clinical and Biological Research, Volume (21) ed. Brewer G.J., pp. 453. New York, Alan R. Liss.

Mohandas, N.; Greenquist, A.C. and Shohet, S.B. (1978b) :

Bilayer balance and regulation of red cell shape changes.

Journal of Supramolecular Structure, 9 : 453.

Mohandas, N.; Philipis, W.M., and Bessis, M. (1979) :

Red cell deformability and hemolytic anaemias.

Seminars in Hematology, 16 : 95.

Mohandas, N.; and Shohet, S.B. (1981) :

The role of membrane-associated enzymes in regulation

of erythrocyte shape and deformability.

Clinics in Haematology, Vol.10, No.1, 223.

Mokhtar, N.; El-Beshlawi, A.; Mostafa, A.; Ragab, L. and Shoukry, M. (1985) :

Study on the association between glucose-6-phosphate dehydrogenase deficiency and haemoglobinopathesis.

Medical J., Cairo University.

Mokhtar, N.; Galal, O.; El-Husseini, S.; Abou-Zekry, M. and Genedy, E. (1983) :

Growth pattern in thalassaemia syndromes.

Egypt. J. Haematol., 8 : 251.

Moskowitz, M. (1950) :

The separation from human erythrocytes of a water soluble fraction containing. The Rh. A and B factors.

J. Immunol., 65 : 383.

Mueller, T.J. and Morrison, M. (1980) :

Glycoconnectin (PAS2) a component of the cytoskeleton of the human erythrocyte membrane.

J. Cell. Biol., 87 : 202a.

Mulder, E.; Van den Berg, J.W.O. and Van deened, L.L.M. (1965) :

Metabolism of red cell lipids. II. Conversions of lysophosphoglycerides.

Biochim. Biophys. Acta., 106 : 118.

Mulder, E. and van Deened, L.L.M. (1965) :

Metabolism of red cell lipids. I. Incorporation in vitro of fatty acids into phospholipids from mature erythrocytes.

Biochim. Biophys. Acta, 106 : 106.

N

Nakao, K.; Nagano, K. and Adachi, M. (1963) :

Determination of ATPases enzymes.

Biochem. Biophys. Res. Comm., 13, 444.

Nakao, K.; Kurashina, S. and Nakao, M. (1967) :

Adenosine triphosphatase activity of erythrocyte membrane in hereditary spherocytosis.

Life Sciences, 6 : 595.

Nathan, D.G. and Gunn, R.B. (1966) :

Thalassaemia : The consequences of unbalanced hemoglobin synthesis.

Am. J. Med., 41 : 815.

Nelson, G.J. (1967) :

Composition of neutral lipids from erythrocytes of common mammals.

J. Lipid Res., 8 : 374.

Neville, D.M. and Glossmann, H. (1971) :

Plasma membrane subunit composition.

J. Biol. Chem., 246 : 6335.

O

Oliveira, M.M., and Vaughan, M. (1964) :

Incorporation of fatty acids into phospholipids of erythrocyte membranes.

Journal of Lipid Research, 5 : 156.

P

Palek, J. and Liu, S.C. (1979) :

Dependence of spectrin organization in red blood cell membranes on cell metabolism implications for control of red cell shape, deformability, and surface area.

Seminars in Hematology, 16 : 75.

Parsons, H.G.; Hill, R.; Pencharz, P. and Kuksis, A. (1986):

Modulation of human erythrocyte shape and fatty acids by diet.

Biochim. Biophys. Acta., 860 : 420.

Pasternack, G.R.; Anderson, R.A.; Leto, T.C. and Marchese,

V.T. (1985) :

Interaction between protein 4.1 and band 3.

J. Biol. Chem., 260 : 3676.

Perrone, J.R. and Blostein, R. (1973) :

Asymmetric interaction of inside-out and right-side-out erythrocyte membrane vesicles with Ouabain.

Biochimica et Biophysica Acta, 291 : 680.

Pinto Dasilva, P. (1972) :

Translational mobility of the membrane intercalated particles of human erythrocyte ghosts.

J. Cell. Biol., 53 : 777.

Polliack, A. and Rachmilewitz, H.A. (1973) :

Ultrastructural studies in B thalassaemia major.

Br. J. of Haematol., 24 : 319.

Polliack, A.; Yataganos, X.; Thorell, B. and Rachmilewitz, E.A. (1974) :

An electron microscopic study on the nuclear abnormalities in erythroblasts in B thalassaemia major.

Br. J. of Haematology, 26 : 201.

Post, R.L.; Merritt, C.R. and Kinsolving, C.R. (1960) :

Membrane adenosine triphosphatase as a participant in the active transport of sodium and potassium in the human erythrocyte.

J. of Biol. Chemi., 235 : 1796.

R

Rachmilewitz, E.A. (1976) :

The role of intracellular haemoglobin precipitation, low MCHC and iron overload on red blood cell membrane peroxidation in thalassaemia.

Birth defects : original article series XII, (ed. by D.

Bergsma; A. Cerami, C.M. Peterson and J.H. Graziano),
123, Liss, New York.

Rachmilewitz, E.A. (1980) :

The red cell membrane in thalassaemia.

Br. J. of Haematol., 46 : 1.

Rachmilewitz, E.A.; Labin, B.H. and Shohet, S.B. (1976) :

Lipid membrane peroxidation in B thalassaemia major.

Blood, 47 : 495.

Rachmilewitz, E.A.; Shinar, E.; Shalev, O.; Galili and

Schrier, S.L. (1985) :

Erythrocyte membrane alterations in B thalassaemia.

Clinics in Haematology, 14 : 1.

Rand, R.P. (1968) :

The structure of a model membrane in relation to the
viscoelastic properties of the red cell membrane.

J. Gen Physiol., 52 (Suppl.) : 173.

Reed, C.F. (1968) :

Phospholipid exchange between plasma and erythrocytes
in man and the dog.

J. Clin. Invest., 47 : 749.

Rega, A.F. and Garrahan, P.J. (1975) :

Calcium ion-dependent phosphorylation of human
erythrocyte membranes.

J. of Membrane Biol., 22 : 313.

Renooij, W.; van Golde, L.M.G.; Zwaal, R.F.A.; Roelofsen, B.

and van Deenen, L.L.M. (1974) :

Preferential incorporation of fatty acids at the inside
of human erythrocyte membranes.

Biochemica et Biophysica Acta, 363 : 287.

Rice-E., C. and Chapman, D. (1981) :

Red blood cell biomembrane structure and deformability.

Scand. J. Clin. Lab. Invest., 41, 156 : 99.

Rice-E., C.; Johnson, A. and Flynn, D.M. (1980) :

Red cell membrane abnormalities in B thalassaemia
major.

F E B S Letters, 119 : 1.

Roelofsen, B. and Schatzmann, H.J. (1972) :

The lipid requirement of the $(Ca^{++} + Mg^{++})$ -ATPase in
human erythrocyte membrane, as studied by various
highly purified phospholipases.

Biochimica et Biophysica Acta, 464 : 17.

Ross, J. (1976) :

A precursor of globin mRNA.

Journal of Molecular Biology, 106 : 403.

Rothman, J.E. and Lenard, J. (1977) :

Membrane asymmetry.

Science, 195 : 743.

Ruoho, A.; and Kyte, J. (1974) :

Photo affinity labelling of the Ouabain-binding site on
(Na⁺+K⁺) adenosine-triphosphatase proceedings of the
National Academy of Sciences, U.S.A., 71 : 2352.

S

Sabry, F. (1973) :

Study of Hb variants and related haematological
disorders in U.A.R.

M.D. Thesis.

Scharff, O. and Foder, B. (1978) :

Reversible shift between states of Ca⁺⁺-ATPase in human
erythrocytes mediated by Ca⁺⁺ and a membrane bound
activator.

Biochimica et Biophysica Acta, 509 : 67.

Schmid, S.H. and Gaehtgens, P. (1981) :

What is red cell deformability.

Scand. J. Clin. Lab. Invest., 41 : 156-13.

Shalev, O.; Mogilner, S.; Shinar, E.; Rachmilewitz, E.A. and

Schrier, S.L. (1984) :

Impaired erythrocyte calcium homeostasis in B-
thalassaemia.

Blood, Vol.64, No.2, 564.

Sheetz, M.P, and Singer, S.J. (1974) :

Biological membrane as bilayer couples. A molecular mechanism of drug-erythrocyte interactions.

Proc. Natl. Acad. Sci., USA, 71 : 4457.

Shehada, A.K. (1983) :

Some studies on electrolytes and minerals in haemolytic anaemias.

M.D. Thesis, Faculty of Medicine, Cairo University.

Sheriff, A.S. and Fakhri, M.E. (1988) :

Libyan family with B thalassaemia trait associated with hypercholesterolemia with widespread xanthomas.

Clin. Chem., 34/11 : 2385.

Shiffer, K.A.; Goerke, J. and Dzgnies, N. (1988) :

Interaction of erythrocyte protein 4.1 with phospholipids. A monolayer and liposome study.

Biochem. Biophys. Acta., 937 : 269.

Shinar, E.; Rachmilewitz, E.A. and Lux, S.E. (1986) :

Different red cell membrane skeletal protein defects in alpha and beta thalassaemia.

Blood, 68 : 41.

Shinar, E.; Shalev, O.; Rachmilewitz, E.A. and Schrier, S.L.

(1987) :

Erythrocyte membrane skeleton abnormalities in severe B-thalassaemia.

Blood, Vol.70, No.1, 1987-158.

Shohet, S.B. (1970) :

Release of phospholipid fatty acid from human erythrocytes.

J. Clin. Invest., 49 : 1668.

Shohet, SB. (1979) :

Reconstitution of spectrin deficient, spherocytic mouse erythrocyte membranes.

J. of Clin. Invest., 64 : 483.

Shohet, S.B. and Beutler, E. (1990) :

The red cell membrane. In Hematology Ed. by William J. Williams, 4th edition McGraw-Hill Publishing Company, 36 : 368.

Shohet, S.B. and Haley, J.E. (1972) :

Red cell membrane shape and stability : relation to cell lipid renewal pathways and cell ATP.

Nouvelle Revue Francaise d'Hematologie, 12 : 761.

Shohet, S.B.; Nathan, D.G. and Karnosky, M.L. (1968) :

Stages in the incorporation of fatty acids into red blood cells.

J. of Clin. invest., 47 : 1096.

Shukry, H. and Awaad, S. (1954) :

Thalassaemia in two Egyptian families.

Arch. Pediat., 71 : 67.

Singer, S.J., and Nicolson, G.L. (1972) :

The fluid mosaic mode of the structure of cell membrane.

Science, 175 : 720.

Singer, S.J., and Nicolson, G.L. (1974) :

The fluid mosaic mode of the structure of cell membrane.

Annu. Rev. Biochem., 43 : 805.

Snyder, L.M.; Leb, L. and Piotrowski, J. (1983) :

Irreversible spectrin-haemoglobin cross linking in vivo: A marker for red cell senescence.

Br. J. Haematol., 53 : 379.

Steck, T.L. (1974) :

The organization of proteins in the human red blood cell membrane.

J. Cell. Biol., 61 : 1.

Stryer, L. (1988) :

In Biochemistry. W.H. Freeman and Company New York (12) 283.

Suthipark, K.U.; Likidlilid, A.; Fucharoen, S.; Pootrakul, P. and Shumnumsirivath, D.; Ong, Ojyooth, S.; Plaskett, D., and Webb, J. (1991) :

Red cell and plasma calcium, copper and zinc in beta-thalassaemia/hemoglobin.

Southeast. Asian J. Trop. Med. Public. Health, 22 (2) :
171.

Sweadner, K.J. and Goldin, S.M. (1980) :

Active transport of sodium and potassium ions.

New England. J. of Med., 302 : 777.

Sweeley, C.C., and Dawson, G. (1969) :

Lipids of the erythrocyte, in red cell membrane, eds.

G.A. Jamieson, T.J. Greenwalt. Philadelphia, J.B.

Lippincott, 172.

T

Takayama, M.; Itoh, S.; Nagasaki, T. and Tanimizu, I.
(1977) :

Enzymatic determination of phospholipids.

Clin. Acta, 79 : 93

Tchernia, G.; Mohandas, N. and Shohet, S.B. (1981) :

Deficiency of skeletal protein band 4.1 in homozygous

eliptocytosis : Implication for membrane stability.

J. Clin. Invest., 68 : 454.

Trappel, A.L. (1972) :

Vitamin E and free radical peroxidation of lipids.

Ann. NY. Acad. Sci., 203 : 12.

Trinder, P. (1969) :

Determination of cholesterol by enzymatic colorimetric

method.

Ann. Clin. Biochem., 6 : 24.

V

van Doormaal, J.J.; Muskiet, F.A.; Martini, I.A. and
Doorenbos, H. (1987) :

Rapid changes in serum, plasma and erythrocyte lipid
compositions, and serum transaminase levels during
continuous enteral hyperalimentation by carbohydrates
alone.

Metabolism, 36 : 1132.

Vasselon, C.; Herrmann, T.; Geyssant, A.; Brizard, C.P., and
Healy, J.C. (1981) :

R.B.C. filterability in B thalassaemia.

Scand. J. Clin. Lab. Invest., 41, 156 : 265.

Vernejoul, M.C.; Girot, R.; Gueris, J.; Cancela, L.; Bang,
S.; Bielakoff, J.; Mautalen, C.; Goldberg, D., and
Miravet, L. (1982) :

Calcium phosphate metabolism and bone disease in
patients with homozygous thalassaemia.

Journal of Clinical Endocrinology and Metabolism,
Vol.54, No.2, 276.

Vettore, L.; De Matteis, M.C.; and Falezza, G.C. (1977) :

Increased potassium permeability by calcium in

hypochromic red blood cells.

Scand. J. Haematol., 18 : 353.

Vettore, L.; Faiezza, G.C.; Cetto, G.L. and De Malteis, M.L.
(1974) :

Cation content and membrane deformability of
heterozygous B thalassaemic red blood cells.

Br. J. of Haematol., 27 : 429.

Vettore, L. and Tedesco, C.H.J.G. (1975) :

Membrane lipid peroxidation in hypochromic red blood
cells.

Haematologica, 60 : 250.

Vidya, R. (1983) :

Textbook of Human Physiology, Chapter, 3 : 26.

W

Waku, K. and Lands, W.E.M. (1968) :

Control of lecithin biosynthesis in erythrocyte
membranes.

J. Lipid. Res., 9 : 12.

Ways, P., and Hanahan, D.J. (1964) :

Characterization and quantification of red cell lipids
in normal man.

J. Lipid. Res., 5 : 318.

Weatherall, D.J. (1982) :

The molecular genetics of haemoglobin in thalassaemia.
Recent advances in Haematology, 3, 45 edited by A.V.
Hoffbrand. Churchill, Livingstone.

Weatherall, D.J. (1983) :

The thalassaemias, Hematology, Ed. by William J.
Williams, 3rd editions. McGraw Hill Book Company, 30 :
420.

Weatherall, D.J. (1990) :

The thalassaemias, Hematology, Ed. by William. J.
Williams 4th edition. McGraw-Hill Publishing Company,
50 : 510.

Weatherall, D.J., and Clegg, J.B. (1981) :

The thalassaemia syndromes, 3rd ed. Black well
Scientific, Oxford. Valle. McGraw-Hill, New York.

Weatherall, D.J.; Clegg, J.B.; Higgs, D.R., and Wood, W.G.
(1989) :

The hemoglobinopathies, in the metabolic basis of
inherited disease, 6th ed., edited by C.R. Scriver,
A.L. Beaudet, W.S. Sly, and D. Valle, McGraw-Hill, New
York.

Weatherall, D.J.; Pressley, L.; Wood, W.G.; Higgs, D.R. and

Clegg, J.B. (1981) :

The molecular basis for mild form of homozygous B

thalassaemia.

Lancet, 2 : 1301.

Weed, R.I. (1970) :

The importance of erythrocyte deformability.

American Journal of Medicine, 49 : 147.

White, J.G. (1974) :

Effects of an ionophore, A23187, on the surface morphology of normal erythrocytes.

American J. of Path., 77 : 507.

Wiley, J.S. (1981) :

Increased erythrocyte cation permeability in thalassaemia and conditions of marrow stress.

J. Clin. Invest., 67 : 917.

Wiley, J.S., and McCulloch, K.E. (1982) :

Calcium ions, drug action and the red cell membrane.

Pharmacol. Ther., 18 (2) : 271.

Wiley, J.S. and Shaller, C.C. (1977) :

Selective loss of calcium permeability on maturation of reticulocytes.

J. of Clinical Invest., 59 : 1113.

Williams, W.; Beutler, E.; Erslev, A.J.; and Lichtman, M.A.

(1990) :

In Hematology - McGraw Hill Publishing Company, New York, 50 : 510.

Wins, R. and Schoffeniels, E. (1966) :

Studies on red-cell ghost ATPase systems : properties of a (Mg^{++} - Ca^{++}) dependent ATPase.

Biochemica et Biophysica Acta, 120 : 341.

Winslow, R.M. and Anderson, W.F. (1978) :

The haemoglobinopathies in the metabolic basis of inherited disease. Ed. by Stanburg, J.B.; Wyngaarden, J., McGraw Hill Book Company, New York, 1978.

Wintrobe, M.M.; Richard, G.; Boggs, D.R.; Bithell, T.C.;

Foerster, J.; Athens, J.W., and Lukens, J.N. (1981) :

In clinical Hematology - Lea & Febiger, Philadelphia (4), 77.

Z

Zalowski, A.; Favre, E.; Cribier, S.; Herve, P. and Devaux,

P.E. (1988) :

Outside-Inside translocation of aminophospholipids in human erythrocyte membrane is mediated by a specific enzyme.

Biochemistry, 25 : 2585.

Zannos Mariolea, L.; Papagregoriou-Theodoridou, M.;

Constantzas, N. and Matsaniotis, N. (1978) :

Relationship between tocopherols and serum lipid level in children with B thalassaemia major.

Am. J. of Clin. Nutrition, 31 : 259.

Zerez, C.R.; Lachant, N.A.; and Tanaka, K.R. (1989) :

Decreased erythrocyte phosphoribosyl pyrophosphate
synthetase activity and impaired formation in
thalassaemia minor : a mechanism for decreased adenine
nucleotide content.

J. Lab. Clin. Med., 114 (1) : 43.

Zwaal, R.F.; Comfurius, P.; and van Deenen, L.L.M. (1977) :

Membrane asymmetry and blood coagulation.

Nature, 268 : 358.

