




REFERENCES

REFERENCES

Agenta, W. (1971):

Phospholipase A2 from *N. nigricollis* venom purification and some properties.
Toxicon, 2: 45.

Alderot, L.M. (1971):

"Platelet Aggregation". (Quoted from thompson R.B. "The cirulating Platelets").
Ed. Johnson, S.A. New York and London. Academic Press, 259.

Arthur, C.K.; McCallam, D. and Loveday, D.J. (1991):

Effects of taipan (*Oxyuranus Scutellatus*) venom on erythrocyte morphology and blood viscosity in a human victim in vivo and in vitro.
Trans. R. Soc. Trop. Med. Hyg., 85: 401-403.

Augastyn J.M. and Elliott, W.B. (1969):

A modified hydroxylamine assay of phospholipase A2 activity.
Biochem., 31: 164-250.

Ayman R.B. (1990):

Purification and characterization of phospholipase A2 from NAJA HAJE venom (Egyptian cobra). M.Sc. thesis, Faculty of Medicine, Ain Shams University, page 42.

Bachmann, M. (1982):

"Isolation and Partial characterization of a toxin from the venom of the East African. Orthognath spider pterinochilus spac".
Toxicon, 20: 547-552.

Bardlow, B.Z. and Marcus, A. (1966):

"Action of snake venom phospholipase A2 on isolated platelet membrane".
Proc. Soc. Exp. Biol. Med., 123: 889.

Barral - Netto, M. and Von Sohsten, R.L. (1991):

Serum Kinetics of crotoxin from *crotalus durissus terrificus* venom in mice: Evidence for a rapid clearance.
Toxicon, 29: 527-531.

Barrington, P.L.; Condrea, E. and Soons, K.R. (1985):

Enzymatic and cardiotoxic properties of snake venom phospholipase A2 following modification of carboxylate group.

Toxicon, 23: 28.

Basheer, A.; Farid, T. and Nasser, H. (1991):

Purification and characterization of phospholipase A2 from Naja Haja (Egypt cobra) venom.

Egypt. J. Biochem., 9: 1-28.

Batzri, Izareli, R. and Bdolah, A. (1982):

Isolation and characterization of the main toxic fraction from the venom of the Flase Horned Viper (Pseudocerastes Fieldi).

Toxicon, 20: 867-875.

Bennett, J.S. and Vilaire, G. (1979):

"Exposure of platelet Fibrinogen receptors by ADP and epinephrine".

J. Clin. Invest. 64: 1393.

Bhat, M.K. and Gowda, T.V. (1989):

Purification and characterization of amyotoxin phospholipase A2 from Indian cobra (Naja naja naja) venom.

Toxicon, 27: 861-873.

Bierbaun, T.J.; Bouma, S.J. and Huestis, W.H. (1979):

"A mechanism of erythrocyte lysis by lyso phosphatidyl choline".

Biochim. Biophys. Acta, 555: 102.

Blaylock, R.S. (1985):

Clinical aspects of snake bite in South Africa.

Toxicon, 23: 621.

Boffa, H.C. and Boffa, G.A. (1975):

"Correlations between the enzymatic factors on blood coagulation and platelet aggregation from the venom of vipera aspis".

Biochim. Biophys. 254: 275.

Boffa, H.C. and Boffa, G.A. (1976):

"A phospholipase A2 with anticoagulant activity 11 inhibition of phospholipids activity in coagulation".

Biochim. Biophys. Acta. 429: 839.

Boffa, H.C.; Dachary, J.; Verger, R. and De Hass, O. (1982):

"Do we know why some PLA2 are anticoagulant?".

Toxicon, 20 (1): 305.

Boffa, H.C.; Jasso, F. and Boffa, G.A. (1972):

Action of vipera aspis venom on blood clotting factors thrombin.

Diath Haemorrh. 27: 8.

Boffa, H.C.; Rothen, C.; Verthij, B. and De Hass, O. (1979):

"Anticoagulant activity of phospholipase A2".

Toxicon 19 (1): 11.

Boman, H.G. and Katella, M. (1957):

Chromatography of rattle snake venom. A separation of three phospholipase.

Biochem. Biophys. Acta., 24: 619.

Boquet, P.; Izard, Y. and Jouannet, M. (1966):

Enzymes et toxines des venins d serpents. Recherches biochimiques et immunologiques sur le venin de Naja nigricollis.

Mem. Inst. Butantan, 233: 371-378.

Boquet, P.; Izard, Y. and Jouannet, M. (1967):

Studies on some antigenic proteins and polypeptides from Naja nigricollis venom.

in: "Animal Toxins", ed. F.E. Russel and P.R. Saunders, Pub. pergaman press,

Oxford, pp. 293-298

Boron, G.V.R. and Groos, M.J. (1963):

"The aggregation of blood platelets".

J. Physiol. Lond. 168: 178.

Boron, G.V.R. (1965):

"Uptake of adenosine diphosphate by human platelets".

Nature, 206: 1121.

Bragance, B.M. and Quastel, J.H. (1953):

"Enzyme inhibition by snake venom".

Biochem. J. 53: 88.

Braganca, B.M. and Sambary, Y.M. (1967):

"Multiple forms of cobra venom phospholipase".

Nature 216: 1210.

Brazil, O.V. and Fontana, M.D. (1987):

Presynaptic and postsynaptic action of *Micrurus cortallinus* venom of neuromuscular junction.

Toxicon, 25: 131.

Burgess, J.L. and Dart, R.C. (1991):

Snake venom coagulopathy: Use and abuse of blood products in treatment of pit viper envenomation.

Ann. Emerg. Med., 20: 795-801.

Campbell, C.H. (1975):

The effects of snake venoms and their neurotoxins on the nervous system of man and animals. In: Hornabrook R.-W. (Ed.):

"Topics on tropical neurology", pp. 259. Philadelphia. F.A. Davis.

Chao, B.H.; Jakabowski, J.A. and Savage, B. (1989):

Agkistrodo piscivorus platelet aggregation inhibitor: A potent inhibitor of platelet activation.

Proc. North. Acad. Sci. MSA, 86: 8050.

Chaoho, O.; Wenche, Y. and Che Ming, T. (1981):

"Mechanism of the anticoagulant action of phospholipase A2 purified from *Trimeresurus mucrosquamatus* snake venom".

Toxicon 19: 113.

Chaves, F; Gutierrez, J.M. and Lomonte, B. (1989):

Histopathological and biochemical alterations induced by intramuscular injection of *Bothrops asper* (terciopelo) venom in mice.

Toxicon, 27: 1085.

Chen, Y.C.; Maraganora, J.M. and Bearon, I. (1987):

Characterization of the structure and function of three phospholipase A2 from the venom of *Agkistrodon holys pallus*.

Toxicon, 25: 401-409.

Chen, R.H. and Chen, Y.c. (1989):

Isolation of an acidic phospholipase A2 from the venom of *Agkistrodon acutus* (five pace snake) and its effect on platelet aggregation.

Toxicon, 27: 675.

Chen, R.H. and Robinson, S.E. (1990):

The effect of cholinergic manipulation on the analgesic response to Cobrotoxin in mice.

Life Sci., 47: 1949-1954.

Conn, R.B. (1990):

Appendices and Index in: "Conn's current therapy, 1990" ed. J. Dyson, Pub. W.B. saunders company.

Philadelphia, Section 18, pp. 1093-1106.

Cook, M.E.; Odell, G.V. and Hudiburg, S.A. (1987):

Analysis of fatty acids in lipid components of snake venom.

Toxicon, 25: 137.

Curry, S.C.; Horning, D. and Brady, P. (1989):

The legitimacy of rattlesnake bites in central Arizona.

Ann. Emerg. Med., 18: 658-663.

Daoud, E.R.; Tu, A.T. and El-Asmar, M.F. (1986):

"Mechanism of the anticoagulant, cerastes F. 4, isolated from cerastes cerastes venom.

Thrombosis research, 41: 791.

Davey, M.G. and Luscher, E.F. (1965):

"Action of some coagulant snake venoms upon blood platelets"

Nature, London, 207: 1037.

Davey, M.G. and Luscher, E.F. (1967):

"Actions of thrombin and other coagulant and prokilytic enzymes on blood platelets".

Nature, London, 216: 857.

Davey, M.G. and Luscher, E.F. (1968):

"Release reaction of human platelet induced by thrombin and other agents".

Biochim. Biophys. Acta. (Amst.), 165: 490.

Davidson, T.M. and Schafer, S.F. (1989):

First aid and mangement of rattlesnake bite (part 2 of 2).

Physician sportsmed, 17: 161-167.

Desmond, H.P.; Crampton, J.M. and Theakston, R.D.G. (1991):

Rapid isolation and partial characterization of two phospholipase A2 from Kenyan Echis carinatus leakti (Laekey's saw - scaled - viper) venom.

Toxicon, 29: 536.

De Haas, H. and Van Deanen, L.L.M. (1961):

"The site of action of phospholipase A2 on synthetic mixed acid lecithins, P. Desnelle, Ed. In: "The enzymes in lipid metabolism".

Pergmon, London, pp. 53.

De Haas, H.; Van Deanen, L.L.M. and Deamen, H. (1962):

"The site of action of phosphatide acylhydrolase (PLA) on mixed acid phosphatides containing a polyunsaturated fatty acid".

Biochim. Biphys. Acta. 65: 260.

De Mesquital, L.C.M.; Selister, H.S. and Giglio, J.R. (1991):

The hypotensive activity of crotalus atrox (Western diamondback rattlesnake) venom; Identification of its origin.

Am. J. Trop. Med. Hyg., 44: 345-353.

Dempfle, C.E.; Kohl, R. and Harenberg, J. (1990):

Coagulopathy after snakebite by Bothrops neuwiedi: case report and results of in vitro experiments.

Blut, 61: 369-374.

De Vries, A. and Cohen, E. (1969):

"Haemorrhagic effect of snake venoms".

Toxicon, 1: 19.

Di Mattio, J.; Weinstein, S. and Streiman, J. (1985):

In vivo effects of snake venom on passive and facilitated glucose transport across blood - ocular and blood - CSF barriers of the rat.

Toxicon, 23: 63-71.

Dimitrova, G.D. and Kan Kon Kar, R.C. (1968):

"Fractionation of viper russelli venom by gel filtration T".

Toxicon, 5: 213.

Djebbari, F.L. and Martin - Eauclore, M.F. (1990):

Purification and characterization of a phospholipase A2 from C. cerastes (Horned; viper) snake venom.

Toxicon, 28: 637.

Dreisbach, R.H. (1971):

Animal & plant hazards, reptiles; in: "Handbook of poisoning: Diagnosis & Treatment" ed. R.H. Dreisbach, Pub. Lange Medical publications.

California, ch. VI pp. 389-396.

Du Bourdieu, D.J.; Kawaguchi, H. and Shier, W.T. (1987):

Molecular weight variations in the diversity of phospholipase A2 forms in reptiles venoms.

Toxicon, 25: 333-343.

Dupont, J. (1976):

Catalytic properties of two phospholipase A2 from cobra (Naja nigricollis) venoms".

Toxicon, 15: 347-54.

El-Asmar, M.F.; Shaban, E.; Hagag, M.; Swelam, N. and Tu, A.T. (1986):

Coagulant compound in cerastes cerastes (Egyptian sand viper venom).

Toxicon, 24: 1037.

El-Asmar, M.F. and Swaney, J.B. (1988):

Proteolysis in vitro of low and high density lipoproteins in human plasma by cerastes cerastes (Egyptian sand viper) venom.

Toxicon, 26: 809.

El-Damarawy, N.A. (1972):

The development and evaluation of new anticoagulant from Egyptian venomous animals. M.D. Thesis Physiol. Dept., Faculty of Medicine, Ain Shams Univ., Cairo, Egypt.

El-Damarawy, N.A.; Samie, M.E.; Ayobe, H.M. and Mohamed, A.H. (1975):

Experimental evaluation of fibrinolytic substance (viperin) isolated from cerastes viper venom.

Egypt. J. Physiol. Sci., 2: 57.

Eppie D Real and Larry P. Jones (1983):

"Isolation of an anti complement factor from the venom of the Majave rattle snake (crotalus scutulatus scutulatus).

Toxicon, 21: 37-65.

Farid, T.M.; Tu, A.T. and El-Asmar, M.F. (1989):

"Characterization of cerastobin, a thrombin like enzyme from the venom of cerastes vipera.

Biochem., 28: 371.

Folin, O. and Ciocalteu, J. (1927):

"Protein measurement with phosphomolybdate and phosphotungstate reagents".

J. Biol. Chem. 73, 627.

Franssen, J.O.; Janseen-Claessen, T. and Van Diezen, G. (1983):

"Purification and properties of an activating enzyme of blood clotting x from the venom of cerastes cerastes.

Biochim. Biophys. Acta., 747: 186.

Freitas, T.V; Fortes Dias, C.L. and Diniz, C.R. (1990):

Protection against the lethal effects of *crotalus durissus terrificus* (South American rattlesnake) venom in animal immunized with crotoxin.

Toxicon, 28: 1490-1496.

Friedrich, C. and Anthony, A.T. (1971):

"Intermediate nephron mephrosis in human and experimental crotatic poisoning in venomous animals and their venoms".

Vol. II, p. 319. (Buckerl, W. and Buckey, E.E. Eds), Academic press, New York.

Gaarder, A.; Jonson, J.; Leland, S.; Hallem, A. and Owren, P.A. (1961):

"A denosins diphosphate in red cells as a factor in the adhesiveness of human blood platelets".

Nature, 192: 531.

Gamal T.G. (1992):

Toxicological studies on a snake venom in Egypt. M.D. Thesis, Benha, Faculty of Medicine, zagazig University, p. 136.

Gawade, S.P. and Caitende, B.B. (1982):

"Isolation and characterization of toxic components from the venom of the common Indian sea snake (*Enhydrina schistosa*).

Toxicon, 20: 797-80.

Geh, S.L. (1968):

Pharmacological actions of *Enhydrinia schistasa* venom. M.Sc. Thesis, Univ. of Malaya. Kuala Lumpur, Malaysia.

George, A. and Gennare, J.F. (1981):

Purification and chemical characterization of the poison apparatus of the cotton mouth moccasin: *Agkistordon piscivorus piscivorus*".

Toxicon, 5: 125.

Gitter, S. and De Varies, A. (1968):

"Venomous animals and their venoms". (Bucherl, W.; Buckley, E. and Deuolfeu, V. Eds).

Academic press, Vol. 1: 539.

Gong, Q.H.; Wieland, S.J. and Flecher, J.E. (1989):

Effect of phospholipase A2 with cardiotoxin like properties, from Bungarus Fasciatus snake venom, on calaium modulated potassium current.

Toxicon, 27: 1349.

Grunting, J. and Mebs, D. (1985):

Blindness caused by the spitting cobra (Naja nigricollis) snake venom ophthalmia.

Toxicon, 32: 622.

Gutierrez, J.M. (1984):

Isolation of a myotoxin from Bothrops aspes venom. Partial characterization and action on skeletal muscle".

Toxicon, 22: 115-128.

Hamilton, P.J.; Ogston, D. and Douglas, A. (1974):

Coagulant activity of the Scorpion venoms polameus gravimanus and teiurus quinguestiatus.

Toxicon, 12: 291.

Hanaa El-Tayeb Nasser (1983):

Purification of phospholipase A2 from cerastes cerastes venom. M.Sc. Thesis, Faculty of Medicine, Ain Shams University.

Hassan, A.A. (1985):

"Purification and characterization of phospholipase A2 from cerastes viper venom".
Ph.D. Thesis Biochemistry Dept., Faculty of Medicine, Ain Shams Univ., Cairo, Egypt.

Hassan, F.M.; El-Banhawy, M.A.; Mohallal, M.E. (1986):

Lethality of psudocerastes fieldi venom and the effect of its sublethal dose on the liver function of envenomated rats.

Egypt. J. Biochem., 4: 120-151.

Hawk, P.B. (1960):

"Preparation of pure lecithin from egg yolk". Hawk physiological chemistry.

Publiced by Tata McGraw - Hill, New Delhi, 55: 245.

Heij, H.M.; Slotboom, A.J. and De Haas, C.H. (1981):

"Structure and function of phospholipase A2".

Rev. Physiol. Biochem. Pharmac. 91: 91.

Hellen, A. and Owern, R.A. (1964):

"Mechanisma of haemostatic function of blood platelets".

Acta. Haematology, 31: 230.

Hofmann, H. and Bon, C. (1987):

"Blood coagulation induced by the venom of Bothrops atrox.

Biochem., 26: 780.

Homsi-Brandaburgo, M.I.; Queiroz, L.S. and Santo Neto (1988):

Fractionation of Bothrops Jararacussu snake venom: partial chemical characterization and biological activity of Bothrops toxin, 26: 215-627.

Hong, S.T. and Chang, C.C. (1991):

Run-down of neuromuscular Transmission during repetitive nerve activity by nicotinic antagonist is not due to desensitization of postsynaptic receptors.

Br. J. Pharmacol., 102: 817-882.

Hossam, A.A.; Swelam, N. and Fouad, S. (1985):

Phospholipase A2 from cerastes viper venom. proceeding Eighth Annul. Ain Shams Medical Congress, 1: 545.

Huang, H.C. and Lee, C.Y. (1984):

"Isolation and pharmacological properties of phospholipase A2 from vipera russelli venom".

Toxicon 22: 207.

Izard, Y.; Boquet, M. and Ronsseray, A. (1969):

Isolement d'ume protein oxique du venin de Naja nigricollis.

la Toxique g. C.R. Acad. Sc. Paris, T. 269: 96-97.

Jayanthi, G.P. and Gowda, T.V. (1983):

"Purification of acidic phospholipase A2 from Indian cobra (Naja naja naja) venom.

J. Chromat. 281: 393.

Jayanthi, G.P.; Kasture, S. and Gowda, T.V. (1989):

Dissociation of catalytic activity and neurotoxicity of a basic phospholipase A2 from Russell's viper (vipra russelli) venom.

Toxicon, 27: 875-885.

Jeffrey, B.M.; Susanay, P.; Dunconw, M. and Collis, R.G. (1979):

"Fractionation of northern copper head venom by ion exchange chromatography"
Preliminary characterization of the primary lethal fraction.

Toxicon, 17: 499-510.

Jimenez-Porras, J.M. (1970):

"Biochemistry of snake venom".

Clin. Toxicol., 3: 389.

Johnson, C.A. (1991):

Management of snake bite.

Am. Fam. Phys., 44: 174-180.

Johnson, E.K.; Kardong, K.V. and Ownbg, C.L. (1987):

Observations on white and yellow venoms from an individual southern pacific.

Toxicon, 25: 1169-1180.

Junichi, T.; Akagi, Fujios Sekiya; Kohji Kashara; Jui, I. and Yuji, S. (1988):

"Venom from southern copper headed snake. A unique phospholipase A2 that induces platelet aggregatio".

Toxicon, 26: 199.

Kamel, A. (1974):

"Fractionation of Egyptian cobra venom".

Toxicon, 12: 495-499.

Kaplan, A. (1965):

Urea nitrogen and urinary ammonia, in: "Standard Methods of Clinical Chemistry".
Vol. 5, ed. s. Meites, Pub.

Academic press, New York, pp. 245-256.

Karalliedde, L.D. and Sanmuganathan, P.S. (1988):

Respiratory failure following envenomation.

Anaesthesia, 43: 753-754.

Karlesson, E.; David, L.; Eaker, L. and Jerker, P. (1966):

"Purification of a neurotoxin from the venom of *Naja nigricollis*".

Biochem. Biophys. Acta., 127: 505-520.

Kasturi, S. and Gowda, V.T. (1989):

Purification and characterization a major phospholipase A2 from Russell's viper (*Vipera russelli*) venom.

Toxicon, 27: 228.

Kasturi, S. and Gowda, V.T. (1990):

Detection, using antibodies, of pharmacological active site apart from the catalytic site, on venom phospholipase A2.

Toxicon, 28: 91-99.

Kelman, S.N.; Calton, G.J. and Burnett, J.W. (1984):

"Isolation and partial characterization of a lethal sea nettle (*Chrysaora quinquecirrha*) mesenteric toxin".

Toxicon, 22: 139-144.

Kerrigan, K.B. (1991):

Venomous snake bite in Eastern Ecuador.

Am. J. Trop. Med. Hyg., 44: 93-99.

Kind, P.R. and King, E.G. (1954):

Estimation of plasma phosphatase by determination of hydrolysed phenol with amino antipyrine.

J. Clin. Path., 7: 322.

Kini, R.M. and Iwanaga, S. (1986):

"Structure and function relationships of phospholipase 1: Prediction of presynaptic neurotoxicity".

Toxicon, 24: 527.

Knight, B.; Barclay, A. and Mann, R. (1977):

Suicide by injection of snake venom.

Forensic Science, 10: 141-145.

Kochmar, J.F. and Moss, D.W. (1982):

Liver function, in: "Fundamental of clinical chemistry". ed. N.W. Tietz, Pub. W.B. Saunders Company.

Philadelphia, pp. 602.

Kornalik, F. (1963):

"The influence of Echis carinatus toxin on blood coagulation in vitro".

Folia. Haematol., 80: 73.

Kornalik, F. and Toborska, E. (1989):

Cross reactivity of mono and polyvalent antivenoms with viperidae and crotalidae venoms.

Toxicon, 27: 1135.

Kornalik, F. and Vorlova, Z. (1990):

Non-specific therapy of hemorrhagic diathesis after a bite by a young Bothrops asper (barbar amarilla): A case report.

Toxicon, 28: 1497-1501.

Labib, R.S.; Azab, M.H. and Farag, N.W. (1979):

"Fractionation of cerastes cerastes and cerastes viper venoms and biological activities"

Toxicon, 19: 49-58.

Labib, R.S.; Azab, M.H. and Farag, N.W. (1979):

Purification and characterization of phospholipase A2 from cerastes cerastes (Egyptian sand viper) venom.

Toxicon, 19: 85-94.

Labib, R.S., Azab, M.H. and Farag, N.W. (1981):

Effect of cerastes cerastes (Egyptian sand viper) and cerastes viper (sahara sand viper) snake venoms on blood coagulation.

Toxicon, 19: 85-94.

Lankisck, P.G. and Vogts, W. (1972):

"Direct haemolytic activity of phospholipase". Phospholipase".

Biochim. Biophys. Acta. 270: 241.

Laurent, T.C. and Killandder, J. (1964):

An electrical analogy to the gel filtration process.

J. Chromatography, 16: 89.

Lawrey, O.H.; Rosenbrough, N.H. and Farr, A.L. (1951):

Protein measurement with the Folin-Phenol reagent.

J. Biol. Chem. 193: 265-275.

Leonardi, T.M.; Howden, M.E.H. and Spence, J. (1979):

"A lethal myotoxin isolated from the venom of Australian King Brown sanke
Pseudechis Australis".

Toxicon, 17: 549.

Leonitti, M.; Pillet, L. and Maillere, B. (1990):

Immunization with a peptide having both T cell and conformationally restricted B
cell epitopes elicits neutralizing antisera against a snake neurotoxin.

J. Immunol., 145: 4214-4221.

Lester, T.W. (1957):

Hand Book on the care and Management of laboratory animals. London. MFAW.

Lindquist, P.A.; Fujikawa, K. and Davie, E.W. (1978):

"Activation of lovine factor IX by factor XIa and a protease from Russell's viper
venom".

J. Biol. Chem. 253: 1902.

Li, Y.S.; Lui, K.F. and wang, Q.C. (1986):

"Mechanism of action of platelet function inhibitor from vipera russelli siamesis
venom".

Toxicon, 24 (9): 875.

Lomonte, B. and Gutierrez, J.M. (1989):

A new muscle damaging toxin, myotoxin H., from the venom of the snake *Bothrops asper* (Terciopelo).

Toxicon, 27: 725-733.

Lomonte, B.; Guteirrez, J.M. and Fatima, M. (1990):

Isolation of basic myotoxins from *Bothrops moojemi* and *Bothrops atrox* snake venoms.

Toxicon, 28: 1137-1146.

Lomonte, B. and Kahan, L. (1988):

Production and partial characterization of monoclonal antibodies to *Bothrops asper* (Terciopelo) myotoxin.

Toxicon, 26: 675-689.

Long, B. and Penny, J.F. (1957):

"The structure of the naturally occurring Phosphoglycerides. III Action of moccasin venom phospholipase A2 on ovalecithin and related substances".

Biochem. J. 65: 382.

Lucher, E.P. (1967):

"Platelet in haemostasis and thrombosis".

Br. J. Haematol. 13: 1.

Lyons, W.J. (1971):

"Profound thrombocytopenia associated with *crotalus ruber* envenomation a clinical case.

Toxicon, 9: 337.

Macfarlane, R.G. (1961):

"An enzyme cascade in the blood clotting mechanism and its function as a biochemical amplier".

Nature, 202: 498.

Magee, W.C.; Gallai-Hartchard, J.; Sanders, H. and Thompson, R.H.S. (1960):

"The estimation of phospholipase activity in aqueous system".

Biochem. J. 77: 526.

Magee, W.L.; Collot-Hartchard, J. and Thompson, R.H.S. (1962):

"Requirement of Ca ions in phospholipase A2 activation".

Biochemi. J. 83: 17.

Mandelbaum, Fajga, R.; Marina, T.A. and Antonio, P.R. (1984):

"Characterization of two hemorrhagic factors isolated from the venom of *Bothrops neuwiedi* (Jaranaca pintoda).

Toxicon, 22: 193-206.

Marcus, A.J. (1978):

"The role of lipids in platelets function with particular reference to the arachidonic acid pathway". (Quoted from Shattil and Bennette, 1980).

Marinetti, G.V. (1965):

"Separation of two enzymes with phospholipase A2 activity from Russell's viper venom".

Biochem. Biophys. Acta. 98: 554.

Martin, J.K.; Suthera, M.A. and Hanahan, D.J. (1975):

"Phospholipase A2 as a probe of phospholipid distribution in erythrocyte membrane, Factors influencing the apparant specificity of the reaction".

Biochem. 14: 5400.

Master, R.W.P. and Roa, S.S. (1981):

"Identification of enzymes and toxins in venoms of Indian Cobra and Russell's Viper after starch gel electrophoresis".

J. Biol. Chem. 236: 1906.

Maung-Maung Thwin and Mee, K.M.M. (1988):

Kinetics of envenomation with Russell's Viper (*Viper russlli*) venom and of antivenom use in mice.

Toxicon, 26: 373-378.

McComb, R.B.; Bower, G.N. and Posen, S. (1979):

Alkaline phosphatase pub.

Plenum press, New York, pp. 48-51.

Mc Partland, J.M. and Foster, R. (1988):

Stun-gun and snakebites (letter).

The Lancet, 12: 1141.

Mebs, D. and Samejima, Y. (1986):

Isolation and characterization of myotoxic phospholipase A2 from crotalid venoms.

Toxicon, 24: 161-168.

Mebs, D. (1987):

Nomenclature and classification of snake venom.

Toxicon, 25: 372.

Mebs, D. and Ownby, C.L. (1990):

Myotoxic components of snake venoms, their biochemical and biological activities.

Pharmacol. Ther., 48: 223.

Meier, J. and Stocher, K. (1991):

Effects of snake venoms on hemiostasis. *crit. Rev.*

Toxicon, 21: 171-182.

Meldrum, B.S. and Thompson, R.H. (1962):

"The action of snake venom on the membrane permeability of brain, muscle and red blood cells.

Hosp. Rep., 3: 83-97.

Micheel, F. and Jung, F. (1936):

"Zur kenntnis der schlangen gifts" *Ztschr.*

F. Physical Chem., 239: 217-230.

Micheel, F.; Dietrich, H. and Bischoff, G. (1937):

"Mber die neurotoxine our giften von Cobra arten" *Ztschr.*

F. Physiol. Chem., 249: 157-175.

Mohamed, A.H. (1985):

Purification and biochemical studies of the phospholipase A2 from cerastes. Viper Venom. Ph.D. Thesis, Ain Shams University, Cairo.

Mohamed, A.H. and Ayobe, M.H. (1969):

Role of metals in snake venoms for hemorrhagic esterases and proteolytic activities.

Toxicon, 11: 419.

Mohamed, A.H.; El-Serougi, M.S. and Kholed, L.Z. (1969a):

Effects of cerastes cerastes venom on blood coagulation mechanism.

Toxicon, 7: 181.

Mohamed, A.H.; Kamel, A. and Ayoub, M.H. (1969):

Some enzymatic activities of Egyptian snake venoms and scorpion venom.

Toxicon, 7: 185.

Mohamed, A.H.; Kamel, A. and Ayoub, M.H. (1969b):

Some enzymatic activities of Egyptian snake venoms and scorpion venom.

Toxicon, 7: 185.

Mohamed, A.H.; Kamel, A. and Selim, R. (1972):

Starch gel electrophoresis of Naja nigricollis venom, enzymatic and toxicity studies.

Toxicon, 10: 7-11.

Mohamed, A.H.; Ibrahim, F.K.; Abdel-Fatah, M.M.; Ramadan, M.A. and Darwish, M.A. (1977):

"Isolation and identification of toxic fraction of cerastes cerastes venom".

Japanese J. of Medical Science and Biology, 30: 205.

Mohamed, A.H.; Saleh, A.H. and Ahmed, S. (1978):

Histopathological effects of Naja naja snake venom and a venom gland extract of the scorpion Buthus quinquestriatus on the liver, supra renal gland and pancreas of mice.

Toxicon, 16: 253-261.

Moore, J.H. and Williams, D.L. (1964):

"Mechanism of action of phospholipase A enzyme isolated from Naja naja crude venom."

Biochim. Biophys. Acta. 84: 41.

Moreno, E; Alope, A. and Sanchez, M. (1988):

A new method of the detection of phospholipase A2 variant: bothrops asper (teriopele) snake.

Toxicon, 26: 363-371.

Mosead, M. and Ora, (1993):

M.Sc. Thesis, Benha, Faculty of Medicine, Zagazig University.

Moss, D.W.; Handerson, A.R. and Kochmar, J.F. (1987):

Enzymes, in: "Fundamental of clinical chemistry" ed. N.W. Tiez, Pub. W.B. Saunders Company.

Philadelphia, pp. 346-417.

Moura da Silva, A.M.; Lima, M.R.D and Nishikawa, A.K. (1990):

Antigenic cross-reactivity of venoms obtained from snakes of genus Bothrops.

Toxicon, 28: 181-188.

Nabil, A.A.; Soliman (1981):

"Physiological studies on the Egyptian Naja nigricollis snake venom". M.Sc. Thesis, Zagazig University.

Nachman, R.L. and Ferris, B. (1974):

"Binding of adenosine diphosphate by isolated membranes from human platelets".

J. Biol. Chem. 249: 704.

Nahas, L.; Komiguti, A.S. and Barros, A.R. (1979):

"Thrombin - like and factor x activator components of Bothrops snake venoms" Thrombos".

Haemostas. (Stuttg). 41: 314.

Nasser, H.; Hagag, M.M.; Abou-Shanab, S. and El-Asmar, M.F. (1984):

"Phospholipase A2 from cerastes cerastes venom". 7th. Ain Shams Medican Cong. Cairo, Egypt.

Nasser, 4H.E. (1986):

"Purification and biochemical studies of an active compound from cerastes viper venom that interferes with blood clotting mechanism". Ph.D. Thesis, Biochem. Dept., Ain Shams Univ. Cairo, Egypt.

Nishida, S.; Terashima, M. and Shimazu, T. (1985):

Isolation and properties of two phospholipase A2 from the venom of an Australian elapid snake (*pseudechis australis*).

Toxicon, 23: 73-85.

Neri, P. (1990):

Sequence homology between HIV gp. 120, rabies virus glycoprotein, and snake venom neurotoxins. Is the nicotinic acetylcholine receptors are HIV receptors?

Arch. Virol., 114: 265-269.

New, R.R.; Davied, R. and Theakston, G. (1985):

Liposomal immunisation against snake venoms.

Toxicon, 23: 215-219.

Nget, H. (1983):

Isolation and characterization of two toxins from the venom of the Malayan Cobra (*Naja naja sputatrix*).

Toxicon, 21: 201.

Nicholas, C.P. and Stevens, L. (1982):

In "Fundamentals of enzymology". Oxford University press. Oxford, New York.

Nikai, T.; Kota, C. and Komari, V. (1991):

Characterization of Acl-proteinase from the venom of *Agkistrodon acutus* (Hundred-pace snake) from Taiwan.

Int. J. Biochem. 23: 311-315.

Nisenbom, H.E.; Perazzo, J.C. and Monserrat, A.J. (1988):

Effect of chemical modification with p-bromophenacyl bromide on the enzymatic and lethal properties of phospholipase A2 from *Bothrops alternatus* (vibora de la cruz) venom.

Toxicon, 26: 1137-1144.

Norment, B.R.; Yaw, S.G. and Heitz, J.R. (1979):

"Separation and characterization of venom components in *Loxosceles reclusa*", III. Hydrolytic enzyme activity.

Toxicon, 17: 539.

Oehme, F.W.; Brown, J.B. and Fowler, M.E. (1980):

Toxins of animal origin, in: "Casarett and Doull's Toxicology".

Pub. Macnillan publication Co., New York ch. 21, pp 557-577.

Ohasaka, A. (1973):

"An approach to the mechanism of haemorrhage: Haemorrhagic principles isolated from snake venoms as a useful analytical tools. (In Japanese).

Protein nucleic acid, Enzyme, 13: 1007.

Ohasaka, A.; Omori-Satoh, H.; Kondo, S. and Murata, R. (1966):

"Biochemical and pathological aspects of haemorrhagic principles in snake venoms with special reference to habu (*Trimeresurus flavoviridis*) venom.

Mem. Inst. Butantan. Simp. Interance., 33: 193.

Ornstein, I. (1964):

Disc gel electrophoresis. I. Background and trial.

Ann N.Y. Acad. Sci., 121: 321-349.

Osario, E.; Castro, V.R. and Vernon, L.P. (1989):

Hemolytic activity of thionin from *pyrularia paberanuts* and snake venom toxins of *Naja naja* species: *Pyrularia* Thionin and snake venom Cardiotoxin compete on the same membrane site.

Toxicon, 27: 511-517.

Otten, E.J. (1988):

Venomous animal injuries, in: "Emergency Medicine". ed. P. Rosein, Pub. The C.V. Mosby Company.

Washington, ch. 53, pp. 981-990.

Ouyang, C. (1957):

"The effects of Formosan snake venoms on blood coagulation in vitro.

Formosan Med. Assoc. 56: 435.

Ouyang, C.; Teng, C.M. and Lin, S.C. (1978):

"Purification and characterization of the anticoagulant principle of *Trimeresurus mucrosquamatus* venom".

Biochim. Biophys. Acta. 541:394.

Ouyang, C and Teng, C.M. (1980):

"The mechanism of action of the purified platelet aggregator principle of *Trimeresurus mucrosquamatus* venom".

Thromb. Haemostas. 41: 475.

Ouyang, C; Yeh, H.I. and Huang, T.F. (1983):

"A potent platelet aggregation inhibitor purified from *Agkistrodon halys* snake venom".

Toxicon, 21: 797.

Ouyang, C. and Huang, T. (1984):

"Effect of the purified phospholipase A2 from snake and bee venoms on rabbit platelet function".

Toxicon, 22: 705.

Ownby, C.L. and Colberg, T.R. (1988):

Classification of myonecrosis induced by snake venoms from the prairie rattlesnake (*Crotalus viridis viridis*). Western diamondback rattlesnake (*Crotalus atrox*) and the Indian cobra (*Naja naja naja*).

Toxicon, 26: 459-474.

Ownby, C.L.; Nikai, T. and Imai, K. (1990):

Pathogenesis of hemorrhage induced by bilitoxin, a hemorrhagic toxin isolated from (*Agkistrodon bilineatus bilineatus*).

Toxicon, 28: 837-846.

Podgorney, G. (1983):

Venomous reptiles and arthropods of the United State and Canada; in: "Clinical Management of poisoning and Drug overdose". ed. L.M. Haddad and J.F. Winchester.

Pub. W.B. Saunders Company, London, ch. 17, pp. 257.

Poran, N.S.; Cross, R.G. and Ben-amini, E. (1987):

Resistance of California ground squirrels (*Spermophilus beecheyi*) to the venom of the Northern adder of adaptive variation.

Toxicon, 25: 767.

Pukrittayamee, S.; Desakorn, V. and Clemens, R. (1990):

Synergy of antithrombin III Concentration and antivenom in Preventing Coagulopathy in a rat model of Malavan pit Viper envenoming.

R. Soc. Trop. Med. Hyg., s4: 880.

Ramirez, G.A.; Fletcher, P.L. and Possani, L.D. (1990):

Characterization of the venom from *Crotalus molossus nigrescens*gloyd (black tail rattle snake): Isolation of two proteases.

Toxicon, 28: 285-297.

Ramzy, S.L.; Hanyi, Y.H. and Nagi, W.F. (1979):

"Fractionation of *Cerastes cerastes* and *Cerastes vipera* snake venoms by gel filtration and identification of some enzymatic and biological activities".

Toxicon, 17: 337.

Reed, L.H. and Muench, H. (1938):

The L.D. determination.

Am. J. Hyg. 27: 493 (3).

Reid, H.A. (1967):

"Defibrination by *Agkistrodon rhodostoma* venom", in: F.E., Russell and P.R. Sanders (Eds)

"Animal Toxins" P.P. 323, Oxford, Pergamon.

Reitman, S. and Frankel, S. (1957):

A calorimetric method for detection of serum glutamic - byrovic transaminase.

Am. J. Clin. Path., 28: 56.

Ritonja, A. and Gubensek, K. (1985):

"Ammodytin A, A highly lethal phospholipase A2 from *vipera ammodytes* ammodytes venom".

Biochim. Biophys. Acta. 826: 306.

Rittenhouse, S. and Russel, F.A. (1977):

Mobilization of arachidonic acid in human platelets. Kinetics and Ca dependancy".

Biochim. Biophys. Acta. 488: 370.

Rock, R.C.; Walker, W.G. and Jennings, C.D. (1987):

Nitrogen metabolism and renal function., in: "Fundamental of clinical chemistry",
ed. N.W. Tietz, Pub. W.B. Saunders.

Philadelphia, pp. 669-704.

Rodwell, V.W. (1983):

Kinetic properties of enzymes, in: "Harper's Review of Biochemistry", ed. D.W.
Martin, Pub.

Lange Medical Publication, California, Ch 8, pp. 70.

Rosenberg, P.; Barrington, P.C. and Condrea, E. (1985a):

Chemical modification of snake venom phospholipase A2; tryptophan residue
modification.

Toxicon, 23: 37.

Roth, G.J. and Slock, C.J. (1978):

Acetylation of NH. Terminal serine of prostaglandin synthetase by aspirin".

J. Biol. Chem. 253; 3782.

Rowan, E.G.; Harvey, A.L. and Takasaki, C. (1989):

Neuromuscular effects of three phospholipase A2 from the venom of the
Australian king brown snake pseudochis australis.

Toxicon, 27: 551.

Rowell, V.W. (1983):

Kinetic properties of enzymes, in: "Harper's REview of Biochemistry", ed. D.W.
Martin, pub. lange.

Mediacal publication, California, ch, 8, pp. 70.

Rungsiwongse, J. and Ralanabanangkoon, K. (1991):

Development of an ELLSA to assess the potency of horse therapeutic antivenin
against cobra venom.

J. Immunol Methods, 136: 37-43.

Russell, F.E. (1980):

Medical problems of snake bite, in: "Snake venom poisoning", ed. F.E. Russell, pub. J.B. Lippinca Company.

Torento, pp. 235-342.

Salah, J.I.; Turini, P.; Seng, R.; Hauber, J. and Singer, T.P. (1971):

"Phospholipase A2 of snake venoms. Isolation and molecular properties of isozymes from naja naja.

J. Biol. Chem. 246: 331.

Samijima, Y.; Aoki, Y. and Mebs, D. (1991):

Amino acids sequence of a myotoxin from venom of the Eastern diamond-back rattle snake (crotalus adamanteus).

Toxicon, 29: 461-468.

Sanford, J.P. (1988):

Snakebites, in: "Cecil textbook of Medicine" ed, G. Wyngarden and L.H. Smith, pub. W.B. Saunders Company, London, ch. 4, pp. 1927-1931.

Sannanaik, B; Vishwanath, R.; Manjuathakini and T. Veerabasappa Gowda (1988):

"Purification and partial biochemical characterization of oedema phospholipase A2 from viper russelli.

Toxicon, 26 (8): 713.

Schermer, S. (1967):

The blood morphology of laboratory animals, ed. S. Schermer, pub. W.B. Saunders Co.

Philadelphia, p. 42.

Schieck, A.; Habermann, E. and Kornalik, F. (1972):

"The prothrombin activating principle from Echis carinatus venom". Naunyn-Schmiedebrys.

Arch. Exp. Path. Pharmacol., 274: 7.

Schmidt, J.J. and Middlebrook J.L. (1989):

Purification, sequencing and characterization of pseudexin phospholipase A2 from pseudexis porphyriacus (Australian red-bellied black snake).

Toxicon, 27: 805.

Shaban, E.; El-Damarawy, N. and El-Asmar, M.E. (1983):

"Anticoagulant activities of cerastes cerastes venom". Proceeding of the 6th annual Ain Shams Medical Cong. p. 25 Cairo, Egypt.

Shattil, S.J. and Bennett, J.S. (1980):

"Platelet and their membranes in haemostasis". Physiology and Path.

Ann. Intern. Med. 94: 108.

Shiloah, J. and Devaries, A. (1973):

"Phospholipase isozymes from *Naja naja* venom I purification and partial characterization".

Toxicon, 18: 249.

Siato, K. and Hanhan, D.J. (1962):

Purification and characterization of phospholipase A2 enzyme from crotalus adamanteus venom.

Biochemistry, 1: 521.

Siigure, E.; Siigur, J.; Nommeots, M. and Ilmoets, T. (1979):

"Fractionation and enzymatic activities of common viper (*Vipera berus berus*) venom".

Toxicon, 17: 623-630.

Smith, C.M. (1968):

"Acrylamide gel electrophoresis". in: Chromatographic and electrophoretic techniques.

Vol. II Zone. Electrophoresis, 2nd Edn. (ed. Ivar Smith), William Heinemann book Ltd.

Smith, C.M. and Hanahan, D.J. (1976):

"The activation of factor by factor Xa or chymotrypsin and comparison with thrombin.

Sorenson, S.P.L. (1909):

Chemistry and biochemistry of snake venoms.

Biochem., 15: 1830.

Stolpe, M.R.; Norris, R.L. and Chisholm, C.D. (1989):

Preliminary observation on the effects of hyperbaric oxygen on western diamondback rattlesnake (*Crotalus atrox*) venom poisoning in the rabbit model.

Ann. Emerg. Med., 18: 871-874.

Sugihara, H.; Moriura, M. and Nikai, T. (1983):

Purification and properties of a lethal hemorrhagic protein (Mucrotoxin A) from the venom of the Chinese habu snake (*Trimeresurus mucrosquamatus*).

Toxicon, 21: 247.

Sullivan, J.A.; Farr, E. and Geren, C.R. (1979):

Fractionation and partial characterization of toxic components of timber Rattle snake venom.

Toxicon, 17: 269-277.

Sutherland, S.K. and Coulter, A.R. (1978):

Comment on "Suicide by injection of snake venom".

Forensic Science, 11: 241-243.

Takagi, J.; Sekiya, F. and Kasahara, K. (1988):

Venom from southern copperhead snake (*Agkistrodon contortrix contortrix*). II. A unique phospholipase A₂ that induced platelet aggregation.

Toxicon, 26: 199-206.

Takasaki, C.; Tamiya, N. and Bdolah, A.S. (1988):

Sarafotoxins 56; Several isotoxins from *Atractaspis ingaddensis* (Burrowing asp) venom that effect the heart.

Toxicon, 26: 543-548.

Takasaki, C.; Suzuki, J. and Tamiya, N. (1990):

"Purification and properties of several phospholipase A₂ from the venom of Australian king brown snake (*Pseustes australis*).

Toxicon, 28: 319.

Sutherland, S.K. and Coulter, A.R. (1978):

Comment on "Suicide by injection of snake venom".

Forensic Science, 11: 241-243.

Takagi, J.; Sekiya, F. and Kasahara, K. (1988):

Venom from southern copperhead snake (*Agkistrodon contortrix contortrix*). II.

A unique phospholipase A2 that induced platelet aggregation.

Toxicon, 26: 199-206.

Takasaki, C.; Tamiya, N. and Bdolah, A.S. (1988):

Sarafotoxins 56; Several isotoxins from *Atractaspis ingaddensis* (Burrowing asp) venom that effect the heart.

Toxicon, 26: 543-548.

Takasaki, C.; Suzuki, J. and Tamiya, N. (1990):

"Purification and properties of several phospholipase A2 from the venom of Australian king brown snake (*pseudechis Australis*).

Toxicon, 28: 319.

Takasaki, C.; Sugama, A. and Yanagita, A. (1990a):

Effect of chemical modification of pa-11, a phospholipase A2 from the venom of Australian king brown snake (*pseudechis australis*) on its biological activities.

Toxicon, 28: 107-117.

Takasaki, C.; Yutani, F. and Kajiyashiki, T. (1990b):

Amino acid sequence of eight phospholipase A2 from the venom of Australian king brown snake, *pseudechis*.

Toxicon, 28: 339-339.

Takasaki, C.; Suzuki, J. and Tamiya, N. (1990c):

"Purification and properties of several phospholipase A2 from the venom of Australian king brown snake (*Pseustes verreauxi*).

Toxicon, 28: 319-327.

— Tan, K.K.; Chao, R.E. and Ariffin, W.A. (1990):

Snakebite in Kelantanese children: a five year experience.

Toxicon, 28: 225-230.

— Tan, N.H. and Tan, C.S. (1988):

Partial purification of acetyl cholinesterase from the venom of the short pitviper (*Trimersurus purpurascens*).

Toxicon, 26: 505-508.

Tan, N.H. and Arunmozhiarasi, A. (1989):

The anticoagulant activity of Malay cobra (*Naja naja sputatrix*) venom and venom phospholipase A2 enzymes.

Biochem. Int., 14: 803-810.

Tan, N.H. and Tan, C.S. (1989):

Fractionation of Sumatran pitviper (*Trimersurus sumatranus sumatranus*) venom by DEAE - Sepharose ion exchange chromatography and some biological properties of the fractions.

Toxicon, 27: 697-702.

Teng, C.M.; Chen, Y.H. and Ouyang, C. (1984):

Biphasic effect on platelet aggregation by phospholipase A2 purified from *Vipera russelli* venom".

Biochim. Biophys. Acta. 772: 393.

Teng, C.M.; Kuo, Y.P. and Lee, L.G. (1987):

Characterization of the anticoagulants from Taiwan cobra (*Naja naja naja*) snake venom.

Toxicon, 25: 201-210.

Teng, C.M.; Wang, J.P. and Peng, H.C. (1989):

Edema - Producing protein isolated from *Trimeresurus mucrosquamatus* snake venom.

Toxicon, 27: 899-905.

Than - Than, S.S. and Khin - Ei - Han (1990):

The nephrotoxic action of Russell's viper (*Vipera russelli*) venom.

Toxicon, 28: 461-467.

Theakston, R.D.G.; Reid, H.A. and Iddon, D. (1983):

Protective effect of snake venom antibodies in sera of previous snakebite victims.

Ann. Trop. Med. Parasite, 77: 311-314.

Theakston, R.D.G.; Philip, R.E. and Looareesuwan, S. (1990):

Bacteriological studies of venom and mouth cavities of wild Malayan pitviper (*Calloselasma rhodostoma*) in southern Thailand.

Trans. R. Soc. Trop. Med. Hyg. 84: 875-879.

Thein - Than; Tin Tum and Hla - Pe (1991):

Development of renal function abnormalities following bite by Russell's viper (*Daboia russelli siamensis*) in Myanmar.

Trans. R. Soc. Trop. Hyg. 85: 404.

Tibballs, S.; Henning, R.D. and Satherland, S.K. (1991):

Fatal cerebral haemorrhage after tiger snake (*Notechis Scutalus*) envenomation.

Me D.J. Aust., 154: 275-276.

Tietz, N.W. (1987):

Charomatography in: "Fundamentals of clinical chemistry", ed., N.W. Tietz, Pub.

W.B. Saunders Company, London, ch. 6, pp 95-120.

Toom, P.M.; Squire, P.G. and Tu, A.T. (1969):

"Characterization of enzymatic and biological activities of snake venoms by isoelectric focussing".

Biochim. Biophys. Acta (Amst.), 181: 339.

Tu, A.T.; Passey, B.B. and Toom, P.M. (1970):

Isolation and characterization of phospholipase A2 for sea snake *Iaticauda semifasciata*.

Arch. Biochem. Biophys., 140: 96.

Tu, A.T. (1977):

Neurotoxins, chemistry and structural aspects, in: "venoms chemistry and molecular biology" ed. A.T. Tu, Pub., A Wiely - Interscience puplication.

John Wiely & Sons, London, pp. 258.

Velluti, J.C.; Caputi, A. and Macadar, B. (1987):

Limbic epilepsy induced in the rat by dendrotoxin, a polypeptide isolated from the green mamba (*Dendro aspis angusticeps*) venom.

Toxicon, 26: 416-419.

Ver Heij, H.M.; Slotboom, A.J. and De Hass, C.H. (1981):

Structure and function of phospholipase A2.

Rev. Physical. Biochem. Pharmac., 91: 91.

Vest, D.K. (1988):

Some effects and properties of Duvernoy's gland secretion from *Hypsiglena torquata texana* (Texas night snake).

Toxicon, 26: 417-919.

Vishwanath, B.S.; Kini, R.M. and Gowda, T.V. (1988):

Purification and partial biochemical characterization of an edema induced phospholipase A2 from *Vipera russelli* (Russell's viper) snake venom.

Toxicon, 26: 713-720.

Vogel, C. and Stoeckert, I. (1963):

Pfluegers. Arch Gesamte Physiol. Menschen. Tiere, 277: 236.

Wagner, C.W. and Golladay, E.S. (1989):

Crotalid envenomation in children selective conservative management.

J. Pediatr. Surg., 24: 128-131.

Wahlstrom, A. (1971):

Purification and characterization of phospholipase A2 from the venom of *Naja nigricollis*.

Toxicon, 9: 45-56.

Walpole, G.S. (1951):

"Chromatography of rattle snake venom. A separation of three phosphodiesterases".

Biochem. Biophys. Acta, 24: 619.

Warburg, O. and Christian (1941):

"Protein determination".

Biochemistry, 310: 384.

Warrell, D.A. (1984):

Snakes, in "Hunter's Tropical Medicine", ed. G.T. Strictland, Pub. W.B. Saunders Company, London, pp. 800-812.

Warrell, D.A. (1987):

Animal poisons, in "Manson's Tropical Diseases", ed. P.E.C. manson-Bahraud D.R. Bell. PUB. Bailliere Tindall.

London, ch. 48: pp. 855-882.

Warrell, D.A. (1990):

Venomous and poisonous animal, in "Tropical and Geogrophica Medicine", ed. K.S. Warren A.A.F. Mahmoud, Pub. Mc Grraw - Hill. Information services Company.

New York, pp. 533-556.

Weber, K. and Osborn, M. (1969):

"The reliability of molecular weight determination by dodecyl sulfate - polyacrylamide gel electrophoresis".

J. Biol. Chem. 244: 4406-4412.

Weber, K. and Osborn, M. (1975):

"The proteins"

I. Neuroth, H., Hill, R.L. (Eds.) Academic press. Inc..

Weis, J.R.; Whalley, R.E. and Glenn, J.L. (1991):

Plologed hypofibrinogenemia and protein activation after envenoming by *Echis carinatus sochurechi*.

Am. J. Trop. Med. Hyg., 44: 452-460.

Weissenberg, S.; Ovadia, M. and Kochva, E. (1987):

Species sensitivity towards the hemorrhagin of *Ophiophagus hannah* (Elopidae).

Toxicon, 25: 475-481.

William, W.; Deam, F.; William, L. and John M.M. (1985):

A rapid method for the purification on monomeric and/or dimeric phospholipase A2.

Toxicon, 23: 747-754.

Wingert, W.A. (1990):

Snakebite in "Conn's Current Therapy, 1990", ed. J. Dyson. Pub. W.B. Saunders Company.

Philadelphia, pp. 1047-1050.

Work, T.S. and Work, E. (1969):

"Laboratory techniques in biochemistry and molecular biology, 1.

North Holland Publishing Company.

Yang, C.C.; Chen, C.J. and Su, C. (1959):

"Toxicity of Formosan cobra venom and enzymes activities".

J. Biochem. Tokyo, 40: 1209.

Yoshikawa, Y. (1991):

Structure homology between hemoagglutinin (HA) of measles virus and active site of long neurotoxins.

Virus Genes, 5: 57: 67.

Yoshizumi, K.I.; Lin, S.Y. and Miyata (1990):

Purification and amino acid sequence of basic protein I, A lysin -49- phospholipase A2 with low activity from the venom of trimeresurus flavoviridis (Habu snake).

Toxicon, 28: 43-54.

Yukelson, L.Y.; Tan, G. and Thomasson, G.D. (1991):

Procoagulant activities in venom from central Asian snakes.

Toxicon, 29: 491-502.

Zahran, F.M. (1985):

Fractionation of Naja nigricollis venom and its histological effects on kidney and liver function (in rats). Ph.D. Thesis, Ain Shams University, Cairo.

Zaki, O.A.; Khagali, A. and Rabie (1967):

Faculty of Medicine, Ain Shams University and ABD-El Wahab. M.F. and Hassan, Y.M., Faculty of Veterinary Science Khatoun University (1967); "Studies on the toxicity and fractionation of Black mamba venom, Sudan".