

REFERENCES

- Abendschein, D.R.; Fewell, J.E. and Carlson, C.J. (1982):***
Myocardial blood flow during acute ischaemic anaemia and treadmill exercise in dogs.
J. Appl. Physiol., 53 : 203.
- Alving, B.M.; Huimay and Pisano, J. Jetal (1978):***
Hypotension associated with pre-kallikrein activator (Hygman factor fragments) in plasma protein fraction.
N. Engl. J. Med.; 299 : 66.
- American Association of Blood Banks (1993):***
Standards for blood banks and transfusion services, 15th Ed.
American Association of Blood Banks, Bethesda.
- Anderson, B.V. and Tomasulo, P.A. (1988):***
Current autologous transfusion practices : Implication for the future.
Transfusion; 28 : 394.
- Anderson, K.C. and Weinstein, H. J. (1990) :***
Transfusion - associated graft - versus - host disease
N. Engl. J. Med., 323 : 315.
- Anderson, K.C.; Goodnough, L.T. and Sayers, M. (1992):***
Variation in blood component irradiation practice : Implication for prevention of transfusion - associated graft - versus - host disease.
Blood; 77 : 2096.
- Arrighi, D.A.; Farnell, M.B. and Mucha P Jretal (1989) :***
Prospective randomized trial of rapid venous access for patients in hypovolemic shock.
Annals of Emergency Medicine; 18 : 927 - 930.

Atallah, M.M.; Abdel Baky, S.M. and Saied, M.M. (1993):

Does timing of hemodilution influence the stress response and over all outcome ?

Anesth Analg; 76 : 113.

Atkinson, R.S.; Rushman, G.B. and Davies, N.J. (1993):

Monitoring in : "Lee's synopsis of Anesthesia", 11th Ed, Ch. 18, P. 343.

Butter worth - Heinemann Ltd., Oxford, London, Boston and Munich.

Attar, S.; Hanashiro, P. and Mansberger, A. (1970) :

Intravascular coagulation - reality or Myth.

Surgery; 68 : 27.

Baily, T.E. and Mahoney, D.E. (1987):

The use of banked autologous blood in patients undergoing surgery for spinal deformity.

J. Bone Joint surgery; 69 A. 329.

Banks, D.C.; Cawdrey, H.M.; Yates, D.B.; Harries, M.G. and Kidner, P.H. (1970) :

Infection from intravenous catheters.

Lancet, 1, 443.

Barbier, B.G.; Desmonth, J.M. and Couderc, E. (1980) :

Comparative effects of induced hypotension and normovolemic hemodilution on blood loss in total hip arthroplasty.

Br. J. Anesth.; 52 : 1039.

Bashour; T.T.; Ryan, C.; Kabbani, S.S. and Crew, J. (1984):

Hypocalcemic acute myocardial failure secondary to rapid transfusion of citrated blood.

Am. Heart J., 108 : 1040.0

Benomuf, J.L. (1990):

Respiratory physiology and respiratory function during anesthesia.

In : Anesthesia by Miller R.D., 3rd Ed., Vol. 3, Ch, 15, P. 505
Churchill - Living stone Inc, New York, Edinburg, and London.

Benson, K.T. (1989) :

Jehovah's witness patient : considerations for the anesthesiologist. Review Article.

Anesth. Analg., 69 : 647.

Brio, G.P. (1983) :

Current status of erythrocyte substitutes.

Can Med. Associ. J.; 129 : 237.

Bland, J.H.L.; Laver, M.B. and Lowenstein, E. (1973) :

Vasodilator effect of commercial 5% plasma protein fractions.

JAMA; 224 : 1721.

Bland, L.A.; Villarino, M.E. and Ardvino, M.J. (1992) :

Bacteriologic and endotoxin analysis of salvaged blood used in autologous transfusions during cardiac surgery.

J. Thorac. Cardiovasc. Surg., 103 : 582.

Blumberg, N. and Heal, J.M. (1989) :

Transfusion and host defenses against cancer recurrence and infection.

Transfusion, 29 : 236.

Blumberg, N.; Heal, J.M. and Murphetal (1986):

Association between transfusion of whole blood and recurrence of cancer.

Br. Med. J., 293 : 503.

Boudreaux, P.J.; Bornside, G.H. and Cohn, I. (1983):

Emergency autotransfusion : partial cleansing of bacteria - laden blood by cell washing.

J. Truma, 23 : 31.

Boyd, P.R.; Sheedy, K.C. and Henry, J.B. (1980) :

Type and screen : use and effectiveness in elective surgery.
Am. J. Clin. Pathol., 74 : 694.

Brazier, J.; Cooper, N.; Maloney, J.V. and Buckberg, G. (1974):

The adequacy of myocardial oxygen delivery in acute normovolemic anaemia.
Surgery; 75 : 508.

Brown, B.; Steed, D.L. and Webster, M.W. (1986) :

General surgery in adult hemophiliacs.
Surgery; 99 : 154.

Bull, M.H.; Bull, B.J.; Van Arsdell, G.S. and Smith, L.L. (1988):

Clinical implications of procoagulant and leukoattractant formation during intraoperative blood salvage.
Arch. Surg., 123 : 1073.

Bunn, H.F. (1993) :

The use of hemoglobin as a blood substitute.
American. J. of Hematology; 42 : 112.

Busch, M.P.; Eble, R.E. and Khagam - Baski, H. (1991):

Evaluation of screened blood donation for human immunodeficiency virus type 1 infection by culture and DNA amplification of pooled cells.
N. Engl. J. Med., 325 : 1.

Busch, O.R.C.; Hop, W.C.J. and Vanpapenderecht, M.A.W.H. (1993):

Blood transfusion and prognosis in colorectal cancer.
N. Engl. J. Med.; 328 : 1372.

Cain, S.M. (1977):

Oxygen delivery and uptake in dogs during anemic and hypoxic hypoxia.
J. App. Physiol., 42 : 228.

Calthrope, D.A.D.; Fingegan, B.A.; Moriarty, D.C. and neligam, M.C. (1983):

The use of the cell saver in Jehovah's Witness undergoing major cardiac surgery case report and review.

Ir. Med. J.; 76 : 87.

Cezer, L.S. and Shoemaker, W.C. (1978) :

Optimal hematocrit value in critically ill post operative patients.

Surg. Gyn & Ob.; 147 : 363.

Chamberland, m.E.; Conley, L.J.; Bush, T.J.; Ciesielski, C.A.; Hammett, T.A. and Jaffe, H.W. (1991):

Health care workers with AIDS. National Surveillance up date.

JAMA, 266 : 345.

Chaplin, H. (1969):

Packed red blood cells

N. Engl. J. med., 281 : 364.

Churchill - Davidson, H.C. (1984):

Blood transfusion in : wylie and churchill Davidson's.

Apractice of anesthesia, 5th Ed., Vol. I, Ch. 17, P. 587 - 607,

LLoyd - Luke (Medical Books) L. T.D. - London.

Clarke, J.M.F. (1982):

Surgery in Jehovah's witnesses.

Br. J. Hosp. Med., 27 : 497.

Cohen, N.D.; Munoz, A. and Reitz, B.A. (1989):

Transfusion of retroviruses by transfusion of screened blood in patients undergoing cardiac surgery.

N. Engl J. med. 320 : 1173.

Collins, J.A. (1976):

Massive blood transfusion.

Clinics in hematology; 5 : 201.

Collins, J.A.; Simmonse, R.L. and James, P.M. (1971):

The acid base status of seriously wounded combat casualties.
In : Resuscitation with stored blood.
Ann. Surg., 173 : 6.

Combs, C.A.; Murphy, E.L. and Laros, R.K. (1992):

Cost - benefit analysis of autologous blood donation in obstetrics.
Obstet - Gynecol., 80 : 621.

Cregan, P.; Donegan, E. and Gotelli, G. (1991):

Hemolytic transfusion reaction following transfusion of frozen and washed and washed autologous red cells.
Transfusion; 31 : 172.

Curran, J.W.; Lawrence, D.N. and Jaffe, H. (1984):

A cquired immuno deficiency syndrome (AIDS) associated with transfusion.
N. Engl. J. Med., 310 : 69.

Dale, R.F.; Kipling, R.M. and Smith, M.F. (1988):

Separation of malignant cells during autotransfusion.
Br. J. Surg. 75 : 581.

Denlinger, J.K.; Marhwold, M.L. and Gibbs, P.S. (1976):

Hypocalcemia during rapid blood transfusion in Anesthetized man.
Br. J. Anesth; 48 : 995.

Devenuto, F. (1982):

Hemoglobin solutions as oxygen delivering resuscitation fluids.
Crit. Care Med., 10 : 238.

Dietrich, K.A.; Conrad, S.A. and Hebert, C.A. (1990):

Cardio vascular and metabolic response to red blood cell transfusion in critically ill volume - resuscitated non surgical patients.
Crit. Care. Med., 18 : 940.

Dixon, J.L. and Smalley, M.G. (1981):

Jehovah's witnessess. The surgical ethical challenge.
JAMA, 246 : 2471.

Dodd, R.Y. (1992):

The risk of transfusion - transmitted infection.
N. Engl. J. Med., 327 : 419.

Donahune, J.G.; Munoz, A. and Ness, P.M. (1992):

The declining risk of post transfusion hepatitis C virus infection.
N. Engl. J. Med., 327 : 369.

Donaldson, M.D.J.; Seaman, M.J. and Pank, G.R. (1992):

Massive blood transfusion.
Br. J. Anesth; 69 : 621.

Donnel, C.A.; Doniel, S.J. and Ferrara, J.J. (1989) :

Fibrinogen degradation products in fresh frozen plasma.
Am. Surgeron; 55 : 505.

Dowson, R.B.; Jr and Ellis, T.J. (1970):

Hemoglobin function stored at 4°C in ACD and CPD with a
denine and inosine.
Transfusion, 10 : 113.

Drop, J. and Laver, M.B. (1975):

Low plasma ionized calcium and response to calcium therapy in
critically ill man.
Anesthesiology, 43 : 300.

Droste, S.; Sorensten, T. and Price, T. (1992):

Maternal and fetal hemodynamic effects of autologous blood
donation during pregnancy.
Am. J. Obst. Gynecol., 167 : 89.

Dudrick, S.J.; O'Donnell, J.J.; Raleigh, D.P.; Matheny, R.G. and Unkel, S.P. (1985) :

Rapid restoration of red blood cell mass in severely anaemic surgical patients who refuse transfusion.
Arch. Surg.; 20 : 721.

Duling, B.R. (1980) :

Local control of microvascular function : role in tissue oxygen supply.
Ann. Rev. Physiol., 42 : 373.

Dzik, W.H.; Fleisher, A.G. and Giavarella, D. (1992):

Safety and efficacy of autologous blood donation before elective aortic valve operation.
Ann. Thorac. Surg.; 54 : 1177.

Ellison, N. (1977):

Diagnosis and management of bleeding disorders.
Anesthesiology; 47 : 171.

Ellison, N. (1993):

Use of blood and blood products during anesthesia and surgery.
American Society of Anesthesiologists, ASA, P. 161.

Esteban, J.I.; Gonzalez, A. and Hernandez, J.M. (1990) :

Evaluation of antibodies to hepatitis C virus in a study of transfusion associated hepatitis.
N. Engl. J. Med. 323 : 1107.

Ewalenko, P.; Thierry, D. and Peeters, J. (1986):

Composition of fresh frozen plasma.
Crit. Care Med.; 14 : 145.

Fatteh, M.M. (1980):

Jehovah's witnessess, how can we help them ?
J. Med. Assoc. Ga., 69 : 977.

Feeley, T.W. and Rinsky, L.A. (1993):

Use of a protinin to reduce intraoperative bleeding.
Western. J. Med., 159 : 189.

Finch, C.A. and Lenfant, C. (1972) :

Oxygen transport in man.
N. Engl. J. Med., 286 : 407.

Fiser, D.H. (1990) :

Intraosseous infusion.
New Engl. J. Med.; 322 : 1579.

Foley, F.D. (1969) :

The burn autopsy.
Fatal complications of burns.
Am. J. Clin. Path, 52 : 1.

Fourrier, F.; Chopin, C. and Goudemand, J. (1992):

Septic shock, mutiple organ failure, and disseminated
intravascular coagulation.
Chest; 101 : 816.

Fox, S. IRA (1993):

Heart and circulation in : Human physiology
4th Ed. P. 331 : 335, W.m.c. Brown publishers, Dubuques,
Lowa, Melbourne and Oxford.

Ganong, W.F. (1991 a):

Gas transport between the lungs and the tissues.
In : Review of medical physiology, 15 th Ed., ch 35, P. 616 -
622, a lange medical book, USA.

Ganong, W.F. (1991 b) :

Cardio vascular homeostasis in health and disease.
In : Review of medical physiology, 15th Ed., Ch. 33, P. 589
a lange medical book, USA.

Getzen, L.C. and Pollake, E.W. (1979) :

Short - term femoral vein catheterization : a safe alternative venous access ?

Am. J. of Surg., 138 : 875.

Goldfinger, D. and Lowe, C. (1981):

Prevention of reactions to blood transfusion by the administration of saline - washed red blood cells.

Transfusion, 21 : 277.

Goodnaugh, L. T.; Shafron, D. and Morws, R.E. (1990) :

The impact of preoperative autologous blood donation on orthopaedic surgical practice.

Vox. Sang; 59 : 65.

Gould, S.A.; Rosen, A.L. and Sehgal, L.R. (1982):

Red cell substitutes. Hemoglobin solution or fluorocarbon.

J. Trauma., 22 : 736.

Gould, S.A.; Rosen, A.L. and Sehgal, L.R. (1986) :

Fluosol - DA as a red cell substitute in acute anemia.

N. Engl. J. Med., 314 : 1653.

Gould, S.A.; Moss, G.S. and Rosen, A.L. (1988) :

Red cell substitutes, In : Critical care, by : Civetta, J.M.; T aylor, R.W.; Kirby, R.R.

J.B. Lippincott. Philadelphia.

Goulet, J.A.; Bray, T.J. and Timmerman, L.A. (1989):

Intraoperative autologous transfusion in orthopaedic patients.

J. Bone. Joint. Surg., 71 A : 3.

Grow, R.G. Jr.; Buckner, C.D.; Whang - Peng, Jacqueline, Leventhal, Brigid, D.; Kruger, G.; Berard, C. and Henderson, E.S. (1970):

Complication of bone marrow transplantation. Graft - versus-host disease resulting from chronic myelogenous - leukaemia.

Leucocyte transfusions.

Lancet, 11, 338.

Gross, J.B. (1988):

Estimating allowable blood loss : correction for dilution.
Anesthesiology, 58 : 277.

Grossman, W. and Braunwald, E. (1988):

High cardiac output states.
In : heart disease, by : Braunwald, E., 3rd ED., W.B. Saunders,
Philadelphia.

Gutierrez, G. (1986):

Peripheral delivery and utilization of oxygen. In :
cardiopulmonary critical care, by Dantzker DR.
Orlando, Grune & Stratton.

Guyton, A.C. (1991):

Overview of the circulation and medical physics of pressure,
flow and resistance. In : Textbook of medical physiology, 8th Ed.
Philadelphia, W.B. Saunders.

Guyton, A.C. (1992) :

Cardiac output and circulatory shock
In : Human physiology and mechanisms of disease. 5th Ed, Ch.
17, P. 169,
W.B. Saunders company, Philadelphia, London and Tokyo.

Haberken, M. and Dangel, P. (1991):

Normovolemic hemodilution and intraoperative autotransfusion
in children experience with 30 cases of spinal fusion.
Eur. J. Pediatr. Surg., 1, 30.

Hart, O.J.; Klimberg, I.W.; Wajsman, Z. and Boker, J. (1989) :

Intraoperative autotransfusion in radical cystectomy for
carcinoma of the bladder.
Surg. Gynecol. Obstet., 168 : 302.

Hartmann, M.; Montgomery, A. and Jonsson, K. (1991):

Tissue oxygenation in hemorrhagic shock measured as transcutaneous oxygen tension, subcutaneous oxygen tension, and gastro intestinal intramucosal PH in Pigs.
Crit. Care. Med., 19 : 205.

Hartz, R.S.; Smith, S.A. and Green, D. (1988) :

Autotransfusion after cardiac operation.
J. Thorac. Cardivasc. Surg., 96 : 178.

Hatcher, J.D.; Chw, L.K. and Jennings, D.B. (1978):

Anaemia as astimulus to aortic and carotid chemoreceptors in the cat.
J. APPL. Physiol., 44 : 696.

Hathway, W.E.; Mahasondana, C. and Clarke, S. (1973):

Paradoxical bleeding in intensively transfused hemophiliacs.
Transfusion, 13 : 6.

Haugen, R.K. (1979):

Hepatitis after the transfusion of frozen cell and washed red cells.
N. Engl. J. Med., 301 : 393.

Heal, J.M.; Chuang, C. and Blumberg, N. (1988) :

Perioperative blood transfusions and prostate cancer recurrence and survival.
Am. J. Surg., 156 : 374.

Hecker, J.F. (1992):

Potential for extending survival of peripheral intravenous infusions.
Brit. Med. J., 304 : 619.

Heddle, N.M.; Brox, W.T. and Klama, L.N. (1992):

Arandomized trial on the efficacy of an autologous blood drainage and transfusion device in patients undergoing elective knee arthroplasty.
Transfusion; 32 : 742.

Hedley - Whyte, J. and laver, M.B. (1964):

O₂ solubility in blood and temperature correction factors for PO₂.

J. Appl. Physiol., 19 : 901.

Hewitt, P.E. and Machin, S.J. (1990) :

Massive blood transfusion.

Br. Med. J., 300 : 107.

Hewitt, P.E.; Macintyre, E. A.; Devenish, A. (1988):

Aprospective study of the incidence of delayed hemolytic transfusion reactions following perioperative blood transfusion.

Br. J. Haemat.; 69 : 541.

Hillman, R.S. (1990):

Erythrocyte disorders - anemias due to acute blood loss.

In : haematology by Williams, W.F.; Beutler, E.; Erslev, A.J.; Lichtman, M.A., 4th Ed., P. 700, McGraw - Hill, New York.

Horsey, P.J. (1982):

Blood transfusion.

In : Recent advances in Anesthesia and analgesia (14). by : Atkinson, R.S. and Hower, C.L. Ch. 7, P. 89, Churchill - Living stone, Edinburg, London and New York.

Horst, H.M.; Dlugos, S. and Fath, J.J. (1992) :

Coagulopathy and intraoperative blood solvage (IBS).

J. Trauma, 32 : 646.

Huestis, D.W.; Bove, J.R. and Case, J. (1988):

Red blood cell transfusion.

In : Practical blood transfusion, Little, Brown and Company, Boston.

Huh, X.O. and Lichtiger, B. (1987):

Transfusion reactions in patients with cancer.

J. Clin. Pathol., 87 : 253.

Iserson, K.V. (1989):

Intravenous infusion in adults.

Journal of Emergency Medicine, 7 : 587 - 591.

Iseron, K.V. and Heustis, D.W. (1991) :

Blood warming : Current application and techniques.

Transfusion, 30 : 583.

Jackson, S.H. and Lanser, R.E. (1993):

Safety and effectiveness of intracesarean blood salvage.

Transfusion, 33 : 181.

James, D. (1990):

Blood transfusion and notes on related aspects of blood clotting.

In : Scientific foundation of anesthesia, By : Cyvilscurr, Stanley Feldman and Neilsoni, 4th Ed, P. 463 - 475, Heinemann Medical Books and year Book Medical publishers, In., Oxford and Chicago.

Jenkins, G.C.; Colvin, B.T. and Neusland, A.C. (1993):

Blood disorders and the safety of anesthesia.

In : Hazards and complications of Anesthesia by Taylor, T.H. and Edward Major. P. 153, Churchill - Living Stone, Edinburg London and New York.

Jobes, D.R. and Gallgher, J. (1982):

Acute normovolemic hemodilution.

Int. Anesthsiol. Clin., 20 : 77.

Jones, J.W.; Rawitcher, R.E. and Mclean, T.R. (1991):

Benefits from combining blood conservation measures in cardiac operations.

Ann. Thorac. Surg., 541.

Kafer, E.R.; Lsley, M.R. and Hansen, T. (1986):

Automatic acute normovolemic hemodilution reduces blood ransfusion for spinal fusions.

Anesth Analg., 65 : 586.

Kahn, R.C.; Jascott, D. and Carlon, G.C. (1979):

Massive blood replacement. Correlation of ionized calcium, citrate and hydrogen ion concentration.
Anesth. Analg., 58 : 274.

Kang, Y.; Lewis, J.H. and Navalgun, A. (1978):

Epsilon aminocaproic acid for treatment of fibrinolysis during liver transplantation.
Anesthesiology; 66 : 766.

Kong, Y.; Aggarwall, S. and Pasculle, A.W. (1989):

Bacteriologic study of autotransfusion during liver transplantation.
Transplant proc. 21 : 3538.

Kanter, M.H. (1992) :

Transfusion - associated graft versus host disease : do transfusions from second. degree relatives pose a greater risk than those from first - degree relatives?
Transfusion, 32 : 323.

Kelly, R.E. and Yao, F.F. (1993) :

Hemophilia and coagulation Disorders.
In : Anesthesiology problem oriented patient management. by :
Yao, F.F., and Artusio, J. F., 3rd Ed, Ch. 35, P. 546.
Lippincott company Philadelphia.

Kobrin, N.L.; Letts, R.M. and Patel, L.R. (1987):

I - desamino - 8 - D - arginine vasopressin (desmopressin) decreases operative blood loss in patients having Harrington Rod. Spinal fusion surgery.
Ann. Intern. Med., 107 : 446.

Konsgaard, U.S.; Tollof, S. and Brosstad, A. (1991):

Autotransfusion after open heart surgery : Characteristics of shed mediastinal blood and its influence on the plasma protease in circulatory blood.
Acta. Anaesthesiol. Scand., 35 : 71.

Kowalyshyn, T.J., Prager, D. and Young, J. (1972) :

A review of the present status of preoperative hemoglobin requirements.

Anesth. Analg., 51 : 75.

Kramer, A.H.; Hertzner, N.R. and Beven, E.G. (1979) :

Intraoperative hemodilution during elective vascular reconstruction.

Surg. Gynecol. Obstet., 149 : 831.

Lance, J.; Martinowitz, U. and Moher, R. (1989) :

The effect of transfusion of fresh whole blood versus platelet concentrates after cardiac operations.

J. Thoracic cardiovasc. Surg., 97, 204.

Lane, T.A. (1994):

Leukocyte reduction of cellular blood components.

Effectiveness, benefits, quality control, and costs.

Arch. Pathol. Lab. Med., 118 : 392.

Lavee, J.; Martinowitz, V. and Moher, R. (1989):

The effect of transfusion of fresh whole blood versus platelet concentrates after cardiac operations.

J. Thorac. Cardiovasc. Surg., 97 : 204 - 212.

Lawrence - Brown, M.M.D.; Couch, C. and Holliday, M. (1989) :

D - Dimer levels in blood salvaged for autotransfusion.

Aust. N.Z. J. Surg., 59 : 67.

Levi, M.; Tencate, H.; Vanderpoll, T. and Van Deventer, J.H. (1993):

Pathogenesis of disseminated intravascular coagulation.

JAMA, 270 : 975.

Linko, K. and Tigerstedt, I. (1984):

Hyperpotassemia during massive blood transfusion.

Acta. Anesthesiol. Scand., 28 : 220.

Lopas, H. (1973):

Immune hemolytic transfusion reactions in monkeys. activation of the Kallikrein system.
Am. J. Physiol. 225 : 372.

Lovric, V.A.; Schuller, M. and Rose, G. (1987):

Flow properties of modified packed red cells.
Anesth intensive care., 15 : 407.

MacDonald, V.W. (1993):

Hemoglobin-mediated changes in vascular resistance are mimicked by blocking NO synthesis and eliminated by preventing NO binding, 5th international symposium on blood substitutes.
San Diego., 1993 in press.

Mannucci, P.M. (1988):

Desmopressin, a non transfusional form of treatment for congenital and acquired bleeding disorders.
Blood, 72 : 1449.

Mannucci, P.M.; Federici, A.B. and Sirchia, G. (1982):

Hemostasis testing during massive blood replacement : a study of 172 cases.
Vox. sanguinis, 42 : 113.

Mant, M.J. and King, E.G. (1979) :

Severe, acute disseminated intravascular coagulation.
Am. J. Med. 67 : 577.

Marcus, R.E. and Huehns, E.R. (1985):

Transfusional iron overload.
Clin. Lab. Haemat., 7 : 195.

Martin, E. and Ott, E. (1981):

Extreme hemodilution in the Harrington procedure.
Bible Haematol., 47 : 322.

Martin, E.; Hansen, E. and Peter, K. (1987):

Acute limited normovolemic hemodilution : a method for avoiding transfusion.

World. J. Surg., 11 : 52.

Maruyama, M.; Shinoji, K. and Ichikawa, T. (1985):

The effect of extreme hemodilution on the autoregulation and cerebral metabolic rate of oxygen in the dogs.

Stroke, 4 : 675.

Mc Cullough, J. (1993):

The Nations changing blood supply system.

JAMA, 269 : 2239.

Mc Donaland, D. and Kaplan, J.A. (1983):

Blood and volume expanders. In : Cardiac anesthesia, by Kaplan, J. A., Vol. 2, Grune & Stratton, New York.

Mc Shane, A.J.; Power, C. and Jackson, J.F. (1987):

Autotransfusion : quality of blood prepared with a red cell progressing device.

Br. J. Anaesth. 59 : 1035.

McVay, P.A.; Andrew, A. and Kapln, E.B. (1990) :

Donation reactions among autologous donors.

Transfusion, 30 : 249.

Mercuriali, F.; Zonella, A. and Barosi, G. (1993):

Use of erythropoietin to increase the volume of autologous blood donated by orthopedic patients.

Transfusion, 33 : 55.

Messmer, K.F.W. (1987):

Acceptal de hematocrit levels in surgical patients.

World, J. Surg., 11 : 41.

Messmerk, K. and Sunder - Plassmann, L. (1974):

Hemodilution.

Progr. Surg., 13 : 208.

Michenfelded, J.D.; Uihlein, A.; Daw, E.F. and Theye, R.A. (1965):

Moderate hypothermia in man haemodynamic and metabolic effects.

Br. J. Anaesth, 37 : 738.

Miller, R.D. (1973):

Complications of massive blood transfusions

Anesthesiology, 39 : 82.

Miller, R.D. (1983):

Problems posed by transfusions, in : complications in Anesthesiology by Orkin, F.K. and Cooperman, L.H. Ch. 35, P. 461, J.B. Lippincott Company, Philadelphia, Toronto.

Miller, R.D. (1990):

Transfusion therapy in : Anesthesia, 3rd Ed., Vol. 3, Ch. 48, P. 1467, Churchill. Living stone Inc., New York.

Miller, R.D. (1994):

Transfusion therapy in : Anesthesia, 4th Ed. Vol. 2, Ch. 50, P. 1619, Churchill - Living stone Inc., New York, Edinburg and London.

Miller, R.D.; Robbins, T.O. and Tong, M.J. (1971):

Coagulation defects associated with massive blood transfusions.

Ann. Surg., 174 : 794.

Miller, A.C.; Scherba - Krugliak, L.; Toy, P.T. and Drasner, K. (1991):

Hypotension during transfusion of autologous blood.

Anesthesiology, 74 : 624.

Miller, G.V.; Ramsden, C.W. and Primrose, J.N. (1991):

Autologous transfusion : an alternative to transfusion with banked blood during surgery for cancer.

Br. J. Surg., 78 : 713.

Minitz, P. (1985):

Autologous transfusion endorsed.
JAMA; 254 : 507.

Moffett, D.F. and Moffett, S.B. (1993):

Oxygen transport in the blood.
In : Human physiology foundations and frontiers, 2nd Ed.,
P. 483, Mosby, Chicago, London and Sydney.

Mohr, R.; Goor, D.A. and Yellin, A. (1992):

Fresh blood units contain large potent platelets that improve
hemostasis after open heart operations.
Ann. Thorac. Surg., 53 : 650.

Mollison, P.L.; Engelfriet, C.P. and Contreras Marcela (1993):

Blood transfusion in clinical Medicine. 9th Ed., Ch. 1, P.2,
blackwell scientific publications, London Edinburgh, and
Boston.

Morgan, P.D. and Hosking, M.P. (1992):

The role of desmopressin acetate in patients undergoing coronary
artery by pass surgery.
Anesthesiology, 77 : 38.

Morgan, G.E. and Mikhail, M.S. (1992):

Fluid management and transfusion in: Clinical Anesthesiology
1st Ed, Ch. 29, P. 481, a Lange medical book, California.

Morris, R.H. (1971):

Influence of ambient temperature on patient temperature during
intra- abdominal surgery.
Ann. Surg., 173 : 230.

Mosely, R.V. and Doly, D.B. (1970) :

Changes in the filtration characteristics of stored blood.
Ann. Surg. 171 : 329.

Murray, D.J.; Gress, K.; and Weinstein, S.H. (1992):

Coagulopathy after reinfusion of autologous scavenged red blood cells.

Anesth. Analg., 75 : 125.

Myllula, G. (1988):

New transfusion practice and hemostasis.

Acta Anaesthesiolo. scand., 32 (suppl. 89) : 76.

National Institutes of Health Consensus Conference (1985):

Fresh frozen plasma, indications and risks.

JAMA; 253 : 551.

National Institutes of Health Consensus Conference Statment (1988):

Perioperative red cell transfusion, Vol. 7, No. 4, June 27 - 29.,

U.S. Dept. of Health and Human Services, Bethesda, Maryland.

Ness, P.M.; Bourke, D.L. and Walsh, P.G. (1992):

A randomized trial of perioperative hemodilution versus transfusion of preoperatively deposited autologous blood in elective surgery.

Transfusion, 32 : 226.

Nishioka, N.S. and Dienstag, J.L. (1989):

Delta hepatitis.

N. Engl. J. Med., 312 : 1515.

Oberman, A.J.; Barnes, B.A. and Friedman, B.A. (1978):

The risk of abbreviating the major cross match in urgent or massive transfusion.

Transfusion, 18 : 137.

Ottesen, S. and Froydaker, T. (1982):

Use of haemonetics cell saver for autotransfusion in cardiovascular surgery.

Scand. J. Thorac. Cardiovasc. Surg., 16 : 263.

Ozmen, V.; McSwain, N.E. and Nichols, R. E. (1992):

Autotransfusion of potentially culture - Positive blood (CPB) in abdominal trauma : Preliminary data from aprospective study.
J. Trauma, 32 : 36.

Perkins, H.A. (1990):

Autologous transfusion.
Adv. Intern. Med., 35 : 221 - 233.

Phillps, T.F.; Saulier, B.A. and Wilson, R.F. (1987) :

Outcome of massive transfusion exceeding two blood volumes in trauma and emergency surgery.
J. Trauma., 27 : 903.

Pisciotta, P.T. (1989):

Blood transfusion therapy.
In : Aphysician's hand book, 3rd Ed., P. 2-3.
American association of Blood banks, Alrington V.A.

Pineda, A.A. and Taswell, H.S. (1975):

Transfusion reactions associated with anti IgA antibodies.
reported of 4 cases and review of literature.
Transfusion, 15 : 10.

Poipovsky, M.S.; Abel, M.D. and Moore, S.B. (1983):

Transfusion - related acute lung injury associated with the passive transfer of anti - Leukocyte Antibodies.
Am. Rev. Respir. Dis., 128 : 185.

Poiseuille, J.L.M.C.R. (1840) :

Poiseuille law.
Acad. Sci., Paris., 11 : 1041.

Preiksaitis, V.K.; Grumet, F.C.; Smith, W.K. and Merigan, T.C. (1985):

Transfusion acquired cytomegalovirus infection in cardiac surgery patients.
J. Med. Virol., 15 : 283.

Propper, R.D.; Cooper, B.; Rufo, R.R.; Nienhurs, A.W.; Anderson, W.F.; Bunn, H.F.; Rosenthal, A. and Nathan, D.G. (1977):
 Continous subcutaneous administration of deferoxamine in patients with iron over load.
 N. Eng. J. Med., 297 : 418.

Rathbun, E.J.; Nelson, E.J. and Davery, R.J. (1989):
 Post - transfsion survival of red cells frozen for 8 weeks after 42 - day liquid storage in As - 3.
 Transfusion, 29 : 213.

Reddy, D.J.; Ryan, C.J. and Shepard, A.D. (1990):
 Intraoperative autotransfusion in vascular surgery.
 Arch Surg., 125 : 1012.

Reed, R.L.; Heimback, D.M. and Counts, R.B. (1986):
 Prophylactic platelet administration during massive transfusion.
 Ann. Surg., 203 : 40.

Rice, M.J.; Violante, E.V. and Kreule, J.F. (1987):
 The effect of autotransfusion on catecholamine levels during pheochromocytoma.
 Anesthesiology, 67 : 1017.

Robicsek, F.; Duncan, G.D. and Born, G.V.R. (1986):
 Inherent dangers of simultaneous application of microfibrillar collagen hemostat and blood - saving devices.
 J. Thorac. Cardiovasc. Surg., 92 : 766.

Rose, D. and Coutosftides, T. (1981):
 Intra-operative normovolemic hemodilution.
 J. Surg. Res., 31 : 375.

Roseberg, B. (1981):
 Blood coagulation during and after normovolemic hemodilution in elective surgery.
 Ann. Clin. Res. Suppl., 13 : 84.

Roseberg, B. and Wulff, K. (1981):

Hemodynamics following normovolemic hemodilution in the elderly.

Acta. Anaesth scand., 25 : 420.

Rosina, F.; Saracco, G. and Rizzetto, M. (1985):

Risk of post - transfusion infection with the hepatitis delta virus.

N. Engl. J. Med., 312 : 1488.

Bothstein, P.; Roye, D.; Verdisco, L. and Stern, L. (1990):

Perioperative use of erythropoietin in an adolescent Jehovah's witness.

Anesthesiology, 73 : 568.

Sacks, D.A. and Koppes, R.H. (1986):

Blood transfusion and Jehovah's Witnesses : Medical and legal issues in obstetrics and gynecology.

Am. J. Obstet. Gynecol., 483 : 6.

Saleem, A.; Blifeld, C. and Saleh, S.A. (1983):

Viscoelastic measurement of clot formation : a new test of platelet function.

Ann. Clin. Lab. Sci., 13 : 115.

Santoli, E. (1993):

Safety of preoperative blood donations (for autotransfusion) for cardiac surgery patients.

Transfusion, 33 : 91.

Sazama, K. (1990) :

Reports of 355 transfusion associated deaths. 1976 through 1985.

Transfusion, 30 : 583.

Schaller, R.J.; Schaller, J. and Furman, F.B. (1984):

The advantages of hemodilution anesthesia for major liver resection in children.

J. Pediatr. Surg., 19 : 705.

- Schaller, R.T.; Schaller, J.; Morgan, A. and Furman, E.B. (1983):**
Hemodilution anesthesia : a valuable aid to major cancer surgery in children.
Am. J. Surg., 146 : 79.
- Schiffer, L.M.; Atkins, Chanana, A.D.; Cronkite, E.P.; Greenberg, M.L.; Johnson, H.A.; Robertson, J.S. and Strackmans, P.A. (1966):**
Extracorporeal irradiation of blood in humans : effects upon erythrocyte survival.
Blood, 27 : 831.
- Schmidt, P.J.; Leparac, G.F. and Samia, C.T. (1988):**
Use of Rh positive blood in emergency situations.
Surg. Gynecol. & Obstet., 167 : 229.
- Schoffstall, J.M.; Spivey, W.H.; Davidheiser, S. and Lathers, C.M. (1989):**
Intraosseous crystalloid and blood infusion in aswine model.
Jornal of trauma, 29 : 384.
- Schriemer, P.A.; Longnecker, D.E. and Mintz, P.D. (1988):**
The possible immunosuppressive effects of perioperative blood transfusion in cancer patients.
Anesthesiology, 68 : 422.
- Schweartz, S.I.; Chires, G.T.; Spencer, F.C. and Husser, W.C. (1994):**
Hemostasis, surgical bleeding and transfusion.
In : Principle of surgery, 6th, Vol. 1, P. 115, MC. Grow, Hill INC., New York, Sanfrancisco., and London.
- Seager, D.A.; Nesmith, M.A. and Begelman, K.A. (1974):**
Massive acute hemodilution for incompatible blood reaction.
JAMA, 229 : 788.

Sehgal, L.R.; Gauld, S.A. and Rosen, A.L. (1984) :

Polymerized pyridoxylated hemoglobin : a red cell substitute with normal O₂ capacity.
Surgery, 95 : 433.

Sehgal, L.R.; Rosen, A.L. and Gould, S.A. (1990):

Artificial blood.
Anesthesiology Rev., 27 (3) : 38.

Sejourné, P.; Poirier, A. and Meakins, J.L. (1989) :

Effect of hemodilution on transfusion requirements in liver resection.
lancet., 2 : 1380.

Sendak, M.J. (1993):

Monitoring and management of perioperative fluid and electrolyte therapy. In : Principles and practice of anesthesiology by : Rogers, M.C., Tinker, J.H., Covino, B.G.; Longnedker, D.E., Vol. 1, Ch. 46, P. 863, Mosby Year book, Boston, Chicago, London and Sydney.

Seyfried, H. and Walewska, I. (1987):

Immune hemolytic transfusion reactions.
World J. Surg., 11 : 25.

Shibutani, K.; Komatsu and Kubal, K. (1983):

Critical level of oxygen delivery in anesthetized man.
Crit. Care. Med., 11 : 640.

Sieunarine, K.; Longton, S.; Lawrence and Brown, M.M.D. (1990):

Elastase levels in salvaged blood and the effects of cell washing.
Aust. N. Z. J. Surg., 60 : 613.

Sieunarine, K.; Lawrence - Brown, M.M.D.; House, A.K. and Goodman, M.A. (1991):

Plasma tumour necrosis factor alpha levels in intraoperative salvaged blood.
Med. Sci. Res., 19 : 85.

Silvergleid, A.J. (1987):

Safty and effectiveness of predeposit autologous transfusion in preteen and adolescent children.
JAMA., 257 : 3403.

Silverstein, M.D.; Mulley, A.G. and Diestag, J.L. (1984):

Should donor blood be screened for elevated alanine amino transferase levels.
JAMA, 252 : 2839.

Simpson, M.B.; Geogopolons, G.; Orsini, E. and Eilert, R.E. (1992):

Autologous transfusions for orthopaedic prodecures at children's hospital.
J. Bone Joint. Surg., 744 : 652.

Sivarajan, N.; Amory, D.W. and Everett, G.B. (1989):

Blood pressure not cardiac output, determines blood loss during induced hypotension.
Anesth Analg., 59 : 203.

Solanki, D. and Mc Curdy, P.R. (1978):

Delayed hemolytic transfusion reactions: an often - missed entity
JAMA, 239 : 729.

Stone, D.J. and Difazio, C.A. (1988):

DDAVP to reduce blood loss in Johovah's witnesses.
Anesthesiology, 69 : 1028.

Spence, R.K., Carson, J.A., Poses, R. (1990) :

Elective surgery without transfusion : influence of preoperative hemoglobin level and blood loss mortality.
Am. J. Surg. 159 : 320.

Steffes, C.P.; Bender, J.S. and Levison, M.A. (1991):

Blood transfusion and oxygen consumption in surgical sepsis.
Crit. care. Med., 19 : 512.

Stehling, L. (1982):

Preoperative blood ordering
Int. Anesthesiol. Clin., 20 : 45.

Stehling, L.C. (1987):

Recent advances in transfusion therapy.
In : advances in Anesthesia by, stoelting, P.K., Barash, P.G.,
Gallagher T.J., P. 213.
Year blood medical publishers chicago.

Stehling, L.C. (1992):

Changes in transfusion practice.
Sem. in Anesth., 11 : 172.

Stehling, L. (1994):

Autologous transfusion in : Anesthessia by Miller, R.D. 4th Ed.,
Vol. 3, Ch. 51, P. 1647, Churchill Living stone Inc., New York,
Edinburg and London.

Stehling, L.C. and Scottsdale (1994):

Blood transfusion / Blood Banking : The Basic.
American society of Anesthesiologists (ASA). P.264

Stehling, L. and Zauder, H.L. (1991):

Acute normovolemic hemodilution.
Transfusion, 31 : 857.

Stein, R.A.; Messino, M.J. and Hessel, E.A. (1990):

Anesthetic implications for bone marrow transplant recipients.
Can. J. Anesth., 37 : 571.

Stephan, R.N.; Kisala, J.M. and Dean, R.E. (1988) :

Effect of blood transfusion on antigen presentation function and
on interleukin 2 generation.
Arch. Surg., 123 : 235.

Stoelting, R.K. and Dierdrof, S.F. (1993):

Coagulation disorders. In : Anesthesia and coexisting disease".
3rd. Ed. Ch 25, P. 407, Churchill - Living stone, New York,
Edinburgh, London and Tokyo.

Stoelting, R.K. and Miller, R.D. (1994):

Fluid and blood therapy In : Basics of anesthesia., 3rd. Ed., Ch.
17, P. 233, Churchill - Living stone. New York, Edinburg,
London and Tokyo.

Strautz, R.L.; Nelson, J.M.; Meyer, E.A. and Shulman, I.A. (1989):

Compatibility of ADSOL - Stored red cells with intravenous
solution.

Am. J. Emerg. Med., 7 : 162.

Sutton, D.M.C.; Shumak, K.H. and Baker, M.A. (1982):

Prophylactic granulocyte transfusion in acute leukemia.

Plasma ther. Transfus. Tech., 3 : 45.

Timberlake, G.A. and Mc Swain, N.E. (1988) :

Autotransfusion of blood contaminated by enteric contents :
a potentially life saving measure in the massively haemorrhaging
trauma patient?

J. Trauma, 28 : 855.

Tipple, M.A.; Bland, J.J. and Murphy, M.J. (1990):

Sepsis associated with transfusion of red cell : contaminated with
Yersinia enterocolitica.

Transfusion, 30 : 207.

Tremper, K.K. (1993):

Techniques and solutions to avoid Homologous blood
transfusion.

American Society of Anesthesiologists ASA. P214.