

References

1- Woolf, Clifford (2007):

Anesthesiology 106(4): 864-867, April 2007.

2- Merskey H M (1986):

Classification of chronic pain. Pain suppl, 3: 217.

3- Dennis C, Trunk, Akiko Okifuji(2001):

Pain terms and taxonomies of pain.

Chapter 2: 17-27 in Looser Bonica's management of pain, 3rd ed., editor Lippincott Williams & Wilkins.

4- Sinatra Rs, (1998):

Neural blockade in clinical Anesthesia and Management of Pain, 3rd ed. Philadelphia, Lippincott-Raven 1998, p793.

5- Sullivan MD, Loeser J D (1992):

The diagnosis of disability: Treating and rating disability in pain clinic. Archintern Med, 152: 1829-35.

6- Turk Dc, Okifuji A(1998):

The management of pain. New York, Churchill Livingstone 1998p235

7- Carl C. Hug. (2006):

Pain management in *Clinical Anesthesiology*, edited by Morgan E. & Mikhail M., 4th edition. P. 313-15.

8- Wall PD, Ronald Melzac (2002):

Pain pathways. Text book of pain 4th ed. 15: 26

9- Dubner R, Bennett GJ (1983) :

Spinal and trigeminal mechanisms or nociception.
Annu Rev Neurosc, 6: 381 – 418.

10- Willis WD, West Lund KN (1997):

Neuroanatomy of the pain system and of the pathway that modulate pain. J Clin Neurophysiol, 14 (1) : 2-31.

11- Zhang ET, Craig AD (1997):

Morphology and distribution of spinothalamic lamina I neurons in the monkey. J Neurosci, 17(9) : 3274-3284.

12- Bennett DL, French J, Priestley J V(1996):

NGF but not Nt. 3 or BDNF prevents the A fiber sprouting into lamina II of the spinal cord that occurs following axotomy. Mol cell Neurosci, 8 (4): 211-220.

13- Hylden T L , Hayashi H, Bennett GJ (1986) :

Lamina I spinomesencephalic neurons in the cat ascend via the neurons in the dorsolateral funiculi. Somatosens Res 4(1) 31 – 410

14- Trede R D, Campbell N, Myer R A (1998):

Myelinated mechanically insensitive afferents from monkey hairy skin : heat response properties. J Neurophysiology, 82: 1082-1093.

15- Enrich H, Chulder, John J, Bonica (2002):

Supraspinal mechanisms of pain and nociception in Loeser Bonica management of pain chapter 3, 153.

16- Grubb PD(1998):

Peripheral and central mechanisms of pain. Br, J Anesth 8: 8-11.

17- Yaksh TL (1998):

Neural blockade in Clinical Anesthesia and Management of Pain 3rd ed. Philadelphia, Lippincott Raven, 1998, p 727.

18- Sulka KA Willis WD, Westlund K N(1995):

The role of dorsal root reflexes in neurogenic inflammation.
Pain Forum 4: 141, 1995

19- Lamote RH, Thalanmer JG, ToebjorKHE (1982):

Peripheral neural mechanism of cutaneous hyperalgesia
following mild injury by heat. J Neurosc, 2: 765.

20- Raymond S (1998):

Acute pain management and acute pain services. Chapter 26,
793-5 in neural blockade in clinical anesthesia and
management of pain 3rd ed. Ed. Cousins M J and. P.O.
Bridgerbaugh.

21- Feild H L, Rowbotham M, Baron R(1998):

Postherpetic analgesia irritable nociceptors and differentiation.
Neurobiol Dis, 5: 209-27.

22- Woolf CJ, Thompson W N (1991):

The induction and maintenance of central sensitization is
dependent upon N-methyl. D- aspartic acid receptor
activation. Pain, 44: 293.

23- Abram SC, yaksh TL (1993):

Morphine but not inhalational anesthesia block post injury
facilitation. The role of preemptive suppression of afferent
transmission. Anesthesiology, 78: 713.

24- T Verskoy M, CozacovC, Ayache M (1990):

Postoperative pain after inguinal hernioraphy with different
types of anesthesia. Anesth Analg, 70: 29.

25- Simon DA, Sorkin LS et al (1991):

Neurogenic hyperalgesia central neural correlates in
responses of spinothalamic tract neurons.
J Neurophysiol, 66: 228- 46.

26- Chen L, Huang L, YM (1992):

Protein kinase C reduces Mg ++ block of NMDA receptor channels as a mechanism of modulation. *Nature*, 356: 521-3.

27- Draisci G, Iadarola M J (1989):

Temporal analysis of increases in c-fos, preprodynorphin and preproenkephalin mRNA in rat spinal cord molecular. *Brain Research*, 6: 31- 37.

28- Veronica D, Mitchel M D, Sirinvasa N, Raha M D (1999):

Preemptive analgesia, pathophysiology copied from essentials of pain medicine and regional anesthesia chapter 30, 140 – 1 ed Honorio, T Benzon.

29- Berslow M J (1990):

Neuroendocrine response to surgery in Berslow MJ: perioperative management : 180-193.

30- Betattie W S, Buckley D N, Forrest J B (1993):

Epidural morphine reduce the risk of postoperative myocardial ischemia in patients with cardiac risk factors. *Can J Anaesth*, 40: 523.

31- Christopherson R, Betattie C, Minert C L (1993):

Perioperative morbidity in patients randomized to epidural or general anesthesia for lower extremity vascular surgery *Anesthesiology*, 79: 1

32- Kehlet H(1984):

The stress response to anesthesia and surgery, release mechanisms and modifying factors. *Clin Anesth*, 21: 315.

33- Kehlet H (1989):

Surgical Stress: the role of pain and analgesia . *Br H Anesth*, 63: 189.

34- Kehlet H (1987):

Modification of responses to surgery by neural blockade
clinical implication neural blockade in clinical anesthesia and
management of pain by Cousins MJ and Bridenbough 2nd
ed. 145 – 188.

35- Duggan J, Drummond GBF (1987):

Activity of lower intercostal and abdominal muscle after
surgery in humans, *Anesth Analg* 66 : 852,1987 .

36- Ford GT, Whitelaw WA, Rosenal TW(1983):

Diaphragm function after upper abdominal surgery in humans
Am Rev Respir Dis 127: 431,1983.

37- Rosaeg OP, Suderman V, Yarnell RW (1992):

Early respiratory depression during cesarean section
following epidural meperidine .
Can J Anaesth 39: 71, 1992.

38- Christopherson R, Beattie C (1993):

Perioperative morbidity in patients randomized to epidural or
general anesthesia for lower extremity vascular surgery.
Anesthesiology, 79:1

39- Rosenfeld BA, Beattie C (1993):

The effects of different anesthetic regimens on fibrinolysis
and the development of postoperative arterial thrombosis.
Anesthesiology, 79: 435.

40- Wajimaz, Nakajima Y, Kim C(1995):

Comparison of continuous brachial plexus infusion of
butorphanol, mepivacaine and mepivacaine-butorphanol for
postoperative analgesia.
Br J Anesth, 75: 548.

41- Wolf C J (1989):

Recent advances in the pathophysiology of acute pain.

Br J Anesth, 63: 136-46.

42- Treede R D, Myer R A ,Raja S N (1992) :

Peripheral and central mechanisms of cutaneous hyperalgesia.

Prog Neurobiol, 38: 397-421.

43- Reech P W, Sauer S K (1997):

Chronic aspects in peripheral nociception in Jensen Ts. J A, 1990.

44- Scheplmann K, Messinger K, Schaible H.G(1992):

Inflammatory mediators and nociception in joint excitation and sensitization of slowly conducting afferents of cats knee by prostaglandin I₂. Neuroscience, 50: 237-247.

45- Wolf C J, King A E (1990):

Dynamic alterations in the cutaneous mechanonociceptive fields of dorsal horn neurons in the rat spinal cord. J Neurosci, 10 (8) : 2717-26.

46- Coderre T L, Katz J, Vaccarino A L, Melzak R (1993):

Contribution of central neuroplasticity to pathological pain, review of clinical and experimental evidence. Pain, 53: 259-85.

47- Cook A J, Wolf C J, Wall P D (1987):

Dynamic receptive field plasticity in rat spinal cord dorsal horn following c-primary afferent inputs. Nature, 325: 151-3.

48- Grubb B D, Stiller R U, Scharble H-G (1993):

Dynamic changes in the receptive field properties of spinal cord neurons with ankle input in rats with chronic unilateral inflammation in the ankle region. Experimental Brain Research, 92: 441-452.

49- Houston A J, Wong J G, Ebenzer I S (1997):

A study on the involvement of GABA receptor ligands in stress – induced antinociception in male mice methods find up. *Exp Clin pharmacol*, 19(3): 167-171.

50- Torbejork H E, Lundberg L E R (1992):

Central changes in processing of mechanoreceptive input in capsaicin-induced secondary hyperalgesia in human. *J physiol*, 448: 765-80.

51- Lendet C, Vaugopois J M, Schiffman S N (1997):

Aggressiveness hypoalgesia in mice lacking the adenosine A2 receptors. *Nature*, 338: 674-678.

52- Villanueva, Le Br S D(1995):

The activation of bulbo-spinal controls by peripheral nociceptive inputs: diffuse noxious inhibitory controls. *Bio Res*, 28(1): 113-125.

53- Dubner R, Ruda M A (1992):

Activity dependent neuronal plasticity following tissue injury and inflammation trends. *Neurosci*, 15: 96-103.

54- Igor Kissin, Riocinard B, Weisko P F (2000):

Preemptive analgesia. *Anesthesiology*, 93 (4): 1138-1148.

55- Igor Kissin (1996):

Preemptive analgesia : why its effect is not always obvious *Anesthesiology*, 84: 1015-19.

56- Katz J (1995):

Preemptive Analgesia. Evidence current status and future directions. *Eur J Anesth*, 2 (10): 8-13.

57- Lewisk S, Han N H (1997):

Tramadol (ultram): a new centrally acting analgesic. *Am J Health Syst Pharm*, 54 (66): 643-52.

58- Charles B, Sisson M D (1999):

Tramadol, copied from essential of pain medicine and regional anesthesia ed homor, t. Benzoin chapter 13:59.

59- Dayer P, Desmeules J, Collart (1997):

Tramadol(ultram). Drugs, 53(2): 18-24.

60- Sunshine A, Olson N S (1992):

Analgesic oral efficacy of tramadol hydrochloride in postoperative pain. Clin pharmacol Ther, 51: 740-746.

61- Drissen B, Reimann W(1994):

Effects of the central analgesic tramadol on the uptake and release of noradrenalin and dopamine in vitro Br J pharmacol, 108: 806-811.

62- Vaught J L, Cold EE, Connelly C D(1991) :

Tramadol as a typical opioid analgesic. Unexpected non opioid component. FASEB J, 5: A473.

63- Raffa R B, Frich E, Riemman (1992):

Opioid and nonopioid components independently contribute to the mechanism of action of tramadol. A typical opioid analgesia. J pharmacy Exp ther, 260: 275-285.

64- Lintz W, Barth H, Osterlon G (1986):

Bioavailability of central Tramadol formulations, first communication protocol. Arzneimitte Forchung, 3: 1278.

65- Lee R, Matavish D, Sorkin Sorkin S(1993):

Tramadol a preliminary review of its pharmacodynamic and pharmacokinetic properties and therapeutic potential in acute and chronic pain states. Drugs, 46: 313.

66- Liaos Hill J F, Nayak RK(1992):

Pharmakokinetics of tramadol following single and multiple doses in man Pharm Res, Supp(1): 308.

67- Scott L J, Perry CM (2000):

Tramadol: a review of its use in perioperative pain. *Drugs*, 60(1): 139-79.

68- Budd K(1994):

Chronic pain – challenge and response. *Drugs*, 47 Suppl (1): 33-8.

69- Gronds, Zech D, Lynch J(1992):

Tramadol a weak opioid for relief of cancer pain. *Pain Clin*, 5: 241.

70- Lehmann K A (1997):

Tramadol and acute pain. *Drugs*, 53(2): 25-33.

71- Osipova N A, Novikov G A, Bersonev V A, (1992):

Analgesic effect of tramadol in cancer patients with chronic pain a comparison with prolonged action curr *Ther Res*, 50: 812.

72- Van Couver W A (2000):

Drug interactions analysis and management, Hnsten PD, Horn R(ed).

73- Ilias W, Jansen M, (1996) :

Hysterectomy: an observer-blind, randomized trial of lornoxiant versus tramadol. *Br J Clin Pract* , 50: 197

74- Barkin RL(1995):

Focus on tramadol: A Centrally acting analgesic for moderate to sever pain. *Formulary*, 30: 321.

75- Rodrigues N, Pereira E R (1989):

Tramadol in cancer pain. *Curr Ther Res*, 46: 1142.

76- Erick R E (1991):

Pain control in ambulatory elderly. *Geriatrics*, 46: 49.

77- Howanitz, P J (1984):

Clinical diagnosis and management by laboratory methods :
168, 17th ed. J B, Henry Ed. W. B. Saunders Philadelphia.

78- Robins J (1973):

Metabolism, 22(8): 22

79- Burtis C A (1998):

Textbook of clinical chemistry: 1825, 2nd ed. W. B. Saunders
company Philadelphia.

80- Leslie J. Heiberg. Jennifer A (1999):

Psychological evaluation and testing. Chapter 8: 30-40 in
Essentials of pain medicine and regional anesthesia.

81- Woolf, Clifford J. (2007):

Anesthesiology 106(4) 864-867, April 2007.

82- Hall G M, Desborough J J (1992):

Interleukin – 6 and the metabolic response to surgery.
Br J Anesth, 69: 337.

83- Lavand'homme L, De Kock M, Water loos H.(2005).

Intraoperative epidural analgesia combined with ketamine
Anesthesiology 2005, 103(4): 813-20.

84- Journal Article, Am J Health – Syst Pharm, October 2006.

85- Long Y, Yue Y(2003):

Safety and analgesic efficacy of PCIA with tramadol.
Chin med J(Engl). 2003: 116 (11): 1752-5.

86- Yavuz L; Eroglu F; Ozsoy M (2004).

The efficacy of intravenous versus epidural tramadol with
PCA in gynecologic cancer pain Eur J Gynaecol Oncol. 2004;
25(2) : 215-8.

87- Turker G , Goren S ; Bayram S, Sahin S; Korfali G(2005):

Epidural morphine for pain relief after thoracotomy.

J Cardiothoracic Vasc Anesth. 2005, 19 (4): 468-74.

88- Desbrough J P (2000):

The stress response to trauma and surgery. Br J Anesth 8:
109- 17.

89- Wordliczek J. et.al., (2002):

(preemptive or preventive analgesia) on tramadol requirement
in the early postoperative period. Pol J Pharmacol. 2002;
54(6):693-7.