

REFERENCES

- Akande, V. (2002):** Tubal pelvic damage: prediction and prognosis. Human Fertility, Cambridge , Suppl 1: 15 - 20.
- Akande, V. A., Hunt, L. P., Cahill, D. J.,and Caul, E. O., (2003) :** Tubal damage in infertile women: prediction using *chlamydia* serology. Human Reproduction 18: 1841 - 1847.
- Andrews, W. W., Goldenberg, R. L., Mercer, B., and Iams, J., (2000):** The Preterm Prediction Study: association of second-trimester genitourinary *chlamydia* infection with subsequent spontaneous preterm birth. American Journal of Obstetrics & Gynecology 183: 662 - 868.
- Anguenot, J. L., de Marval, F.,and Vassilakos, P.,(2001):** Combined screening for *Chlamydia trachomatis* and squamous intra-epithelial lesions using a single liquid-based cervical sample. Human Reproduction 16: 2206 - 2210.
- Anonymous (1999):** National guideline for the management of pelvic infection and perihepatitis. Clinical Effectiveness Group (Association of Genitourinary Medicine and the Medical Society for the Study of Venereal Diseases). *Sexually Transmitted Infections* 75, Suppl 1; S54 - S56.
- Antilla, T., P. Saikku, P. Koskela, A. and Bloigu, J. (2001):** Serotypes of *Chlamydia trachomatis* and risk for development of cervical squamous cell carcinoma. JAMA 285:47–51.
- Ault KA, and Faro S. (1993):** Pelvic inflammatory disease. Postgrad Med.; 93(2); 85-86, 89-91.
- Baerheim, A., Digranes,A.and Hunskaar, S. (1999):** Equal symptomatic outcome after antibacterial treatment of acute lower urinary

tract infection and the acute urethral syndrome in adult women. Scandinavian Journal of Primary Health Care 17: 170 - 173.

Bailey, R., Duong, T., Carpenter, R., Whittle, H. and Mabey, D. (1999): The duration of human ocular *Chlamydia trachomatis* infection is age dependent. Epidemiol Infect, 123: 479-486.

Barnes, RC. (1989): Laboratory diagnosis of human Chlamydial infections. Clin. Microbiol Rev; 2(2): 119-136.

Bauwens, J. E., Lampe, M. F., Suchland, R. J.,and Wong, K. (1995): Infection with *Chlamydia trachomatis* lymphogranuloma venereum serovar L1 in homosexual men with proctitis: molecular analysis of an unusual case cluster. Clinical Infectious Diseases 20: 576 - 581.

Bavoil, P.M., Hsia, R-C., Brunham, R.,and Fraser, C. M. (2000): *Chlamydia psittaci* GPIC and *Chlamydia pneumoniae* are infected by virtually identical bacteriophages In: Proceedings of the Fourth Meeting of the European Society for *Chlamydial* Research (Saikku, P. ed)., pub Editrice Esculapio, Bologna, Italy. 23.

Beatty, W. L., Morrison, R. P.and Byrne, G. I. (1994). Persistent chlamydiae: from cell culture to a paradigm for chlamydial pathogenesis. Microbiology Reviews 58: 686 - 699.

Bedson SP, Westerm GT,and Simpson SL.(1930): Observation on the aetiology of *Psittacosis*.Lancet;1:235-6

Beebe, J. L., Gershman, K. A., Kelley, J. K.,and Hagner, D. (1999): How adequate is adequate for the collection of endocervical specimens for *Chlamydia trachomatis* testing? Sexually Transmitted Disease 26: 579 – 583

Beebe, J. L., Masters, H., Jungkind, D.,and Heltzel, D. M. (1996): Confirmation of the Syva MicroTrak enzyme immunoassay for

Chlamydia trachomatis by Syva Direct Fluorescent Antibody Test. Sexually Transmitted Diseases 23: 465 - 470.

Belland, R. J., Scidmore, M. A.,and Crane, D. D., (2001): *Chlamydia trachomatis* cytotoxicity associated with complete and partial cytotoxicity genes. Proceedings of the National Academy of Sciences of the U. S. A. 98: 13984 - 13989.

Belland, R. J., Zhong, G., Crane, D. D.,and Hogan, D., (2003): Genomic transcriptional profiling of the developmental cycle of *Chlamydia trachomatis*. Proceedings of the National Academy of Sciences of the U S A. 100: 8478 - 8483.

Bevan, C. D., Johal, B. J., Mumtaz, G.,and Ridgway, G. L. (1995): Clinical, laparoscopic and microbiological findings in acute salpingitis: report on a United Kingdom cohort. British Journal of Obstetrics and Gynaecology 102, 407 - 414.

Bianchi, A., Moret, F., Desrues, J. M.,and Champenois, T., (2002): PreservCyt Transport Medium Used for the ThinPrep Pap Test Is a Suitable Medium for Detection of *Chlamydia trachomatis* by the COBAS AMPLICOR CT/NG Test: Results of a Preliminary Study and Future Implications. Journal of Clinical Microbiology 40: 1749 - 1754.

Birch, L., Dawson, C. E., Cornett, J. H.and Keer, J. T. (2001): A comparison of nucleic acid amplification techniques for the assessment of bacterial viability. Letters in Applied Microbiology 33: 296 - 301.

Bjartling, C., Osser, S.and Persson, K. (2000): The frequency of salpingitis and ectopic pregnancy as epidemiologic markers of *Chlamydia trachomatis*. Acta Obstetrica Gynecologica Scandinavica 79: 123 - 128.

Black, C. M., Marrazzo, J., Johnson, R. E., Hook, E. W.,and Jones, R. B., (2002): Head-to-head multicenter comparison of DNA

probe and nucleic acid amplification tests for *Chlamydia trachomatis* infection in women performed with an improved reference standard. *Journal of Clinical Microbiology* 40: 3757 - 3763.

Boisvert R, Cote A, and Poulin A. (1993): Prevalence of cervical *Chlamydia trachomatis* infection in female population seeking contraception counseling. *Can Med Assoc J.*; 15; 148(2): 191-5.

Bragina, E. Y., Gomberg, M. A. and Dmitriev, G. A. (2001): Electron microscopic evidence of persistent chlamydial infection following treatment. *Journal of the European Academy of Dermatology and Venereology* 15: 405 – 409

Brocklehurst, P. and Rooney, G. (2002): Interventions for treating genital *Chlamydia trachomatis* infection in pregnancy (Cochrane Review). In: *The Cochrane Library*, Issue 3 Oxford: 45-55.

Brooks, G. F.; Butel, J. S. and Morse, S.A. (2004): Chlamydiae In: *Review of Jawetz, Melnick, & Adelberg's (eds) Medical Microbiology*. 23rd edition, Appleton And Lang: 358-359.

Brown, J., Howie, S. E. and Entrican, G. (2001): A role for tryptophan in immune control of chlamydial abortion in sheep. *Veterinary Immunology and Immunopathology* 82: 107 - 119.

Brunham, R. C. (1999): Human immunity to Chlamydiae. 238. In: *Chlamydia. Intracellular biology, pathogenesis and immunity*. (Stephens, R. S. ed.). ASM Press, Washington D.C. 211-238.

Burstein GR, Gaydos CA, Diener-West M, Howell MR, Zenilman JM and Quinn TC. (1998): Incident *Chlamydia trachomatis* infections among inner-city adolescent females. *JAMA*. 280:521-526.

Byrne, G. I. (1998): In *Chlamydial Infections* (Eds, Stephens, R. S., Byrne, G. I., Christensen, G., Clarke, I. N., Grayston, J. T.,

Rank, R. G., Ridgway, G. L., Saikku, P., Schachter, J. and Stamm, W. E.). 365-374.

Caldwell, H. D., Wood, H., Crane, D., and Bailey, R., (2003): Polymorphisms in *Chlamydia trachomatis* tryptophan synthase genes differentiate between genital and ocular isolates. Journal of Clinical Investigation 111: 1757 - 1769.

Carabeo, R. A. and Hackstadt, T. (2001): Isolation and characterization of a mutant Chinese hamster ovary cell line that is resistant to *Chlamydia trachomatis* infection at a novel step in the attachment process. Infection and Immunity 69: 5899 - 5904.

Carabeo, R. A., Mead, D. J. and Hackstadt, T. (2003): Golgi-dependent transport of cholesterol to the *Chlamydia trachomatis* inclusion. Proceedings of the National Academy of Sciences U S A. 100: 6771 - 6776.

Center of Disease Control of Sexually Transmitted Illness Treatment guidelines, May 2002 CDC Atlanta .

Cheesbrough, M. (2000): Appendix 1 In: Cheesbrough, M. (ed) District Laboratory Practical In Tropical Countries. Part 2. Cambridge University Press. 387-388.

Cheesbrough, M. (2000): Microscopical techniques used in microbiology. In: Cheesbrough, M. (ed) District Laboratory Practical In Tropical Countries. Part 2. Cambridge University Press. 44-45.

Chen, B., Stout, R. and Campbell, W. F. (1996): Nitric oxide production: a mechanism of *Chlamydia trachomatis* inhibition in interferon-gamma-treated RAW264.7 cells. FEMS Immunol. Med. Microbiol., 14: 109-120.

Cheng, H., Macaluso, M., Vermund, S. H. and Hook, E. W. (2001): Relative accuracy of nucleic acid amplification tests and culture in detecting *Chlamydia* in asymptomatic men. Journal of Clinical Microbiology 39: 3927 - 3937.

- Chernesky, M. A. (1999):** Nucleic acid tests for the diagnosis of sexually transmitted diseases. *FEMS Immunology and Medical Microbiology* 24: 437 - 446.
- Chernesky, M. A. (2002):** *Chlamydia trachomatis* diagnostics. *Sexually transmitted infections* 78: 232 - 234.
- Chernesky, M., Jang, D., Copes, D., Patel, J., and Petrich A J. (2001):** Comparison of a polymer conjugate-enhanced enzyme immunoassay to ligase chain reaction for diagnosis of *Chlamydia trachomatis* in endocervical swabs. *J* 39 : 2306 - 2307.
- Chernesky, M., Jang, D., Luinstra, K., and Chong, S., (2006):** High Analytical Sensitivity and Low Rates of Inhibition May Contribute to Detection of *Chlamydia trachomatis* in Significantly More Women by the APTIMA Combo 2 Assay. *J. Clin. Microbiol.* 44: 400-405
- Chopra, I., Storey, C., Falla, T. J. and Pearce, J. H. (1998):** Antibiotics, peptidoglycan synthesis and genomics: the *chlamydial* anomaly revisited. *Microbiology* 144: 2673 - 2678.
- Cohen, C. R. and Brunham, R. C. (1999):** Pathogenesis of Chlamydia induced pelvic inflammatory disease. *Sex Transm Infect*, 75:21-24.
- Cohen CR, Manhart LE, and Bukusi EA (2002):** Association between *Mycoplasma genitalium* and acute endometritis. *Lancet* 359: 765 - 766.
- Cohen, C. R., Gichui, J., Rukaria, R., and Sinei, S. S., (2003):** Immunogenetic correlates for *Chlamydia trachomatis*-associated tubal infertility. *Obstetrics and Gynecology* 101: 438 - 444.

- Cohen, C. R., Nguti, R., Bukusi, E. A., Lu, H., Shen, C. and, Luo, M., (2000):** Human immunodeficiency virus type 1-infected women exhibit reduced interferon-gamma secretion after *Chlamydia trachomatis* stimulation of peripheral blood lymphocytes. *J Infect Dis*, 182: 1672-1677.
- Cohen, C. R., Sinei, S., Bukusi, E., Bwayo, J., Holmes, K. and Brunham, R. (2000):** Human leukocyte antigen class II DQ alleles associated with *Chlamydia trachomatis* tubal infertility. *Obstetrics and Gynecology* 95: 72 – 77.
- Corsaro, D., Valassina, M. and Venditti, D. (2003):** Increasing diversity within *Chlamydiae*. *Critical Reviews of Microbiology* 29: 37 - 78.
- Cram, L. F., Zapata, M. I., Toy, E. C. and Baker, B. (2002):** Genitourinary infections and their association with preterm labor. *American Family Physician* 65: 241 - 248.
- Davies P O, and Ridway G L. (1997):** The role of polymerase chain reaction and ligase chain reaction for the detection of *Chlamydia trachomatis*. *Int J STD AIDS*. 8:731–7385.
- de la Maza, L. M. and Peterson, E. M. (2002):** Vaccines for *Chlamydia trachomatis* infections. *Curr Opin Investig Drugs*. 3, 980-986
- Dean, D., Suchland, R. J., and Stamm, W. E. (2000):** Evidence for long-term cervical persistence of *Chlamydia trachomatis* by omp1 genotyping. *Journal of Infectious Diseases* 182: 909 - 916.
- Demaio, J., Boyd, R. S., Rensi, R. and Clark, A. (1991):** False-positive Chlamydiazyme results during urine sediment analysis due to bacterial urinary tract infections. *J* 29: 1436 - 1438.
- Doing, K. M., Curtis, K., Long, J. W. and Volock, M. L. (1999):** Prospective comparison of the Gen-probe PACE 2 assay and the Abbott ligase chain reaction for the direct detection of

Chlamydia trachomatis in a low prevalence population. Journal of Medical Microbiology 48: 507 - 510.

Duke Elder WS. (1965): System of ophthalmology. London Henry Kimptom. Volum VIII. Part 1:254-303.

Eb, F., Orfila, J. and Lefebvre, J. F. (1976): Ultrastructural study of the development of the agent of ewe's abortion. Journal of Ultrastructure Research 56: 177 - 185.

Eckert LO, Suchland RJ, and Hawes SE, (2002): Quantitative *Chlamydia trachomatis* cultures: correlation of chlamydial inclusion forming units with serovar, age, gender, and race. J Infect Dis . 182:540-4.

Eko, F. O., Lubitz, W. and Igiyetseme, J. U. (2001): In 101st Gen Meeting of ASM, Vol. Ab. E-58 Orlando FL. 341.

Eko, F. O., Witte, A., Huter, V., and Kuen, B., (1999): New strategies for combination vaccines based on the extended recombinant bacterial ghost system. Vaccine, 17: 1643-1649.

Evan, R.T and Woodland, R.M. (1983): Detection of Chlamydiae by isolation and direct examination. Br. Med. Bull., 39:181.

Everett, K. D. E. and Andersen, A. A. (2001): Radical changes to chlamydial taxonomy are not necessary just yet - reply. International Journal of Systematic and Evolutionary Microbiology 51: 250.

Everson J. S., Garner, S. A., Fane, B., and Liu, B. L., (2002): Biological Properties and Cell Tropism of Chp2, a Bacteriophage of the Obligate Intracellular Bacterium *Chlamydomonas* abortus. Journal of Bacteriology 184: 2748 - 2754.

- Fan, T., Lu, H., Hu, H., Shi, L.,and McClarty, G. A., (1998):** Inhibition of apoptosis in *chlamydia*-infected cells: blockade of mitochondrial cytochrome c release and caspase activation. J.Exp.Med, 187:487-496.
- Farencena, A., Comanducci, M., Donati, M.,and Ratti, G.,(1997):** Characterization of a new isolate of *Chlamydia trachomatis* which lacks the common plasmid and has properties of biovar trachoma. Infection and Immunity 65: 2965 - 2969.
- Finan, R. R., Tamim, H.and Almawi, W. Y. (2002):** Identification of *Chlamydia trachomatis* DNA in *human papillomavirus* (HPV) positive women with normal and abnormal cytology. Archives of Gynecology and Obstetrics 266: 168 - 171.
- Freidank, H. M., Billing, H. and Wiedmann-Al-Ahmad, M. (2001):** Influence of iron restriction on *Chlamydia pneumoniae* and *C. trachomatis*. J Med Microbiol, 50: 223-227.
- Gaydos CA, Howell MR, Quinn TC,and McKee KT Jr, (2003):** Sustained high prevalence of *Chlamydia trachomatis* infections in female army recruits. Sex Transm Dis.; 30:539-44.
- Geisler, W.M., Suchland, R. J.,Daniel D.and Rockey, (2001):** Epidemiology and clinical manifestations of unique *Chlamydia trachomatis* isolates that occupy nonfusogenic inclusions . J. Infect. Dis. 184: 879-884.
- Geisler, W. M., Suchland, R. J., Whittington, W. L.and Stamm, W. E. (2001):** Quantitative culture of *Chlamydia trachomatis*: relationship of inclusion-forming units produced in culture to clinical manifestations and acute inflammation in urogenital disease. Journal of Infectious Diseases 184: 1350 - 1354.
- Geisler, W. M., Suchland, R. J., Whittington, W. L. and Stamm, W. E. (2003):** The relationship of serovar to clinical manifestations of

urogenital Chlamydia trachomatis infection. Sexually Transmitted Diseases 30: 160 - 165.

Gentschev, I., Dietrich, G., Spreng, S., and Kolb-Maurer, (2000): Delivery of protein antigens and DNA by virulence-attenuated strains of *Salmonella typhimurium* and *Listeria monocytogenes*. J Biotechnol, 83, 19-26.

Gerard, H. C., Freise, J., Wang, Z., and Roberts, G., (2002): *Chlamydia trachomatis* genes whose products are related to energy metabolism are expressed differentially in active vs. persistent infection. Microbes and Infection 4: 13 - 22.

Gerard, H. C., Krausse-Opatz, B., and Wang, Z., (2001). Expression of *Chlamydia trachomatis* genes encoding products required for DNA synthesis and cell division during active versus persistent infection. Molecular Microbiology 41, 731 - 741.

Gerbase, A. C., Rowley, J. T., and Heymann, D. H., (1998): Global prevalence and incidence estimates of selected curable STDs. Sexually Transmitted Infections 74, Suppl 1: 12 - 16.

Gordan FB, and Quan AL. (1965): Isolation of the trachoma agent in cell culture. Proc Exp Biol Med; 118:354-359.

Grayston J.T, Kuo CC, and Wang.S.P. (1986): A new *Chlamydia Psittaci* strain TWAR, isolated from acute respiratory tract infections. New England Journal of medicine. 315:161-168.

Grayston JT, and Wang SP. (1975): New knowledge of *Chlamydia* and the diseases they cause. J Infect Dis; 132:87-105.

Grieshaber, S. S., Grieshaber, N. A. and Hackstadt, T. (2003): *Chlamydia trachomatis* uses host cell dynein to traffic to the microtubule-organizing center in a p50 dynamitin-independent process. Journal of Cell Science 116: 3793 - 3802.

- Griffiths, E. and Gupta, R. S. (2002):** Protein signatures distinctive of *chlamydial* species: horizontal transfers of cell wall biosynthesis genes *glmU* from archaea to *chlamydiae* and *murA* between *chlamydiae* and *Streptomyces*. *Microbiology* 148: 2541 - 2549.
- Grimes, D. A. and Schulz, K. F. (2001):** Antibiotic prophylaxis for intrauterine contraceptive device insertion. *Cochrane Database Systematic Reviews*; (2): 32-35.
- Hackstadt, T. (1998):** The diverse habitats of obligate intracellular parasites. *Current Opinion in Microbiology* 1: 82 - 87.
- Hackstadt, T. (1999):** Cell biology. In: *Chlamydia: Intracellular Biology, Pathogenesis, and Immunity*. Edited by R. S. Stephens. Washington, D.C.: ASM Press. 101-138.
- Hallerstrom S, and Wassen E. (1980):** Quoted from Taylor Robinson D, Thomas BJ. The role of *Chlamydia trachomatis* in genital tract and associated diseases. *J Clin Pathol*; 33: 205-33.
- Halvorsen, D. S., Borvik, T., Njolstad, I., and Gutteberg, T. J., (2002):** *Chlamydia pneumoniae* IgA- and IgG antibodies in young survivors of myocardial infarction. A comparison of antibody detection by a microimmunofluorescence test and an enzyme immunoassay. *Journal of Internal Medicine* 251: 142 - 147.
- Hamilton-Miller, J. M. (1994):** The urethral syndrome and its management. *Journal of Antimicrobial Chemotherapy* 33, Suppl A: 63 - 73.
- Hammerschlag, M. R., Gelling, M., Roblin, P. M., and Kutlin, A. (1998):** Treatment of neonatal *chlamydial* conjunctivitis with azithromycin. *Pediatric Infectious Diseases Journal* 17: 1049 - 1050.

- Hanna L. (1977):** Microscopic demonstration of Chlamydial inclusions by Giemsa, Iodine or Immunofluorescence stain. *Microbiology*; 18: 266-71.
- Hatch, T. P. (1999):** Developmental Biology. In *Chlamydia: Intracellular Biology, Pathogenesis, and Immunity*. Edited by R. S. Stephens. Washington, D.C.: ASM Press. 29 - 67
- Henry-Suchet, J. (1997):** Hormonal contraception and pelvic inflammatory disease. *European Journal of Contraception & Reproductive Health Care* 2:263 - 267.
- Herieka, E.and Dhar, J. (2001):** Acute neonatal respiratory failure and *Chlamydia trachomatis*. *Sexually Transmitted Infections* 77: 135 - 136.
- Howard, L. V., Coleman, P. F.,and England, B. J (1986).** Evaluation of Chlamydiazyme for the detection of genital infections caused by *Chlamydia trachomatis*. *Journal of Clinical Microbiology* 23: 329 - 332.
- Hsia, R-C., Ohayon, H., Gounon, P., Dautry-Varsat, A and Bavoil, P. M. (2000a):** Phage infection of the obligate intracellular bacterium, *Chlamydia psittaci* strain Guinea Pig Inclusion Conjunctivitis. *Microbes and Infection* 2: 761 - 772.
- Hsia, R-C., Ting, L-M.and Bavoil, P. M. (2000b):** Microvirus of *Chlamydia psittaci* strain guinea pig inclusion conjunctivitis: isolation and molecular characterization. *Microbiology UK*, 146: 165-1660.
- Hu D, Hook EW III,and Goldie SJ. (2004):** Screening for *Chlamydia trachomatis* in women 15 to 29 years of age: a cost-effectiveness analysis. *Ann Intern Med*.;141:501-513.
- Igietseme, J. U., Ananaba, G. A.,and Bolier, J., (2000):** Suppression of endogenous IL-10 gene expression in dendritic cells enhances

antigen presentation for specific Th1 induction: potential for cellular vaccine development. J. Immunol, 164: 4212-4219.

Igietseme, J. U., Ananaba, G. A., and Bolier, J., (1999): The intercellular adhesion molecule type-1 is required for rapid activation of T helper type 1 lymphocytes that control early acute phase of genital *chlamydial* infection in mice. Immunol, 98: 510-519.

Igietseme, J. U., Black, C. M. and Caldwell, H. D. (2002): *Chlamydia* vaccines: strategies and status. BioDrugs, 16: 19-35.

Igietseme, J. U., Uriri, I. M., and Kumar, S. N., (1998): Route of infection that induces a high intensity of gamma interferon-secreting T cells in the genital tract produces optimal protection against *Chlamydia trachomatis* infection in mice. Infect. Immun, 66: 4030-4035

Inhorn, S. L., Wand, P. J., and Wright, T. C., (2001): *Chlamydia trachomatis* and Pap testing from a single, fluid-based sample. A multicenter study. Journal of Reproductive Medicine 46: 237 - 242.

Ismail MA, Pridjian G, and Hibbard JU. (1992): Significance of positive cervica; culture for *Chlamydia trachomatis* patients with preterm rupture of membranes. Am. J. Perinatol.; 9: 5-6.

Johansson, M., Schon, K., and Ward, M., (1997a): Genital tract infection with *Chlamydia trachomatis* fails to induce protective immunity in gamma interferon receptor-deficient mice despite a strong local immunoglobulin A response. Infect. Immun, 65:1032-1044.

Jones BR, and Treharne JD. (1984): Micro-immunofluorescence type specific serological tests for *Chlamydial infection*. Proc. R Soc Med; 67:735-736.

- Jones BR. (1974):** Laboratory tests for Chlamyial infection: Their role in epidemiologic studies of trachoma and its control.Br J Ophthalmol 58: 438-454.
- Jones, B. R., Collier, L. H.and Smith, C. H. (1959):** Isolation of virus from inclusion blenorrhoea. Lancet i: 902 - 905.
- Joyner, J. L., Douglas, J. M. Jr., Foster, M.and Judson FN. (2002):** Persistence of *Chlamydia trachomatis* infection detected by polymerase chain reaction in untreated patients. Sexually Transmitted Diseases 29: 196 - 200.
- Jutras, I., Abrami, L.and Dautry-Varsat, A. (2003):** Entry of the *Lymphogranuloma Venereum* Strain of *Chlamydia trachomatis* into Host Cells Involves Cholesterol-Rich Membrane Domains. Infection and Immunity 71: 260 - 266.
- Kalman, S., Mitchell, W.,and Marathe, R., (1999):** Comparative genomes of *Chlamydia pneumoniae* and *C. trachomatis*. Nature Genetics. Chromosome map *C. pneumoniae*. Functional assignments table of genes in *C. pneumoniae* and *C. trachomatis* 21: 385-389.
- Koutsky, L. A., Holmes, K. K.,and Critchlow, C. W., (1992):** A cohort study of the risk of cervical intraepithelial neoplasia grade 2 or 3 in relation to *papillomavirus* infection. New England Journal of Medicine 327: 1272 - 1278.
- Krech F,Coleman R,and Ripa B.(1989):** Serological tests for diagnosis of *C.trachomatis* J. Clin. Microb. 14:937-939.
- Kristen J. Mertz, MD, Raymond L.and Ransom, MPH., (2001):** Prevalence of Genital *Chlamydial* Infection in Young Women Entering a National Job Training Program, 1990–1997 August American Journal of Public Health; Vol 91,No.8:1287-1290.

- Krohn, M. A., Hillier, S. L., and Bell, T. A., (1993):** The bacterial etiology of conjunctivitis in early infancy. Eye Prophylaxis Study Group. American Journal of Epidemiology 138: 326 - 332.
- Kutlin, A., Flegg, C., Stenzel, D., and Reznik, T., 2001):** Ultrastructural study of *Chlamydia pneumoniae* in a continuous-infection model. Journal of Clinical Microbiology 39: 3721 - 3723.
- Kutlin, A., Roblin, P. M. and Hammerschlag, M. R. (2002a):** Effect of gemifloxacin on viability of *Chlamydia pneumoniae* (*Chlamydophila pneumoniae*) in an in vitro continuous infection model. Journal of Antimicrobial Chemotherapy. 40: 255-260.
- Lampe, M. F., Wilson, C. B., and Bevan, M. J. (1998):** Gamma interferon production by cytotoxic T lymphocytes is required for resolution of *Chlamydia trachomatis* infection. Infect. Immun, 66: 5457-5461.
- Lau, C. Y. and Qureshi, A. K. (2002):** Azithromycin versus doxycycline for genital *chlamydial infections*: a meta-analysis of randomized clinical trials. Sexually Transmitted Diseases 29: 497 - 502.
- Lauderdale, T. L., Landers, L., Thorneycroft, I. and Chapin, K. (1999):** Comparison of the PACE 2 assay, two amplification assays, and Clearview EIA for detection of *Chlamydia trachomatis* in female endocervical and urine specimens. Journal of Clinical Microbiology 37: 2223 - 2229.
- Laura E. Welsh, Thomas C. Quinn, and Charlotte A (1997):** Influence of Endocervical Specimen Adequacy on PCR and Direct Fluorescent-Antibody Staining for Detection of *Chlamydia trachomatis* Infections Journal of Clinical Microbiology, Vol. 35, No. 12 : 3078–3081
- LaVerda, D., Kalayoglu, M. V. and Byrne, G. I. (1999):** Chlamydial heat shock proteins and disease pathology: new paradigms for old problems? Infect Dis Obstet Gynecol, 7 : 64-71.

- Lehtinen, M., Dillner, J., and Knekt, P., (1996):** Serologically diagnosed infection with *human papillomavirus* type 16 and risk for subsequent development of cervical carcinoma: nested case-control study. *British Medical Journal* 312: 537 - 539.
- Lentrichia, B. B., Hecht, S. S., Lapen, D. and Corkill, M. K. (1998):** Potential for routine concurrent determination of *chlamydia* and cervical abnormalities by single fluid-based sampling. *Primary Care Update in Obstetrics and Gynaecology* 5: 149 - 150.
- Lisby, G. (1999):** Application of nucleic acid amplification in clinical microbiology. *Molecular Biotechnology* 12: 75 - 99.
- Liu, B. L., Everson, J. S., Fane, B., Giannikopoulou, P., and Vretou, E., (2000):** Molecular characterization of a bacteriophage (Chp2) from *Chlamydia psittaci*. *Journal of Virology* 74: 3464 - 3469.
- Locksmith, G. and Duff, P. (2001):** Infection, antibiotics and preterm delivery. *Seminars in Perinatology* 25: 295 - 309.
- Loeffelholz, M. J., Jirsa, S. J., Teske, R. K. and Woods, J. N. (2001):** Effect of endocervical specimen adequacy on ligase chain reaction detection of *Chlamydia trachomatis*. *Journal of Clinical Microbiology* 39: 3838 - 3841.
- Loomis, P. W. and Starnbach, M. N. (2002):** T cell responses to *Chlamydia trachomatis*. *Current Opinion in Microbiology*, 5: 87-91.
- Louis, C., Nicolas, G., Eb, F., Lefebvre, J. F. and Orfila, J. (1980):** Modifications of the envelope of *Chlamydia psittaci* during its developmental cycle: freeze-fracture study of complementary replicas. *Journal of Bacteriology* 141: 868 – 875.
- Lovett, M., Kuo, K-K., Holmes, K., and Falkow, S. (1980):** Plasmids of the genus *Chlamydia*. In: *Current chemotherapy and infectious*

diseases, (Eds Nelson, J. & Grassi, C.) published by American Society of Microbiology, Washington DC. vol 2 :1250-1252.

Low, N., Egger, M., Simms, I. and Herrmann B. (1999): Contrasting trends in rates of genital *chlamydial infection* and ectopic pregnancy in South East Thames Region, England and Uppsala County, Sweden: ecological study. *Journal of Epidemiology and Community Health* 53: 438 - 439.

Lucisano A, Morandotti G and Marana R. (1992): *Chlamydial genital infections and Laparoscopic finding infertile women.* *Eur J Epidermiol.*; 8(5): 645-9.

Lynch, C. M., Felder, T. L., Schwandt, R. A. and Shashy, R. G. (1999): *Lymphogranuloma venereum* presenting as a rectovaginal fistula. *Infectious Diseases in Obstetrics & Gynecology* 7: 199 - 201.

Mahony JB, Coombs BK and, Chernecky MA (2003): Chlamydia and chlamydophila. In: *Manual of Clinical Microbiology* Mahony JB(ed)., 8th edition. Murray, ASM press. 455-469.

Makarova, K. S., Aravind, L. and Koonin, E. V. (2000): A novel superfamily of predicted cysteine proteases from eukaryotes, viruses and *Chlamydia pneumoniae*. *Trends in Biochemical Science* 25: 50 – 52.

Mandle, Douglas, and Bennett's (2000): Chlamydial diseases: In: *Mandle, Douglas, and Bennett's (eds) Principles and Practice of Infectious Diseases .Vol 2 Section C.* Churchill Livingstone: 367-375.

Mangione-Smith R, McGlynn EA, and Hiatt L. (2000): Screening for chlamydia in adolescents and young women. *Arch Pediatr Adolesc Med.* 154:1108-1113.

- Manhart, L. E., Critchlow, C. W., Holmes, K. K., and Dutro, S. M., (2003):** Mucopurulent cervicitis and *Mycoplasma genitalium*. Journal of infectious diseases 187: 650 - 657.
- Marrazzo, J. M., Handsfield, H. H. and Whittington, W. L. (2002):** Predicting *chlamydial* and *gonococcal* cervical infection: implications for management of cervicitis. Obstetrics and Gynecology 100: 579 – 584.
- Massoud M, Noweir A, and Salah M. (1991):** Chlamydial infection in Riyadh, Sudi Arabi. J Egypt Public Health Assoc. 66(3-4): 411-9.
- Matsumoto, A. (1982a):** Surface projections of *Chlamydia psittaci* elementary bodies as revealed by freeze-deep-etching. Journal of Bacteriology 151: 1040 – 1042.
- Matsumoto, A. (1988):** Structural characteristics of chlamydial bodies.. In: Microbiology of Chlamydia. (Baron, A. L. ed.). CRC Press., Boca Raton, Fl. 21-45.
- McClarty, G. (1999):** Chlamydial metabolism as inferred from the complete genome sequence. In: (Stephens, R. S. editor) *Chlamydia* Intracellular Biology, Pathogenesis and Immunity. ASM Press, Washington. 69-100.
- McCoy, A. J., Sandlin, R. C. and Maurelli, A. T. (2003):** In vitro and in vivo functional activity of Chlamydia MurA, a UDP-N-acetylglucosamine enolpyruvyl transferase involved in peptidoglycan synthesis and fosfomycin resistance. Journal of Bacteriology 185: 1218 - 1228.
- Miller WC, Ford CA, Morris M, and Handcock MS., (2004):** Prevalence of *chlamydial* and *gonococcal* infections among young adults the United States. JAMA. 2004;291:2229-36.
- Millman, K. L., Tavaré, S. and Dean, D. (2001):** Recombination in the *ompA* gene but not the *omcB* gene of *Chlamydia* contributes to

serovar-specific differences in tissue tropism, immune surveillance, and persistence of the organism. FEMS Immunology and Medical Microbiology 32: 255 - 265.

Miyashita, N., Matsumoto, A., Fukano, H., and Niki, Y. (2001): The 7.5-kb common plasmid is unrelated to the drug susceptibility of *Chlamydia trachomatis*. Journal of Infection and Chemotherapy 7: 113 – 116.

Mladenov, I. V., Haralambieva, I. H., Iankov, I. D. and Mitov, I. G. (2002): Characterisation of 20-kDa lectin-spermagglutinin from *Arum maculatum* that prevents *Chlamydia pneumoniae* infection of L-929 fibroblast cells. FEMS Immunology and Medical Microbiology 32: 249 - 254.

Moncada, J., Schachter, J., and Bolan, G., (1990): Confirmatory assay increases specificity of the Chlamydiazyme test for *Chlamydia trachomatis* infection of the cervix. Journal of Clinical Microbiology 28: 1770 - 1773.

Moore, T., Ananaba, G. A., Bolier, J., and Bowers, S., (2002): Fc receptor regulation of protective immunity against *Chlamydia trachomatis*. Immunol, 105: 213-221.

Moore, T., Ekworomadu, C. O., and Eko, F. O., (2003): Fc receptor-mediated antibody regulation of T cell immunity against intracellular pathogens. Journal of Infectious Diseases 188: 617 - 624.

Morre, S. A., R. van Dijk, C. J. and Meijer, A. J. (2001): Pooling cervical swabs for detection of *Chlamydia trachomatis* by PCR: sensitivity, dilution, inhibition, and cost-saving aspects. J. Clin. Microbiol. 39: 2375-2376.

Morrison, C. S., Sekadde-Kigundu, C., and Miller, W. C., (1999): Use of sexually transmitted disease risk assessment algorithms for

selection of intrauterine device candidates. *Contraception*. 59: 97 - 106.

Morrison, R. P. and Caldwell, H. D. (2002): Immunity to murine chlamydial genital infection. *Infect Immun*, 70: 2741-2751.

Morrison, S. G. and Morrison, R. P. (2001): Resolution of secondary *Chlamydia trachomatis* genital tract infection in immune mice with depletion of both CD4+ and CD8+ T cells. *Infect.Immun*, 69: 2643-2649.

Morrison, S. G., Su, H., Caldwell, H. D. and Morrison, R. P. (2000): Immunity to murine *Chlamydia trachomatis* genital tract reinfection involves B cells and CD4(+) T cells but not CD8(+) T cells. *Infect Immun*, 68: 6979-6987.

Moss, T. R. and Darougar, S. (2001): Human genital infections with *Chlamydia trachomatis* - is there a role for serology? In: *International handbook of Chlamydia* [ed. Moss, T. R.] Euromed Publications Ltd., Haslemere UK, 33-47.

Mouton, J. W., Peeters, M. F., and van Rijssort-Vos, J. H. (2002): Tubal factor pathology caused by *Chlamydia trachomatis*: the role of serology. *International Journal of STD and AIDS*. 13 Suppl 2: 26 - 29.

Mutlu, B., Mutlu, N. and Yucesoy G. (2001): The incidence of *Chlamydia trachomatis* in women with urethral syndrome. *International Journal of Clinical Practice* 55: 525 - 526.

Nair D, Bhalla P, and Mathur MD. (1999): Comparison of enzyme immunoassay and direct fluorescent antibody test for the detection of *Chlamydia trachomatis* in non gonococcal urethritis. *Ind J Med Microbial*; 17(4) : 184-186.

Ness R.B., Soper D.E., Holley RL, Peipert J, and Randall H,. (2002): Effectiveness of inpatient and outpatient treatment strategies for

women with pelvic inflammatory disease: results from the Pelvic Inflammatory Disease Evaluation and Clinical Health Randomized Trial. *Am J Obstet Gynecol.* 186: 929-937.

Ness, R. B., Goodman, M. T., and Shen, C., (2003): Serologic Evidence of Past Infection with *Chlamydia trachomatis*, in Relation to Ovarian Cancer. *Journal of Infectious Diseases* 187: 1147 - 1152.

Neutra, M. R., Pringault, E. and Kraehenbuhl, J.-P. (1996): Antigen sampling across epithelial barriers and induction of mucosal immune responses. *Annu Rev Immunol*, 14: 275-300.

Newhall, W. J., Johnson, R. E., DeLisle, S., and Fine, D., (1999): Head-to-head evaluation of five *chlamydia* tests relative to a quality-assured culture standard. *Journal of Clinical Microbiology* 37: 681 - 685.

Nyari, T., Woodward, M., and Meszaros, G. (2001): *Chlamydia trachomatis* infection and the risk of perinatal mortality in Hungary. *Journal of Perinatal Medicine* 29: 55 - 59.

Nyirjesy P. (2001): *Nongonococcal and Nonchlamydial Cervicitis.* *Current Infectious Disease Reports* 3: 540 – 545.

Ojcius, D. M., Bravo de Alba, Y., and Kanellopoulos, J. M., (1998): Internalization of *Chlamydia* by dendritic cells and stimulation of Chlamydia-specific T cells. *J.Immunol*, 160: 1297-1303.

Orndoff GR. (1991): Screening for *Chlamydia trachomatis* by the direct fluorescent antibody test. *Mil MED.*; 156(12):675-677.

Ostergaard Lars and Moller Jens K. (1995): Use of PCR and Direct Immunofluorescence Microscopy for Confirmation of Results Obtained by Syva MicroTrak Chlamydia Enzyme Immunoassay *Journal of Clinical Microbiology*, Vol. 33, No. 10 : 2620–2623.

- Ostergaard, L. (1999):** Diagnosis of urogenital *Chlamydia trachomatis* infection by use of DNA amplification. Acta Pathologica Microbiologica Scandinavica (APMIS) Suppl. 89: 5 - 36.
- Paavonen, J. (1998):** Pelvic inflammatory disease. From diagnosis to prevention. Dermatology Clinics 16: 747 - 756.
- Papagrigoriadis, S.,and Rennie, J. A. (1999):** Lymphogranuloma venereum as a cause of rectal strictures. Postgraduate Medical Journal 74: 168 - 169.
- Parker, E. K., Wozniak, A., White, S. D.,and Beckham, C. (1999):** Stability study on specimens mailed to a state laboratory and tested with the Gen-Probe PACE 2 assay for *chlamydia*. Sexually Transmitted Diseases 26: 213 - 215.
- Peipert JF. (2003):** Clinical practice. Genital *chlamydial* infections. N. Engl. J. Med.; 349: 2424-2430.
- Perfettini, J. L., Darville, T.,and Dautry-Varsat, (2002):** Inhibition of apoptosis by gamma interferon in cells and mice infected with *Chlamydia muridarum* (the mouse pneumonitis strain of *Chlamydia trachomatis*). Infection and Immunity 70: 2559 - 2565.
- Perry, L. L., Feilzer, K. and Caldwell, H. D. (1997):** Immunity to *Chlamydia trachomatis* is mediated by T helper 1 cells through IFN-gamma- dependent and -independent pathways. J. Immunol, 158: 3344-3352.
- Prozialeck, W. C., Fay, M. J.,and Lamar, P. C., (2002):** *Chlamydia trachomatis* disrupts N-cadherin-dependent cell-cell junctions and sequesters beta-catenin in human cervical epithelial cells. Infection and Immunity 70: 2605 - 2613.

- Quirk, J. T. and Kupinski, J. M. (2001):** Chronic infection, inflammation, and epithelial ovarian cancer. *Medical Hypotheses* 57: 426 - 428.
- Rabenau, H. F., Kohler, E., and Peters, M., (2000):** Low correlation of serology with detection of *Chlamydia trachomatis* by ligase chain reaction and antigen EIA. *Infection* 28: 97 - 102.
- Rani, R., Corbitt, G., Killough, R., and Curless, E. (2002):** Is there any role for rapid tests for *Chlamydia trachomatis*? *International Journal of STD and AIDS* 13: 22 - 24.
- Rasmussen-Lathrop, S. J., Koshiyama, K., and Phillips, N., (2000):** Chlamydia-dependent biosynthesis of a heparan sulphate-like compound in eukaryotic cells. *Cellular Microbiology* 2: 137 – 144.
- Raulston, J. E. (1997):** Response of *Chlamydia trachomatis* serovar E to iron restriction in vitro and evidence for iron-regulated chlamydial proteins *Infect Immun*, 65: 4539-4547.
- Read, T. D., Brunham, R. C., and Shen, C., (2000):** Genome sequences of *Chlamydia trachomatis* MoPn and *Chlamydia pneumoniae* AR39. *Nucleic Acids Res.* 28: 1397 - 1406.
- Richmond, S. J., Stirling, P., and Ashley, C. R. (1982):** Virus infecting the reticulate bodies of an avian strain of *Chlamydia psittaci*. *FEMS Microbiology Letters* 14: 31 – 36.
- Roberta B. Ness¹, Sharon L. Hillier^{1,2}, and Kevin E. (2005):** Douching, Pelvic Inflammatory Disease, and Incident *Gonococcal* and *Chlamydial* Genital Infection in a Cohort of High-Risk Women *American Journal of Epidemiology* 161 (2): 186 – 195.
- Rockey DD, Scidmore MA, Bannantine JP, and Brown WJ. (2002):** Proteins in the *chlamydial* inclusion membrane. *Microbes and Infection* 4: 333 - 340.

- Rockey, D. D. and Matsumoto, A. (2000):** The chlamydial developmental cycle. In: Prokaryotic Development (Brun, Y. V. & Shimkets, L. J. eds.). ASM Press, Washington D. C.; 403-425.
- Rodolakis, A., Salinas, J. and Papp, J. (1998):** Recent advances on ovine *chlamydial* abortion. Vet Res, 29: 275-288.
- Rose L, and Schachter J. (1964):** Genitourinary aspects of inclusion conjunctivitis. Invest Ophthalmol; 3: 680.
- Ross, J. D. (2001):** European guideline for the management of pelvic inflammatory disease and perihepatitis. International Journal of STD and AIDS. 12 Suppl 3: 84 - 87.
- Rostand, K. S. and Esko, J. D. (1997):** Microbial adherence to, and invasion through, proteoglycan. Infection and Immunity 62: 106-112.
- Schachter J. (1990):** Chlamydiae in : "Microbiology" edited by Davis, B.D., Dulbecco, R., Eisen, H.N., Ginsberg, H.S. et al., fourth edition. J.B. Lipincott C. Company Philadelphia, Chapter 39: 699-706.
- Schachter J. (1999):** Infection and disease epidemiology. Chapter 6 in: *Chlamydia*. Intracellular biology, pathogenesis and immunity (Stephens, R. S., ed.),. American Society of Microbiology Press, Washington DC., USA. 139 – 169.
- Schachter J. and Chow, J. M. (1995):** The fallibility of diagnostic tests for sexually transmitted diseases: the impact of behavioral and epidemiologic studies. Sexually Transmitted Diseases 22: 191 - 196.
- Schachter J, and Dawson CR. (1978):** Human Chlamydial infection. Littleton, Massachusetts: PSG publishing company Inc. Co, 64, 68, 69, 70, 72, 74, 113, 161, 183, 190, 193, 198, 216.

- Schachter J. and McCormack, M. A. (2003):** Vaginal Swabs Are Appropriate Specimens for Diagnosis of Genital Tract Infection with *Chlamydia trachomatis*. J. Clin. Microbiol. 41: 3784-3789
- Schachter J, Stamm WE and Chernesky MA. (1992):** Non culture tests for genital tract *Chlamydial* infection. Sex Transm Dis.; 54: 245-54.
- Scholes, D., Stergachis, A., Ichikawa, L. E.,and Heidrich, F. E., (1998):** Vaginal douching as a risk factor for cervical *Chlamydia trachomatis* infection. Obstetrics and Gynecology 91: 993 - 997.
- Schumacher, A., Lerkerod, A. B.,and Seljeflot, I., (2001):** *Chlamydia pneumoniae* serology: importance of methodology in patients with coronary heart disease and healthy individuals. Journal of Clinical Microbiology 39: 1859 – 1864.
- Schwebke, J. R., Stamm, W. E.,and Handsfield, H. H. (1991):** Use of sequential enzyme immunoassay and direct fluorescent antibody tests for detection of *Chlamydia trachomatis* infections in women. Journal of Clinical Microbiology 28 : 2473 - 2476.
- Scidmore, M. A., Fischer, E. R.and Hackstadt, T. (2003):** Restricted fusion of *Chlamydia trachomatis* vesicles with endocytic compartments during the initial stages of infection. Infection and Immunity 71: 973 – 984.
- Sellors, J. W., Walter, S. D.and Howard M. (2000):** A new visual indicator of *chlamydial* cervicitis? Sexually Transmitted Infections 76: 46-8.
- Shaw, A. C., Christiansen, G., Roepstorff, P.and Birkelund, S. (2000):** Genetic differences in the *Chlamydia trachomatis* tryptophan synthase alpha-subunit can explain variations in serovar pathogenesis. Microbes and Infection 2: 581 – 592.

- Shen, L., Wu, S. and Liu, G. (1995):** Study on the perinatal infection caused by *Chlamydia trachomatis*. *Zhonghua Fu Chan Ke Za Zhi*. 30: 714 - 717.
- Shirai, M., (2000):** Comparison of whole genome sequences of *Chlamydia pneumoniae* J138 from Japan and CWL029 from USA. *Nucleic Acids Res*. 28: 2311 - 2314.
- Simms, I., Eastick, K., Mallinson, H., Thomas, K., and Gokhale, R., (2003):** Associations between *Mycoplasma genitalium*, *Chlamydia trachomatis* and pelvic inflammatory disease. *Sexually Transmitted Infections* 79: 154 - 156.
- Skerk, V., Barsic, B., Car, V., Schonwald, S. and Klinar, I. (2000):** Comparative analysis of azithromycin and doxycycline efficacy in the treatment of female patients with acute urethral syndrome caused by *Ureaplasma urealyticum*. *Journal of Chemotherapy* 12: 186 - 188.
- Skerk, V., Schonwald, S., Strapac, Z., Beus, A., and Francetic, I., (2001):** Duration of clinical symptoms in female patients with acute urethral syndrome caused by *Chlamydia trachomatis* treated with azithromycin or doxycycline. *Journal of Chemotherapy* 13: 176 - 181.
- Smith, A., Munoz, B., Hsieh, Y. H., Bobo, L., and Mkocho, H. (2001):** OmpA genotypic evidence for persistent ocular *Chlamydia trachomatis* infection in Tanzanian village women. *Ophthalmic Epidemiology* 8: 127 - 135.
- Stagg, A. J., Tuffrey, M., Woods, C., and Wunderink, E. (1998):** Protection against ascending infection of the genital tract by *Chlamydia trachomatis* is associated with recruitment of major histocompatibility complex class II antigen-presenting cells into uterine tissue. *Infect. Immun*, 66: 3535-3544.
- Stamm, W. E. (2004):** *Chlamydia* Screening: Expanding the Scope. *Ann Intern Med* 141: 570-572.

- Stamm, W.E. and Mardh, P.A. (1990):** *C.trachomatis* in "sexually transmitted diseases" 2nd edited By Holmes. K.K.et al; chap. 74: 827-925.
- Stary, A. (2000):** Diagnosis of genital *Chlamydia trachomatis* infections. In: Proceedings of the Fourth Meeting of the European Society for Chlamydia Research (Saikku, P. ed.), published Esculapio, Bologna; 94-97.
- Stary, A., Schuh, E.,and Kerschbaumer.(1998):** Performance of transcription-mediated amplification and ligase chain reaction assays for detection of *chlamydial* infection in urogenital samples obtained by invasive and noninvasive methods. Journal of Clinical Microbiology 36: 2666 - 2670.
- Stephens, R. S. (2000):** *Chlamydial* Genomics and Vaccine Antigen Discovery, J Infect Dis, 181: 521-523.
- Storey, C.C., Lusher, M. and Richmond, S. J. (1989):** Analysis of the complete nucleotide sequence of Chp1, a phage which infects avian *Chlamydia psittaci*. Journal of General Virology 70: 1321 – 1327.
- Storz J, and Page LA. (1971):** Taxonomy of the *Chlamydiae*: Reason for classification organism of the genus *Chlamydia*, family *Chlamydia* case, in a separate order *Chlamydia* ord. nov. Int J Sys Bacteriol; 21: 332-4.
- Sturm-Ramirez, K., Brumblay, H.,and Diop, K., (2000):** Molecular epidemiology of genital *Chlamydia trachomatis* infection in high-risk women in Senegal, West Africa. Journal of Clinical Microbiology 38: 138 - 145.
- Su, H., Messer, R., Whitmire, W., Fischer, E.,and Portis, J. C. (1998):** Vaccination against *Chlamydial* Genital Tract Infection after Immunization with Dendritic Cells Pulsed Ex Vivo with Nonviable *Chlamydiae*. J.Exp.Med, 188: 809-818.

- Su, H., Messer, R., Whitmire, W., Hughes, S. and Caldwell, H. D. (2000):** Subclinical *chlamydial* infection of the female mouse genital tract generates a potent protective immune response: implications for development of live attenuated *chlamydial* vaccine strains. *Infect Immun*, 68: 192-196.
- Su, H., Raymond, L., and Rockey, D. D., (1996):** A recombinant *C. trachomatis* major outer membrane protein binds to heparan sulfate receptors on epithelial cells. *Proceedings of the National Academy of Sciences USA* 93: 11143 - 11148.
- Suchland RJ, Rockey DD, Bannantine JP, and Stamm WE. (2000):** Isolates of *Chlamydia trachomatis* that occupy nonfusogenic inclusions lack IncA, a protein localized to the inclusion membrane. *Infect Immun*; 68: 360–7.
- Suchland, R. J., Eckert, L. O., Hawes, S. E. & Stamm, W. E. (2003):** Longitudinal Assessment of Infecting Serovars of *Chlamydia trachomatis* in Seattle Public Health Clinics: 1988-1996. *Sexually Transmissible Diseases* 30: 357-361.
- Tam, J. E., Davis, C. H., Thresher, R. J. and Wyrick, P. B. (1992):** Location of the origin of replication for the 7.5-kb *Chlamydia trachomatis* plasmid. *Plasmid* 27: 231- 236.
- Taraktchoglou, M., Pacey, A. A., Turnbull, J. E. and Eley, A. (2001):** Infectivity of *Chlamydia trachomatis* serovar LGV but not E is dependent on host cell heparan sulfate. *Infection and Immunity* 69: 968 – 976.
- Tebb, K. P., Pantell, R. H., Wibbelsman, C. J., Neuhaus, J. M., (2005):** Screening Sexually Active Adolescents for *Chlamydia trachomatis* : What About the Boys?. *Am J Public Health* 95: 1806-1810.

- Theil H, Gnarppe J and Lundkvist O. (1991):** Diagnosis and prevalence of persistent *Chlamydia* infection in infertile women. *Fertile Steril.*; 55(20): 304-10.
- Thomas, B. J., MacLeod, E. J., Hay, P. E., and Horner, P. J. (1994):** Limited value of two widely used enzyme immunoassays for detection of *Chlamydia trachomatis* in women. *European Journal of Clinical Microbiology and Infectious Disease* 13: 651 - 655.
- Thygeson P. (1962):** Trachoma virus: Historical background and review of isolates. *Ann NY Acad Sci*; 98: 6-12.
- Thygeson P. (1971):** Historical review of oculogenital disease. *Am J Ophthalmol*; 71: 975-85.
- Tiwara, S., Passey, M., Clegg, A., and Mgone, C., (1996):** High incidence of *trichomonal vaginitis* and *chlamydial cervicitis* among a rural population in the highlands of Papua New Guinea. *Papua New Guinea Medical Journal* 39: 234 - 238.
- Turner, M. S. and Giffard, P. M. (1999):** Expression of *Chlamydia psittaci*- and *human immunodeficiency virus*-derived antigens on the cell surface of *Lactobacillus fermentum* BR11 as fusion to bspA. *Infect Immun*, 67: 5486-5489.
- Tuuminen, T., Palomaki, P. and Paavonen, J. (2000):** The use of serologic tests for the diagnosis of *chlamydial* infections. *Journal of Microbiological Methods* 42: 265 - 279.
- van der Pol, B., Quinn, T. C., Gaydos, C. A., and Crotchfelt, K., (2001):** Multicenter evaluation of the AMPLICOR and automated COBAS AMPLICOR CT/NG tests for detection of *Chlamydia trachomatis*. *Journal of Clinical Microbiology* 38: 1105-1112.

- van Dongen, P. W. (1993):** Diagnosis of Fitz-Hugh-Curtis syndrome by ultrasound. *European Journal of Obstetrics Gynecology & Reproductive Biology* 50: 159 - 162.
- Ward, M. E. (1999):** Mechanisms of chlamydial induced disease. In: *Chlamydia. Intracellular biology, pathogenesis and immunity.* (Stephens R. S. ed). American Society of Microbiology, Washington DC. 171 - 210.
- Welsh, L. E., T. C. Quinn, and C. A. Gaydos. (1997):** Influence of endocervical specimen adequacy on PCR and direct fluorescent-antibody staining for detection of *Chlamydia trachomatis* infections. *J. Clin. Microbiol.* 35:3078-3081.
- Welte, R., Kretzschmar, M., Leidl, R., and van den Hoek, A., (2000):** Cost-effectiveness of screening programs for *Chlamydia trachomatis*: a population-based dynamic approach. *Sexually Transmitted Diseases* 27: 518 - 529.
- Wessels PH, Viljoen GJ, and Marais NF. (1991):** The prevalence, risk and management of *Chlamydia trachomatis* infections in fertile and infertile patients from the high socioeconomic bracket of the South African Publication. *Fertil Steril.*; 56(3): 485-8.
- Westin, L., Miller, C., Vollmer, D., Canter, D., and Radtkey, R., (2001):** Antimicrobial resistance and bacterial identification utilizing a microelectronic chip array. *Journal of Clinical Microbiology* 39: 1097 - 1104.
- Westrom, L. R., Joesoef, R., Reynolds, G., and Hagdu, A. (1992):** Pelvic inflammatory disease and fertility. A cohort study of 1,844 women with laparoscopically verified disease and 657 control women with normal laparoscopic results. *Sexually Transmitted Diseases* 19: 185 - 192.
- Wiesenfeld HC, Sweet RL, and Ness RB, (2005):** Comparison of acute and subclinical pelvic inflammatory disease. *Sex Transm Dis* Jul; 32(7): 400-405.

- Wiesenfeld, H. C., Hillier, S. L., and Krohn, M. A., (2002):** Lower genital tract infection and endometritis: insight into subclinical pelvic inflammatory disease. *Obstetrics and Gynecology* 100: 456 - 463.
- Wuppermann, F. N., Hegemann, J. H. and Jantos, C. A. (2002):** Heparan sulfate-like glycosaminoglycan is a cellular receptor for *Chlamydia pneumoniae*. *Journal of Infectious Diseases* 184: 181 - 187.
- Yang, X. and Brunham, R. C. (1998):** Role of T cell-mediated immunity in host defense against *Chlamydia trachomatis* and its implication for vaccine development, *Can J Infect Dis*, 9: 99.
- Yang, X., Gartner, J., Zhu, L., Wang, S. and Brunham, R. C. (1999):** IL-10 Gene Knockout Mice Show Enhanced Th1-Like Protective Immunity and Absent Granuloma Formation Following *Chlamydia trachomatis* Lung Infection. *J. Immunol*, 162: 1010-1017.
- Yoneda C, Dawson CR, and Daghfous. (1975):** Cytology as a guide to the presence of *Chlamydial* inclusions in Giemsa stained conjunctival smears in sever endemic trachoma. *Br J Ophthalmol*; 59: 116-124.
- Zeeberg B, Thelin I and Schalen C. (1992):** *Chlamydia trachomatis* antigen detection by Chlamydiazyme combined with Chlamydia bliching reagent verification. *Int J Std AIDS*; 3(5): 355-359.
- Zenilman, J. M. (2001):** *Chlamydia* and cervical cancer: a real association? *JAMA* 285: 81 - 83.
- Zhang, J. P. and Stephens, R. S. (1992):** Mechanism of *C. trachomatis* attachment to eukaryotic cells. *Cell* 69: 861 - 869.

Zhong, G., Liu, L., Fan, T., Fan, P. and Ji, H. (2000): Degradation of transcription factor RFX5 during the inhibition of both constitutive and interferon gamma-inducible major histocompatibility complex class I expression in chlamydia-infected cells.75: 700-711.