

REFERENCES

REFERENCES

- Addy D.P., (1981): Prophylaxis and febrile convulsion. Arch. Dis. Child., 56:81.
- Aicardi J. and Chevire, J.J., (1970): Convulsive status epilepticus in infants. Epilepsia, 11:187.
- Aicardi J. and Baraton J., (1971): Pneumoencephalographic demonstration of brain atrophy following status epilepticus. Dev. Med. Child. Neurol., 13:660.
- Aicardi J. and Chevrie J.J., (1978): Convulsive disorder in the first year of life. Epilepsia, 19:67.
- Alvarez N., Lombroso C.T. and Cantion B., (1983): Paroxysmal spike and wave activity in febrile convulsions. Electroencephalogr. Clin. Neurophysiol., 56:406.
- Andrew Wilson, H.O. Schild and Walter Modell (1977): Applied pharmacology. The english Language Book Society and Churchill Livingstone, P.292.
- Antomy J.H. and Hawake S.H., (1983): Phenobarbitene compared with carbama zepine in prevention of recurrent febrile convulsion. An. J. Dis. Child., 137:892.
- Arguell S., Berlin A., Fergren H. and Helstrom B., (1975): Plasma level of diazepam after parentral and rectal administration in children. Epilepsia, 16:277.
- Asherson C.L. and Webster A.D.B., (1980): Diagnosis and Treatment of immunodifficiency diseases. Blackwell Scientific publication, oxford.
- Asnes, R.S., Novick L.E. and Nealis V., (1975): The first febrile convulsion. J. Pediatr., 87:485.

- Bacon C.T., Muecklow J.C., Webb J.K., Rawlins M.D., (1981):
 Placebo controlled study of phenobarbitone and
 phenytoin in the prophylaxis of febrile convulsions.
 Lancet, 19:600.
- Bamberger P. and Mathes S., (1959): Anfalle in kindesalter.
 Karger, Basle, P. 396.
- Bell W.E., (1975): Febrile convulsions in neurological
 infections in children, eds. W.E. Bill and W.P.
 McCormik. Saunder Company, Philadelphia, London,
 Toronto.
- Brachet-Lierman A., Coutieres P. and Aicardi J., (1975):
 Absorption of phenobarbitone after intramuscular
 administration of a single dose in infants. J.
 Pediatr. , 87:642.
- Bresnan M., (1979): In: Hoekelman R.A., Blatman S., Brunell
 P.A., Freedman, S.B. and Seidel H.M. (eds.).
 Principle of pediatrics. Health care of young.
 McGraw. Hill book - New York, P.907.
- Brett E.M., (1983): Paediatric Neurology. Churchill living-
 stone. Edinburgh, London, Melbourne and New York.
 P. 283.
- Buchta R.M., (1983): Compylobacter enteritis associated with
 convulsions Am. J. Dis. Child, 137:919.
- Camfield R.R., Bagell R., Camfield C.S., and Tribble J.A.R.,
 (1979): Pancreatitis due to valporic acid. Lancet,
 i:1198.

- Cavazutti C.P., (1975): Prevention of febrile convulsions with dipropylacetate (Depakine "R"). *Epilepsia*, 16:647-8.
- Consensus statment (1980): Febrile seisesures: A consensus of their significance, evaluation, and treatment. *Pediatrics*, 66:1009.
- Cosgrove P.V.E., (1981): Febrile seisesures: long term treatment. *Br. Med. J.*, 282:1871.
- Cull A.M., (1975): Some psychological aspects of the prognosis of febrile convulsion. M. Phill. Thesis, University of Edinburgh.
- Davidson S. and Falconer M.A., (1975): Outcome of surgery in 400 children with temporal lobe epilepsy. *Lancet*, i:1266.
- Dianese G. (1979): Prophylactic diazepam in febrile convulsion. *Arch. Dis. Child*, 54(3):244.
- Dianese G., (1980): Treatment of febrile convulsions. *J. Pediatr.*, 96:516.
- Diaz J., and Schain E.J., (1978): Phenobarbitone: effect of long term administration on behavior and brain of artificially reared rats. *Science*, 199:90.
- Done A.K., (1982): Treatment of fever. *Am. J. Med.*, 47:35.
- Donald W.D., Winkler C.H. and Bargeron L.H., (1956): The occurrence of convulsions in children with shiglla gastroenteritis. *J. Pediatr.*, 48:323.
- Doose H., Peterson C.E., Volzke E. and Herrberger E., (1966): Fieber Krampfe and epilepsie. *Archiv fur psychiatrie and Nervenkrankheiten*, 208:400.

- Doose H., Ritter K., and Volzke E., (1983): EEG longitudinal studies in febrile convulsion. *Neuropediatrics*, 14:81.
- Dulac O., Aicardi J., Rey E., Olive G., (1978): Blood level of diazepam after single rectal administration in infants and children *J. Pediatr*, 93:1039.
- Enna S.J., Stern L.Z., Wastek C.J. and Yamamura H.I., (1977): Cerebrospinal fluid γ -aminobutyric acid variations in neurological disorders. *Arch. Neural.*, 34:683.
- Faero O., Kastrop F.K. and Nielsen, E., (1972): Successful prophylaxis of febrile convulsions with phenobarbital. *Epilepsia*, 13:279.
- Farmer T.W. and Greenwood R.S. (1983): *Paediatric Neurology*. Harper and Row publishers. 3rd Ed., Philadelphia, P.205.
- Ferngren H.G., (1974): Diazepam Treatment for acute convulsions in children. *Epilepsia* 15,27-39.
- Fishman A.M., (1979): Febrile Delirium: treatment controversy. *The journal of pediatrics*, 94(2):177.
- Fowler M., (1956): Brain damage after febrile convulsions. *Arch. Dis. Child.*, 67.
- Frantzen, E., Lennox-Duchthal M. and Nygaard A., (1968): Longitudinal EEG and Clinical study of children with febrile convulsion. *Clin. Neurophysiol.*, 24:197.
- Frantzen E., Lennox-Buchthal M., Nygaard A. and Siene J., (1970): A genetic study of febrile conversion. *Neurology*, 20:909.

- Freeman J., (1980): Febrile convulsion: a consensus of their significance, evaluation and treatment. *Pediatrics* 66:1009.
- Friderichsen C. and Melchoir J., (1954): Febrile convulsions in children: Frequency and prognosis. *Acta. Pediat.*, 43:307.
- Gates M.J., (1973): Prognosis of febrile convulsion. *Mids monograph No.14.*
- Giles H., (1980): Continuous sodium valproate or phenobarbitone in prevention of simple febrile seizures. *Arch. Dis. Child.*, 55(8):658.
- Greenblatt D.J. and Shader R.I., (1974): Benzodiazepines in clinical practice. Raven Press, New York.
- Gururaj V.J., (1980): Febrile seizures: Current concepts. *Clin. Pediatr.*, 19:731.
- Hammill J.F. and Carter S., (1966): Febrile convulsion N. *Engl. J. Med.*, 247:563.
- Hamrick H. and Murphy T., (1978): Bacteraemia in 28 ambulatory children. *Clin. Paediatric.*, 17:109.
- Heldrick F.J., (1970): *Diplococcus pneumoniae* bacteraemia. *Am. J. Dis. Child.*, 119:12.
- Herranz V.L., Armijor J.A. and Arteaga R., (1984): Effectiveness and Toxicity of phenobarbitone, primidone and valporate in prevention of febrile convulsions. *Epilepsia*, 25:89.
- Herlitz Q., (1941): Studien Uber die Sogenann Ten initialen Fieber Krampe bei Kindern. *Acta. Paediatr. Scand.*, 29(Supp.):142.

- Hertz L., Schousboe A., Formby B. and Leunox-Huchthal M.A., (1974): Some age dependent Biochemical changes in mice susceptible to seizures. *Epilepsia*, 15:619.
- Hjerresen D.L., Guy A.W. and Petracca P.M., (1985): Micro wave hyperthermia model of febrile convulsion. *Bioelectromagnetics*, 4:341.
- Isaac D., Webster A.D.B. and Valman H.B., (1984): Serum immunoglobulin in febrile convulsion. *Arch. Dis. Child.* 59:367.
- Ito M., Okuno T., Mikawa H. and Osumi Y., (1980): Elevated homovanillic acid in CSF of children with infantile spasm. *Epilepsia* 21:387.
- Jaffe R., (1974): The routine EEG. Its use and abuse. *Mt. Sinai. Med. J. Ny.*, 41:156.
- Jaffe M., Bar-Joseph G. and Tirosh E., (1981): Fever and convulsions. Indication for laboratory investigation. *Paediatr.*, 67:729.
- Jalling B., (1974): Plasma and CSF concentration of phenobarbitone after a single dose. *Dev. Med. Child. Neurol.*, 16:781.
- Kasting N.W., Veale W.L., Cooper K.E. and Lederis K., (1981): Vasopressin may mediate febrile convulsion. *Brain Res.*, 213:327.
- Kastrup K.W., (1971): Round table discussion on febrile convulsions. *Epilepsia*, 12:191.
- Kempe C.H., Silver H.K. and Donough O. Brien, (1982): Current paediatric Diagnosis and treatment. Lange Medical publications, Los Altos, California. P. 562.

- Knudsen F.U., (1979): Rectal administration of diazepam in solution in the acute management of febrile convulsion. Arch. Dis. Child., 54:855.
- Knudsen F.U., (1985): Effective short-term diazepam prophylaxis in febrile convulsions. J. of paediatr., 106: 489.
- Lanetti P., Fiorilli M. and Sirianni M.C., (1982): Non-febrile seizures after febrile convulsion: Possible role of chronic cytomegalovirus infection. J. of paediatr., 101(1): 27.
- Lennox W.G., (1960): Febrile seizures in epilepsy and related disorders, eds. U.C. Lennox and B.L. Brown. Churchill, London.
- Lennox-Buchthal M.A., (1973): Febrile convulsions, a reappraisal. Amsterdam, Elsevier.
- Lewin G., Overturf G. and Wehrle P., (1978): Laboratory evaluation of the child with a febrile convulsion. Pediatrics 62:1074.
- Lewis H.M., Larry J.V., and Parry R.P., (1979): Role of viruses in febrile convulsions. Arch. Dis. Child., 54:869.
- Lewis H.M., Tyrrel D.A.J. and Vulman H.B., (1980): Role of viruses in febrile convulsions. Arch. Dis. Child., 55:828.
- Lewis H.M. and Valman H.B., (1983): Occult pneumococcal bacteraemia and febrile convulsions (Letter). Brit. Med. J., 286:473.

Loscher W., (1982): Relation between GABA in CSF and Seizure activity. J. Neurochem., 38:293.

Livingstone S., (1954): The diagnosis and treatment of convulsive disorders in children. Springfield III, Charles C., Thomas.

Livingstone S., (1958): Convulsive disorders in infants and children. Adv. Pediat., 10:114.

Livingstone S., (1972): Febrile convulsions. Comprehensive Management of epilepsy in infancy, childhood and adolescence. Charles C. Thomas, Springfield, Illinois, P. 16.

Livingstone S., (1979): Pauli L.L., Pruce J., Dramer H.: Febrile convulsions: diagnosis, treatment and prognosis. Pediatr. Ann., 8:133.

Mackintosh D.A., Baird-Lambert J. and Buchanan N., (1984): Changes in response to metrazole during fever in juvenile rats. Acta. Neurol. Scand., 69:147.

Mamelle N., Mamelle J.C., Passe J.G. Revol M. and Gilly R., (1984): Prevention of recurrent febrile convulsion Neuropediatrics, 19:37.

Margarct A. Lennox, (1974): Febrile convulsions in hand book of olinical pediatrios by P.J. Vinken and C.W. Bragn. North Holand Publishing Company, Amsterdam P.296.

Margaret G. Duncan, (1978): Febrile seisesures in treatment of epilepsy today by Gregory S. Fennis, Medical economics oompany, Oradell, New Jersey, P.73.

- Mathews W.B., (1975): Febrile seizure and their significance in clinical neurology, ed. W.B. Mathew. Churchill livingstone, London, P.38.
- Matsumoto A., Watanabe K., Suguria M. and Negoro T., (1983): Prognostic factor of convulsive disorder in the first year of life. *Brain Dev.*, 5:496.
- McCarthy P., Jekel J., Dolan T., (1977): Temperature greater than or equal to 40°C in children less than 24 months. *Pediatrics* 59:663.
- Mcgaughran J.A., Edwards E. and Schelter N., (1984): experimental febrile convulsions in developing rats. *Epilepsia*, 25:250.
- Mcgaughran J.A. and Manetto C., (1983): Potentiation of hyperthermia induced convulsions in developing rats by previous treatment with pentylentetrazole. *Exp. Neurol.* 79:287.
- McCreal D.A., (1956): Observations on febrile convulsions *Am. J. Dis. Child.*, 92:504.
- McKiernan V., Mellor D. and Court S., (1980): HK/HA ratio in febrile convulsion *Arch. Dis. Child.*, 55:873.
- Mcintyre P. and Harres P., (1983): Occult pneumococcal bacteraemia and febrile convulsions. *Brit. Med. J.*, 286:1055.
- Melchoir J.C., Buchthal F. and Lennox Buchthal M., (1971): The ineffectiveness of diphenylhydantoin in preventing febrile convulsion in the age of greatest risk under 3 years. *Epilepsia*, 12:55.

- Meledrum B.S. and Briereley J.B., (1973): Prolonged epileptic seizures in primates: Ischemic cell changes and its relation to ictal physiological events. Arch. Neurol., 28:10.
- Meledrum B.S., (1976): Secondary pathology of febrile and experimental convulsions. In brain dysfunction in infantile febrile convulsions, eds. M.A.B. Brazier and F. Coceani. Raven Press, New York.
- Melekian R., Laplane R. and Debray P., (1962): Considerations clinique Sur les convulsions au cour des dehydrations aiguës. Ann. Pediat., 9:290.
- Meye F.H., (1980): Sedatives and hypnotics in review of medical pharmacology, eds. H. Hoyer and J. Ernest. Lanquor Medical publications, Los. Anos, California.
- Michom P.E. and Wallace S.J., (1984): Electro encephalographic changes related to rectal temperature. Arch. Dis. Child., 59:371.
- Mickael A. and Gerber M., (1981): The child with simple febrile convulsions. Am. J. Dis. Child., 135:431.
- Millichap J.G., (1968): Febrile convulsions. New York, MacMillan.
- Mingawa K. and Miura H., (1981): Phenobarbitone, primidone and Na Valporate in the prophylaxis of febrile convulsions. Brain Dev. 3:385.
- Nealis J.G.T., McFadden S.W. and Asmes R.A., (1977): Routine skull roentgenograms in the management of simple febrile seizures. J. Paediatr., 90:595.

- Nelson K.B., Rubinstein D. and Beadle E.L., (1972):
Seizure with fever beginning in the first year
of life paper given at child Neurology Society.
Ann. Arbor. Mich., October.
- Nelson K.B., (1975): The practice of pediatric Neurology.
Swaiman K.F. and Wright F.S. (Eds.). C.V. Mosby
company Saint Louis, P.870.
- Nelson K.B. and Ellenberg J.H., (1976): Predictors of
epilepsy in children who have experienced febrile
seizures. N. Engl. J. Med., 295:1029.
- Nelson K.B. and Ellenberg J.H., (1978): Prognosis in children
with febrile seizure. Pediatrics 61:720.
- Ngwane E. and Bower B., (1980): Continuous sodium valproate
or phenobarbitone in the prevention of simple febrile
convulsion. Arch. Dis. Child., 55:141.
- Niall A., (1981): Febrile convulsions and status Epilepticus.
in Epilepsies of childhood P.56. London-Boston.
Sydney. Wellington. Durban-Toronto.
- Okuno T., Takao T., ITO M., Kanishi Y. and Mikawa H., (1983):
Acute hemiplegia in childhood with convulsions of
post cerebral artery. Comput. Radiol., 7:125.
- Osifo B.O., Lukambi F.A. and Famulusi J.B. (1983): Comparison
of folate levels in convulsions and non
convulsing febrile children. Trop. Geogr. Med.,
35:363.
- Ouellette E.M., (1974): The child who convulses with fever.
Pediatric clinics of North America, 21:467.

- Ounsted C., (1955): Genetic and social aspects of epilepsy of childhood. *Eugen. Rev.* 47:33.
- Ounsted C., Lindsay J. and Norman R., (1966): Biological factors in temporal lobe epilepsy. London, William Heinemann Medical Books.
- Ounsted C., (1971): Some aspects of seizure disorders, in recent advances of pediatrics, eds. D. Grand and D. Hull. Churchill livingstone, Edinburgh.
- Ratcliffe J.C. and Wolf S.M., (1977): Febrile convulsions caused by meningitis in young children. *Ann. Neurol.*, 1:285.
- Rating D., Siemes H. and Loscher W., (1983): Low Csf GABA concentration in children with febrile convulsion. *J. Neurol.*, 230:217.
- Rose S.W., Penry J.K., and Markush R.E., (1973): Prevalence of epilepsy in children. *Epilpsia*, 14:133.
- Rutter N. and Smales R.C., (1976): Calcium, magnesium and glucose levels in blood and C.S.F. of children with febrile convulsions. *Arch. Dis. Child.*, 51:141.
- Rutter N. and Smales O.R.C., (1977): Role of routine investigations in children presenting with febrile convulsion. *Arch. Dis. Child.*, 52:188.
- Rutter N. and Metcalfe D.H., (1978): Febrile seizures: What do parents do? *Dr. Med. J.*, 2:1345.
- Samson J.H., (1969): Febrile seizures and purulent meningitis. *J. Am. Med. Ass.*, 210:1918.
- Samuel T., (1984): Drug treatment of recurrent febrile seizure. *Letters to the Editor. Am.J.Dis.Chil.* 138:507.

- Scheibel A.B., (1980): Seizure related changes in brain structure. In advances of epileptology, eds. J.A. Wada and J.R. Penry. Raven Press, New York.
- Schiottz-Christensen, E., (1973): Role of birth history in the aetiology and course of febrile convulsions. A twin study. *Neuropadiatric*, 4:238.
- Schoittz-Christensen E. and Brahn B., (1975): Intelligence, behavior, and scholastic achievement subsequent to febrile convulsion. *Dev. Med. Child. Neurol.*, 15:565.
- Sofijanvo N., Sadikario A., Dukoveski M. and Kuturec M., (1983): Febrile convulsions and later development of epilepsy. *Am. J. Dis. Child.*, 137:123.
- Solomon and plum, (1976): Hans Ewerbeck, Differential diagnosis in pediatrics, Narosa publishing House. New. Delhi. Pag. 240.
- Squadri F. and Taparelli F., (1980): Role of viruses in febrile convulsions (Letter). *Arch. Dis. Child.*, 55(10): 828.
- Stephenson J.B.P., (1978): Two types of febrile seizures: anoxic (Syncopal) and epileptic mechanisms differentiated by oculo cardiac reflex. *Brit. Med. J.*, 2:726.
- Stephenson J.B.P., (1980): Prophylaxis against febrile convulsions. *Br. Med. J.*, 6214:642.
- Stokes M.J.; Downham M.A. and Webb, J.K., (1977): Viruses and febrile convulsions. *Arch. Dis. Child.* 52:129.
- Suchy F.J., Balistreri W.F. and Buchino J.J., (1979): Acute hepatic failure associated with the use of valproate. *N. Engl. J. Med.*, 300:962.

- Sunderland R. and Emery J., (1981): Febrile convulsion and Cot death. *Lancet*, 11:176.
- Tamai I., Takei T., Mackawa K. and Ohta H., (1983): Prostaglandine F₂ in CSF of children with febrile convulsions, meningitis and epilepsy. *Brain Dev.*, 5:357.
- Tan N. and Ulrich H., (1984): Postictal cerebral hemiatrophy. *Acta. Neuropathol.*, 62:332.
- Taylor D.C. and Ounsted C., (1971): Biological mechanisms influencing the outcome of febrile seizures. *Epilepsia*, 12:33.
- Thomas W., (1964): Convulsive disorder in pediatric Neurology Hoeber Medical division. New York, Evaston and London P.81.
- Thorn I., (1975): A controlled study of prophylactic long-term Treatment of febrile convulsions with phenobarbitone. *Acta Neurol. Scand.*, 60:67.
- Trimble M., (1978): The effect of anticonvulsants in epileptic children. Presented to British Pediatrics Neurology Association, Liver pool.
- Trophy D.E. and Ray C.G., (1970): Occult pneumococcal bacteraemia. *An. J. Dis. Child.*, 179:336.
- Tsuboi T. and Okada S., (1984): Seasonal variation of febrile convulsion in Japan. *Acta. Neurol. Scand.*, 69:285.

- Vanasse M., Masson P., Geoffroy G. and David P.C., (1984):
Intermittent treatment of febrile convulsions with
nitrazepam. Can. J. Neurol. Sci., 11:377.
- Van Den Berg B.J. and Yerushalmy J., (1969): Studies on
convulsive disorders in young children. Pediatr
Res., 3:298.
- Veale W.L., Copper K.E. and Ruwe W.D., (1984): Vasopressin :
its role in antipyresis and febrile convulsion
Brain Res. Bull., 12:161.
- Ventura A., Basso T., Bortolan G., Cardini A., Guidobaldi
G., Lorusso G., Marinoni S., Merli A., Messi G.,
Mussi G., Muner M., Patamia F., Rabusin P., Savher
B., Vlliana A.: Home Treatment of seisesures as a
strategy for the long term management of febrile
convulsions in children. Helv Paediatr. Acta 37:
581,1982.
- Vogel F. and Kruger J., (1967): Multifactorial determinat-
ion of genetic affection, in prooeeding of the third
international congress of human genetics, eds J.F.
Crow and J.V. Niel. John Hopkin press Baltimone.
- Wallace S.J. and Zealley H., (1970): Neurological dectro-
encephalographic and virological findings in febrile
convulsions. Arch. Dis. Child., 45:611.
- Wallce S.J., (1972): Aetiological aspects of febrile
convulsions. Arch. Dis. Child., 47:171.
- Wallce S.J., (1974): Recurrence of febrile convulsions.
Arch. Dis. Child., 49:763.

- Wallace S.J., (1975): Factors predisposing to a complicated initial febrile convulsions. Arch. Dis. Child. 50: 843.
- Wallace S.J., (1976): Convulsions with fever viewed as indication of life-long developmental defect. In brain dysfunction in infantile febrile convulsions, eds. M.A.B. Brazier and F. Oceani. Raven Press, New York.
- Wallace S.J., (1977): Spontaneous fits after febrile convulsions. Arch. Dis. Child., 52:192.
- Wallace, S.J., (1979): Pyrexial convulsions. In pediatric neurology, ed. F. Rose. Churchill-Livingstone, London.
- Wallace S.J. and Aldridge-Smith J., (1980): Successful prophylaxis against febrile convulsions with valproic acid or phenobarbitone. Brit. Med. J., 1:353.
- Wallace S.J. and Aldridge S.J., (1982): Febrile seizures intellectual progress in relation to anticonvulsant therapy and recurrence of fit. Arch. Dis. Child., 57:104.
- Wood J.H., Hare T.A., Enna S.J. and Manyam MVB., (1980): Sites of origin and rostrocaudal concentration gradients of GABA in CSF. brain Res. Bull. 5. 2:111.
- Wolf, S.M., Carr A. and Davis D.C., (1977): The value of phenobarbitone in the child who has had a single febrile seizures. Pediatrics, 59:370.

Yeung C.Y., (1985): Febrile convulsion. Medical Forum,
14:4.

Yip W.C., Aiyathurai J.E., Chio L.F., Jacobs and Wong H.B.
(1981): Metabolic changes in simple febrile convul-
sions J. Singapore pediatr. Soc. 23:25.