

REFERENCES

REFERENCES

- * Adamsons, K., Behrman, R., Dawes, G.S., Dawkins, M.J., James, L.S., and Ross, B.B. (1963) :
The treatment of acidosis with alkali and glucose during asphyxia in foetal rhesus monkeys. J. Physiol., 169 : 679.
- * Adamsons, K., and Myers, R.E., (1973) :
Perinatal asphyxia. Causes, detection and neurologic sequelae. Pediatr. Clin. N. Am., 20 : 465.
- * Apgar, V. (1953) :
A proposal for a new method of evaluation of the newborn infant Curr. Res. Anesth. Analg., 32 : 260.
- * Apgar, V., and James, L.S. (1962) :
Further observations on the newborn scoring system. Am. J. Dis. Child, 104 : 419.
- * Apley, J. (1979) :
The newborn infant and his disorders. In : Paediatrics . 2nd Ed. Bailliere, Tindall, and London, pp. 329-359.
- * Armstrong, D., and Norman, M.G. (1974):
Periventricular leukomalacia in neonates: complications and sequelae. Arch. Dis. Child., 49:367.

- * Arnold, J., O'Brodovich, H., Whyte, R., and Coates, G.
(1985) :
Pulmonary thromboemboli after neonatal
asphyxia. J. Pediatr., 106 : 806.
- * Auld, P.A.M., Rudolph, A.J., Avery, M.E., Cherry,
R.B., Drorbaugh, J.E., Kay, J.L., and
Smith, C.A. (1961) :
Responsiveness and resuscitation of the
newborn. The use of the Apgar Score. Am.
J. Dis. Child., 101 : 713.
- * Balk, R., and Bone, R.C. (1983) :
Classification of acute respiratory failure.
Med. Clin. N. Am., 67 (3) : 551.
- * Bartlett, R.H., Andrews, A.F., Toomasian, J.M.,
Haiduc, N.J., and Gazzaniga, A.B. (1982):
Extracorporeal membrane oxygenation for newborn
respiratory failure : Forty-five cases.
Surgery , 92(2): 425,
- * Beard , R.W. (1971) :
The detection of fetal asphyxia in labour.
Pediatr., 53 : 157.
- * Beard, R.W., and Rivers, R.P. (1979) :
Fetal asphyxia in labour. Lancet, 24 : 1117.
- * Becker, M., and Menzel, K. (1978) :
Brain-typical Creatine-Kinase in the serum
of newborn infants with perinatal brain
damage. Acta. Pediatr. Scand., 67 : 177.

- * Behrman, R.E. (1969) :
The use of acid-base measurements in the clinical evaluation and treatment of the sick neonate. J. Pediatr., 74 : 632.

- * Behrman, R.E., James, L.S., Klaus, M., Nelson, N., and Oliver, T. (1969) :
Treatment of the asphyxiated newborn infant. J. Pediatr., 74 : 981.

- * Benaron, H.B., Tucker, B.E., Andrews, J.P., Boshes, B., Cohen, J., Fromm, E., and Yacorzynski, G.K. (1960) :
Effect of anoxia during labor and immediately after birth on the subsequent development of the Child. Am. J. Obstet. Gynecol. 80:1129.

- * Brann, A.W., and Montalvo, J.M. (1970) :
Barbiturates and asphyxia. Pediatr. Clin. N. Am., 17 : 851.

- * Brann, A.W., and Myers, R.E. (1975) :
Central nervous system findings in the newborn monkey following severe in utero partial asphyxia. Neurology, 25 : 327.

- * Brown, J.K. (1974) :
Systematic neurology. In Cockburn, F., and Drillien, C.M. (Eds.) : Neonatal medicine, 1^{rst} Ed. Blackwell scientific publications. Oxford, London, Edinburgh and Melbourne, pp. 556-626.

- * Brown, J.K. (1976) :
Infants damaged during birth. In Hull, D.
(Ed.) : Recent advances in paediatrics.
Edinburgh : Churchill Living Stone Chap. 2.
- * Brown, W.U., Ostheimer, G.M., Bell, G.C., and Datta,
S.S. (1976) :
Newborn response to oxygen blown over the
face. Anesthesiology, 44 : 535.
- * Brumley, G.W., and Crenshaw, C. (1980) :
Fetal lamb lungs phosphatidylcholine :
response to asphyxia and recovery. J.
Pediatr., 97 : 631.
- * Burnard, E.D., and James, L.A. (1961) :
Failure of the heart after undue asphyxia
at birth. Pediatr., 28 : 545 .
- * Cabal, L.A., Devaskar, U., Siassi, B., Hodgman, J.E.,
and Emmanouilides, G. (1980) :
Cardiogenic shock associated with perinatal
asphyxia in preterm infants. J. Pediatr.,
96 : 705.
- * Campbell, W.A., Cheeseman, E.A., and Kilpatrick, A.W.
(1950) :
The effect of neonatal asphyxia on physical
and mental development. Arch. Dis. Child.,
25 : 351.

- * Cohn, H.E., Piasecki, G.J., and Jackson, B.T. (1978):
The role of autonomic nervous control in
the fetal cardiovascular response to hypoxe-
mia. In Longo, L.D., and Reneau, D.D. (Eds.):
Fetal and newborn cardiovascular physiology.
New York and London, pp. 249-258.

- * Cohn, H.E., Piasecki, G.J., and Jackson, B.T. (1980):
The effect of fetal heart rate on cardiova-
scular function during hypoxemia. Am. J.
Obstet. Gynecol., 138 : 1190.

- * Cordero, L., and Hon, E.H. (1971) :
Neonatal bradycardia following nasopharyngeal
stimulation. J. Pediatr., 78 : 441.

- * Dangman, B.C., and Driscoll, J.M. (1977) :
Impact of perinatal intensive care on outcome.
In Aladjem, S., and Brown, A.K. (Eds.) :
Perinatal intensive care. The C.V. Mosby
Company. Saint, Louis, pp. 396-412.

- * Daniel, S.S., Dawes, G.S., and James, L.S. (1966) :
Analeptics and the resuscitation of asphy-
xiated monkeys. Br. Med. J., 2 : 562.

- * DiSessa, T.G., Leitner, M., Ti, C.C., Gluck, L.,
Coen, R., and Friedman, W.F. (1981) :
The cardiovascular effects of dopamine in
the severely asphyxiated neonate. J.
Pediatr., 99 : 772.

- * Downing, S.E., Talner, N.S., and Gardner, T.H. (1966):
Influences of hypoxemia and acidemia on left
ventricular function. Am. J. Physiol., 210:
1327.

- * Drage, J.S., and Berendes, H. (1966) :
Apgar scores and outcome of the newborn.
Pediatr. Clin. N. Am., 13 : 635.

- Drage, J.S., Berendes, H.W., and Fisher, P.D. (1969):
The Apgar scores and four-year psychological
examination performance. Perinatal factors
affecting human development. Scientific
Publication No. 185, Pan American Health
Organisation, Washington, D.C., pp. 222.

- * Drage, J.S., Kennedy, C., and Schwarz, B.K. (1964):
The Apgar score as an index of neonatal
mortality. A report from the collaborative
study of cerebral palsy. Obstet. Gynecol.,
24 : 222.

- * D'Souza, S.W. (1983) :
Neurodevelopmental outcome after birth
asphyxia. In Chiswick, M.L. (Ed.) : Recent
advances in perinatal medicine, 1^{rst} Ed.
Churchill Living Stone. Edinburgh, London,
Melbourne and New York, pp. 137-152.

- * D'Souza, S.W., McCartney, E., Nolan, M., and Taylor, I.G. (1981) :
Hearing, speech and language in survivors of severe perinatal asphyxia. Arch. Dis. Child., 56 : 245.
- * D'Souza, S.W., and Richards, B. (1978) :
Neurological sequelae in newborn babies after perinatal asphyxia. Arch. Dis. Child., 53 : 564.
- * Epstein, M.F. (1984) :
Resuscitation. In Avery, M.E., and Taeusch, H.W. (Eds. : Diseases of the newborn, 5th Ed. W.B. Saunders Company. Philadelphia, London, Toronto, Mexico city, Riode janeiro, Sydney and Tokyo, pp. 100-108.
- * Flodmark, O., Becker, L.E., Harwood-Nash, D.C., Fitzhardinge, P.M., Fitz, C.R., and Chuang, S.H. (1980) :
Correlations between Computed tomography and autopsy in premature and full-term neonates that have suffered perinatal asphyxia. Radiology, 137 : 93.
- * Flynn, A.M., and Kelby, J. (1978) :
An evaluation of the Continuous pH electrode during labour in human fetus. Arch. Gynecol., 226 : 105.

- * Friede, R.L. (1972) :
Ponto-subicular lesions in perinatal anoxia.
Arch. Pathol., 94 : 343.
- * Fysh, W.J., Turner, G.M., and Dunn, P.M. (1982) :
Neurological normality after extreme birth
asphyxia. Case report. Br. J. Obstet. Gynecol.,
89 : 24.
- * Gaisford, W. (1953) :
Disorders of the newborn. In Gaisford, W.,
and Lightwood, R. (Eds.) : Paediatrics for
the practitioner, Vol. 1. London, Butterworth
and Co., LTD., pp. 82-100.
- * Ganote, C.E., Seabra-Gomes, R., Nayler, W.G., and
Jennings, R.B. (1975) :
Irreversible myocardial injury in anoxic
perfused rat hearts Am.J. Pathol., 80:419.
- * Gardiner, R.M. (1980) :
Cerebral blood flow and oxidative
metabolism during hypoxia and asphyxia in
the newborn calf and lamb. J. Physiol., 305:357.
- * Gelli, M.G., Ericsson, J.L., and Enhoming (1968) :
ECG compared with myocardial ultrastructure
in anoxic fetuses of normal and hyperglycemic
rabbits. Acta Pediatr. Scand., 57 : 330.

- * Gersony, W.M., Morishima, H.O., Daniel S.S., Kohl, S., Cohen, H., and Brown, W. (1976) :
The hemodynamic effects of intrauterine hypoxia : an experimental model in newborn lambs. J. Pediatr., 89 : 631.

- * Golden, S.M. O'Brien, W.F., Lissner, C., Cefalo, R.C., Schumacher, H., and Stass, S. (1980) :
Hematologic and bacteriologic assessment of autologous cord blood for neonatal transfusions. J. Pediatr., 97 : 810.

- * Golden, S.M., and Peters, D. (1985) :
Delivery room care. In Merenstein, G.B., and Cardner, S.L. (Eds.) : Hand book of neonatal intensive care, 2nd Ed. W.B. Saunders Co. Philadelphia, London, Toronto, Mexico city, Rio de Janeiro, Sydney and Tokyo, pp. 31-49.

- * Greenberg, M.I., Roberts, J.R., and Baskin, S.I. (1981):
Use of endotracheally administered epinephrine in a pediatric patient. Am. J. Dis. Child., 135 : 767.

- * Gutberlat, R.L., and Cornblath, M. (1975) :
Neonatal hypoglycemia revisited. Pediatr., 58 : 10.

- * Hambleton, G., and Wigglesworth, J.S. (1976) :
Origin of intraventricular haemorrhage in the preterm infant. Arch. Dis. Child., 51:651.

- * Hearse, D.J., and Chain, E.B. (1973) :
Effect of glucose on enzyme release from
and recovery of the anoxic myocardium. In
Dhalla, N.S. (Ed.) : Myocardial metabolism,
Vol. 3, Baltimore. Univerisity Park Press,
pp. 351-377.
- * Hellstrom, B., and Jonsson, B. (1953) :
Late prognosis of asphyxia neonatorum.
Acta Pediatr. Scand, 42 : 398.
- * James, L.S. (1960) :
Acidosis of the newborn and its relation
to birth asphyxia. Acta Pediatr. Scand.,
49, Suppl., 122 : 17.
- * James, L.S., and Rowe, R.D. (1957) :
The pattern of response of pulmonary and
systemic arterial pressures in newborns
and older infants to short period of hypoxia.
J. Pediatr., 51 : 5.
- * Jennings, P.B., Alden, E.R., and Brenz, R.W. (1974) :
A teaching model for pediatric intubation
utilizing ketamine sedated kittens. Pediatr.,
53 : 283.
- * Karlberg, P., Cherry, R.B., Escardo, F.E., and
Kock, G. (1962) :
Pulmonary ventilation and mechanics of
breathing in the first minutes of life,
including the onset of respiration. Acta
Pediatr., 51 : 121.

- * Kattwinkel, J. (1977) :
Neonatal apnea : Pathogenesis and therapy.
J. Pediatr., 90 : 342.
- * Keith, H.M., and Norval, M.A. (1950) :
Neurologic lesions in the newly born
infant : I Preliminary study; II Role of
prolonged labour asphyxia and delayed
respiration . Pediatr., 6 : 229.
- * Kenny, J.D., Garcia-Prats, J.A., Hilliard, J.L., Corbet,
A.J., and Rudolph, A.J. (1978) :
Hypercarbia at birth : a possible role in
the pathogenesis of intraventricular hemo-
rrhage. Pediatr., 62 : 465.
- * Lagercrantz, H. (1982) :
Asphyxia and the Apgar score. Lancet, 24 :
965.
- * Lazzara, A., Ahmann, P., Dykes, F., Brann, A.W.,
and Schwartz, J. (1980) :
Clinical predictability of intraventricular
hemorrhage in preterm infants. Pediatr.,
65 : 30.
- * Lees, M.H. (1980) :
Perinatal asphyxia and the myocardium. J.
Pediatr., 96 : 675.

- * Lending, M., Stone, M., Hosbach, R.E., and Mestern, J. (1959) :
Activity of glutamic-oxalacetic transaminase and lactic dehydrogenase activities in children with neurologic disorders. *J. Pediatr.*, 65:415.
- * Levene, M.I., and Evans, D.H. (1983) :
Continuous measurement of subarachnoid pressure in the severely asphyxiated newborn. *Arch. Dis. Child.*, 58 : 1013.
- * Lindemann, R. (1984) :
Resuscitation of the newborn. *Acta Pediatr. Scand.*, 73 : 210.
- * Longo, L.D., Wyatt, J.F., Hewitt, C.W., and Gilbert, R.D. (1978) :
A comparison of circulatory responses to hypoxic hypoxia and carbon monoxide hypoxia in fetal blood flow and oxygenation. In Longo, L.D., and Reneau, D.D. (Eds.): *Fetal and newborn cardiovascular physiology*. New York and London, Garland STPM Press, pp. 259-287.
- * Lou, H.C., Skov, H., and Pedersen, H. (1979) :
Low cerebral blood flow as a risk factor in the neonate. *J. Pediatr.*, 95 : 606.

- * Low, J.A., Galbraith, R.S., Muir, D., Killen, H.,
Karchmar, J., and Campbell, D.([978).
Intrapartum fetal asphyxia : A preliminary
report in regard to long-term morbidity.
Am. J. Obstet. Gynecol., 130 : 525.
- * Low, J.A., Pancham, S.R., and Purey, W.N. (1977) :
Intrapartum fetal asphyxia : Clinical
characteristics, diagnosis and significance
in relation to pattern of development. Am.
J. Obstet. Gynecol., 129 : 857.
- * Low, J.A., Pancham, S.R., Worthington, D., and
Boston, R.W. (1975 a) :
The acid-base and biochemical characteristics
of intrapartum fetal asphyxia. Am. J. Obstet.
Gynecol., 121 : 446.
- * Low, J.A., Pancham, S.R., Worthington, D., and Boston,
R.W. (1975 b) :
Clinical characteristics of pregnancies
complicated by intrapartum fetal asphyxia.
Am. J. Obstet. Gynecol., 121 : 452.
- * Low, J.A., Pancham, S.R., Worthington, D., and Boston,
R.W. (1975 c) :
The incidence of fetal asphyxia in six hundred
high-risk monitored pregnancies. Am. J. Obstet.
Gynecol., 121 : 456.

- * MacDonald, H.M., Mulligan, J.C., Allen, A.C., and Taylor, P.M. (1980) :
Neonatal asphyxia. I relationship of Obstetrical and neonatal complications to neonatal mortality in 38, 405 consecutive deliveries, J. Pediatr., 96 : 898.
- * Menkes, J.H., (1984) :
Perinatal trauma and asphyxia. In Avery, M.E., and Taeusch, H.W., (Eds.) : Diseases of the newborn, 5th Ed. W.B. Saunders Company. Philadelphia, London, Toronto, Mexico city, Rio de Janeiro, Sydney and Tokyo, pp. 661-679.
- * Merritt, T.A., and Farrell, P.M. (1976) :
Diminished pulmonary lecithin synthesis in acidosis: Experimental findings as related to the respiratory distress syndrome. Pediatr., 57 : 32.
- * Mulligan, J.C., Painter, M.J., O'Donoghue, P.A., MacDonald, H.M., Allen, A.C., and Taylor, P.M. (1980) :
Neonatal asphyxia. II : Neonatal mortality and long-term sequelae. J. Pediatr., 96:903.
- * Myers, R.E., (1972) :
Two patterns of perinatal brain damage and their conditions of occurrence. Am. J. Obstet. Gynecol., 112 : 246.

- * Myers, R.E., Beard, R.W., and Adamsons, K. (1969) :
Brain swelling in the newborn rhesus monkey
following prolonged partial asphyxia. Neuro-
logy, 19 : 1012.
- * Myers, R.E., and Myers, S.E. (1979) :
Use of sedative analgesic and anesthetic
drugs during labor, delivery : bane or boon.
Am. J. Obstet. Gynecol., 133 : 83.
- * Nelson, K.B., and Ellenberg, J.H. (1979) :
Neonatal signs as predictors of cerebralpalsy.
Pediatr., 64 : 225.
- * Nelson, K.B., and Ellenberg, J.H. (1981) :
Apgar scores as predictors of chronic
neurologic disability. Pediatr., 68 : 36.
- * Newth, C.J. (1979) :
Recognition and management of respiratory
failure. Pediatr. Clin. N. Am., 26(3):617.
- * Painter, M.J., Depp, R., and O'Donoghue, M.N. (1978):
Fetal heart rate patterns and development
in the first year of life. Am. J. Obstet.
Gynecol., 132 : 271.
- * Paneth, N., and Stark, R.I. (1983) :
Cerebralpalsy and mental retardation in
relation to indicators of perinatal asphyxia.
Am. J. Obstet. Gynecol., 147 : 960.

- * Pingleton, S.K. (1983) :
Complications of acute respiratory failure.
Med. Clin. N. Am., 67(3) : 725.
- * Quilligan, E., and Paul, R.H. (1976) :
Fetal monitoring : Is it worth it?
Obstet Gynecol., 45 : 96.
- * Robertson, J.G., and Cockburn, F. (1974) :
Immediate pre-and postnatal assessment
and care. In Cockburn, F., and Drillien,
C.M. (Eds.) : Neonatal medicine, 1^{rst} Ed.
Blackwell scientific publications. Oxford,
London, Edinburgh and Melbourne, pp. 97-128.
- * Rosen, K.G., Hokegard, K.H., and Kjellmer, I. (1976):
A study of the relationship between the
electrocardiogram and hemodynamics in the
fetal lamb during asphyxia. Acta Physiol.
Scand., 98 : 275.
- * Schullinger, J.N., Mollitt, D.L., Vincour, D.,
Santalli, T.V., and Driscoll, N.M. (1981) :
Neonatal necrotizing enterocolitis: Survival,
management, and Complications : A 25-years
study. Am. J. Dis. Child., 135 : 612.
- * Schullinger, J.N., Santalli, T.V., and Heird, W.C.
(1975) :
Acute necrotizing enterocolitis in infants:
A review of 64 cases. Pediatr., 55 : 376.

- * Scott, H. (1976) :
Outcome of very severe birth asphyxia.
Arch. Dis. Child., 51 : 712.
- * Seeds, A.E., and Behrman, R.E., (1969) :
Acid-base monitoring of the fetus during
labor with blood obtained from the scalp.
J. Pediatr., 74 : 304.
- * Selzer, M.E., Myers, R.E., and Halstein, S.B. (1972):
Prolonged partial asphyxia : effect on fetal
water and electrolytes. Neurology, 22 : 732.
- * Simbruner, G. (1986) :
Inadvertent positive end-expiratory
pressure in mechanically ventilated newborn
infants.: Detection and effect on lung
mechanics and gas exchange. J. Pediatr.,
108 : 589.
- * Simpson, H. (1974) :
Disorders of respiration. In Cockburn,
F., and Drillien, C.M. (Eds.) : Neonatal
medicine, 1^{rst} Ed. Blackwell scientific
publications. Oxford, London, Edinburgh
and Melbourne, pp. 180-222.
- * Smith, D.S., Rehncrona, S., and Siesjo, B.K. (1980):
Inhibitory effects of different barbiturates
on lipid peroxidation in brain tissue in
vitro. Anesthesiology, 53 : 186.

- * Sokol, R., Rosen, J., and Chik, L. (1977) :
Fetal electroencephalographic monitoring
related to fetal outcome. Am. J. Obstet.
Gynecol., 127 : 329.
- * Stauffer, J.L., Olson, D.E., and Petty, T.L. (1981):
Complications and consequences of endotracheal
intubation and tracheostomy. Am. J. Med.,
70 : 65.
- * Stavis, R. (1985) :
Resuscitation of the newborn infant. In
Rakel, R.E. (Ed.) : Conn's Current therapy.
W.B. Saunders Company. Philadelphia, London,
Toronto, Mexico city, Rio de Janeiro, Sydney
and Tokyo, pp. 841-846.
- * Steichen, J.J., and Kleinman, L.I. (1977) :
Studies on acid-base balance : I Effect
of alkali therapy in newborn dogs with
mechanically fixed ventilation. J. Pediatr.,
91 : 287.
- * Stein, A.L., and Lane, E. (1982) :
A new treatment modality for pneumoperitoneum
associated with mechanical Ventilation. Chest,
81 : 519.
- * Stowens, D. (1959) :
The newborn. In : Pediatric pathology. The
Williams and Wilkins Company, Baltimore,
pp. 12-33.

- * Sureau, C. (1956) :
Foetal electrocardiogram during gestation
and child birth. *Gynecol. Obstet.*, 55:22.
- * Svenningsen, N.W. (1975) :
Single injection polyfructosan clearance
in normal and asphyxiated neonates. *Acta
Paediatr. Scand.*, 64 : 87.
- * Svenningsen, N.W., Blennow, G., Lindroth, M.,
Gaddlin, P., and Ahlstrom, H. (1982):
Brain-orientated intensive care treatment
in severe neonatal asphyxia. *Arch. Dis.
Child.*, 57 : 176.
- * Sweet, S.J., Glenney, C.U., Fitzgibbons, J.P.,
Friedmann, P., and Teres, D. (1981) :
Synergistic effect of acute renal failure
and respiratory failure in the surgical
intensive care unit. *Am. J. Surg.*, 141:492.
- * Sykes, G.S., Molloy, P.M., Johnson, P., Gu, W.,
Ashworth, F., Stirrat, G.M., and Turnbull,
A.C. (1982) :
Do Apgar scores indicate asphyxia? *Lancet*,
1 : 494.
- * Tejani, N., Lifshitz, F., and Harper, R.G. (1979) :
The response to an oral glucose load during
convalescence from hypoxia in newborn infants.
J. Pediatr., 94 : 792.

- * Thibeault, D.W., Hall, F.K., Sheehan, M.B., and Hall, R.T. (1984) :
Postasphyxial lung disease in newborn infants with severe perinatal acidosis. Am. J. Obstet. Gynecol., 15 : 393.
- * Thomson, A.J., Searle, M., and Russell, G. (1977) :
Quality of survival after severe birth asphyxia. Arch. Dis. Child., 52 : 620.
- * Towbin, A. (1970) :
Central nervous system damage in the fetus and newborn infant : mechanical and hypoxic injury incurred in the fetal-neonatal period. Am. J. Dis. Child., 119 : 529.
- * Towell, M.E. (1966) :
The influence of labor on the fetus and the newborn. Pediatr. Clin. N. Am., 13 : 575.
- * Valman, H.B. (1980) :
Bacterial infections of the newborn. Br. Med. J., 15 : 772.
- * Vannucci, R.C., and Duffy, T.E. (1976) :
Carbohydrate metabolism in fetal and neonatal rat brain during anoxia and recovery. Am. J. Physiol., 230 : 1269.
- * Volpe, J.J. (1981) :
Neurology of the newborn. Philadelphia, W.B. Saunders Co., pp. 243-248.

- * Volpe, J.J., and Pasternak, J.F. (1977) :
Parasagittal cerebral injury in neonatal hypoxic-is chemic encephalopathy : Clinical and radiological features. J. Pediatr., 91 : 472.
- * Vulliamy, D.G., (1972) :
Respiratory problems at birth and after delivery. In : The newborn child, 3rd Ed. Churchill Living Stone. Edinburgh, London and New York, pp. 88-98.
- * Vyas, H., Milner, H.O., Hopkin, I.E., and Boon, A.W. (1981) :
Physiologic responses to prolonged and slow-rise inflation in the resuscitation of the asphyxiated newborn infant. J. Pediatr., 99 : 635.
- * Walsh, P. (1982) :
Assesement of neurologic outcome in asphyxiated infant by use of several CK-BB isoenzyme measurements. J. Pediatr., 101 : 988.
- * Williams, M.L. (1982) :
The newborn. In Kaye, R., Oski, F.A., and Barness, L.A. (Eds.) : Core Textbook of pediatrics, 2nd Ed. J.B. Lippincott Company. Philadelphia, Toronto, pp. 507-521.

* Wood, E.C. (1977) :

Scalp sampling amnioscopy. In Gluck, L.
(Ed.) : Intra-uterine asphyxia and the
developing fetal brain. Med. Publ. Inc.
Chicago : Year Book, Chap. 11.

* Wynn, R.J. (1985) :

Care of the High risk neonate. In Rakel,
R.E. (Ed.) : Conn's Current therapy. W.B.
Saunders Company. Philadelphia, London,
Toronto, Mexico city, Rio de Janeiro,
Sydney and Tokyo, pp. 846-867.

* Zimmerman, G.A., Morris, A.H., and Cengiz, M. (1982):
Cardiovascular alterations in respiratory
failure. Am..J. Med., 73 : 25.

* Zinner, M.J., Zuidema, G.D., Smith, P.L., and
Mignosa, M. (1981) :
The prevention of upper gastro-intestinal
tract bleeding in an intensive care unit.
Surg. Gynecol. Obstet., 153 : 214.

-oo0oo-

*