

REFERENCES

Adlercreutz, H. (1974).

Hepatic metabolism of estrogens in health and disease.

N. Engl. J. Med., 290: 1081.

Ahumada, G.; Roberts, R.; and Sobel, B.E. (1976).

Evaluation of myocardial infarction with enzymatic indices. Prog. Cardiovasc. Dis., 18:405.

Allen, J.B.; and Laadt, J.R. (1970).

The effect of the level of the ligature on mortality following ligation of circumflex coronary artery in the dog. Am. Heart J., 39: 273.

Anderson, P.; Norman, N.; and Hjermann, I. (1983).

Reduced fibrinolytic capacity associated with low ratio of serum testosterone to estradiol in healthy coronary high-risk men. In: Davidson, JF.; Bachmann, F.; Bouvier, CA.; Kruithof, EKO, eds. Progress in fibrinolysis VI. Edinburgh: Churchill Livingstone, 548.

Aten, R.F.; Dickson, R.B.; and Eisenfeld, A.J. (1978).

Estrogen receptor in adult male rat liver.

Endocrinology (Baltimore), 131: 1629.

Baird, D.T.; Horton, R.; Longcope, C.; and Tait, J.F. (1969-a).

Steroid dynamics under steady-state conditions. in:
Astwood, E.B., ed. Recent progress in hormone research, vol
25. New York: Academic press., 611.

Baird, D.T.; Uno, A.; and Melby, J. (1969-b).

Adrenal secretion of androgens and estrogens.
J. Endocrinol., 45: 135.

Baker, H.W.; Burger, H.G.; De Krester, D. M.; Dulmanis, A.;
Hudson, B.; O'Connor, S.; Paulsen, C.A.; Purcell, N.;
Rennie, G.C.; Seah, C.S.; Taft, H.P.; and Wang, C.
(1976).

A study of the endocrine manifestations of hepatic
cirrhosis.

Quat. J. Med., (New series, XLV, No. 177):145.

Ball, P.; Knuppen, R.; Haupt, M.; and Breuer H. (1972).

Interactions between estrogens and catecholamines.

III. studies on the methylation of catechol estrogens,
catechol amines and other catechols by the catechol -o-
methyltransferase of human liver.

J Clin. Endocrinol Metabol., 34: 736.

Barclay, M.; Barclay, R.K.; Skipski, V.P.; Terebuskekish,
O.; Muller, C.H.; Shah, E.; and Elkins, W.L. (1965).

Fluctuations in human serum lipoproteins during the
normal menstrual cycle.

Biochem. J., 96: 205.

Bengtsson, C. (1973).

Ischaemic heart disease in women.

Acta Med. Scand., (suppl.); 549: 1.

Beta- Blocker Heart Attack study group (1981).

The beta-blocker heart attack trial.

J.A.M.A.; 246: 2073.

Bleifeld, W.; Mathey, D.; Hanrath, P.; Buss, H.; and Effert, S. (1977).

Infarct size estimated from serial serum creatine phosphokinase in relation to left ventricular hemodynamics. Circulation 55:303.

Bloor, C.M.; Ehsani, A.; White, F.C.; and Sobel, B.E. (1975).

Ventricular fibrillation threshold in acute myocardial infarction and its relation to myocardial infarct size. Cardiovasc. Res., 9:468.

Boström, H.; Brömster, D.; and Nordenstam, H. (1968).

On the occurrence of phenol and steroid sulphokinase in the human gastrointestinal tract. Scand. J. Gastroenterol., 3: 369.

Bush, T.L.; and Connor, E.B. (1985).

Non-contraceptive estrogen use and cardiovascular disease.

Epidemiol. Rev., 7: 80.

Cameron, C.B. (1957):

A study of endocrine manifestations of Cirrhosis.
J. Endocrinol., 15:199.

Carlson, L.A.; and Ballantyne, D. (1976).

Changing relative proportions of apolipoproteins CII
and CIII of very low density lipoproteins in hypertrig-
lyceridaemia.
Atherosclerosis (Shannon, Ire1), 23:563.

Castelli, W.P.; Doyle J.T; Gordon, T.; Hames, C.G.;
Hjortland, M.C.; Hulley, s.B; kagan, A.; and Zukel,
W.J. (1977).

HDL-Cholesterol and other lipids in coronary heart
disease. Circulation 55: 767.

Chao, Y.s.; Windler, E.E; Chen, G.C.; and Havel, R.J.
(1979).

Hepatic catabolism of rat and human lipoproteins in
rats treated with 17 alpha-ethinyl estradiol.
J.Biol. Chem., 254: 11360.

Chapman, B.L. (1972)

Relation of cardiac complications to SGOT levels in
acute myocardial infarction.
Br. Heart J., 34:890.

Coodley, E.L. (1966).

Current status of enzyme diagnosis in Cardiovascular
disease. Am J. Med. Sci., 252: 633.

Coronary Drug Project (1970).

Initial findings leading to modifications of its researchy protocol.

J.A.M.A., 214: 1303.

Coronary Drug Project. (1973).

Findings leading to discontinuation of the 2.5 mg/day estrogen group.

J.A.M.A., 226: 652.

Cortellaro, M.; Boschetti, C.; and Antoniazzi, V., (1984).

A pharmacokinetic and platelet function study of combined administration of metoprolol and sulphinpyrazone in healthy volunteers. Thromb. Res., 34: 65.

Crigui, M.H. (1986).

Epidemiology of atherosclerosis, an updated overview. Am. J. cardiol., 57 (5) : 18c.

Crowley, L.V. (1968).

Creatine phosphokinase activity in myocardial infarction, heart failure, and following various diagnostic and therapeutic procedures.

Clin. Chem., 14:1185.

Dalen, J.E.; and Hickler, R.B. (1981).

Oral contraceptives and cardiovascular disease.

Am. Heart J., 101: 626.

DeBacker, G.; Rosseneu, M.; and Deshypere, J.P. (1982).

Discriminative value of lipids and apoproteins in coronary heart disease.

Atherosclerosis (shannon, Irel.), 42: 197.

Duffy, M.J.; and Duffy, G.J. (1978).

Estrogen receptors in human liver.

J. Steroid Biochem., 9: 233.

Entrican, J.H.; Beach, C.; Carroll, D. (1978).

Raised plasma estradiol and estrone levels in young survivors of myocardial infarction.

Lancet II; 487.

Emerman, S.; Twombly, G.H.; and Levitz, M. (1967).

Biliary and urinary metabolites of estriol sulphate in women.

J. Clin. Endocrinol. Metab., 27: 539j.

Emmens, C.W.; and Martin, L. (1964).

Estrogens.

Met. Hormone Res., 3: 1.

Epstein, F.H. (1965).

The epidemiology of coronary heart disease: A review.

J. Chronic Dis., 18:785.

Epstein, F.H. (1967).

Hyperglycemia a risk factor in coronary heart disease.

Circulation 36:609.

Flegg, H.M. (1973).

An investigation of the determination of serum cholesterol by an enzymatic method.

Ann. clin. Biochem., 10:79.

Floren, C.H.; Kushwaha, R.S.; Hazzard, W.R.; and Albers, J.J. (1981).

Estrogen- induced increase in uptake of cholesterol rich very low density lipoproteins in perfused Rabbit liver

Metab. Clin. Exp., 30: 367.

Friedman, M.St.; George, S.; Byers, S.O.; and Roseman, R.H. (1960).

Excretion of catecholamines, 17-ketoosteroids, 17-hydroxy-corticoids and 5- hydroxyindole in men exhibiting a particular behaviour pattern (A) associated with high incidence of clinical coronary artery disease.

J. Clin. Invest., 39:758.

Fruchart, J.C. (1982).

Rev. Fr. des Laboratoires ., 103: 7.

Ganong, W.F. (1981).

Reiview of medical physiology. Lange Medical publications.

Los Altos California, P. 354.

Garcia, M.J.; McNamara, P.M.; Gordon, T.; and Kannel, W.B.
(1974).

Morbidity and mortality in diabetes in the Framingham
population. Sixteen year follow-up study.

Diabetes 23:105.

Gilkeson, G.; Stone, M.J.; Waterman, M.; Ting, R.; Gomez-
Sanchez, C.E; Hull, A.; and Willerson, J.T. (1978).

Detection of Myoglobin by Radioimmunoassay in Human
Sera: Its usefulness and Limitations as an emergency
room screening test for acute myocardial infarction.

Am. Heart J., 95:70.

Goldman, M.J. (1982).

Review of the normal electrocardiogram & common
abnormalities. In "Principles of clinical electrocar-
diography".

Lange Medical Publication. Los Altos California, P.399.

Goldstein, J.L.; and Brown, M.S. (1977).

The low-density lipoprotein pathway and its relation to
atherosclerosis.

Annu. Rev. Biochem., 46: 897.

Goldstein, J.L. and Brown, M.S. (1982).

The LDL receptor defect in familial hypercholesterole-
mia: implications for pathogenesis and therapy.

Med. Clin., North Am., 66: 885.

Gordon, T.; Castelli, W.P.; Hjortland, M.C.; Kannel, W.B.;
and Dawber, T.R. (1977).

High density lipoprotein as a protective factor against
coronary heart disease: The Framingham Study.

Am. J. Med., 62 :707.

Granata, L.; Olsson, R.A.; Huvos, A.; and Gregg, D.E.
(1965).

Coronary inflow and oxygen usage following cardiac
sympathetic nerve stimulation in un-anesthetized dog.

Circ. Res., 16:114.

Greengrass, P.M.; and Tonge, S.R. (1974).

The accumulation of noradrenaline and 5- Hydroxytrypta-
mine in three regions of mouse brain after
tetrabenazine and iproniazid: effects of ethinyloestra-
diol and Progesterone.

Psychopharmacologia (Berlin) 39: 187.

Harder, D.R.; and Coulson, P.B. (1979).

Estrogen receptors and effects of estrogen on membrane
electrical properties of coronary vascular smooth
muscle.

J. cell physiol., 100: 315.

Harris, A.S.; Bisteni, A.; Russell, R.A.; Brigham, J.C.; and
Firestone, J.E. (1954).

Excitatory factors in ventricular tachycardia resulting
from myocardial ischaemia. Potassium a major excitant.

Science 200: 1119.

Harrison, D.C.; Schroeder, J.R., Granelly, R.; and DeBusk, R. (1970).

Use of propranolol in management of cardiac arrhythmias. In: Kattus A; Ross G, and Hall VE, eds. Cardiovascular beta adrenergic responses. Berkeley, California: University of California Press., 173-190.

Havekes, L.; Van Gent, C.M; Stegerhock, C.L.; Arntzenius, A.C.; and Hesse, L.W. (1981).

High density lipoprotein cholesterol and apolipoprotein A-I levels in 32-33-year-old women on steroid contraceptives-differences between two frequently used low estrogen pills.

Clin. Chim. Acta., 116; 223.

Havel, R.J.; Goldstein, J.L.; and Brown, M.S. (1980).

Lipoproteins and lipid transport. In Bondy, P.k; Rosenberg, L.E. editors. Metabolic control of disease. Philadelphia. W.B. Saunders Company. P. 393.

Hazzard, W.R.; Haffner, S.M.; Kushwaha, R.S.; Applebaum-Bowden, D.; and Foster, D.M. (1984).

Preliminary report : kinetic studies on the modulation of high density lipoprotein, apolipoprotein, and subfraction metabolism by sex steroids in a postmenopausal woman.

Metab. Clin. Exp., 33: 779.

Heard, R.D; Jellink, P.H.; and O'Donnell, V.J. (1955).

Biosynthetic link between estrogen and androgen
Endocrinology 57:200.

Heller, R.F.; Jacobs, H.S.; Vermeulen, A.; and Deslypere J.P. (1981).

Androgens, estrogens and coronary heart disease.

Br. Med. J., 282: 438.

Hill, A.B. (1979).

In "A short Text book of Medical Statistics 10th edition". The English Language Book Society and Hodder and Stoughton.

Hurst, J.W. (1986).

Chest pain due to myocardial infarction .

In "The Heart" McGraw-Hill Inc., New York., P 112, 113.

Hurst, J.W.; King III, S.B.; walter, P.F.; Fresinger, G.C.; and Edwards, J.E. (1982).

Atherosclerotic Coronary Heart Disease: Angina Pectoris, Myocardial infarction, and Other Manifestations of Myocardial Ischaemia, in Hurst, J. willis: the heart. Mc Graw- Hill Inc., New York.,: 1009.

Inaba, M.; and kamata, K. (1979).

Effect of estradiol- 17 beta and other steroids on noradrenaline and dopamine binding to synaptic membrane fragments of rat brain.

J. Steroid Biochem., 11: 1491.

Jaffe, M.D. (1977).

Effect of estrogen on post- exercise electrocardiogram.

Br. Heart J., 38: 1299.

James, T.N.; Post, H.W.; and Smith, F.J. (1955).

Myocardial infarction in women.

Ann. Intern. Med., 43: 153.

Janowsky, D.S.; and Daris, J.M. (1970).

Progesterone- estrogen effects on uptake and release of
norepinephrine by synaptosomes. life Sci., 9: 525.

Kagen, L.; Scheidt, S.; and Butt, A. (1977).

Serum Myoglobin in Myocardial Infarction:

The "staccato phenomenon" Is Acute Myocardial infar-
ction in man an Intermittent Event?

Am J. Med., 62: 86.

Kannel, W.B.; and McGeel, D.I. (1979).

Diabetes and cardiovascular disease. The Framingham
study.

J.A.M.A., 241: 2035.

Kannel, W.B.; Hjortland, M.C.; McNamara, P.M.; and Gordon,
T. (1976).

Menopause and risk of cardiovascular disease.

Ann. Intern. Med., 85 : 447.

Kashyap, M.L.; Strivastava, L.S.; Chen, C.Y.; Perisutti, G.;
Campbell, M.; Lutmer, R.F.; and Gluck, C.J. (1977).

Radioimmunoassay of human apolipoprotein CII . A study
in normal and hypertriglyceridemic subjects.

J.Clin. Invest., 60: 171.

Kashyap, M.L.; Hynd, B.A.; Robinson, K.; and Gartside, P.S.
(1981).

Abnormal preponderance of sialylated apolipoprotein
CIII in triglyceride rich lipoproteins in type V hyper-
lipoproteinemia.

Metab. Clin. Exp., 30: 111.

Kendall, D.A.; and Narayana, K. (1978).

Effect of estradiol-17 beta on monoamine Concentrations
in hypothalamus of an oestrous ewe.

J. Physiol., 282: 44.

Keys, A. (1970).

Coronary heart disease in seven countries.

Circulation 41 (suppl. I) : 125.

Khaw, B.A.; Gold, H.K., Fallon, J.T.; and Haber, E. (1978).

Detection of serum cardiac Myosin Light Chains in Acute
Experimental Myocardial infarction: Radioimmunoassay of
cardiac Myosin light chains.

Circulation 58 : 1130.

Kibe, P.; and Nilsson, N.J. (1967).

Observation on the diagnostic and prognostic value of
Some enzyme tests in myocardial infarction.

Acta. Medica Scand., 182:597.

King, W.J.; and Greene, J.L. (1984).

Monoclonal antibodies localize estrogen receptor in the
nuclei of target cells.

Nature (London), 307: 745.

Kjekshus, J.K.; and Sobel , B.E. (1970).

Depressed myocardial creatine phosphokinase activity following experimental myocardial infarction in rabbit. Circu. Res., 27: 403.

Kjekshus, J.K.; Moroko, P.R.; and sobel. (1972).

Distribution of myocardial injury and its relation to epicardial ST- Segment changes after coronary artery occlusion in the dog. Cardiovasc. Res., 6:490.

Klaiber, E.L.; Broverman, D.M.; vogel, W.; Kobayashi Y; and Moriarty D. (1972).

Effects of estrogen therapy on plasma MAO activity and ECG driving responses of depressed women. Am. J. Psychiatr., 128:1492.

Klaiber, E.L.; Broverman, D.M., Vogel, W.; and Kobayashiy. (1979).

Estrogen therapy for severe persistent depressions in women. Arch Gen. Psychiatry 36: 550.

KLaiber, E.L.; Broverman, D.M.; Haffajee, C.I.; Hochman, J.S.; Sacks, G.M.; and Dalen J.E. (1982).

Serum estrogen levels in men with acute myocardial infarction. Am. J. Med., 13 : 872.

Klaiber, E.L.; Broverman, D.M.; and Dalen, J.E. (1984).

Serum estradiol levels in male cigarette smokers.

Am. J. Med., 77: 858.

Kley, H.K.; Solbach, H.G.; Mckinnan, J.C.; and Kruskemper, H.L. (1979).

Testosterone decrease and estrogen increase in male patients with obesity.

Acta Endocrinol. (Copenh)., 91: 553.

Kliks, B.R.; Burgess, M.J.; and Abildskov, J.A. (1975).

Influence of sympathetic tone on ventricular fibrillation threshold during experimental coronary occlusion,

Am. J. cardiol, 36: 45.

Kushwaha, R.S.; Hazzard, W.R.; Gange, C.; Chait, A.; and Albers, J.J. (1977).

Type III hyperlipoproteinemia: paradoxical hypolipidemic response to estrogen.

Ann. Intern. Med., 87:517.

Lambert, D.; Max, J.P; McLean, L.; Pointel, J.P. Drouin, P.; and Debry, G. (1981).

Correlation between the apoprotein C composition of very low density Lipoproteins and triglyceridemia in subjects with type IV hyperlipoproteinemia.

J. Lab. Clin. Med., 96: 834.

Levitt, B.; Cagin, N.A.; Somberg, J.C.; and Keid, J.J.
(1976).

Ventricular rhythm disorder and sudden cardiac death.

Am. J. Med., 61: 449.

Levy, R. L. (1983).

Proceedings of the symposium on Hyperlipoproteinemia:

Dietary and pharmacologic Intervention, Washington, D,

May 23, P. 1-4.

Lindholm J.; Winkel, P.; Brodthagen, U.; and Gyntelberg F.
(1982).

Coronary risk factors and plasma sex hormones.

Am. J. Med. ,73: 648.

Longcope, C.; Widrich, W.; and savin, C.T. (1972).

The secretion of estrone and estradiol 17 B by human
Testes. Steroids 20: 439.

Longcope, C. (1973).

Peripheral conversion of androgens to estrogens.

Steroids 12: 583.

Longcope, C.; Pratt, J.H.; schneider, S.H.; and Fineberg S.E.
(1978).

Aromatization of androgens by muscle and adipose tissue
in vivo. J. Clin. Endocrinol. Metab., 46: 164.

Lown, B.; and Graboys, T.B. (1977).

Management of patients with malignant ventricular arrhythmias.

Am. J. cardiol., 39: 910.

Luine, V.N.; Khylichevskaya, R.I.; and McEn, B.S. (1975).

Effect of gonadal steroids on activities of monoamine oxidase and choline acetylase in rat brain.

Brain Res., 86: 293.

Luria, M.H.; Johnson, M.W.; Pego, R. (1982).

Relationship between sex hormones, myocardial infarction, and occlusive coronary disease.

Arch. Intern. Med., 142: 42.

Mahley, R.W.; and Innerarity, T.L. (1983).

Lipoprotein receptors and cholesterol homeostasis.

Biochim. Biophys. Acta 737:197.

Mahley, R.W.; Innerarity, T.L.; Rall, S.C.; and Weisgraber, K.H. (1984).

Plasma lipoproteins: apolipoprotein structure and function.

J. Lipid Res., 25: 1277.

Mann, J.I.; and Inman W.H.W. (1975).

Oral contraceptives and death from myocardial infarction.

Br. Med. J., 2: 245.

Mann, J.I.; Vessey, M.P.; Thorogood, M.; and Doll, R. (1975).

Myocardial infarction in young women with special reference to oral contraceptive practice.

Br. Med. J., 2 : 241.

Maseri, A.; LAbbate, A.; Baroldi, G. (1978).

Coronary vasospasm as a Possible cause of myocardial infarction derived from the study of preinfarction angina.

N. Engl. J. Med., 299: 1271.

McGill, H.C.; and Sheridan, P.J. (1981).

Nuclear uptake of sex steroids in the cardiovascular system of the baboon,

Cir. Res., 48: 238.

Meade, T.W. (1981).

Risk associations in the thrombotic disorders.

Clin. Haematol., 10: 391.

Meyer, A.S. (1955).

Conversion of testosterone to 17-B estradiol in experimental animals.

Biochim. Biophys. Acta 17:441.

Mondecki, T.; Giec, L.; and Kargul, W. (1970).

Enzyme activities after cardioversion.

Br. Heart J., 32: 600.

Norwegian Multicenter study Group (1981).

Timolol-induced reduction in mortality and reinfarction
in patients surviving acute myocardial infarction.

N. Engl. J. Med., 304: 801.

O'Hara,D.D.; Porte,D.; and Williams,R.H.(1966).

The effect of diet and thyroxin on plasma lipids
in myxedema.

Metab. Clin. Exp., 15: 123.

Osborne,J.C.Jr.; and Brewer,H.B.(1977).

The plasma lipoproteins.

Adv. Protein Chem., 31: 253-337.

Phillips,G.B.(1977).

Relationship between serum sex hormones and glucose,
insulin, and lipid abnormalities in men with myocardial
infarction.

Proc. Natl. Acad. Sci. U.S.A., 74: 1729.

Phillips,G.B. (1978).

Sex hormones, risk factors and cardiovascular disease.

Am. J. Med., 65: 7.

Phillips,G.B. (1984).

Evidence for hyperestrogenemia as the link between
diabetes mellitus and myocardial infarction.

Am. J. Med., 76: 1041.

Phillips,G.B.; Castelli,W.P.; Abbott,R.D.; and McNamara,P.M.
(1983).

Association of hyperestrogenaemia and coronary heart
disease in men in Farmingham Cohort.

Am. J. Med.,74: 863.

Porter,L.E.; Elm,M.S.; VanThiel,D.H.; Dugas,M.C.; and
Eagon,P.K. (1983).

Characterization and quantitation of human hepatic
estrogen receptor.

Gastroentrology 84: 707.

Pratt,G.H; and Longcope,C.(1978).

Effect of adrenocorticotrophic hormone on production
rates and metabolic clearance rates of testosterone and
estradiol.

J. Clin. Endocrinol Metab., 47: 307.

Rayan,K.J. (1959).

Biological aromatisation of steroids.

J. Biol. Chem., 234: 268.

Rayan,K.J.; and Smith,O.W. (1961).

Study on estrogen metabolism.

J. Biol. Chem., 236: 705.

Raymond,F.A.; Dickson,R.B.; and Eisenfeild,A.J. (1979).

Female and male green monkey liver estrogen receptor.

Biochem. pharmacol.,28: 2445.

Roberts,R.; Husain,A.; Ambos,H.D.; Oliver,G.C.; Cox,J.R.;
and Sobel,B.E. (1975).

Relation between infarct size and ventricular arrhythmia. Br. Heart J., 37: 1169.

Roe,C.R.; and Stamer, C.F. (1975).

A sensitivity analysis of enzymatic estimation of infarct size.

Circulation 52:1.

Sandberg,A.A.; and Slaunwhite,W.R. (1957).

Studies on phenolic steroids in human subjects.

J. Clin. Invest., 36: 1266-1278.

Savignano,T.; Harrok,A.; and Kus,J.(1969).

Creatine phosphokinase activity. a study of normal and abnormal levels.

Am. J. of Clin. Pathol.,51: 76.

Schaefer,E.J.; Zech,L.A.; Jerikins,L.L.; Bronzert,J.J.;

Rubalcaba,E.A.; Lindgren,F.T.; Amodt,R.L.; and
Brewer,H.B.,Jr. (1982).

Human apolipoprotein A-I and A-II metabolism.

J. lipid Res.,23: 850.

Schaefer,E.J.; Foster,D.M.; Zech,L.A.; Lindgren,F.T.;

Brewer,H.B,Jr.; and levy,R.I. (1983).

The effects of estrogen administration on plasma lipoprotein metabolism in premenopausal female.

J. Clin., Endocrinol. Metab., 27: 262.

Schildkraut, J.J. (1973).

Neuropharmacology of effective disorders. In:
Elliot, H.W.; Okun, R.; George, R., eds. Annual review of
pharmacology, vol. 13: Palo Alto, California: George
Banta., 427-454.

Shapiro, S.; Stone, D.; Rosenberg, L.; Kaufman, D.W.;
Stolley, P.D.; and Mittinen, O.S. (1979).

Oral Contraceptive use in relation to myocardial
infarction.
Lancet 1:743.

Shell, W.E.; and Sobel, B.E. (1976).

Biochemical markers of ischaemic injury.
Circulation 53/54: 1.

Sherlock, S. (1981).

Diseases of the liver and biliary system.
Blackwell scientific publications, U.S.A.
Six Edition, p., 79.

Skaeggestad, O. (1973).

Arrhythmias in different types of acute coronary heart
diseases.
Acta Medica Scand., 193:299.

- Small, M.G.; Beastall, G.H.; Beattie, J.M.; McEachern, M.;
Hutton, I.; Iorimer A.R.; and Forbes, C.D. (1985).
Serum estradiol and ischaemic heart disease.
Quarterly journal of Medicine, New series 57, No 223.
p. 775.
- Srivastava, K.; DasGupta, P.K.; and Mehrotra, P.K. (1978).
Monoamine oxidase activity in the pituitary of mice
after estrogen, progesterone and centchroman treatment.
Indian J. physiol. pharmacol. ,22: 310.
- Stanik, S.; Dornfeld, L.P.; Maxwell, M.H.; Viosa, S.P.; and
Korenman, SG. (1981).
The effect of weight loss on reproductive hormones in
obese men.
J. Clin. Endocrinol. Metab., 53: 828.
- Steingart, M.R.; and Scheuer, J. (1982).
Assessment of myocardial ischaemia and infarction, in
Hurst, J.W.: The Heart. McGraw-Hill Inc., New York.,
P.:357-370.
- Stoffer, S.S; Hynes, K.M; Jiang, N.S.; and Ryan R.J. (1973).
Digoxin and abnormal serum hormone level.
J.A.M.A., 225: 1643.

Stone, M.J.; Willerson, J.T.; Gomez- Sanchez, C.E.; and
Waterman, M.R. (1975).

Radioimmunoassay of Myoglobin in Human Serum:

Results in patients with acute myocardial infarction,
J.clin. Invest., 56: 1334.

Thomas, M.; Shulman, G.; and Opie L. (1970).

Arteriovenous potassium changes and ventricular
arrhythmias after coronary artery occlusion.

Cardiovasc. Res., 4:327.

Tommaso, C.I.; Salzeider, K.; Arif, M.; and klutz, W.
(1980).

Serial myoglobin Vs. Cpk analysis as an indicator of
uncomplicated myocardial infarction size and its use in
assessing early infarct extension.

Am. Heart J., 99:149.

Trahern, C.A.; Gere, J.B.; Krauth, G.H.; and Bigham, D.A.
(1978).

Clinical assessment of serum myosin light chains in the
diagnosis of Acute myocardial infarction.

Am. J. Cardiol., 41:641.

Trinder, P. (1969).

Determination of glucose in blood using glucose oxidase
with an alternative oxygen acceptor.

Ann. Clin. Biochem., 6: 24.

University Group Diabetes program. (1982).

Effect of hypoglycemic agents on vascular Complications
in patients with adult onset diabetes.

Diabetes., 31 (suppl 5): 1-81.

Verhoeven, G.; Dierick, P.; and De Moor, P. (1979).

Stimulation effect of neurotransmitters on the
aromatization of testosterone by sertoli cell- enriched
Cultures.

Mol. cell Endocrinol., 13: 241.

Veterans Administration cooperative Urological Research
Group (1967).

Treatment and survival of patients with cancer of the
prostate.

Surg. Gynecol. Obstet., 124: 1011-1017.

Vigorita, V.J.; Moore, G.W.; and Hutchins, G.M.(1980).

Absence of correlation between coronary arterial
atherosclerosis and severity or duration of diabetes
mellitus of adult Onset.

Am. J. cardiol., 46:535.

Vogel, W.; Broverman, D.M.; and Klaiber E.l. (1971).

ECG response to photic Stimulation in regulary
menstruating women.

Science 172: 388-391.

Vogel, W.; Broverman, D.M.; Klaiber, E.I.; and Kobayashi, Y.
(1974).

ECG driving responses as a function of monoamine
oxidase.

Electroencephalogr. Clin. Neurophysiol., 36:205-207.

Wahlefeld A.W. (1974).

Triglycerides determination after enzymatic hydrolysis
in: H.U. Bergmeyer: Methods of enzymatic analysis, 2nd
Eng. edn.

P., 1831 Pub. by V.C.W inc. Newyork. London.

Wang, C.; Chan, V.; Tse, T.F.; and yeung, R.T. (1978).

Effect of surgical stress on pituitary-testicular
function.

Clin. Endocrinol., 9:255.

Weidman, S.W.; Ragland, J.B.; Fisher, J.N.; Kitabchi, A.E;
and Sabesin, S.M. (1982).

Effects of insulin on plasma lipoproteins in diabetic
ketoacidosis: evidence for a change in high density
lipoprotein composition during treatment.

J. lipid Res., 23 :171.

Welshons, W.V.; Lieberman, M.E.; and Gorski, J.(1984).

Nuclear localization of unoccupied estrogen receptors.
Nature (London) 307:747.

West, M.; Eshchar, J.; and Zimmerman, H.J. (1966).

Serum enzymology in the diagnosis of myocardial infarction and related cardiovascular conditions.

Med. Clinics of N. Am., 50:171.

Windler, E.E.; Kovanen, P.T.; Chao, Y.S.; Brown, M. S.;

Havel, R.J.; and Goldstein, J.L. (1980).

The estradiol- stimulated lipoprotein receptor of rat liver. A binding site that membrane mediates the uptake of rat lipoproteins containing apoproteins B and E.

J. Biol. Chem., 255:10464.

Wolfson, S.; and Gorlin, R. (1970).

Effects of propranolol in the diseased heart In:

Kattus, A; Ross, G.; Hall, VE.; eds. Cardiovascular beta adrenergic responses. Berkeley, California: university of California press., 151-160.

Wynn, V.; Doar, J.W.H.; Mills, G.L.; and Stokes, T. (1969).

Fasting serum triglyceride, cholesterol and lipoprotein levels during oral-contraceptive therapy.

Lancet ii: 756.

Zondek, K. (1934).

From: A study of the endocrine man of hepatic cirrhosis cited by :Baker et al., 1976).

Quart. J. of Med., 177: 145.

Zumoff, B.; Troxler, RG.; O'Connor J.; et al., (1982).

Abnormal hormone levels in men with Coronary heart
disease.

Arteriosclerosis 2:58.