

XVI- REFERENCES.

REFERENCES

- 1- Abdallah, A.M., Abdel-Wahab, M.A., Mansour, A.M. and Abdel-Latef, M.(1978): The role of splenectomy in the management of bilharzial hepatosplenomegaly. Med. j. Zagazig univ. vol I, March, 1978 No. 1, pp. 95 : 105.
- 2- Abdel-Rahman, Y., Malek. A., and Khairy, M. (1960) : plasma proteins level after splenectomy. Kasr El-Aini j. surg. I, 551.
- 3- Aboul - Enein, A.; Moustafa, F.; Massoud, G.; Helmy.A. and El-Sallab, R. (1972): Observations on intrasplenic-vasculature in schistosomiasis; congestive and non congestive splenomegaly. J. of trop. Med. and Hyg. 75,76.
- 4- Ageeb, M., Ekladios, E.M. and Khairy, M. (1971) : Bilharzial liver cirrhosis.kasr El-aini.J. of surg. 12, 307.
- 5- Allison, A.c. (1976): Self - tolerance and autoimmunity in thyroid. New-England journal of medicine 295, 821.
- 6- Alper, c.A. (1974): plasma protein measurments as a diagnostic aid. New-England journal of medicine, 291, 287.
- 7- Amman, A.j. Addiego, j, and ware, D.W. (1977): Responses to subcutaneously administered antigens. The Lancet, 28, 178.

- 8- Andrade, Z.A., paronette, F. and popper, H., (1961) :
Bilharzial liver cirrhosis. Amer. J. of path. 34,689.
- 9- Anthony, P, et al., (1978) : The morphology of cirrhosis.
Journal of clinical pathology 31, 395.
- 10- Atkinson, M. and sherlock, S. (1954) : Intrasplenic
pressure as an index of the portal venous pressure .
lancet, 1, 1325.
- 11- Atta A.A (1959) : Blood picture changes after splenectomy.
J. Egypt. Med. Ass. vol. 42. No 54. 5.
- 12- Atta, A.A. (1962) : Bilharzial hepatic fibrosis. 1st
intern. symp on bilharz. Vol 11 PP. 213.
- 13- Atta A.A (1967): Haematological studies with bilharzial
hepatosplenomegalic fibrosis. The medical j. of Cairo
univ. 35, 105.
- 14- Barrares, H. (1968) : Incidence of anaemia in
hepatosplenomegaly in tropics. Trop. M. Hye . 72. 90.
- 15- Bellanti, j.A. et al., (1971) : Immunological reactivity.
lancet 2,526.
- 16- Benjamin Gordon, I.S. (1976) : The immune response in
cirrhotic rats. Gastro - Entrology 71, 114 - 117.

- 17- Bereni, M.R. (1974) : In vitro and in vivo studies of cellular immunity in alcoholic cirrhosis. Dig. Dis., 19 , 199 - 203.
- 18- Bjorneboe, M. et al, (1972) : Anti-bodies to intestinal microbes in serum of patients with cirrhosis of the liver. lancet, 1, 58 - 60.
- 19- Blendis, A. (1969) : Effect of splenectomy on haemodilutional anaemia in splenomegaly. Lancet, 3, 614.
- 20- Bloom, B. (1953) : Hepato-splenomegaly, cited by whitby, 7 th. edition, 1953, P. 20 - 27.
- 21- Boles, E.T. (1978) : partial splenectomy in staging laparotomy for Hodgkin's disease. J. Pediat. Surg., 13 , 581 - 586.
- 22- Brawn .A. (1981) : The rule of the spleen in experimental pneumococcal Bacteraemia. clinic investig. 67. 4. P. 975 - 82. 1981 Apr.
- 23- Burlui .D. (1979) : Splenectomy in chronic hepatitis with an auto - immune component. The lancet, 20, 60.
- 24- Burnet, F.M., (1959) : Clonal selection theory in "acquired immunity". univers. Press. Cambridge. 3rd ed, p. 120.
- 25- Cameron, G.R. and Gonguly, S. (1964) : The infection of mice with S. mansoni and the effect on the liver. J. Path. Bact.; 33, 799.

- 26- Cantor. H. (1976) : Development and functions of subpopulations of thymocytes and T. lymphocytes. progress in Allergy, 20,1.
- 27- Chaimoff, C. et al, (1978) : Serum immunoglobulin changes after accidental splenectomy in adults . Am J. surg. 136. 3. P 332 - 3. sep. 78.
- 28- Chaudry, I.H. (1980) : Effect of splenectomy on reticulo-endothelial function and survival following sepsis. The journal of trauma 8,649 :655 August 1980.
- 29- Chilcote R.R., et al, (1976) : Immune defect in patients with Hodgkin's disease. Lancet 28, 178.
- 30- Claret, I. et al, (1975) : Immunological studies in the postsplenectomy syndrome. J. pediat surg. 10, 59-64.
- 31- Cohen, S., (1967): Properties of the immoglobulins groups. Advances in immunology vol.7, P.1.
- 32- Constantopoulos, A.; Najjar, V.A. and wish, J.B.(1973): Defective phagocytosis due to tuftsin deficiency in splenectomized subjects. Amer.J.Dis. Child. 125,663.
- 33- Coomb, B.et al, (1945) : Auto-immunity and disease, Blackwell Scientific Publications, Oxford. 2 nd ed.P.9.
- 34- Cooney, D.R. et al, (1979): Heterotropic splenic auto transplantation in prevention of overwhelming post-splenectomy infection. J. Pediat. Surg.,14, 336-342.

- 35- Craddock, C.G. et al, (1971): Lymphocytes and immune response. New England Journal of medicine 285, 324-378.
- 36- Dameshek, W. (1944): Leucopenia and agranulocytosis Oxford univ. press. 1944. Quoted from Arnosy, H., M. Ch. thesis Zagazig univ. 1979 .
- 37- David, J.R. (1973): Lymphocytic mediatory and cellular hypersensitivity. New England Journal of Medicine 288, 143.
- 38- Day, H.B. (1933): Bilharzial liver cirrhosis. J. Trop. med., 36, 17.
- 39- Diamond, L.K. (1969): Splenectomy in childhood and the hazards of over-whelming infection. Pediatrics, 43, 886 - 889.
- 40- Dixon, F.J. et al, (1968): Effects of splenectomy. quoted from Kotb., A. M.D. thesis (1972), Cairo Univ.
- 41- Dover, D. et al, (1981): Serum immunoglobulin levels in splenectomized Hodgkin patients and in subjects following post-traumatic splenectomy. Oncology. 38. P. 165.
- 42- Drummond, N., Michael, A.F., Good, R.A., and verniers, R.L., (1966): Auto immunity and disease in acute chronic nephritis . J. Clin. Invest. 45, 620.
- 43- El-Dewi, S., Bibawi, E., and Habib, S.E., (1957): Egyptian splenomegaly. J. Kasr El-Aini Fac. of Med. 23-53.

- 44- El-Guzayerli. M.A., Salam, A., (1962): Histo-pathology of livers in patients with bilharzial hepatic fibrosis. *Alx. Med. Jour*, 15,10.
- 45- El-Kadi, A., et al, (1923): The relation between schistosoma mansoni and the clinical syndrome of Egyptian splenomegaly. *J. Egypt. Med Ass.* 6,4.
- 46- El-Kadi, A., et al, (1958): Plasma protein changes in bilharzial hepatic fibrosis, 4 th. int. cong. biochem., PP. 36:58.
- 47- Ellis, D.S., et al, (1966): The rule of spleen in immunity with reference to post-splenectomy problem in infants. *Pediatrics*, 37, 111-119.
- 48- El-Mofty, A. and Khattab. M. (1962): Hepatosplenic bilharziasis. *First intern. Symp. on bilh., Part II, P.79.*
- 49- El-Raziky, S., (1972): Immunity in bilharzial cirrhosis M.D. thesis Kasr El- Aini Fac. of Med.
- 50- El-Ridi, M.S.; El - Mofti, A., Ismail, A.A. and Kamel, G. (1958) : Plasma protein changes in bilharzial hepatic fibrosis ; 4 th. int. cong. Biochem., PP. 36:58.
- 51- Erfan, M. (1957): Hepatic Bilharziasis .*J. Trop. med. and Hyg.* 50,104.
- 52- Esmat, M.E., Ageeb, M., and Milad, M., (1971): Anti-liver anti-bodies in chronic liver disease. *Kasr El-Aini J. surg.* 12 ,10.

- 53- Evans, S. (1951): Immune body production. Arch-Intern. Med., 87,48.
- 54- Fahmy, S. Ismail, A. A. ; El-Mofty, A. and Hashem, M. (1956): Plasma proteins level in B.H.F..J. Kasr El-Aini fac. Med., 22, 23.
- 55- Fairley, N.H. (1920): The action of dead bodies of Bilharzial worms on the liver. J. Path. Bact., 23,289.
- 56- Fleming, C.R., et al, (1976): Auto transplantation of splenic tissue. Am. J. Med., 61, 414-419.
- 57- Frankline, E.C., et al, (1951): Electrophoretic studies in liver disease. II Alpha globulin in chronic liver disease, J. clin invest 30, 729 - 738.
- 58- Frankline, E.C., et al, (1976): Some impacts of clinical investigations on immunology. New England Journal of Medicine 294,531.
- 59- Freni, E. et al, (1976): Peripheral blood lymphocyte population in chronic liver disease.clin.exp. Immunol., 26, 222:227.
- 60- Gad El-Mawla, et al, (1958): Peripheral blood and bone marrow changes after splenectomy.J. Egyptain Med. ASS. 41, PP. 85:92.
- 61- Galbraith, A., et al, (1976): Enhanced antibody responses in active chronic hepatitis. Lancet 1,930-935.

- 62- Gaudeman, J. et al, (1979): Detection of platelet antibodies in idiopathic thrombocytopenic purpura. Rev.Haematology. 21.1. P.47-56.
- 63- Ghanem, M.H.(1962): Auto immune process in the pathogenesis of bilharzial hepatic fibrosis. Alexand. Med. J. 8, 195.
- 64- Ghanem, M.H. (1962): Inherited immune mechanism. 1st intern. Symp. on bilharziasis vol. 1. P. 405:415.
- 65- Girgis, R.(1932): Hepatosplenomegaly J. Trop. Med. and Hyg. 35,86. 1932.
- 66- Goldthorn, J.F.,et al, (1978): Protective effects of residual splenic tissue after subtotal splenectomy. J. Pediat. Surg., 13 : 587-590.
- 67- Good, R.A. et al, (1971): Relation of IgA and IgE to bodily defences. New England Journal of Medicine 284,552.
- 68- Grabar, P. and williams, C.A., (1953): Electrophoresis of serum in agar-gel. Biochemica, Biophysica Acta 10 P. 193.
- 69- Gray, H.E. (1973): Grays anatomy. Descriptive and applied 35 th. Edition 1973 PP. 718 : 723.
- 70- Habib, M. (1959): A splenic factor responsible for the blood picture in bilharzial splenomegaly. Alex. Med. J., 5 , 447.

- 71- Halborow, E., et al, (1977): Anti bodies against reticulin and collagen. Annals of the Rheumatic Diseases, 36, supplement. P. 51.
- 72- Hamilton, P.K., Hutchinson, H.S., Janison, B.W. and jones, H.P. (1959): Anti bilharzial therapy as an important factor in production of B. fibrosis. Am. J. clin. Path., 32,18.
- 73- Harasawa. Y. (1970): Electron microscopic studies on the normal human spleen especially on the red pulp and on the reticulo endothelial cells. Blood 35,201.
- 74- Harker, H. (1970): Production and maturation of platelets. Blood 35, 201.
- 75- Hashem, H. (1947): The aetiology and pathogenesis of endemic form of hepato-splenomegaly. J. Egypt. Med. Assoc., 30,48.
- 76- Hassab, M.A. (1962): Splenectomy and left gastric vessels ligation for the treatment of haematemesis from aesophageal varices in B.H.F. Alex. Med. J., 8,375.
- 77- Hassab, M.A. (1964): Decongestion and spleectomy.J. of the intern. college of surg. vol. 41, No.3.PP.240:246.
- 78- Hassab, M.A. (1970): Non-shunt operations in portal hypertension without cirrhosis. surg. Gyn. obstet. 131,648.

- 79- Haurawiz, F., et al, (1961): In "functions of the blood", P. 527, ed. Macfarlane R.G. & Robb-smith, A. Oxford. Blackwell.
- 80- Hickie, G.(1948): Immune body production. J. Med. 17,165.
- 81- Hobbs, J.R. (1967): Immunoglobulins in liver disease. proc. Roy. Soc. Med. 60,1250 - 1254.
- 82- Hosea, S.W. et al, (1981): Impaired immune response of splenectomized patients to polyvalent pneumococcal vaccine. Lancet. 1.8224. P. 804-7. 1981 Apr.
- 83- Humberto, M. (1963): The evidence of the importance of dead worms in producing the hepatic lesions. Amer. J. Trop. Med. & Hyg., 12, 741.
- 84- Hut, M., et al, (1969): Late effects of splenectomy. Brit. Med. Journal V.4 P.15.
- 85- Irshad, H., et al, (1980): Effects of splenectomy on reticulo-endothelial function and survival following sepsis. The journal of trauma 8,649:655 August 1980.
- 86- Jandi, I.(1967): Splenic pooling and hypersplenism. Amer.J. of Med. Sciences. April 1967.
- 87- Janqueira, I.C.(1975): Basic Histology, 2nd Edition, P.P. 275 : 278. Lange medical publication.

- 88- Jarnum, S. (1963): Protein- losing gastroentropathy.
Oxford : Blackwell. 2nd ed. P. 120.
- 89- Join, S., et al, (1976): Dauble stranded D.N.A. binding
capacity of serum in a cut and chronic liver disease
clin. Exp. Immunol, 26, 35-41.
- 90- Kamel, G. (1956): Effects of bilharzial hepatic
fibrosis on liver functions. M. Ch. thesis Cairo. Univ.
- 91- Kamisosa, I., et al, (1980): Effects of splenectomy
on Blood coagulation and fibrinolysis in patients with
liver cirrhosis. Blood 42.5.
- 92- Kenawy, M.R., (1958): Peripheral Blood and bone marrow
changes after splenectomy. J. Egypt. Med. Ass. 41, PP.85-92.
- 93- Khairy, M., Abdel - Rahman, Y.; Malek, A.(1960):
Bilharzial hepatosplenomegaly. Kasr El-Aini J. of surg.
Vol. I, P. 55I.
- 94- Khairy, M. (1962): The place of splenectomy in bilhar-
zial hepatic fibrosis. Proc. of the first Intern.
symp. on Bilh., Cairo part II, PP. 257 : 369.
- 95- Khalil, K.,(1928): Intestinal schistosomiasis as a
predesposing factor for hepatic fibrosis. Trop. Med.
Hyg. Vol. 3, 370.

- 96- King, H., et al, (1952): Susceptibility to infection after splenectomy performed in infancy. Ann. Surg. 136,239 - 242.
- 97- Kotb, A.A. (1972): Haematological changes after splenectomy and shunt surgery in patients with hepatic cirrhosis in Egypt. M. D. thesis Fac. Med. Cairo. univ. P. 58.
- 98- Krumbhaar, E.B., (1932): Effects of splenectomy on experimental animals. Amer. J. med. Sci., 184,215.
- 99- Last, R.J. (1975): Regional and applied anatomy. 5 th. Ed. PP. 469 : 471.
- 100- Lea, M.A. and Weber, J. (1928): Action of Bilharzial eggs in cirrhosis. J. Biol. Chem, 243,50.
- 101- Lebland, C.P., et al, (1960): Models for lymphocyte and plasmocyte formation in "Haemopoiesis", cell production and its regulation. Walstenholm G.E. Oconner little Brawn, London P. 150.
- 102- Litkeit, V.V. (1975): Opsonin and leukophilic globulin in splenectomized rats with and without hetrotropic auto-transplanted splenic tissue. Nature, 253: 742-755.
- 103- Lin, A. et al, (1973): scanning electron microscopy of Human T. cell and B. cell rosettes. New England Journal of medicine, 289, 548.

- 104- Lipson, R.L., Bayrd, E.D., Watkins, C.H.(1959): The post splenectomy Blood picture. Clin. Path. 32,526:532.
- 105- Lozzio, B.B. wargan, L.B.(1974):Immunological studies in asplenic animals and human. Immunology 27,167.
- 106- Macpherson, A.I.S. (1953): Peripheral blood picture after operations for portal hypertension.Post grad. Med. J. 11,22.
- 107- Macpherson, A.I.S. (1956): Surgical treatment of portal hypertension. Postgrad. Med. J. 32, 472.
- 108- Madden, N.E., lore, J.M. and Gerold, F.P. (1952): Amer. college of surgeons, 23,26.
- 109- Malek, A. et al, (1960): Bilharzial hepatosplenomegaly. Kasr El-Aini J. of surg. Vol. 1,P. 551.
- 110- Martine, C.R. (1973): T and B Lymphocytes and immune response. Nature 242 : 19,
- 111- Maximow, A.A. and cowdry,s,(1932): Special cytology. 2 nd Ed.,Vol. 2 P. 601. Hoeber New York.
- 112- Mc Bride, J.A. (1968): The effect of splenectomy on leucocyte count, British journal of Haematology, 14, 225-231.
- 113- Mc Indoe, A.H. (1928): Vascular lesion of portal cirrhosis. Arch. Path. 5, 23.

- 114- Medawar, P.B., (1960): Cellular aspects of immunity, ciba Foundation symp., ed. by walestenhome G.E., and O'connor M., P. 134 London, churchill.
- 115- Mehrishi, et al., (1974): T and B Lymphocytes, striking differences in surface membranes. British Medical Journal, 1,360.
- 116- Melleney, H.E. (1953): The histopathological lesions produced in bisexual infection with schistosoma. Amer. J. Trop. med. and Hyg. 2:283.
- 117- Merikanto, J., et al, (1980): Immunologic consequences of neonatal splenectomy. J. of pediatric surg. 15.5. P. 651.
- 118- Millard, R.E. and Banarjee, D.K. (1979): Changes in T and B blood lymphocytes after splenectomy. J. of clinical pathology. 32.10, P. 1045.
- 119- Millar, L.L. and Bole, W.F., (1954): Sources of Plasma proteins . J. Exp. Med. 99,133.
- 120- Moneti, A. and William;S. (1966): Injection studies of the splenic vasculature in portal hypertension. Gut.7,175.
- 121- Moore, D.E. and warren, K.S.(1967): Hepato splenic S. mansoni and japonica compared in mice, each infected with one pair of worms. Trans. Roy. Soc. Trop. med. and Hyg., 61, 164.

- 122- Moreno, A.H. (1977) : Portal blood flow in cirrhosis of the liver. J. clin. invest. 46 : 436.
- 123- Mousa, A.H. (1965) : portal hypertension in hepato - splenic Bilharziasis . J. Trop., med & Hyg., 68, 196.
- 124- Najjar, V.A., et al, (1968) : The physiologic role of the lymphoid system. Biochemistry, 7, 2376 - 2379.
- 125- Palok and Turk, (1968) : Drugs acting as haptens . Clin. Exp. Immuno. 3,253.
- 126- Paronnetto, F. and Popper, H. (1976) : Immunologic reactions in the pathogenesis of hepatitis. New England J. of Medicin 294, 606.
- 127- Pasnick, I.j. et al, (1966) : Immunity in hepatospleno - megaly. Amere.J. of Med. 33, 774.
- 128- Pearson, H.A. et al (1978) : Return of splenic function after splenectomy for trauma. N. Engl. J. Med. 298, 1389-1392, 1978.
- 129- Pederson, B. and videbaek, A. (1966) : On the late effects of removal of normal spleen. Acta chirurgica scandinavica, 131, 89 - 98.

- 130- Porter, R.R., (1963) : The morpgology of immunoglobulin molecule. protides of the Biological fluids.Vol. 11,p.11.
3 rd ed,Hoeber New York.
- 131- Pryor, M. (1967) : Mechanism of anaemia in tropical splenomegaly. J.Med. July. 1967.
- 132- Rawley, D.A., (1950) : The effect of splenectomy on the formation of circulating anti bodies J. Imm. 64, 289 - 295.
- 133- Rayner, S. (1950) : An analytical study of splenectomized cases after traumatic rupture, Acta Medica 137, 417-435.
- 134- Rebuk, j.w. and woods, H.L. (1948) : Splenic production of cells . Blood, 3, 175.
- 135- Richard, A.(1961) : Destruction of platelets by the spleen. J. of Haematology, August, 1961.
- 136- Roberts, S.R. and Krucke R.R. (1930): Immune body production . J. Amer. Med. Ass., 95 - 850.
- 137- Robinette, C.D., et al, (1977) : Splenectomy and subsequent mortality in veterans of the 1939 - 45 wor. Lancet, ii,127, 129, jul.(1977).

- 138- Rony, Y. (1981): Involvement of the spleen in B cell Differentiation. Eur. J. Immunology 11.2. p. 94 - 9. 1981 Feb.
- 139- Rothschild, M.A., (1972): Albumin synthesis. New England.J. of medicin 286, 748 and 816.
- 140- Rowley, D. (1950): The formation of circulating antibodies in the splenictomized human-being following intravenous injection of heterologus erythrocytes. J. Immun. 65, 515.
- 141- Sabour, M. (1967): Hypersplenism in Egyptian splenomegaly J. Trop. Med. Hyg. 36: 85.
- 142- Salah, M. (1940): Pathologic physiology of the enlarged spleen in Bilharzial hepatic fibrosis. J. Egypt. Med. Assoc, 22, 10.
- 143- Saleh, E.A. (1972): The role of splenectomy in some auto-immune Factors in Bilharzial hepatic fibrosis. M.D . thesis, general surg.,Fac. of med. Cairo univ. PP. 121, 136.
- 144- Saslaw.S. (1959): Responses to subcutaneously administered antigens. New Engl. J. Med. 261, 120, 1959.

- 145- Schumacher, M.J. (1970): Immune reponse after splenectomy.
disease childh. 19, 45.
- 146- Schwartz, A.D.(1972): A measurment of antibody production
to intravenously administered Hetrologous R.B.Cs.
Pediat. Res. 6, 145.
- 147- Shamma, A.H., et al.(1965): Bilharzial liver cirrhosis .
J. Path., Bact., V. 90 N.2, 659:61.
- 148- Sherlock, S.(1961): Diseases of the liver and biliary
system. Blackwell scientific publications.
Oxford, 2nd. Ed. P. 104.
- 149- Sherlock, S. (1974): Classification and functional
aspects of portal hypertension. Amer. J. of surg.,
127, 121.
- 150- Singer, K., Miller, E.B., and Damesheck, W. (1941):
Normal Persons peripheral blood after splenectomy.
Amer. J. Med. Sci. 202, 171.
- 151- Singer, D.B.(1973): Post splenectomy sepsis
" perspective problems in pediatric pathology ".
Year Book. Medical publisher. Chicago. 111. P. 285.

- 152- Smith T.F., et al, (1979): Functions of the spleen in host defense against infection. Am. J. Pediatr Haematol. Oncol. 1.4. P. 355 - 62.
- 153- Sullivan, J.L., et al, (1978): Immune response after splenectomy, The Lancet, J.28, 178,
- 154- Svedberg, T., Pedersen, K.O., (1940): Separation of plasma proteins in "Ultracentrifuge".. London Oxford University Press 3 rd ed P. 80.
- 155- Thomas, H.C., Macsween, S. (1974): A homeostatic mechanism for the removal of antigen from the portal circulation. Immunology 26, 375 - 382.
- 156- Thomas, H.C., et al, (1976): Peripheral blood lymphocyte populations in chronic liver disease. Clin Exp. Immunol, 26: 222-227.
- 157- Thomas, H.C., (1977): The role of the liver in immunological disease proc. Roy. Soc. Med. 70, 521-525.
- 158- Tiselius, A., and Kabat.E.A.(1939): Separation of plasma proteins by electro phoresis. J. Exp. Med. 69 - 119.
- 159- Toghill, P.J. Green, S. (1979): Splenic influences on the blood in chronic liver disease. J.Med. 48,192 P. 613 - 25. 1979 Oct.

- 160- Toleda, J. (1961) : Hepato Splenomengaly
"Gastroentrology", 2nd Ed. (1965) : Vol. III,
P. 63, W.B. sanders Co. Philadelphia.
- 161- Tomasi, T.B. (1972) : Secretory immunoglobulins.
New England J. of medicine, 287 - 500.
- 162- Triger, D.R. et, al, (1972) : Bacterial and diatary
antibodies in liver diseases. Lancet 1, 60-63.
- 163- Turk, J.L. (1969) : Auto-Immunity and diseases
in "immuno. in clinc. Med". William Heinman
med. Books London 2nd Ed. p. 50.
- 164- Turner, M.D.; Sherlock, S. and steiner, R.E. (1957):
Intrasplenic pressure measurement and portal.
venography in the clinical investigation of portal
hypertension. Amer. J. Med. 23, 846.
- 165- Unanau, E.R. and Dixon, F.J. (1967): Auto Immunity
and disease. Adv. Immun., 6,1.
- 166- Vaezadeh, F.A. (1974) : A hameostatic mechanism
for the removal of antigen from the portal
circulation. Immunology 26, 375 - 382.
- 167- Verman, J.P., (1965): Serum proteins and their
separation. Immunochemistry 2, 263.
- 168- Woldmann, T.A. (1969) : Disorders of immunogolobulin
metabolism. New England J. of Medicine, 281, 1170.
- 169- Walter, J.B. and israel, M.S, (1979): General
pathology, churchil London 5th edition.

- 170- Walzer, P.D., et al, (1980) : Serum immunoglobulin levels in childhood Hodgkin's, effect of splenectomy and long-term follow up. Cancer. 45.8. P. 2084
9. 1980 Apr.
- 171- Webb, L.J. et al, (1980) : Immune function in patients with extrahepatic portal venous obstruction, gastroenterology V. 79. No 1.
pp 99 : 103.
- 172- Willems, G, et al, (1969) : Viral inhibition of the phytohemagglutinin response of human lymphocytes and application to viral hepatitis, proc. Soc. Exp. Biol. Med. 130, 652 - 654,
- 173- Yota, J. et al, (1970) : Human thymus lymphoid tissue antigen and its presence in leukaemia and Lymphoma. Clin. Exp. Imm. 7 : 781 - 92.
- 174- Younes, M.T. (1964) : Studies on the place of splenectomy and gastro - oesophageal decongestion in the treatment of oesophageal varices in bilharzial hepatic fibrosis- M.D. Thesis. Fac. of Med. Alex. Univ. PP. 47 : 279.
- 175- Zukerman S.H., et al, (1976): The lymphocyte plasma membrane markers, receptors, and determinants. Pathology Annual, 6, 119.
- 176- Zigler, J.L.; Cohen, M.H. and Hutt, M.S.R.(1969): Immunoglobulin changes after splenectomy. Brit. Med. J. 4, 15 : 17.