
REFERENCES

- Ahmed, W.H.; Bittl, J.A. and Braunwald, E. (1993) :**
Relation between clinical presentation and angiographic findings in unstable angina pectoris and comparison with that in stable angina. *Am. J. Cardiol.* 72 : 544.
- Aldridge, H.E.; Mcloughlin, M.J. and Tylor, K.W. (1975) :**
Improved diagnosis in coronary cine arteriography with routine use of oblique views and cranial and caudal angulations. *Am. J. Cardiol.*, 36 : 468-473.
- Allen, P.; Burk, M.; Andrew, F. and You-Hui-Lang (1996) :**
Effect of hypertension and coronary artery morphology in sudden cardiac death. *Circulation*, 94 : 3138-3145.
- Angelini, P. (1989) :**
Normal and anomalous coronary arteries : definitions and classifications. *Am. Heart. J.*, 117 (No. 2) : 418-438.
- Anggard, E. (1994) :**
Nitric oxide : mediator, murdered and medicine. *Lancet*, 343 : 1199-1206.
- Antony, I.; Nitenberg, A.; Foul, J.M. and Aptecar, E. (1993) :**
Coronary vasodilator reserve in untreated and treated hypertensive patients with and without LVH. *J. Am. Coll. Cardiol*, 22 : 514-520.
- Areann, F.W.; Bolli, P.; Kiowski, W. and Buhler, F.R. (1981) :**
Enhanced alpha adrenoceptor mediated vasoconstrictor in essential hypertension. *J. Cardiovasc. Pharmacol.*, 3 : 11-19.
- Ayers, C.R. (1995) :**
New diagnostic roads in hypertension and atherosclerosis. *Curr. Opin. Cardiol*, 10 (5) : 480-4.
- Baim, D.S. and Grossman, W. (1986) :**
Coronary arteriography. In : cardiac catheterization and angiography edited by Grossman, W., 3rd Ed., Lea and Febiger, Philadelphia, p. 179-199.

- Banegas – Banegas, J.R.; Rodriguez, F.; De-Andres-Manzano, B. and Del-Rey, J. (1999) :**
Hypertension related mortality and arterial pressure in Spain. Med. Clin. Barc, 112 (13) : 489-94.
- Bourdillon, P.D.; Broderick, T.M.; Williams, E.S. et al. (1989) :**
Early recovery of regional LV function after reperfusion in acute MI assessed by serial 2d echo. Am. J. Cardiol. 63 : 641.
- Braunwald, E. (1989) :**
Unstable angina : A classification. Circulation. 80 : 410.
- Brinton, T.J.; Kailasam, M.T. and Mu, R.A. (1996) :**
Arterial compliance by cuff sphygmomanometer. Application to hypertension and early changes in subjects at genetic risk. Hypertension, 28 : 599-603.
- Brisk, D. (1972) :**
Use of the right atrio-ventricular fat strip in catheterization of the right coronary artery. Radiology, 104 : 433-434.
- Calles-Escandon, J.; Garcia, E.; Mirza, S. and Mortensen, A. (1999) :**
Type 2 diabetes : one disease, multiple cardiovascular risk factors. Coron. Artery – Dise., 10 (1) : 23 – 30.
- Cardillo, C.; Kilcocyne, C.M. and Quyyumi, A.A. (1997) :**
Increased contribution of endogenous endothelin to the regulation of vascular tone in essential hypertension, J. Am. Coll. Cardiol, 189 A.
- Chobanian, A.V. (1989) :**
Adaptive and maladaptive response of arterial wall to hypertension. Hypertension, 15 : 666-674.
- Chobanian, A.V. (1990) :**
Adaptive and maladaptive response of the arterial wall to hypertension. Hypertension; 15 : 666-674.
- Christian, T.F.; Gibbons, Clements, T.P. et al. (1995) :**
Estimate of myocardium at risk and collateral flow in acute MI using E.C.G. index in comparison to angiographic measures. J. Am. Coll. Cardiol. 26 : 388.

- Cohen, M. and Rentrop, P. (1986) :**
Limitation of myocardial ischemia by collateral circulation during sudden controlled coronary artery occlusion in human subjects. *Circulation*, 74 : 469.
- Cournand, A. and Ranges, H.A. (1941) :**
Catheterization of right auricle in man. *Proc. Soc. Exp. Biol. Med.*, 46 : 462-466.
- Christopher, J.; O'Donnell, Paul, M. and Robert, J. (1997) :**
Hypertension and borderline systolic hypertension increase the risk of cardiovascular disease and mortality. *Circulation*, 95 : 1132-1137.
- Cueva, S.P.; Garc, A.L.; Calvo, M. and Carceller, F. (1996) :**
Correction of hypertension by normalization of endothelial levels of fibro blast growth factor and nitric oxide synthetase in hypertensive rats. *Proc. Natl. Acad. Sc. USA*, 93 : 11996-12001.
- Daves, M.L. (1970) :**
The loop and circle approach. *Radiology*, 95 : 157-160.
- Depaola, N.; Gimbrone, M.A.; Davies, P.F. and Dewey, C.F. (1992) :**
Vascular endothelial response to fluid shear stress. *Arterioscler Thromb.* 12 : 1254-1257.
- Desimone, G.; Devereux, R.B. and Roman, M.J. (1991a) :**
Echocardiographic left ventricular mass and electrolyte intake predict arterial hypertension. *Ann. Intern. Med.*, 114 : 202-209.
- Devereux, R.B.; Roman, M.J. and Ganau, A. (1994) :**
Cardiac and arterial hypertrophy and atherosclerosis. *Hypertension*, 23 : 802-809.
- Dohik-Kojima, M. and Sato, K. (1996) :**
Endothelial modulation of contractile response in arteries from hypertensive rats. *Am. Heart. J.* 28 : 732-737.
- Dortmier, Wilson, Valsania, P. and Zari, O.A. (1978) :**
Quantitative comparison of coronary angiographic characteristic of coronary artery disease in patients with non insulin dependent diabetes in comparison with non diabetic, *Am. Ht. Cardiol.* 80 : 550-556.

- Dzau, V.J. (1994) :**
Tissue angiotensin system in cardiovascular medicine circulation, 89 : 493-8.
- Egashira, K.; Suzuki, S. and Hirooka, Y. (1995) :**
Impaired endothelium dependent vasodilatation of large epicardial and resistance coronary arteries in patients with essential hypertension different response to acetyl choline and substance. P. Hypertension; 25 : 201-206.
- Ergul, S.; Parish, D.C.; Puett, D. and Ergul, A. (1996) :**
Racial difference in plasma endothelin-1 concentrations in individuals with essential hypertension. Hypertension, 28 : 652-655.
- Esler, M.; Julius, S.; Zweifler, A. Randall, O.; Harburg, E. and Quattro. V. (1977) :** Mild high renin essential hypertension. N. Engl. J. Med., 269 : 405-11.
- Ferri, C.; Bellini, C. and Desideri, G. (1997) :**
Elevated plasma endothelin-1 levels as additional risk factor in non obese essential hypertension patients with metabolic abnormalities. Diabetologia, 40 : 100-102.
- Ferro, C. and Webb, D.J. (1988) :**
The clinical potential of endothelin receptor antagonists in cardiovascular medicine. Drugs, 15 : 12-27.
- Finocchiaro, M.L.; Luip, A. and Buffon, A. (1994) :**
Coronary flow responses to adenosine and dipyridamole are different in syndrome - X and hypertension circulation, 90 : 113-117.
- Fishel, R.; Shai, S. and Norc, K. (1991) :**
Endothelial cells angiotensin converting enzyme expression is up regulated by shear stress FASEB, J. 5 : A 1247.
- Florence, H.; Sheehan, Eugene, Braunwald, Paul Canner, Harold, T.; Dodge and Joel, G. (1987) :**
Effect of intravenous thrombolytic therapy on left ventricular function : a report on tissue type plasminogen activator and streptokinase from the thrombolysis in myocardial infarction (TIMI phase I) trial. Circulation, 75; 4 : 817-829.

- Folkow, B.; Hallack, M.; Lundgren, Y. and Weiss, L. (1970) :**
Background of increased flow resistance and vascular reactivity in hypertensive rats, *Acta Physiol. Scand*, 80 : 93-106.
- Folkow, B. (1977) :**
Role of vascular factors in hypertension. *Circulation*, 33 : 291-301.
- Forte, P.; Copland, M. and Smith, L.M. (1997) :**
Nitric oxide synthesis in essential hypertension. *Lancet*, 349 : 837-842.
- Franklin, S.S. and Weber, M.A. (1994) :**
Measuring hypertensive cardiovascular risk : the vascular overload concept. *Am. Heart. J.*; 128 : 793-803.
- Frolich, E.D.; Apstein, C. and Chobanian, A.V. (1992) :**
The heart in hypertension. *N. Engl. J. Med.*, 327 : 998-1008.
- Fujii, T. and Matsuzaki, M. (1998) :**
The aspect and pathophysiology of acute coronary syndromes. *Nippon - Rinsho*, 56 (10) : 2465-70.
- Galderisi, M.; Petrocelli, G. and Alfieri, A. (1996) :**
Impact of ambulatory blood pressure on left ventricular diastolic dysfunction in hypertension. *Am. J. Cardiol.*, 77 : 597-601.
- Ganau, A.; Devereux, R.B. and Roman, M.J. (1992) :**
Patterns of LVH and geometric remodeling in essential hypertension. *J. Am. Coll. Cardiol*, 19 : 1550-1558.
- Gensini, G.G. (1975) :**
Anatomy of the normal coronary arteries in Gensini, G.G. (ed.) *coronary arteriography*. Futura Publishing Co., New York, pp. 163-230.
- Gensini, G.G. (1983) :**
A more meaningful scoring system for determining the severity of coronary artery disease. *Am. J. Cardiol*, 51 : 606.

- Girered, X. Mourad, J.J. and Copie, X. (1994) :**
Non invasive detection of an increased vascular mass in untreated hypertensive patients. *Am. J. Hypertens*, 7 : 1076-1084.
- Gomes, A.S.; Esposite, V.A.; Grollman, J.H. and O'Reilly, R.J. (1982) :**
Angulated views in the evaluation of the right coronary artery. *Cathet. Cardiovasc. Diag.*, 8 : 71.
- Gould, K.L. (1998) :**
New concepts and paradigms in cardiovascular medicine : the non invasive management of coronary artery disease. *Am. J. Med.*, 104 (6A) : 25-178.
- Green, G.E.; Bernstein, S. and Reppert, E.H. (1967) :**
The length of the left main coronary artery. *Surgery*, 62 : 1021.
- Griffin, S.A.; Brown, W.C.B. and Macpherson, F. (1991) :**
Angiotensin II causes vascular hypertrophy in part by a non pressor mechanism. *Hypertension*, 17 : 626-635.
- Grover, M.; Slutsky, R.; Higgins, C. and Atwood, J.E. (1984) :**
Terminology and anatomy of angulated coronary arteriography. *Clin. Cardio.*, 7 : 37.
- Guazzi, M.D. (1995) :**
LVH in hypertension, coronary micro and macrovascular disease and myocardial ischemia. *Cardiovascular risk facts*, 5 : 133-139.
- Harcus, A.W. et al. (Eds.) (1975) :**
Arteries and veins. Edinburgh, Churchill Livingstone.
- Harra, P.S.B.; Dominiczak, A.F. and Fraser, R. (1996) :**
Plasma angiotensin II, predisposition to hypertension. *Circulation*, 93 : 1148-1154.
- Harrison, D.G.; Florentine, M.S. and Brook, L.A. (1988) :**
Effect of hypertension and LVH on the lower range of coronary auto regulation. *Circulation*, 77 : 1108-1115.