
References

- Aguilera MT, Coca A, De la Sierra A, Estruch R, Rubin E, Urbano-Marquez A:** Chronic alcohol intake raises blood pressure monitoring (ABPM) [abstract 1163]. *J Hypertens* 1994,12 (suppl 3):S211.
- Akashiba, Hiroshi Minemura, Hitoshi Yamamoto, Naoko Kosaka, Osamu Saito:** Nasal continuous positive air way pressure changes blood pressure “non-dippers” to “dipper” in patients with obstructive sleep apnea. *Sleep* 1999; vol. 22: 849-853.
- Amar J, Bieler L, Salvador M, Chamontin B.** Intima-media thickness of carotid artery in white coat and ambulatory hypertension. *Arch mal coeur vaiss.* 1997; 90: 1075-1078.
- Ambrosioni Z, Burghic, nagnami B:** For the survival of myocardial infarction long-term evaluation. *N Engl J med.* 1995; 332: 80-85.
- American national standard for new automated sphygmomanometers.** Arlington, Virginia for the Advancement of medical Instrumentation; 1986.
- Anthanssiadis D, Draper GJ, Honour AJ, Cranston WI:** Variability of automatic blood pressure measurements over 24-h periods. *Clin Sci* 1969; 36: 147-156.
- APERIA, A.-** Dopamine action and metabolism in the kidney. *Curr. Opin. Nephrol. Hypertens.*, 1994, 3, 39.
- Aronson D. Rayfiled EJ.** Diabetes and obesity. In: Fuster V, Ross R, Topol EJ, eds. *Atherosclerosis and Coronary Artery Disease.* Philadelphia; Lippincott- Raven; 1996: 327-359.
-
-

-
-
- Asmar R, Boutelant S, Chaignon M, Guedon J, Tojouchian J, Mallion JM, et al.:** Repeated measurements of non-invasive ambulatory blood pressure: distinction between reproducibility and the proper effect of placebo. *Blood Press Monit* 1996; 1: 283-288.
- Baumgart p, Walger P, Gemen S, von Eiff M, Raidt H, Rahn KH:** Blood pressure elevation during the night in chronic renal failure, haemodialysis and after renal transplantation. *Nephron* 1991, 57: 293-298.
- Baumgart P, Walger P, Gerke M, Dorst KG, Watter H, Rah KH:** Nocturnal hypertension in renal failure, hemodialysis and after renal transplantation. *Hypertension* 1989; 7: (suppl 6) S70-S71.
- Baumgart P, Walger P, Jurgens U, Rahn KH:** Reference data for ambulatory blood pressure monitoring: what results are equivalent to the established Limits of office blood pressure? *Klin wochenschrift* 1990; 68: 723 -727.
- Benhamou PY, Halimi S, De Gaudemaris R, Boizel R, Pitiot M, Siche JP, et al.:** Early disturbances of ambulatory blood pressure load in normotensive type I diabetic patients with microalbuminuria. *Diabetes Care* 1992; 15: 1614-1619.
- Benhorin J, Banai S, Moriel M, et al.:** Circadian variations in ischemic threshold and their relation to the occurrence of ischemic episodes. *Circulation* 1993;87:808-14.
- Bevan AT, Honour AJ, Stott FH:** Direct arterial recording in unrestricted man. *Clin Sci* 1969; 36: 329-344.
-
-

- Bianchi S, Bigazzi R, Baladari G. Sgherri GP, Campese VM.** Diurnal variation of blood pressure and microalbuminuria in essential hypertension *AM J Hypertens* 1994; 7:23-29.
- Bode-Boger, Rainer H. Boger, Jan T., Matthias Loffler, Jurgen schaffer:** Role of endogenous nitric oxide in circadian blood pressure regulation in healthy humans and patients with hypertension or atherosclerosis. *Journal of investigative medicine* 2000; 125-132.
- Brandenberger G, Follenius M, Simon C, Ethrhart J, Libert JP:** Nocturnal oscillations in plasma rennin activity and REMNREM sleep cycles in humans: A common regulations mechanism? *Sleep* 1989; 11: 242-250.
- Broadhurst P, Brigden G, Dasgayota P, Lahiri A, Rafteri EB:** Ambulatory intra-arterial blood pressure in normal subjects. *M Heart J* 1990;120:160-166.
- Brown BG. Alberts JJ. Fisher LD. Schaeter FM. Lin J-T. Kaplan C, et al.:** regression of coronary artery disease as a result of intensive lipid-lowering therapy in men with high levels of apolipoprotein B. *N Engl J Med* 1990; 323:1289-1298.
- Brunner H.R.:** Introduction to the use of ambulatory blood pressure in therapeutic evaluations *Journal of Hypertension* 1991, 3 (suppl 3): 551.
- Burt VL, whelton P, Rocella EJ, et al.** Prevalence of hypertension in the us adult population. Result from the third national health and nutrition Examination survey, 1988-1991, *Hyperntesion*. 1995; 25: 305-313.
- Caraig MW, Bishop CN, Raftery EB:** Circadian variation of blood pressure. *Lancet* 1978, i:795-797.
-
-

- Cellina GU, Honour AJ, Littler WA:** Direct arterial pressure, heart rate, and electrocardiogram during cigarette smoking in unrestricted patients. *Am Heart J* 1975, 89:18-25.
- Chau NP, Bauduceau b, Chanudet X, Larroque P, Gautier D.:** Ambulatory blood pressure in diabetic subjects. *Am J Hypertens* 1994; 7:487-491.
- Chau NP, Mallion JM, De Gaudemaris R, Ruche E, Siche JP, Pelen O, et al.:** Twenty four hour ambulatory blood pressure in shift workers. *Circulation* 1989; 80: 341-347.
- Chen J, Radford MJ, Wangy, et al.,** Acuit myocardial infarction what we know about? *N Engl J med.* 1999; 340: 286-292.
- Coats AJS, Radaelli A, Clark SJ, Conway J, Sleight P.:** The influence of ambulatory blood pressure monitoring on the design and interpretation of trials in hypertension. *J Hypertens* 1992; 10: 385-391.
- Coca A, Aguilera MT, De la Sierra A, Sanchez M, Picado MJ, Lluch MM, et al:** chronic alcohol intake induces reversible disturbances on cellular Na metabolism in humans: its relationship with changes in blood pressure. *Alcohol Clin Exp Res* 1992, 16:714-720.
- Coca A:** Carcadian rhythm and blood pressure control: physiological and pathological factors. *J hypertens – suppl* 1994 Jul; 12(5): 513-21.
- Coca A:** Circadian rhythm and blood pressure control: physiological and pathophysiological factors. *J Hypertens* 1994, 12 (suppl 5):S13-S21.
- Cuspid C, Marabini M, Lonati L, Sampieri L, Comerio G, Pelizzolis, Leonetti G, Zonchetti A.** Cardiac and carotid structure in patienets with established hypertension and white – coat hypertension *J Hypertens.* 1995; 13:1707-1711.
-
-

- Dal Palu:** Introduction to the use of ambulatory blood pressure monitoring in diagnosis and prognosis. *J Hypertens* 1991;9(suppl 3):S15-S16.
- Drayer HIM, Weber MA, DeYoung JL, Brewer DD:** Long-term BP monitoring in the evaluation of antihypertensive therapy. *Arch Intern Med* 1983; 143: 898-901.
- Dupont AG, Vander Nieppen P, Six RQ.:** Placebo does not lower ambulatory blood pressure. *Br J Clin Pharmacol* 1987; 24: 106-109.
- Elliott HL, Meredith PA.:** Methodological considerations in circulation of the trough: peak ratio. *J Hypertens* 1994; 12 (suppl 8): S3-S7.
- EMFELDT, D., ELVELIN, L. & NORDLANDER, M.:** Relevance of plasma noradrenaline concentrations to estimate automatic effects of antihypertensive drugs. *Blood Press.*, 1994, 3, 356.
- Engleman HM, Gough K, Martin SE, Kingshott RN, Padfield PL, Douglas NJ.:** Ambulatory blood pressure on and off continuous positive airway pressure therapy for the sleep apnea/hypopnea syndrome: effects in "non-dippers". *Sleep* 1996; 19: 378-81.
- Figueras J, Cinca J, Balda F, Moya A, Rius J.:** Resting angina with fixed coronary artery stenosis: nocturnal decline in ischemic threshold. *Circulation* 1986; 74:1248-54.
- Figueras J, Cortadellas J, Balda F, Cinca J.:** Nocturnal angina in patients with fixed coronary artery stenosis: increased coronary vasoconstrictive sensitivity with independence of pacing ischaemic threshold. *Eur Heart J* 1989; 10:903-9.
- Fletcher AE, Bulpitt CJ.:** How far should blood pressure be lowered? *N Engl J Med* 1992; 326: 251-4.
-
-

- Hoffman J.** Endermination and prediction of transmural myocardial perfusion. *Circulation*. 1978; 58: 381-91.
- Hollenbeck M, Kutkuhn B, Bosma A, Morgera S, Grabensee B.** The value of non-invasive 24hours blood pressure measurement in patients with reno-parenchymal, renovascular or severe hypertension. *Z Kardiol* 1992; 81: 29-32.
- Idema RN, van den Meiracker AH, Man in 't Veld AJ, Balk A, Bos E, Schalekamp. MADH:** Circadian hemodynamics in heart transplant recipients. *J Hypertens* 1993, 11 (suppl 5): S90-S91.
- Imai y, Abe K, Minura Y, Nihei M, Sasaki S, Minami N, Munakata M, Taira N, Sekino H, Yamakoshi K, Toshimaga K:** Hypertensive episodes and circadian fluctuations of blood pressure in patients with pheochromocytoma: Studies by long-term monitoring based on a volume-oscillometric method. *J Hypertens* 1988; 6: 9-15.
- Imai Y, Abe K, Sasaki S, et al.:** Altered circadian blood pressure rhythm in patients with Cushing's syndrome. *Hypertension* 1988; 12: 11-19.
- Imholz BPM, Langewouters GL, Van Montfrans GA, Parati G, Van Goudoever J, Wesseling KH, et al.:** Feasibility of ambulatory, continuous 24-hour finger arterial pressure recording. *Hypertension* 1993; 21: 65-73.
- Iwase M, Kaseda S, Lino K, Fukuhara M, Yamamoto M, Fukudome Y, et al.:** Circadian blood pressure variation in non-insulin-dependent diabetes mellitus with nephropathy. *Diabetes Res Clin Pract* 1994; 26: 43-50.
-
-

- Izzo JL, Ghosal A, Kwong T, Freeman RB, Jaenike JR:** Age and prior caffeine on use alter the cardiovascular and adrenomedullary responses to oral caffeine. *Am J Cardiol* 1983, 52:769-773.
- Juliuss, Mejia, Tones is, krause L, S chark N, Vanse ven et al.** "white coat" versus "sustained" borderline hypertension in hypertension. 1990; 16:617-623.
- Kannel WB, D; Agotino RB.** Blood pressure and cardiovascular morbidity and mortality rates in the elderly. *Am. Heart T.* 1997; 134:758-763.
- Kastrup J, Wroblewski H, Sindrup J, Rolighed H, Wiinberg N:** Diurnal blood pressure profile in patients with severe congestive heart failure: dippers and non-dippers. *Scand J Clin Lab Invest* 1993; 53: 577-583.
- Kennedy HL, Padgett NE, Horon MJ.** Performance reliability of the Del Mar avionics non-invasive ambulatory pressure instrument in clinical use. *Electrocardiography* 1979; 1:13-17.
- Khan N, Couper J, Dixit M, Couper R.** Ambulatory blood pressure and heart rate in adolescents with insulin-dependent diabetes mellitus. *Am J Hypertens* 1994; 7: 937-940.
- Khoury AF, Sunderajan P, Kaplan NM:** The early morning rise in blood pressure is related mainly to ambulation. *Am J Hypertens* 1992;5:339-344.
- Kumuro, Sibuzaki, Kuraba yashim, Takaku F, Yazaki:** Molecular cloning of gene sequences from rat heart rapidly responsive to pressure over load: *circ. Res.* 1990; 66:979-982.
- Libby P, Warner SJC, Salomon RN, Biringi Lk:** Production of platelet-derived growth factor – like mitogen by smooth – muscle cells from human atheroma. *N Engle J med.* 1988; 318:1493-1498.

- LIGHT, K. C.:** Psychosocial precursor of hypertension: experimental evidence. *Circulation*, 1987, 76 (suppl 1), 67.
- Lindblad U, Rastam L, Ryden L, Ranstam J, Isasson SO, Berglund G. (1997):** Control of blood pressure and risk of first acute myocardial infarction: Skaraborg hypertension project. *BMJ* 1994; 308:681-6.
- Lipid Research Clinics Program. Lipid Metabolism-Atherogenesis Branch. National Heart, Lung, and Blood Institute.** The lipid research clinics coronary primary prevention trial results: I. Reduction in incidence of coronary heart disease. *JAMA* 1984; 251:351-364.
- Lipid Research Clinics Program. Lipid Metabolism-Atherogenesis Branch. National Heart, Lung, and Blood Institute.** The lipid research clinics coronary primary prevention trial results; II. The relationship of reduction in incidence of coronary heart disease to cholesterol lowering. *JAMA* 1984; 251:365-374.
- Lipid Research Clinics Program. Lipid Metabolism-Atherogenesis Branch. National Heart, Lung, and Blood Institute.** The lipid research clinics coronary primary prevention trial results; II. The relationship of reduction in incidence of coronary heart disease to cholesterol lowering. *JAMA* 1984; 251:365-374.
- Littler WA, Honour AJ, Carter RD, Sleight P:** Sleep and blood pressure. *Br Med J* 1975; 3: 346-348.
- Littler WA, Honour Al. corled RD and sleight Pi** sleep and hypertension, 1975; 3; 346-348.
- Littler WA.:** Sleep and blood pressure: further observations. *Am Heart J* 1979; 97-35-37.
-
-

- Liu, S. C., and Fang, G. H.:** Serum autoimmunity in vasectomysed men and its relation to atherosclerotic coronary artery disease? Clin. Reprod. Fertil. 3:343, 1985.
- Lluch MM, De la Sierra A, Coca A, Aguilera MT, Pares I, Compte M, et al.:** Salt sensitivity in essential hypertension: assessment by means of 24-hour ambulatory blood pressure monitoring (ABPM) [abstract 267]. J Hypertens 1994, 12 (suppl 3):S47.
- Lurbe A, Redon J Pascual JM, Tascon J, Alvarez V, Batlle C.:** Altered blood pressure during sleep in normotensive subjects with type I diabetes. Hypertension 1993; 21: 227-235.
- Lydakis, G.Y.H. Lip, D.G. Bevers.** Management of patient with myocardial infarction and hypertension. European heart Journal. 2000; 21:1125-1134.
- Lynch JJ, Thomas SA, Long JM, Malinow KL, Chickadonz G, Katcher AH:** Human speech and blood pressure and blood pressure. J Nerv Ment Dis 1980; 168: 526- 534.
- Macia G:** Methods for assessing blood pressure in humans. Hypertension 1983, 5 (suppl III):III5-III13.
- Mac-mahnon S, Peto R. cutler I. et al.,** blood pressure, stroke and coronary heart disease. Part 1: Prolonged differences in blood pressure prospective observational studies corrected for the regression dilution bias. Lancet 1990; 335:765-74.
- Malhotra H, Mathur D, Mehta SR, Khandelwal PD:** Pressor effects of alcohol in normotensive and hypertensive subjects. Lancet 1985, ii:584-586.
-
-

-
-
- Malhotra H, Mathur D, Mehta SR, Khandelwal PD:** Pressor effects of alcohol in normotensive and hypertensive subjects. *Lancet* 1985; ii: 584-586.
- Mallion JM, Bauget JP, Siche JP, Tremel F, De Gaudemaris R.:** Clinical value of ambulatory blood pressure monitoring. *J Hypertension*. 1999; 17:585-595.
- Mallion JM, De Gaudemaris R, Baguet JP, Azzouzi L, Quesada JL, Sauzeau C, et al.:** Acceptability and tolerance of ambulatory blood pressure measurement in the hypertensive patients. *Blood Press Monit* 1996; 1:197-203.
- Mallion JM, De Gaudemaris R, Dedru JL, Perdix A, Doyon B, Morin B, et al. :** Mesure de la pression arterielle en ambulatoire par methode automatique. *Arch Mal Coeur* 1980; 73:95-101.
- Mancia G, Albin F, Villani A:** Circadian blood pressure variations and their impact on disease. *J Cardiovasc Pharmacol* 1988, 12 (suppl 7): S11-S17.
- Mancia G, Di Rienzo M, Parati G:** Ambulatory blood pressure monitoring use in hypertension research and clinical practice. *Hypertension* 1993, 21:510-524.
- Mancia G, Ferrari A, Gregorini L, Parati G, Pomidossi G, Berinieri G, et al.:** Blood pressure and heart rate variabilities in normotensive and hypertensive human beings. *Circ Res* 1983, 53: 96-104.
- Mancia G, Ferrari A, Gregorini L, Parati g, Pomidossi G, Bertinieri G, et al.:** Blood pressure variability in man: its relation to high blood pressure, age and baroreflex sensitivity. *Clin Sci* 1980, 59 (suppl 6): 401s-404s.
-
-

- Mancia G, Omboni S, Parati G, Ravogli A, Villani A, Zanchetti A.** Lack of placebo effect on ambulatory blood pressure. *Am J Hypertens* 1995; 8:311-315.
- Mancia G, Parati G.:** Commentary of the revised British hypertension society for evaluation of blood pressure measuring devices: a critique of aspects related to 24-hour ambulatory blood pressure measurement. *J Hypertens* 1993; 11:595-597.
- Mann S, Altman DG, Raftery EB, Bannister R:** Circadian variation of blood pressure in autonomic failure. *Circulation* 1983, 68: 477-483.
- Mann S, Craig MW, Melville DI, Balasubramanian V, Raftery EB:** Physical activity and the circadian rhythm of blood pressure. *Clin Sci* 1979. 57 (suppl 5):291s-294s.
- Mayumi Suzuki, Christian Guilleminault, Kuniaki Otsuka and Toshiaki Shiomi:** Blood Pressure 'Dipping' and "Non-Dipping" in Obstructive Sleep Apnea Syndrome Patients. *Sleep*. 19(5): 382-387.
- McCloskey LW, PsatyBM, Koepsell TD, Aagaard GN.:** Level of blood pressure and risk of myocardial infarction among treated hypertensive patients. *Arch Intern Med* 1992; 152:513-20.
- McGill HC Jr.:** The relationship of dietary cholesterol to serum cholesterol concentration and to atherosclerosis in man. *Am J Clin Nutr* 1979. 32(suppl):2664-2702.
- McKinlay S, Foster C, Clark A, Kemp F, Denver E, et al.:** Increased blood pressure variability during 24 h blood pressure in non-insulin-dependent diabetics. *J Hum Hypertens* 1994; 8: 887-890.
-
-

- Mejer JL, Andesch HG, Van Rooijen JC, de Bruijn JHB:** Low dose captopril twice daily lowers blood pressure without disturbance of the normal circadian rhythm. *Postgrad Med J* 1986; 62(suppl 1): 101-109.
- Millar-Craig MW, Bishop Cn, Raftery EB:** Circadian variation blood pressure. *Lancet* 1978; I: 795-797.
- Millor. Graig, Bishy CN, Raftery EB.** Circadian variation of blood pressure lancet 1978; 1:795-7.
- Minami J, Kawano Y, Ishimilsu T, Yoshimi H, Takishita S:** Seasonal Variations in office, home and 24h ambulatory blood pressure in patients with essential hypertension. *J Hypertens* 1996, 14:1421-1425.
- Modesti PA, Toccafondi S, Carnemolla A, Rocchi F, Costoli A, Torri M, et al. :** Spectral analysis of 24 h blood pressure monitoring in the assessment of trough: peak ratio. A randomized, placebo-controlled, crossover comparison of ramipril and enalapril. *Blood Press Monit* 1997; 2: 283-287.
- Mosess, Elisaf, Rigas G, Kalaitzidis, John A. Goudevenos, Afroditie, kakaraki, Dimitris A. Sideris.** Blood pressure profile in patients with microvascular angina. *Coronary artery disease* 1999; 10:257-259.
- MULLIER, R., STEFFEN, H. M., WELLER, P., KUGEL, C., FREIHEIT, T. & KRONE, W:** Changes in plasma norepinephrine concentration and thrombocyte alpha 2-adrenoceptor density during long-term antihypertensive therapy with nitrendipine and captopril. *J. Cardiovasc. Pharmacol.*, 1994, 24, 429.
- Munakata M, Imai Y, Abe k Sasaki S, Minami N, Sekino H, Yoshimago K:** Involvement of the hypothalamus-pituitary adrenal
-
-

axis in the control of circadian blood pressure rhythm. *J Hypertens* 1988; 6(suppl 4): S44-S46.

Myers MG: A dose-response study of perindopril in hypertension: effect on blood pressure 6 and 24 hours after dosing. *Can J Cardiol* 1996 (in press).

Naomichi Matsumoto, Munehito Ideishi, Manabu Sasaguri, Takanoba Nil: Effect of a slow-release nifedipine on 24-hour ambulatory blood pressure and ischemic changes on 24-hour ambulatory electrocardiogram in patients with severe CAD – cardiology. 2001, 94:36-43.

National Cholesterol Education Program. Second report of the Expert Panel on Detection, Evaluation, and Treatment of High Blood Cholesterol in Adults (Adult Panel II). *Circulation* 1994; 89:1333-1445.

Noda A, Okada T, Hayashi H, Yasuma F, Yokota M: 24-hour ambulatory blood pressure variability in obstructive sleep apnea syndrome. *Chest* 1993, 103: 1343-1347.

O'Brein E, Sheridan J, O'Malley K: Dippers and non-dippers (letter). *Lancet* 1988;ii:397.

O'Brien E, Atkino N, Staessen J: Factors influencing validation of ambulatory blood pressure-measuring devices. *J Hypertens* 1995; 13: 1245-1240.

O'Brien E, Atkino N, Staessen J: State of the market, a review of ambulatory blood pressure measuring devices. *Hypertension* 1995; 26:835-842.

- O'Brien E, Murphy J, Tyndall A, et al.:** Twenty-four hour ambulatory blood pressure in men and women aged 17 to 80 years: the Allied Irish Bank Study. *J Hypertens* 1991; 9:355-360.
- O'Brien E, Petrie J, Litler WA, Padfield PL, O'Malley K, Jamieson M, et al.:** British hypertension protocol: evaluation of automated and semi-automated blood pressure measuring devices with special references to ambulatory systems. *J Hypertens* 1990; 8:607-619.
- Omboni S, Parati G, Zanchetti A, Mancia G.:** Calculation of trough: peak ratio of antihypertensive treatment from ambulatory blood pressure methodological aspects. *J Hypertens* 1995; 13: 1105-1112.
- Padfield PL, Stewart MJ:** Ambulatory blood pressure monitoring in secondary hypertension. *J Hypertens* 1991, 9(suppl 8): S69-S71.
- Palatini p, Mormino P, Martina S, Businaro R, Penzo M, Racioppa A, et al.:** Blood pressure and night-time blood pressure versus hypertensive cardiovascular complications: an analysis on 522 subjects. *Cardiologia* 1990, 35: 217-222.
- Parati G, Omboni S, Rizzoni D, Agabiti Rosei E, Mancia G.:** The smoothness index: a new reproducible and clinically relevant measure of the homogeneity of the blood pressure reduction with treatment for hypertension. *J Hypertens* 1998; 16: 1685-1691.
- Parati G, Pomidossi G, Albini F, Malaspina D, Mancia G:** Relationship of 24-hour blood pressure mean and variability to severity of target-organ damage in hypertension. *J Hypertens* 1987; 5: 93-98.
- Peixato AJ, Sica DA:** Ambulatory blood pressure monitoring in and stage renal disease. *Blood press Monit* 1997; 2: 275-282.
-
-

-
-
- Pickering TG, James GD, Boddie C, Harshfield GA, Blank S, Laragh JH.:** How common is white-coat hypertension? JAMA. 1988; 259: 225-228.
- Pickering TG,:** Diurnal rhythms and other sources of blood pressure variability in normal and hypertensive subjects. In Hypertension: Pathophysiology, Diagnosis and Management. Edited by Laragh JH, Brenner BM. New York: Raven Press; 1990: 1397-1405.
- Pickering TG,:** Diurnal, alteration and seasonal rhythms of blood pressure. In Ambulatory Monitoring and Blood Pressure Variability, Part I. Edited by Pickering TG,. London: Science Press: 1990: 5.1-5.15.
- Pickering TG.:** A review of national guidelines on the clinical use of ambulatory blood pressure monitoring Blood Press Monit 1996; 1:151-156.
- Pickering TG:** Diurnal, ultradian and seasonal rhythms of blood pressure, in Pickering TG (ed): Ambulatory Monitoring and blood Pressure Variability. Science Press, London, 1991, pp 5.1-5.15.
- Pickering TG:** for an American Society of Hypertension Ad Hoc Panel. Recommendations for the use of home (self) and ambulatory blood pressure monitoring. Am J Hypertens. 1996; 9: 1-11.
- Pickering TG:** Sleep, circadian rhythm and cardiovascular disease. Cardiovasc Rev Reports 1980: 1: 37-47.
- Pickering TG, MD, Dphil. :** The clinical significance of diurnal blood pressure variations, dippers and non-dippers. Circulation, 1990;81:700-702.
-
-

- Pieper C, Warren K, Pickering TG:** A comparison of ambulatory blood pressure and heart rate at home and work on non-work days. *J Hypertens* 1993, 11:177.
- Pierdomenico D, Lapenna D, Guglielmi MC, Costantini F, Romano F, Schiavone C, et al.:** Arterial disease in dipper and non-dipper hypertensive patients. *Am J. Hypertens* 1997; 10: 511-518.
- Pierdomenico D, Lepenna D, iugtielmi MC. et al.,** arterial disease in dipper and non dipper hypertensive patient. *AM. I. hypertense.* 1997, 10:511-518.
- Pierdomenico SD, Lapenna D, Guglielmi MD, Antidormi T, Schiavone C, Cuccurullo F, Mezzetti A.:** Target organ status and serum lipids in patients with white-coat hypertension. *Hypertension.* 1995; 26: 801-807.
- Pierdomenico, Anna Bucci, Fanrizio costanbini:** Circadian blood pressure changes and myocardial ischemia in hypertensive patients with coronary artery disease. *Cardial* 1998; 31:1627-1634.
- Pierdonenico SD, Costantini F, Bucci A, De Cesare D, Bucciarelli T, Cuccurullo F, Mezzetti A.:** Blunted nocturnal fall in blood pressure and oxidative stress in men and women with essential hypertension. *Am j Hypertens* 1999 Apr; 12(4 Pt 1): 356-63.
- Polonia JJ, Sontos AR, Gama Gm, Basto F, Bettencourt PM, Martins LR.** Follow – up clinical and ambulatory blood pressure in untreated white – coat hypertensive patients (evaluation after 2-5 years). *Blood press Monit.* 1997; 2: 289-295.
- Polse A, Decesare N, Montori P et al.,** upward shift of the lower range of coronary flow autoregulation in hypertensive patients with
-
-

- hypertrophy of the left ventricle circulation 1991; 83:845-853.
- Pormley WW, Thyberg TV. et al.,** Determinants of myocardial oxygen demand. *Cardinal* 1976; 19-34.
- Portaluppi F, Montanari L, Massari M, De Chiara V, Capanna M:** Loss of nocturnal decline of blood pressure in hypertension due to chronic renal failure. *Am J Hematol* 1991; 4: 20-26.
- Pose-Reino A, Gonzalez-JuanateY JR, Pastor C, Mendez I Estevaz JC, Alvarez D, et al.:** Clinical implications of white coat hypertension. *Blood Press* 1996; 5:264-273.
- Potter JF, Macdonald A, Beevers DG:** Alcohol raises blood pressure in hypertensive patients. *J Hypertens* 1986, 4:434-441.
- Poulsen PL, Hansen KW, Mogensen CE.** Ambulatory blood pressure in the transition from normo to microalbumunuria. A longitudinal study in IDDM patients. *Diabetes* 1994; 43: 1248-1253.
- Puddey IB, Beilin LJ, Vandongen R:** Regular alcohol use raises blood pressure in treated hypertensive subjects: randomized controlled trial. *Lancet* 1987, i:647-651.
- Puddy IB, Beilin LJ, Vandongen R, Rouse IL, Rogers P:** Evidence for a direct effect of alcohol consumption on blood pressure in normotensive men: a randomized controlled trial. *Hypertension* 1985; 7: 707-713.
- Quyyuimi AA, Mockus L, Wright C, Fox KM.:** Morphology of ambulatory ST segment changes in patients with varying severity of coronary artery disease: investigation of the frequency of nocturnal ischaemia and coronary spasm. *Br Heart J* 1985;53: 1 86-93.
-
-

- Raftery Eb, Melville DI, Goulg BA, Mann S, Whittington JR:** A study of the antihypertensive action of xipamide using ambulatory intra-arterial monitoring. *Br J . Clin Pharmacol* 1981; 12: 381-385.
- Redman CWG, Beilin LJ, Bonnar J:** Reversed diurnal blood pressure rhythm in hypertensive pregnancies. *Clin Sci Mol Med* 1976, 51: 687s-689s.
- Redon J, Liat Y, Lozano JV, Misalles A, Pasqual JM, Cooper RS. :** Ambulatory blood pressure and microalbuminuria in essential hypertension. Role of circadian variability. *J Hypertens* 1994; 12: 947-953.
- Reeves SA, Mejers MG:** Reproducibility of ambulatory blood pressure and assessing treatment withdrawal in hypertension trial. *Am J Hypertens* 1993; 6:229S-232S.
- Reid JL:** Validation of blood pressure measuring systems [Editorial]. *J Hypertens* 1993; 11:i-ii.
- Rizzo V, Cicconetti P, Bionchi A, Lorigo A, Morelli S, Vetta F, Solza MC, Marigliano V:** white-coat hypertension and cardiac organ damage in elderly subjects. *J Hum Hypertensive*. 1996; 10:293-298.
- Robert SJ, Maurer K.:** Blood pressure levels of persons 60-74 years in united 8 states, 1971-1974. 1977; 25-30.
- Robertson D, Frolich JC, Carr RK, Watson JT, Hollifield JW, Shand DG, et al.:** Effects of caffeine on plasma renin activity, catecholamines and blood pressure. *N Engl J Med* 1987, 298:181-186.
- Rubio R, Berne RM,** Regulation of coronary blood flow. *Progr. Cardiovasc. Dis.* 1975; 18:105-21.
-
-

- SAITO, I., ITSUJI, S., TAKESHITA, E., KAWABE, H., NISHINO, M., WAINAI, H., HASEGAWA, C., SARUTA, T., NAGANO, S., & SEKIHARA, T.:** Increased urinary dopamine excretion in young patients with essential hypertension. Clin. Exp. Hypertens, 1994, 16, 29.
- Scandinavian Simvastatin Survival Study group:** Randomized trial of cholesterol lowering in 4444 patients with coronary heart disease: The Scandinavian Simvastatin Survival Study (4S). Lancet 1994; 344:1383-1389.
- Schmieder RE, Rockstroh JK, Aepfelbacher F, et al.:** Gender-specific cardiovascular adaptation due to circadian blood pressure variation in essential hypertension. Am. J. Hypertens., 1995; 8:1160-1166.
- Schmitz A, Pedersen MM, Hansen KW:** Blood pressure by 24-h ambulatory recordings in type II (non-insulin dependent) diabetics: relationship to urinary albumin excretion. Diabetes Metab Rev 1991; 17: 301-307.
- Sheps SG, Clement DL, Pickering TG, et al.:** ACC position statement. Ambulatory blood pressure monitoring JAM Coll Cardiol 1994; 23-1511-1513.
- SHIGETOMI, S. & FUKUCHI, S.:** Recent aspect of the role of peripheral dopamine and its receptors in the pathogenesis of hypertension. Fukushima j. Med. Sci., 1994, 40, 69.
- Shimada K, Kario K.:** Altered circulation rhythm of blood pressure and cerebrovascular damage. Blood Press Monit 1997; 2: 333-338.
- Shimada K, Kawamoto A, Matsubayashi K, et al.:** Diurnal blood pressure variations and silent cerebrovascular damage in elderly patients with hypertension. J Hypertens 1992; 10:875-878.

- Shina Rn, Patrick A, Richardson L, MacFartane IA.:** Diurnal variation in blood pressure in insulin dependent diabetic smokers and non-smokers with and without microalbuminuria. *Diabetic Med* 1997; 14: 291-295.
- Siche JP, De Gaudemaris R, Boutelant S, Baguet JP, Comparat V, Mallon JM.:** Individual smoothing of blood pressure profiles to define responders or non-responders to drug. *Blood Press Monit* 1996;1:263-266.
- SNIDER, S. R. & KUCHEL, O.:** Dopamine: an important neurohormone of the sympathoadrenal system. Significance of the increased peripheral dopamine release for the human stress response and hypertension. *Endocr. Rev.*, 1983, 4, 291.
- Somers DK, Dyken ME, Mark AL. Abboud FM:** Sympathetic-nerve activity during sleep in normal subjects. *N Engl J Med* 1 993; 328:303-307.
- Staessen J, Bulpitt CJ, Fagard R, et al:** Reference values for ambulatory blood pressure: a population study. *J Hypertens* 1991 (suppl); 9:S320-S321.
- Staessen JA, Fagard RH, Lijen PJ, Thijs L, Van Hoof R, Amery AK:** mean and range of the ambulatory pressure in normotensive subjects from a meta-analysis of 23 studies. *AM J Cardiol* 1991; 67: 723-727.
- Stampfer MJ. ColditzGA, Willet WC, Ranson JE. Rosner B. Speizer FE. et al.:** Postmenopausal estrogen therapy and cardiovascular disease. *N Engl J Med* 1991; 325:756-762.
-
-

- Statford RS. Becker CG.: Fuster V. Ross R. Topol EJ. eds.: Cigarette smoking and atherosclerosis. In Atherosclerosis and coronary Artery Disease. Philadelphia: Lippincott-Raven; 1996:303-325.**
- Stefanie M. Bode-Boger, Rainer H. Boger, Jan T. Kielstein, Matthias Loffler, Jurgen Schaffer, and Jurgen C. Frolich: Role of Endogenous Nitric Oxide in Circadian Blood Pressure Regulation in Healthy Humans and in Patients With Hypertension or Atherosclerosis. J Investig Med 2000;48:125-132.**
- Stevo Julius: Home blood pressure monitoring: advantages and limitations. J. Hypertens 1991;9(suppl 3):S41-S46.**
- Stoynev AG, Ikonov OC, Minkova NK, Zacharieva SK, Stoyanovsky VG: Circadian rhythms of arterial pressure: basic regulatory mechanisms and clinical value. Acta Physiol Pharmacol Bulg 1999; 24 (3):43-51.**
- Straadgaad S, paulson OB, Cerebral blood flow and it's pathophysiology in hypertension. Am J. hypertens 1989; 2:486-96.**
- Stradgaards, Haunso S, why does antihypertensive treatment prevent stroke hut not myocardial infarction? Lacet 1987; 2: 658-61.**
- Sullivan TR. Karas RH. Aronovitz M. Faller GT. Ziar JP. Smith JJ, et al.: Estrogen inhibits the response-to-injury in a mouse carotid artery model. J Clin Invest 1995; 96:2482-2488.**
- Suzuki V, Kuwajima I, Kanemaru A, et at.: The cardiac functional reserve in elderly hypertensive patients with abnormal diurnal change in blood pressure. J Hypcrtens 1992; 10:173-179.**
- Suzuki Y, Kuwajina 1, Aono T, et at: Prognostic value of ambulatory blood pressure in elderly hypertensive patients: dipper vs non-dipper. I I-hypertens 1996; 14(suppl I):S381.**
-
-

Theroux, Fuster. A cuite coronary syndromes. *Circulation* 1998; 97:1195-1206.

Tohgi H, Chiba K, Kiniura NI. Twenty—four—hour variation of blood pressure in vascular dementia of the Binswanger type. *Stroke* 1991; 22:603-608.

Toshifumi Mannami, MD; Shunroku Baba, MD; Jun Ogata, MD: Strong and Significant Relationships Between Aggregation of Major Coronary Risk Factors and the General Population of a Japanese City. The Suita Study. *Arch Intern Med.* 2000;160:2297-2303.

TUCK, M. L.: The sympathetic nervous system in essential hypertension. *Am. Heart J.*, 1986, 112, 877.

Uzu Takashi, MD, Kimura Genjiro, MD: Diuretics Shift Circadian Rhythm of Blood Pressure from Nondipper to dipper in Essential Hypertension. *Circulation.* 1999; 100:1635-1638.

Vaile J.C., Stauzrd 'F.J., Al-Aiii M., Jordan PJ., Townend J. N. and Littler W.A.: Sleep and blood pressure: spontaneous baroreflex sensitivity in dippers and non-dippers. *Journal of Hypertension* 1996, 14:1427-1432.

Van der Meiracker AH, Man in't Veld AJ, Ritsema van Eck HJ, et al: Determinants of short-term blood pressure variability. Effects of bed rest and deprivation in essential hypertension. *Am J Hypertens* 1988;1:22-26.

Verdecchia P, Porcellati C, Schillaci G, Borgioni C, Cicci A, Battestelli M, et al.: Ambulatory blood pressure. An independent predictor of prognosis in essential hypertension. *Hypertension* 1994; 24: 793-801.

- Verdecchia P, Schillaci G, Borgioni C, Ciucci A, Porcellati C.:**
Prognostic significance of the white-coat effect. *Hypertension*. 1997;
29: 1218-1224.
- Verdecchia P, Schillaci G, Gatteschi C, Zampi I, Battistelli m,
Bartoccini C, et al.:** Blunted nocturnal fall in blood pressure in
hypertensive women with future cardiovascular morbid events.
Circulation 1993, 88: 986-992.
- Verdecchia P, Schillaci G, Guerrieri M, Gatteschi C, Benemio G,
Boidrini F, et al.:** Circadian blood pressure changes and left
ventricular hypertrophy in essential hypertension. *Circulation*, 1990;
81:528-536.
- Verdecchia P, Schillaci G, Guerrieri M, Gatteschi C, Benemio G,
Boidrini F, et al.:** Circadian blood pressure changes and left
ventricular hypertrophy in essential hypertension. *Circulation* 1990,
81: 528-536.
- Verdecchia P, Schillaci G, Porcellati C:** Dippers versus non- dippers.
Hypertens 1991; 9 (suppl 8): S42-44.
- Verdecchia P.:** Prognostic value of ambulatory blood pressure: Current
evidence and clinical implications. *Hypertension*. 2000; 35:844-851.
- Vogt TM, Ireland CC, Black D, Camel G, Hugues G.** The elderly
volunteers for multicenter clinical trial: The SHEP pilot study. *Control
Clin. Trials*. 1986; 7: 118: - 113.
- Waeber B, Heynen G, Brunner HR:** Analysis of ambulatory blood
pressure monitoring the problem of white coat hypertension,
responders and no responders. *Blood Press Monit* 1996; 1:289-291.
-
-

- Weber MA, Drayer JIM, Nakamura DK, Wyle FA:** The circadian blood pressure pattern in ambulatory normal subjects. *Am J Cardiol* 1984; 45:115-119.
- Weber MA, Neutal JM, Smith HDG, Graettinger WF:** Diagnosis of mild hypertension by ambulatory blood pressure monitoring. *Circulation*. 1994, 90: 2291-2298.
- Wenger NK, Speroff L. Packard B.:** Cardiovascular disease. *N Engl J Med* 1993; 329:247-256.
- Wenner blom B, lurte L, karisson T, Tygesen H, Vahisalo R, Klialmarson:** Circadian variation al heart rate variability and the rate of autonomic change in the morning hours in healthy subjects and angina patients. *Int J cardial*. 2001 Jun; 79 (1): 61-92.
- White WB, Baker HL:** Episodic hypertension secondary to panic disorder – *Arch Intern Med* 1986; 1129-1130.
- White WB, Mansoor GA, Tendler BE, Anwar YA:** Nocturnal blood pressure epidemiology, determinants, and effects of antihypertensive therapy. *Blood Press Monit* 1998 Feb;3(1):43-51.
- White WB, Schulman P, McCabe EJ, Dey HM:** Average daily blood pressure, not office pressure, determines cardiac function in patients with hypertension.*JAMA*. 1989; 261: 873-877.
- White WB.:** Diurnal blood pressure variability in diabetic normotensive subjects. *J Hypertens* 1992; 10(suppl 1): S35-S41.
- Wiliam J, Elliot:** Timing treatment to the rhythm of disease. *Post graduate medicine*. 2001; Vol 110, No. 2.
-
-

- Williams JK, Shively CA, Clarkson TB:** Determinants of coronary artery reactivity in premenopausal female cynomolgus monkeys with diet-induced atherosclerosis. *Circulation* 1994; 90:983-987.
- Woodhouse PR, Khaw KT, Plummer M:** Seasonal variation of blood pressure and its relationship to ambient temperature in an elderly population. *J Hypertens* 1993, 11:1267-1274.
- Yatkin E, sensen K, Topaloglu S.** Diurnal variation of QT dispersion in patient with and without coronary artery disease. *Cardiology* 2001 may; 52 (5): 311-6.
- Zachariah PK, Sheps SG, Ifstrup DM, Long CR, Benley KR, Wiltgen CM, Carlson CA.:** Blood pressure load- a better determinant of hypertension. *Mayo Clin Proc* 1988; 63:1085-1091.
- Zanchetti A, Bianchi L, Bozza M, Omboni S, Villani A, Ravogli A, and the Italian Nifedipine GITS Study Group:** Antihypertensive effects of nifedipine GITS on Clinic and ambulatory blood pressures in essential hypertensives. *High Blood Pressure* 1994; 3:45-56.
- Zanchetti A.:** On behalf of the Italian Nifedipine GITS Study Group. Trough:peak ratio of the blood pressure response to dihydropyridine calcium antagonists. *J Hypertens* 1994; 12 (suppl 8): S97-S106.
- Zannad F, Matzingev A, Larche J.:** Trough/peak ratios of once daily angiotension converting enzyme inhibitors and calcium antagonists. *Am J Hypertension* 1996; 9 633-643.
-
-