

References

References

Abo- El-Nasr, M.A.; Kh. A. El-DougDoug; M.A. El-Kattan and E.A. Salem (2004). Induction of salicylic acid by some chemical substances used to control virus infection under protected agriculture. *Egyptian J. Virol.* **1**, 301-312.

Abou-Zeid, A.A (1983). Production of virus-free potato plants. *Ph. D. Thesis, Agriculture Microbiology Department, Fac.of Agric., Ain Shams Univ.*, pp 98.

Acuna, P.L. and J. Jaen (1993). The effect of different commercial products on the disinfection of *Musa* vegetative shoot tips for *in vitro* culture. Informe Annual 1992. CORBANA. Departamento de Investigation (CRI), SPA, 1993, 43-45 [*Musarama, Vol. 8, No. 1:16,1995*].

Adams, A.N.; C.M. Guise; S. J. Crossiley and A. Hadidi (1998). Detection of plum pox virus in root and bark samples from dormant plum trees. *Acta Horticulturae* **472**: 469-474.

Allam, E.K.; H.Z. Abo El-Aid; A.E. Abd El-Wahab; S. Sowailam; M.F. Ouf; R.A. Omar; M.A. Abo El-Nasr; M.M. Deiab and A.E. Mohammed (1986). Annual report of pests and diseases of banana in Egypt. *Academic of Technology and Scientific Research Ministry of Scientific Research, Cairo, Egypt.*

Allam, E.K.; H.Z. Abo El-Aid; A.E. Abd El-Wahab; S. Sowailam; M.F. Ouf; R.A. Omar; M.A. Abo El-Nasr; M.M. Deiab; A.E. Mohammed and A.S. Sadik (1988). Annual report of pests and diseases of banana in Egypt. *Academic of Technology and Scientific Research Ministry of Scientific Research, Cairo, Egypt.*

Allam, E.K.; Sohair.I. El-Affi; A. E. El-Ahdal and A.S. Sadik (1995). Transmission and control of banana mosaic virus in Egypt. *Annals Agric. Sci., Ain Shams Univ., Cairo*, **40** (2) 525-538.

Allam, E.K.; B.A. Othman; A. El-Sawy and S. D. Thabet (2000). Eradication of banana bunchy top virus (BBTV) and banana mosaic virus (BMV) from diseased banana plants. *Annals Agric. Sci., Cairo*. **2000**, **45**: 1, 33-48.

Allen, R.N. (1978). The spread of bunchy top disease within a banana plantation to rouging. *Plant Disease Survey*, 25-26.

stressors: polymorphism and reproducibility of RAPD and AFLP fingerprints. *Ecotoxicology* 10: 239-244.

Barber, M.S.; R.E. Bertram and J.P. Ride (1989). Chitin oligosaccharides elicit lignification in wounded leaves. *Physiol. Molec. Plant Pathol.* 34: 2-12.

Bartinciki-Garcia, S (1970): Cell wall composition and other biochemical markers in fungal pathogen. *Academic Press London*, pp.81-103.

Bauman, G.; R. Casper and P. Kornkanhaeng (1984). Detection of prune dwarf virus by ELISA in meristem-propagated sour cherry plants during *in vitro* culture. *Phytopathologische-Zeitschrift* 110: 168-171.

Bekhet, S. (1992). Studies on propagation of globe artichoke through tissue culture technique. *M.Sc. Thesis, Fac.Agric. Ain Shams Univ., Cairo, Egypt.* pp. 93.

Bendahmane, A.; K. Kanyuka and D.C. Baulcombe (1999). The Rx gene from potato controls separate virus resistance and cell death responses. *Plant Cell* 11: 781-791.

Benhamou, N. (1992). Ultrastructural and cytochemical aspects of chitosan on *Fusarium oxysporum* f.sp. *radicis-lycopersici* agent of tomato crown and root rot, *Phytopathology* 82: 1185-1193.

Benhamon, N. and G. Theriault (1992). Treatment with chitosan enhances resistance of tomato plants to crown and root rot pathogen *Fusarium oxysporum* f.sp. *radicis-lycopersici*. *Physiol. Molec. Plant Pathol.* 41: 33-52.

Benhamou, N.; P.J. Lafontaine and M. Nicole (1994). Seed treatment with chitosan induces systemic resistance to *Fusarium* crown and root rot in tomato plants, *Phytopathology* 84: 1432-1444.

Benjamin, J. C. (1999). Update on Eradication of Banana Bunchy Top from the Big Island. *NEWS RELEASE*. 99-03 (March 29, 1999).

Berg, L. and M. Bostomante (1974). Heat treatment and meristem culture for the production of virus-free bananas. *Phytopathology* 64 (3): 320-325.

Bhojwani, S.S. and M.K. Razdan (1983). Production of pathogen-free plants, *Plant Tissue Culture: Theory and Practice*, Elsevier, Amsterdam, *The Netherlands*, 287-312.

Bigot, C. and C. Foury (1984). *In vitro* propagation of globe artichoke (*Cynara scolymus* L.) from seeds: field comparison of some clones with their parent lines. *Agronomie*, 4: 699-710.

Bird, J.; M.A. Tio and J. Sanchez (1969). Effect of various temperatures on cucumber-D, plantain-D and banana-M affected by CMV. *Phytopathology* 59 (10): 1347.

Black, R. (2002). Plant Quarantine Further Information. *School of Social Sciences and Law*. 11 March 2003, Copyright © 2002. The University of Greenwich.

Bondok, A.; T.M. El-Din; M.F. Gabr and M. Tadros (1987). Production of virus-free "Hindi" banana plants utilizing meristem culture and thiouracil treatments. *Assiut Journal of Agricultural Sciences* 18 (4): 167-185.

Calo, T. (2005). All about banana in Caraga. *Department of Science and Technology Caraga Region. Extension Butuan City, Philippine, 8600 Copyright © 2005*.

Cambra, M.; M. Asensio; M.T., Gorris; E. Pery; E. Camarassa; J.A. Garcia; J.J. Lopez-Moya; D. Lopez-Abella; C. Vela and A. Sanz (1994). Detection of plum pox potyvirus using monoclonal antibodies to structural and non-structural proteins. *Bulletin OEPP/EPPO Bulletin* 24: 569-577.

Caruana, M.L. (1998). Viruses in Musaceas: present situation and perspectives and solutions. *In: Memorias XIII Reunión. Proceedings 13 ACORBAT meeting- Arizaga, L.H. (ed.)-p. 705-714 (Abs. only).*

Cassells, A. C. (1991). The elimination of potato viruses X, Y, S and M in meristem and explant cultures of potato in the presence of virazole. *Potato Res.* 25: 165-173.

Cassells, A.C. and Long, R.D. (1980). The regeneration of virus-free plants from cucumber mosaic virus and potato virus- Y infected tobacco explants cultures in the presence of virazole. *Z. Nature Forsch.* 35: 350-351.

Chessin, M.; D. De-Borde and A. Zipf (1995). Antiviral proteins in higher plants. *CRC. Press; Boca Raton, London, 220 pp.*

Chiang, Y.C.; C.H. Chou, P.R. Lee and T.Y. Chiang (2001). Detection of leaf-associated fungi based on PCR and nucleotide sequence of the ribosomal internal transcribed spacer (ITS) in *Miscanthus*. *Botanical Bulletin of Academia Sinica* **42**: 39-44.

Clark, M.F. and A.N. Adams (1977). Characteristics of the microplate method of enzyme-linked immunosorbent assay for the detection of plant viruses. *Journal of General Virology* **34**: 475-483.

Conti, G.G.; M. Bassi; L. Dolce and A. Bocci (1988). Effects of acetyl salicylic acid on the hypersensitive reaction of *Datura stramonium* to tobacco mosaic virus. *Rivista-di-patologia-vegetale* **24** (2-3): 63-69.

Dale, J.L. (1986). Banana Bunchy-top nanavirus. Plant Viruses Online, *Description and Lists from the VIDE Database* 4 pp.

Dale, J.L. (1987). Banana bunchy top: an economically important tropical plant virus disease. *Advances in Virus Research* **33**: 301-325.

Data, S. (2000). Models of gene transform in plants. In "*Workshop on : Towards the production of Transgenic crops tollerant to plant pests*" (A. E.-Sharkawi, ed.), Cairo 12-20, April, 2000, Gen. Eng. Center Fac. Agric., Cairo Univ.Egypt.

Dawoud, Rehab, A. (2005). Molecular studies on plum pox virus and production of virus free plants. *Ph. D. Thesis, Fac. Agri., Ain Shams Univ.* Egypt, 177p.

De Gioia, T.; D. Sisto; G.L. Rana and G. Figliuolo (2005). Genetic structure of the species-complex. *Mycol. Res.* **109** (1): 71-80.

Dellaporta, S. L.; J. Wood and J.B. Hicks (1983). A plant DNA minipreparation: *version II*. *Plant Mol. Biol. Rep.* **1**: 19-21.

Desvignes, J.C. (1997). Experimental transmission of sharka virus by injecting infected ground young leaves. *Phytoma* **490**: 50-52.

Devi, D.S. and N.K. Nayar (1993). Micropropagation in banana var. Nendran. Indian Journal of Genetics and Plant Breeding (IND), ENG, (Abs.ENG) 1993, **53** (1), 76-78. [*Musarama*, **9** (2), September 1996].

Dore, S. R.; N. K. Srinivasa-Rao and E.K. Chacko (1983). Tissue culture propagation of banana. *Scientia Horticulturae* 18: 247-252.

Drlica, K. (1992). Gene manipulation, cutting and rejoining DNA molecules in the laboratory. In: *Understanding DNA and gene cloning*. Wiley & son, inc. New York.

Dunez, J. (1988). Plum pox of stone fruit in Egypt Report of mission to Egypt. *TCP/EGY/6759*. 8 pp.

Eastwood, H.W. (1946). Bunchy top disease of bananas controlled by cooperative efforts. *The Agricultural Gazette*. Nov. 1, 1946.

Edwards, K.; C. Johnstone and C. Thompson (1991). A simple and rapid method for the preparation of plant genomic DNA for PCR analysis. *Nucleic Acids Res.* 19: 1349.

El-Afifi, Sohair, I. (1984). Identification of viruses infecting banana in Egypt. *Nine International Congress for Statistics Computer Science, Social and Demographic Research*, 31 March-April 1984, pp., 461-482.

El-Afifi, Sohair, I. (1985 a). Relation of banana mosaic virus to its host cells as revealed by ultrathin tissue sectioning for the electron microscope. *Proc. Egypt. Bot. SOC.* 4, (Ismailia, Conf.), pp., 1149-1163.

El-Afifi, Sohair, I. (1985 b). Ultrastructural changes in leaf cells of banana infected with banana bunchy top virus. *Proc. Egypt. Bot. Soc.*, 4, 1985 (Ismailia, Conf.), pp., 1164-1176.

El-DougDoug, Kh. A. (1997). Anti-phytoviral activity of Khella and Black Common on infectivity and chemical structure of tomato mosaic virus (TMV). *Proceeding of the 9th Conference of Microbiology*, Cairo, March 25-27, pp. 203-221.

El-DougDoug, Kh.A.; R.M. Taha; M.M. Hazaa and A. Khedr (2002). Sensitivity of two banana cultivars for banana mosaic and banana bunchy top viruses. *Az. J. Microbiol. Vol. 56*, April 2002, pp. 268-280.

El-Saghir, M.M. (1997). Production of virus-free banana plants. *Ph.D. Thesis. Faculty of Agriculture, El-Menia University*, pp. 179.

Espino, T.M.; S.B. Exconde; F.B. Zipagan; M.C.M. Maroon and R.R.C. Espino (1989). Production of monoclonal antibodies for diagnosis of banana bunchy top virus. *Philippine-Agriculturist* 72: 473-485.

Espino, R.; A. Johns; C. Juanillo and L. Magnaye (1992). Evaluation of Philippine banana cultivars for resistance to bunchy-top and Fusarium wilt. International Symposium on Recent Developments in Banana Cultivation Technology. 14-18/ 12 / 1992 p. 89-102 [*Musarama*, 6 (1), Dec. 1993 (Abs. No. 2507)].

Espino, R.R.C.; B.S. Ligat; L.V. Magnaye and T.M. Espino (1998). Rehabilitation of BBTV-affected Areas in the Philippines: Experiences and Problems. In: [*managing banana and citrus diseases. Proceedings of a regional workshop on disease management of banana and citrus through the use of disease-free planting materials held in Davao City, Philippines. 14-16 October 1998*].

Faccioli, G. and F. Marani (1998). Virus elimination by meristem-tip culture and tip micrografting. Chapter 27, pp. 97- 114 "*In Plant Virus Disease Control*" (A. Hadidi; R. K. Khetarpal and H. Kogene-Zawa eds.) A.B.S. Dress, St. P., Minn., USA. 346-380.

Faggioli, F.; G. Pasquini and M. Barba (1998). Comparison of different methods of RNA isolation for plum pox virus detection by reverse transcription, Polymerase Chain Reaction. *Acta-Virologica* 4 (42): 219-221.

Fang, G.; S. Hammar and R. Grumet (1992). A quick and inexpensive method for removing polysaccharides from plant genomic DNA. *Bio Techniques* 13: 52-54.

Fraser, R.S.S. (1990). The genetics of resistance to plant viruses. Annu. Rev. *Phytopathology* 28: 179.

Fronfelder, A. and G. Adam (1990). Studies on the function of antiviral proteins. *Arch. Phytopathol. Pflanzenschutz* 26 (4): 319-328.

Gabova, R. and R. Bova (1995). Chemotherapy treatment of *Prunus* spp. genotypes infected by Plum poxvirus. *Rasteniev` dni-Nauki* 32 (4): 16-18.

Ganapathi, T.; J. Mohan; P. Suprasanna; V. Bapat and P. Rao (1995). A low-cost strategy for *in vitro* propagation of banana. *Cur*

Science (IND), ENG, (Abs.ENG), Vol. 68 (6), 646-650
[*Musarama*, 11 (1), June 1998, p.12 (Abs. No. 4645)].

Garcia-Rodriguez, A.; J.R. Lorenzo-Martin Rodriguez and M.S. Enriquez (1987). *In vitro* propagation of canary Island banana (*Musa acuminata* colla AAA var. Dwarf Cavendish). Studies of factors affecting culture obtainable. *Preservation and conformity of the plants Acta Horticulture* 212 (11): 577-583.

Geering, A.D.W. and J.E. Thomas (1996). A comparison of four serological tests for the detection of banana bunchy top virus in banana. *Aust. J. Agr. Res.* 47, 403-412.

Gella, R. and P. Errea (1998). Application of *in vitro* therapy for virus elimination in three prunus species. *Phytopathology* 146: 446-449.

Ghanem, G.A. (1994). Improving of potato production through virus Y-free seeds and protoplast isolation, culture and regeneration. *Ph. D. Thesis. Fac. Agric., Cairo Univ. Egypt.* pp.195.

Ghosh, S.P. (1998). Horticultural research in India. *Indian Council of Agricultural Research. New Delhi.* June 1998.

Gibbs, A. and A. Mackenzie (1997). A primer pair for amplifying part of the genome of all potyvirids by RT-PCR. *Journal of Virological Methods* 63: 9-16.

Gowen, S. (ed.) (1995). Bananas and plantains. *Chapman and Hall. London.* 612pp.

Griffiths, H.M. and S.A. Slack (1988). Potato virus elimination by heat and ribavirin. *Phytopathology* 52: 1230-1241.

Grondeau, C. and R. Samson (1994). A review of thermotherapy to free plant materials from pathogens especially seeds from bacteria. *Crit. Rev. Plant Sci.* 13: 57-75.

Guindy, L. (1990). Production of some fruit Rootstocks through tissue culture technique. *Ph. D. Thesis, Fac. Agri., Ain Shams Univ. Egypt.*

Gupta, P.P. (1986). Eradication of mosaic disease and rapid clonal multiplication of bananas and Plantains through meristem tip culture. *Plant cell. Tissue and Organ culture* 6 (1): 33-39.

Hadidi, A. and L. Levy (1994). Accurate identification plum pox potyvirus and its differentiation from Asian prunus latent potyvirus in prunus germplasm. *Eppo Bulletin* 24: 633-643.

Hafner, G.; R. Harding and J.L. Dale (1995). Movement and transmission of banana bunchy top virus DNA component one in bananas. *Journal of General Virology* 76 : 2279-2285.

Hafner, G.; R. Harding and J.L. Dale (1997). A DNA primer associated with banana bunchy top virus. *Journal of General Virology* 78 (2): 479-486.

Hamill, S. and M. Smith (2001). Use tissue culture to introduce banana plants to your farm without pest and disease! *DPI, Nambour. Issue* 30/2001

Hamilton, D. (2001). Banana Bunchy-top nanavirus-New Caledonia (02). Michael A. Mayo, Scottish Crop Research Institute, Dundee. *A ProMED-mail post* [http:// www.promedmail.org](http://www.promedmail.org).

Hansen, A.J. and W.D. Lane (1984). Elimination of apple chlorotic leaf spot virus from apple shoot cultures by ribavirin. *Plant Disease* 69: 134-136.

Hansen, J.D.; A.H. Hara and V.L. Tenbrink (1992). Insecticidal dips for disinfecting commercial tropical cut flowers and foliage. *Trop. Pest Manag.* 38: 245-249.

Harbaoui, Y. (1982). Multiplication *in vitro* et assainissement viral de l'artichaut, *Cynara scolymus* L. *Theise Doct. Sci. Agron. Rijksuniversiteit Gent*, 159 p. (Cited from Hort. Abstr. 54: 3395).

Harding, R.M.; T. M. Burns; G. Hafner; R.G. Dietzgen and J.L. Dale (1993). Nucleotide sequence of one component of the banana bunchy top virus genome contains a putative replicase gene. *J. Gen. Virol.* 74: 323-328.

Harding, R.M.; Sadik, A.S.; A. Bahieldin and J.D. Dale (2000). A sensitive detection of banana bunchy top nanavirus on the molecular genetic level. *Arab Journal of Biotechnology* Vol.3 No.1.

Harper, G.; G. Dahal; G. Thottappilly and R. Hull (1999). Detection of episomal banana streak badnavirus by IC-PCR. *Journal of Virological Methods* 79: 1-8.

Hata, T.Y. and A.H. Hara (1992). Evaluation of insecticides against pests of red ginger in Hawaii. *Trop. Pest Manag.* **38**: 234-236.

Henson, J.M. and R. French (1995). The polymerase chain reaction and plant disease diagnosis. *Annual Review of Phytopathology* **31**: 81-109.

Herzberg, M., R. Fischer and A. Titze (2002). Conflicting results obtaining by RAPD-PCR and large-subunit rDNA sequences in determining and comparing yeast strains isolated from flowers: a comparison of two methods. *International Journal of Systematic and Evolutionary Microbiology* **52**: 1423-1433.

Him, P. (1994). *In vitro* multiplication of banana. *IDIAP, Panama (PAN), SPA*, 1994, 1 p. [*Musarama*, **8** (1): 16, 1995].

Hirano, S.; C. Itakura; H. Seino; Y.I. Aki Yamam; N. Kanbara and T. Kawakam (1990). Chitosan as an ingredient for domestic animal feeds. *J. Agricultural and food chemistry* **38**: 1214-1217.

Horst, R.K. and M.J. Klopmeier (1993). Controlling viral diseases. In: *Geraniums IV*, J.White, Ed., pp. 289-292. *Ball Publishing, Geneva*.

Hu, J.S.; H. Li; K. Barry; M. Wang and R. Jordan (1995). Comparison of dot blot, ELISA and RT-PCR assays for the detection of two cucumber mosaic virus infecting banana in Hawaii. *Plant Disease* **79** (9): 902-906.

Hughes, J.; P. speijer and O. Olatunde (1998). Banana dieback virus- a new virus infecting bananas in Nigeria. *Plant Disease* **82** (1): 129. [Review of Plant Pathology (1998), **77** (5) (Abs. No. 4145)].

Hwang, S.C.; C.L. Chen; J.C. Lin and H.L. Lin (1984). Cultivation of Banana using plantlets from meristem culture. *HortScience* **19**: 231-233.

Hwang S.C. and H.J. Su (1998). Production of virus-free banana plantlets in Taiwan. *Taiwan Banana Research Institute*, Chiujou, Pingtung, Taiwan, ROC Department of Plant Pathology, National Taiwan University, Taipei, Taiwan, ROC.

Ingram, D.S. (1973). Growth of plant parasites in tissue culture. In: *Plant tissue and cell culture*, Street H.E. Ed., pp. 392-421. Oxford, Blackwell Sci. pull. (C.F. Mellor and R. Stace-Smith, 1977).

Isherwood, M. (2000). In: Kāua'i banana plants may face quarantine. *From net* [© copyright 2000 The Honolulu Advertiser, a division of Gannett Co. Inc.].

Ismail, N. (1996). Minimizing losses due to some epidemic diseases of banana using tissue culture technique. *M. Sc. Thesis, Institute of Environmental Studies and Researches. Ain Shams University, Cairo, Egypt.*

Israeli, Y.; E. Lahav and O. Reuveni (1995). *In vitro* culture of bananas. Bananas and plantains-Gowen, S. (ed.) Chapman and Hall, Londres (GBR), ENG. [147-178] [*Musarama*, 8 (1), June 1995 (Abs. No. 3294)].

Jana, T.K.; T.R. Sharma; R.D. Prasa and D.K. Arora (2003). Molecular characterization of *Macrophomina phaseolina* and *Fusarium* species by using single primer RAPD technique. *Microbiological Research* 158: 249-257.

Jarret, R.L.; W. Rodriguez and R. Fernandez (1985). Evaluation tissue culture propagation, and dissemination of "Saba" and "Pelipita" Plantains in Costa Rica. *Scient. Horticulturae* 25 (2): 137-147.

Jiskani, M.M. (2004). Banana Bunchy Top Virus (Identification and Precautions). *From net* [© copyright 2003-2005 by nationalpak.com.]

Johanson, A. and C. L. Ives (2000). Banana and plantain (*Musaceae*) Background. *Agricultural Biotechnology Support Project (ABSP)*. Institute of International Agriculture, CANR Office of International Programs.

Joshi, D.M. and H.U. Joshi (1974). The control of banana mosaic. *Indian J. Hort. Sci.* 31 (4): 382.

Juan, M.O. San and P.M. Halos (1980). Epidemic diseases of banana in the Philippines. Laguna, Philippines; *Philippine Phytopathological Society, Inc.* 133-151.

Kahn, R.P. and R.I. Monre (1963). Detection of tobacco vein necrosis (strain of potato virus Y) in *Solanum carensaii* and *S. andigenum* introduce into the United States. *Phytopathology* 53: 1356-1359.

Kahn, R.P. (1989). Plant Protection and Quarantine: *Volumes 1-3. CRC Press Boca Raton. Florida.* 226 pp, 265 pp, 215 pp.

Kartha, K.K. (1986). Production and indexing of disease-free plants. *Plant Tissue Culture and its Agricultural Application*, (WITHERS, L.A., ALDERSON, P.G., Eds), Butterworths, London, 219-238.

Katual, L.; H.J. Vetten; E. Maisa; K. M. Makkouk; D.E. Lesemann and R. Casper (1993). Characterization and serology of virus like particles associated with faba bean necrotic yellows. *Ann. Appl. Biol.* 123: 629-647.

Kenyon, L. (1994- 1996). Epidemiology and control of banana bunchy top and other banana virus diseases, and banana virus epidemiology in Philippines. *RLD (DEID Rural Livelihoods and Environment Division: Rural Livelihoods Department)*, United Kingdom, reference: R6579. from April 1994 until March 1996.

Kessman, H.; T. Staab; C. Hofman; T. Maetzke and J. Herzog (1994). Induction of systemic acquired disease resistance in plants by chemical. *Annu. Rev. Phytopathol* 32: 439-459.

Kim, J.Y.; S.Y. Lee; H.R. Kim and J.K. Choi (1994). Effect of virazole on elimination of viruses (LSV and CMV) from infected Lily plants. *RDA Journal of Agricultural Science Crop Protection* 36 (1): 370-374.

Kolber, M.; M. Nemeth; L. Krizbai; M. Szemes; E. Kisstoth; L. D. Dorgi; M. Kalman and A. Hadidi (1998). Detectability of prume necrotic ring spot and plum poxvirus by RT-PCR, multiplex RT-PCR, ELISA and indexing on woody indicators. *Acta Horticulturae* 472: 243-247.

Kummert, J. and A. Toussaint (1984). Utilisation du Virazole pour l'assainissement des plantes par cultures *in vitro*, *Parasitica* 40 121-137.

Lafontaine, P.J. and N. Benhamou (1995). Chitosan treatment: an emerging strategy for enhancing resistance of green house tomato plants to infection by *Fusarium oxysporum* f.sp. *radicis-lycopersici*. *Biocontrol Sci. technol.* 6: 111-124.

Lange, L. and M. Heide (1986). Dot immuno-binding (DIB) for detection of virus in seed. *Can. J. Plant Pathology* 8, 373-379.

Leghari, H.B. (2002). Banana Bunchy-top Virus in Sindh. DAWN-Business. *The internet Edition* [http: // DAWN.com](http://DAWN.com).

Kartha, K.K. (1986). Production and indexing of disease-free plants. *Plant Tissue Culture and its Agricultural Application*, (WITHERS, L.A., ALDERSON, P.G., Eds), Butterworths, London, 219-238.

Katual, L.; H.J. Vetten; E. Maisa; K. M. Makkouk; D.E. Lesemann and R. Casper (1993). Characterization and serology of virus like particles associated with faba bean necrotic yellows. *Ann. Appl. Biol.* **123**: 629-647.

Kenyon, L. (1994- 1996). Epidemiology and control of banana bunchy top and other banana virus diseases, and banana virus epidemiology in Philippines. *RLD (DEID Rural Livelihoods and Environment Division: Rural Livelihoods Department)*, United Kingdom, reference: R6579.from April 1994 until March1996.

Kessman, H.; T. Staab; C. Hofman; T. Maetzke and J. Herzog (1994). Induction of systemic acquired disease resistance in plants by chemical. *Annu. Rev. Phytopathol* **32**: 439-459.

Kim, J.Y.; S.Y. Lee; H.R. Kim and J.K. Choi (1994). Effect of virazole on elimination of viruses (LSV and CMV) from infected Lily plants. *RDA Journal of Agricultural Science Crop Protection* **36 (1)**: 370-374.

Kolber, M.; M. Nemeth; L. Krizbai; M. Szemes; E. Kisstoth; L. D. Dorgi; M. Kalman and A. Hadidi (1998). Detectability of prume necrotic ring spot and plum poxvirus by RT-PCR, multiplex RT-PCR, ELISA and indexing on woody indicators. *Acta Horticulturae* **472**: 243-247.

Kummert, J. and A. Toussaint (1984). Utilisation du Virazole pour l'assainissement des plantes par cultures *in vitro*, *Parasitica* **40** 121-137.

Lafontaine, P.J. and N. Benhamou (1995). Chitosan treatment: an imerging strategy for inhancing resistance of green house tomato plants to infection by *Fusarium oxysporum* f.sp. *radicis-lycopersici*. *Biocontrol Sci. technol.* **6**: 111-124.

Lange, L. and M. Heide (1986). Dot immuno-binding (DIB) for detection of virus in seed. *Can. J. Plant Pathology* **8**, 373-379.

Leghari, H.B. (2002). Banana Bunchy-top Virus in Sindh. DAWN-Business. *The internet Edition* [http:// DAWN.com](http://DAWN.com).

- Lenz, F.; G. Baumann and P. Kornlamhaeng (1983). High temperature treatment of *Prunus avium* L.F: 121 1' for virus elimination. *Plant Pathology Z.* 106: 373-375.
- Lienart, Y.; C. Gautier; Dubois-Dauphin and A. Domord (1993). Chitin (chitosan) as elicitors in *Rubus* protoplasts. *R.A.A.Muzzarelli ed., Chitin Enzymology* 1: 271-278.
- Likha, C. C. (2003). GIS and the hunt for diseases. *Archives*, October-December 2003, Volume 5 No. 4
- Lindsay, S., T. Pattison and Z. Murad (2003). Eradicating banana crops with herbicide injection for better IPM and environmental outcomes. *Agency for Food and Fibre Sciences, Horticulture*.
- Lisitsyn, N., N. Lisitsyn, and M. Wigler (1993). Cloning the difference between two complex genomes. *Science* 259, 946.
- Lizarrage, R.N.; N. Espinosa; U. Jayasinghe and J.H. Dodds (1989). Tissue culture for elimination of pathogens. *CIP. Research Guide 3. International potato center lima, Peru, 21 pp.*
- Lockhart, B. (1998). Management of Viral Streak in Banana and Plantain: Understanding a New Challenge. In [*managing banana and citrus diseases. Proceedings of a regional workshop on disease management of banana and citrus through the use of disease-free planting materials held in Davao City, Philippines. 14-16 October 1998*].
- Lockhart, B.E.L.; K. Craenen (ed.); R. Ortiz (ed.); E.B. Karamura (ed.) and D.R. Vuylsteke (2000). Virus diseases of *Musa* in Africa: Epidemiology, detection and control. First International Conference on Banana and Plantain for Africa, Kampala, Uganda, 14-18 October 1996. *Acta-Horticulturae* 2000, No. 540, 355-359.
- Logan, A.E. and F.W. Zettler (1985). Rapid *in vitro* propagation of virus-indexed gladioli, *Acta Hort.* 164 169-180.
- Lopez-Moya, J.J.; M.R. Fernandez; M. Cambra and J.A. Garcia (2000). Biotechnological aspects of plum pox virus. *Journal Biotechnology* 76: 121-136.
- Lui, Z.; X. Zheng and X. Zhang (1993). Progress of research on isolation and gene cloning of the viruses affecting banana in Hainan.

Current banana research and development in China-SCAU. South China Agricultural University. Guangzhou (CHN). ENG 1993. [*Musarama*, 8 (2), September 1995 (Abs. No. 3561)].

Mac Donald, D.M. (1973). Heat treatment and meristem culture as means of freeing potato varieties from viruses X and S. *Potato Res.* 16: 263-269.

Magnaye, L.V. (1979). Studies on the Identity and Relationship of the Abaca and Banana Bunchy-top Diseases in the Philippines at Los Baños, *College, Laguna, Philippines.*

Magnaye, L.V. and R.V. Valmayor (1995). BBTV, CMV and other viruses affecting banana in Asia and the Pacific. *Bureau of Plant Industry, Davao, Philippines INIBAP Asia and the Pacific Network, c/o PCARRD, Los Baños, Laguna, Philippines.*

Magnaye, L.V. (1998). The Impact of Tissue-cultured Plants in the Ongoing Eradication and Rehabilitation Program in the Philippines. In: [*managing banana and citrus diseases. Proceedings of a regional workshop on disease management of banana and citrus through the use of disease-free planting materials held in Davao City, Philippines.* 14-16 October 1998].

Mahmoud, S.Y.M. (2000). Antiviral substances induced in plants as a result of virus infection. *Ph.D.Thesis, Fac.of Agric., Ain Shams Univ., Egypt.*

Mahmoud, S.Y.M.; K.A. El-DougDoug; M.H. Abdel-Ghafar and A.S. Aly (2003). Inhibitory effects of chitosan and its derivatives on some plant viruses. *N. Egypt. J. Microbiol. Vol. 4*, pp 108-124, January, 2003.

Makkouk, K.M. and A. Comeau (1994). Evaluation of various methods for the detection of barely yellow dwarf virus by the tissue-blot immunoassay and its use for virus detection in cereals inoculated at different growth stages. *European J. of Plant Pathology* 100: 71-80.

Malamy, J.; J. John Carr; F. Klessig Daniel and I. Raskin (1990). Salicylic acid: A likely endogenous signal in the resistance response of tobacco to viral infection. *Science* 250: 1002-1004.

Mali, V.R. and S. B. Rajegore (1980). A cucumber mosaic virus of banana in India. *Phytopathology Z.* 98: 127-136.

Malkawi, H.I.; F. Al-Momani; M.M. Meqdam; I. Saadoun and M.J. Mohammed (1999). Detection of genetic polymorphism by RAPD-PCR among isolates of *Bacillus thuringiensis*. *Microb.* 22 (3): 241-247.

Manickam, K.; Sabitha-Doraiswamy; T. Ganapathy; G.T. Mala; R. Rabindran and S. Doraiswamy (2002). Early detection of banana bunchy top virus in India using polymerase chain reaction. *Acta-phytopathologica-et-Entomologica-Hungarica* 2002, 37: 1-3, 9-16.

Mauch, F.; B. Mauch-Mani and T. Boller (1988). Antifungal hydrolases in pea tissue. II. Inhibition of fungal growth by combinations of chitinase and β -glucanase. *Plant Pathology* 88: 936-942.

Mc Carthy, P. (2001). Another Look at the Banana Regulations. *DPI, Nambour. Issue* 30/2001.

Mc Cormack, J. (1985). Rooting of Illinois everbearing mulberry cuttings. *Pomona* 18 (1): 30-31 USA (Hort. Abst, 56: (8) 5875)

Melinda, C. C. (2002). Abaca is under attack. *Makiling Journal*. October 14-20, 2002.

Mellor, F.C. and R. Stace-Smith (1977). Virus-free potatoes by tissue culture in J.Reinert and Y.P.S. Bajaj. (ed.). Applied and fundamental aspects of plant cell tissue and organ culture. *Springer-Verlag. Berlin Heidelberg. New York*.pp 616-635.

Miller, S.A. and R. R. Martin (1988). Molecular diagnosis of plant disease. *Annu. Rev. Phytopathol.* 26: 409-432.

Mink, G.I. (1981). Control of plant disease using disease-free stocks. *Handbook of Pest Management in Agriculture. Vol. 1.* CRC Press, Florida. Pp. 317-346.

Morel, G. (1948). Recherches sur la culture associée de parasites obligatoires et de tissus végétaux, *Ann. Epiphyt* (1) 123-234

Morel, G.M. and C. Martin (1955). Cure of potatoes infected by virus diseases. c, r.held *Acad. Agric. Fr.* 41: 472-475 (R.A.M. 53: 215,1956).

Malkawi, H.I.; F. Al-Momani; M.M. Meqdam; I. Saadoun and M.J. Mohammed (1999). Detection of genetic polymorphism by RAPD-PCR among isolates of *Bacillus thuringiensis*. *Microb.* **22** (3): 241-247.

Manickam, K.; Sabitha-Doraiswamy; T. Ganapathy; G.T. Mala; R. Rabindran and S. Doraiswamy (2002). Early detection of banana bunchy top virus in India using polymerase chain reaction. *Acta-phytopathologica-et-Entomologica-Hungarica* 2002, **37**: 1-3, 9-16.

Mauch, F.; B. Mauch-Mani and T. Boller (1988). Antifungal hydrolases in pea tissue. II. Inhibition of fungal growth by combinations of chitinase and β -glucanase. *Plant Pathology* **88**: 936-942.

Mc Carthy, P. (2001). Another Look at the Banana Regulations. *DPI, Nambour. Issue* 30/2001.

Mc Cormack, J. (1985). Rooting of Illinois everbearing mulberry cuttings. *Pomona* **18** (1): 30-31 USA (Hort. Abst, **56**: (8) 5875)

Melinda, C. C. (2002). Abaca is under attack. *Makiling Journal*. October 14-20, 2002.

Mellor, F.C. and R. Stace-Smith (1977). Virus-free potatoes by tissue culture in J.Reinert and Y.P.S. Bajaj. (ed.). Applied and fundamental aspects of plant cell tissue and organ culture. *Springer-Verlag. Berlin Heidelberg. New York*.pp 616-635.

Miller, S.A. and R. R. Martin (1988). Molecular diagnosis of plant disease. *Annu. Rev. Phytopathol.* **26**: 409-432.

Mink, G.I. (1981). Control of plant disease using disease-free stocks. *Handbook of Pest Management in Agriculture. Vol. 1.* CRC Press, Florida. Pp. 317-346.

Morel, G. (1948). Recherches sur la culture associée de parasites obligatoires et de tissus végétaux, *Ann. Epiphyt* (1) 123-234

Morel, G.M. and C. Martin (1955). Cure of potatoes infected by virus diseases. c, r.held *Acad. Agric. Fr.* **41**: 472-475 (R.A.M. **53**: 215,1956).

diseases. *Proceedings of a regional workshop on disease management of banana and citrus through the use of disease-free planting materials held in Davao City, Philippines*. 14-16 October 1998].

Ordosgoitti, F. A. (1988). La clorosis infecciosa del banano [Banana mosaic]. *FONAIAP Divulga (VEN)*, Vol. 6 (28), p. 19-20.

Orellana, P. (1994). Technology for *in vitro* Micropropagation of clones of *Musa* spp. *Ph. D. Thesis. Universidad Central de Las Villas, Instituto de Biotecnología de las plantas, Santa Clara* [Musarama, 8, (1), June. 1995 (Abs.No. 3285)].

Othman, B.; Kh. El- DougDoug; A. Sadik and M. Abdel-Ghaffar (1996). Detection of banana bunchy top virus in some banana plantations in Kalubia Governorate. *Annals Agric. Sci., Ain Shams Univ., Cairo*, 41 (2): 627-634.

Palkovics, L.; J. Burgyan and E. Balazs (1994). Sensitive non-reactive nucleic acid hybridization assay for plum pox virus detection. *Research in Virology* 145: 387-392.

Panhwar, M.H. (2002). Banana Bunchy-top Virus, banana-Pakistan (Sindh). *The Frontier Post/ APP* [8 Aug 2002] [edited]. ProMED-mail [promed @ promedmail.org].

Panis, B.; N. Totté; K. Van Nimmen; L. Withers and R. Swennen (1996). Cryopreservation of banana (*Musa* spp.) meristem culture after preculture on sucrose. *Plant Science* 121: 95-106.

Petri, P.S. and A. Ricci (1981). Micropropagation of globe artichoke from tissue *in vitro*. *Industria Grafica Laterza*, 231-238. (c.f. Hort. Abstr., 53: 250).

Pirone, T.P. and K.L. Perry (2002). Aphids-Non-persistent transmission. *Adv. Bot. Res.* 36: 1-19.

Posppieszny, H. (1997). Antiviral activity of chitosan. *Crop Protection* 16(2): 105-106.

Posppieszny, H. and A. Mackawik (1998). Effects of chitosan derivatives on the infection of tomato plants by pathogen bacteria *Pseudomonas syringae* pv. *Tomato*, H. Struszczyk ed., Progress on Chemistry and application of chitin and its derivatives. Monograph. *Polish. Chitin Soc.* 4: 137-142.

Posppieszny, H.; S. Chirkov and J.G. Atabekov (1991). Induction of antiviral resistance in plants by chitosan. *Plant Science* **79**: 64-68.

Pryor, B.M. and T.J. Michailides (2002). Morphological, pathogenic, and molecular characterization of *Alternaria* isolates associated with *Alternaria* late blight of pistachio. *Phytopathology* **92**: 406-416.

Puente-Redondo, V.A. de-la; N. Garcia-del-Blanco; C.B. Gutierrez-Martin; F.J. Garcia-Pena; E.F. Rodriguez-Ferri and V.A. de-la Puente-Redondo (2000). Comparison of different PCR approaches for typing of *Francisella tularensis* strains. *J. Clin. Microb.* **38**(3): 1016-1022.

Quak, F. (1961). Heat treatment and substances inhibiting virus multiplication in meristem culture to obtain virus-free plants. *Proc. Int. Hort. Congr. (Nice)* **1**: 144-148. Symposium publication Division, Pergamon Press, Oxford and NewYork (c.f. Roest and Bokelmann, 1976).

Quebral, F.C. (1963). Transmission of Banana Bunchy-top Virus in the Philippines. *Unpub. M.Sc. Thesis, University of the Philippines at Los Baños, College, Laguna, Philippines.*

Quemada, H.D.; D. Gonsalves and G.L. Slightam (1991). Expression of coat protein gene from cucumber mosaic virus strain C in tobacco: protection against infection by CMV strain transmitted mechanically aphid. *Phytopathology* **81**: 749-802.

Ramos, C.S. and A.B. Zamora (1990). Elimination of banana bunchy top infection from banana (c.v. Lakatan) by heat treatment and meristem culture. *Phil.Jour. of Crop Sci.* **15**: 119-123.

Rao, D.G. (1980). Studies on a new strain of banana mosaic virus in South India. National seminar on banana production technology. *Muthukrishnan, C.R.; Abdul Khader, J.B.M.M.* p.155-159.

Raymundo, A.D. and N.B. Bajet (1998). Epidemiology and Integrated Management of Abaca Bunchy Top in the Philippines. In: *[managing banana and citrus diseases. Proceedings of a regional workshop on disease management of banana and citrus through the use of disease-free planting materials held in Davao City, Philippines. 14-16 October 1998]*.

Posppieszny, H.; S. Chirkov and J.G. Atabekov (1991). Induction of antiviral resistance in plants by chitosan. *Plant Science* **79**: 64-68.

Pryor, B.M. and T.J. Michailides (2002). Morphological, pathogenic, and molecular characterization of *Alternaria* isolates associated with *Alternaria* late blight of pistachio. *Phytopathology* **92**: 406-416.

Puente-Redondo, V.A. de-la; N. Garcia-del-Blanco; C.B. Gutierrez-Martin; F.J. Garcia-Pena; E.F. Rodriguez-Ferri and V.A. de-la Puente-Redondo (2000). Comparison of different PCR approaches for typing of *Francisella tularensis* strains. *J. Clin. Microb.* **38**(3): 1016-1022.

Quak, F. (1961). Heat treatment and substances inhibiting virus multiplication in meristem culture to obtain virus-free plants. *Proc. Int. Hort. Congr. (Nice)* **1**: 144-148. Symposium publication Division, Pergamon Press, Oxford and New York (c.f. Roest and Bokelmann, 1976).

Quebral, F.C. (1963). Transmission of Banana Bunchy-top Virus in the Philippines. *Unpub. M.Sc. Thesis, University of the Philippines at Los Baños, College, Laguna, Philippines.*

Quemada, H.D.; D. Gonsalves and G.L. Slightam (1991). Expression of coat protein gene from cucumber mosaic virus strain C in tobacco: protection against infection by CMV strain transmitted mechanically aphid. *Phytopathology* **81**: 749-802.

Ramos, C.S. and A.B. Zamora (1990). Elimination of banana bunchy top infection from banana (c.v. Lakatan) by heat treatment and meristem culture. *Phil.Jour. of Crop Sci.* **15**: 119-123.

Rao, D.G. (1980). Studies on a new strain of banana mosaic virus in South India. National seminar on banana production technology. *Muthukrishnan, C.R.; Abdul Khader, J.B.M.M.* p.155-159.

Raymundo, A.D. and N.B. Bajet (1998). Epidemiology and Integrated Management of Abaca Bunchy Top in the Philippines. In: [*managing banana and citrus diseases. Proceedings of a regional workshop on disease management of banana and citrus through the use of disease-free planting materials held in Davao City, Philippines.* 14-16 October 1998].

Raymundo, A.D.; N.B. Bajet; A.C. Sumalde; B.P. Cipriano; R. Borromeo; B.S. Garcia; P. Tapalla and N. Fabellar (2002). Mapping the spread of abaca bunchy-top and mosaic diseases in the Bicol and Eastern Visayas Regions, Philippines. Contact billyray@laguna.net. *Agriculture and Fisheries Research and Development Information System (AFRDIS) Status Report 1999-2001. Bureau of Agricultural Research.* July 2002.

Retuerma, M.L. (1981). Mosaic of abaca (*Musa sapientum* L.Kuntz): their causal viruses and properties. *Ph. D. Dissertation. University of Philippines at Los Banos.* 109p.

Revathay, L.N. (2002). Hill variety banana springs back to life, *Agri. Biz. and Commodities Horticulture / Fruits and Vegetables.*

Roberts, R.G.; S.T. Raymond and B. Andersen (2000). RAPD fragment pattern analysis and morphological segregation of small spored *Alternaria* species groups. *Mycol. Res.* 104(2): 151-160.

Rowe, P. and F.E. Rosales (1996). Bananas and Plantains. In: *Fruit Breeding. Vol. 1: Tree and Tropical fruits.* J. Janick and J. Moore. New York, John Wiley. pp.167-211.

Rozendaal, A. and A.H. Brust (1955). The significance of potato virus S in seed potato culture. *Proc. 2nd Conf. Potato Virus Diseases, Lisse-Wageningen* pp. 120-123.

Rybicki, E.P. and M.B. Von Wechmar (1982). Enzyme-assisted immune detection of plant virus proteins electroblotted onto nitrocellulose paper. *J. Virol. Methods* 5, 267-278.

Sadik, A.S. (1994). Studies on viruses affecting banana in Egypt. *Ph. D. Thesis, Faculty of Agriculture, Ain Shams Univ.* Cairo, Egypt. 199 pp.

Saneishi, J. (2004). In: Banana Bunchy-top Virus found in Kohala. *From net.* Keaton@westhawaiiitoday.com.

Sastry, K.; D. Rao and S. Singh (1980). Studies on control of bunchy top of banana. National Seminar on Banana Production Technology, S.L., S.D., ENG (Abs.ENG) TNAU, Coimbatore (IND)1980, 144-146. [*Musarama*, 8, (3), December 1995, p. 18 (Abs.No.3738)].

Sathyamoorthy, S. (2001). In: Virus afflicted saplings ruin banana yield. *Financial Daily from The Hindu group of publications.* Thursday, July 05,2001.

Sawyer, R. L. (1992). Biotechnology and biosafety development at the international agriculture research centers. *Proc. Royal Soc., Edinburgh* 99: 3-4.

Segenet, K.; D. Huang; G. Huang; and T. Yuka (2003). Detecting and differentiating *Acremonium implicatum*: developing a PCR-based method for an endophytic fungus associated with the genus *Brachiaria*. *Molecular Plant Pathology* 4: 115-118.

Sela, I.; M. Reichman and A. Weissbacf (1984). Comparison of dot molecular hybridization and enzyme linked immunosorbent assay for detecting tobacco mosaic virus in plant tissues and protoplasts. *Phytopathology* 74: 385-389.

Sharma, T.R. and J.P. Tewari (1998). RAPD analysis of three *Alternaria* species pathogenic to crucifers. *Mycological Research* 120: 807-814.

Sharma, T.R.; R.S. Chauhan; B.M. Singh; R. Paul; V. Sagar and R. Rathour (2002). RAPD and pathotype analysis of *Magnaporthe grisea* population from North-Western Himalayan Region of India. *Journal of Phytopathology* 150: 649-656.

Sharma, T.R. (2003). Molecular diagnosis and Application of DNA markers in the management of fungal and bacterial plant diseases. *Indian Journal of Biotechnology* 2: 99-109.

Sharman, M.; J.E. Thomas and R.G. Dietzgen (2000). Development of a multiplex immunocapture PCR with colourimetric detection for viruses of banana. *Journal of Virological Methods* 2000, 89: 1-2, 75-88.

Singh, Z.; R. Jones and M. Jones (1995). Identification of cucumber mosaic virus subgroup I isolates from banana plants affected by infectious chlorosis disease using RT-PCR. *Plant Disease* 79 (7): 713-716.

Smith, W.A. (1972). A text book of plant virus diseases. *Academic Press, Inc.* 670p.

Smith, W.A. (1981). The aftermath of the test tube. *Proc. Inter. Plant Prop. Soc.* 31: 47-49.

- Smith, M.K. and R.A. Drew (1990). Current applications of tissue culture in plant propagation and improvement. *Australian Journal of Plant Physiology* 17: 267-289.
- Smoker, M.M. (1971). Properties of inhibitors of plant virus infection occurring in the leaves of species of chenopodiales. *Ann. Appl. Biol.* 96: 157-168.
- Soliman, R. and S. Selim (2005). Practical immunology (part-I). 1st ed. 2005. pp.152. *Deposite No.* 19094 year 2004. I.S.B.N. 977-345-835-0.
- Spiegel, S.; F.A. Frison and R.H. Converse (1993). Recent development therapy and virus detection procedures for international movement of clonal plant germplasm. *Plant Disease* 77: 1176-1180.
- Spurr, A.R. (1969). A low viscosity epoxy resin embedding medium for electron microscopy. *Ultrastructure Research* 26: 31-43.
- Stace- Smith, R. (1985). Virus-free clones through plant tissue culture. *Comprehensive Biotechnology Vol. 3* chapter 10. Pp.99.
- Stover, R.H. and N.W. Simmonds (1987). Bananas. 3rd edn. *Longman Scientific and Technical, England; John Wiley & Sons, Inc., New York, USA*, 468 pp.
- Su, H.J. (1998). Epidemiological Review on Citrus Greening and Viral Diseases of Citrus and Banana with Special Reference to Disease-free Nursery System. In: [*Managing banana and citrus diseases. Proceedings of a regional workshop on disease management of banana and citrus through the use of disease-free planting materials held in Davao City, Philippines. 14-16 October 1998*].
- Su, H.J.; L.Y. Tsao and T.H. Hung (1998). Pathological and Molecular Characterization of Banana Bunchy Top Virus (BBTV) Strains in Asia. In: [*managing banana and citrus diseases. Proceedings of a regional workshop on disease management of banana and citrus through the use of disease-free planting materials held in Davao City, Philippines. 14-16 October 1998*].
- Su, G., S.O. Suh; R.W. Schneider and J.S. Russin (2001). Host specialization in the charcoal rot fungus, *Macrophomina phaseolina*. *Phytopathology* 91: 120-126.

Su, H.J.; Tsao, L.Y.; Wu, M.L. and Hung, T.H. (2003). Biological and Molecular categorization of strains of banana bunchy top virus. *J. Phytopathology* **151**: 290-296 (2003).

Sulyo, Y.; A. Muharam Rahardjo and B.E.L. Lockhart (1994). Laporan Pertama mengenai Kehadiran Banana Streak virus (BSV) pada Tanaman Pisang di Indonesia. *Prosiding Simposium Hortikultura Nasional*. (ed. T. Wardiyati, Kuswanto, S. Notodimedjo, L. Soetopo dan L. Setyobudi) PHI-Faperta Unibraw. P: 550-553.

Summanwar, A.S. and T.S. Marathe (1982). Diagnostic technique for the detection of bunchy top and infectious chlorosis in banana suckers. *Current Science* **51(1)**: 47-49.

Swelim, M.A. (2005a). Phenotypic and genotypic studies on some *Botrytis fabae* isolates. *Assiut Univ. J. of Bot.* **34(1)**: 171-183.

Swelim, M.A. (2005b). RAPD-PCR analysis of some *Aspergillus flavus* strains isolated from different sources. *Egypt. J. Biotech. Vol.* **20**: 446-455.

Taha, N. (1993). Studies on nutrition and nursery propagation of banana plants. *M. Sc. Thesis, Fac. Agric., Mosshotohor, Zagazig Univ.* Egypt. 209 pp.

Tecson-Mendoza, E.M. (2002). Crop biotechnology in the Philippines. *AgBiotechNet*. 2002, **4**: ABN 79, 1-7.

Thomas, J. E. and R.G. Dietzgen (1991). Purification, characterization and serological detection of virus-like particles associated with banana bunchy top disease in Australia. *J. Gen. Virol.* **72 (2)**: 217-224.

Thomas, J. E.; M.L. Iskara-Caruana and D.R. Jones (1994). Banana Bunchy Top Disease. *Musa Disease Fact Sheet No. 2*. INIBAP, 1994. 1 p.

Thomas, J.E. (1998). Viruses of Banana and Methods for Their Detection. In: [managing banana and citrus diseases. *Proceedings of a regional workshop on disease management of banana and citrus through the use of disease-free planting materials held in Davao City, Philippines*. 14-16 October 1998].

Thomas, J. E. (2003). Detection and control of viruses of banana. *Queensland Department Of Industries*. Wed, 26th Feb. 03.

Torres, K.C. (1989). Tissue culture technique for horticultural crops. *An A VI Book, Van Nostrand Reinhold, New York.*

Trigiano, R.N. and D. J. Gray (1996). Plant tissue culture concepts and laboratory exercises. *CRC Press.*

Tsao, L.Y. (1998): Biological and Molecular characterization of BBTV strains and their ecology. Unpub. *Ph. D.Thesis, Graduate Institute of Plant Pathology and Entomology, National Taiwan University, Taiwan, ROC.*

Valmayor, R.V.; C.P. Umali; Bejosano and A. Editors (1991). Banana diseases in Asia and the Pacific. (Ed. By Smith, K.M.) *Proceedings of a Regional Technical Meeting on Diseases Affecting Banana and Plantain in Asia and Pacific, Brisbane, Australia, 15-18 April 1991.*

Varagas, E. and P. Acuna (1992). Assessment of the phenols content in vegetative tips of banana cultured *in vitro*. Informe Annual 1992. CORBANA. Departamento de investigaci'on (CRI), SPA 1993, 41-42 [*Musarama*, 8 (1), June 1995 (Abs. No. 3289)].

Varveri, C.; M. Ravelonandro and J. Dunez (1987). Constriction and used of a cloned cDNA probe for detection of plum pox virus. *Phytopathology* 77: 1221-1224.

Vuylesteke, D. and R. Ortiz (1996). Field performance of conventional vs. *in vitro* propagules of plantain (*Musa* spp., AAB group). *HortScience* 31: 862-865.

Vuylsteke, D.; R. Ortiz; R.S.B. Ferris and J. H. Crouch (1997). Plantain improvement. *Plant Breeding Reviews* 14: 267-320.

Walkey, D.G. and M.J.W. Webb (1968). Virus in plant apical meristems. *J. Gen. Virol.* 3: 311-313.

Walkey, D.G. (1976). High temperature inactivation of cucumber and alfalfa mosaic virusses in *Nicotiana rustica* cultures. *Annals of Applied Biology* 84: 183-192.

Walkey, D.G. and G. H. Freeman (1977). Inactivation of cucumber mosaic virus cultured tissues of *Nicotiana rustica* L. by diurnal alternating periods of high and low temperature. *Annals of Applied Biology* 87: 375-382.

Walkey, D.G. (1980). Production of virus-free plants by tissue culture. *In: Ingram, D.A. and Helgeson J.P., 1980. Tissue culture methods for plant pathologists. Blackwell Scient. Publ. Oxford*, pp. 109-117.

Walkey, D.A. (1991). Applied plant virology. *Chapman and Hall, London*, pp 338.

Walter-Simmons, M.; L. Hadwiger and C.A. Ryan. (1983). Chitosan and pectic polysaccharides both induce the accumulation of the antifungal phytoalexin in pea pods and antinutrient proteinase inhibitors in tomato leaves. *Biochem. Biophys. Res. Commun.* 110: 194-199.

Walter-Simmons, M.; L. Hadwiger and C.A. Ryan (1984). Proteinase inhibitors synthesis in tomato leaves. *Plant Physiol.* 76: 787-790.

Wardlaw, C.W. (1961). Banana Diseases. *London: Longmans, Green and Co. Ltd.* 648 pp.

Wellings, P.W. and P.J. Hart (1995). An attempt at biological control of the banana aphid, *Pentalonia nigronervosa*, using the parasitoid *Aphidius colemani* in Kingdom of Tonga. *2nd Workshop on biol.control in the South Pacific*. Oct. 1995, Fiji, pp.3.

Welsh, J. and McClelland (1990). Fingerprinting genome as using PCR with arbitrary primers. *Nucl. Acids Res.* 18: 7213-7218.

Williams, J.G.K.; A.R. Kubelik; K.J. Livak; J.A. Rafalski and S.V. Tingey (1990). DNA polymorphism amplified by arbitrary primers are useful in as genetic markers. *Nucleic Acids Res.* 18: 6531-6535.

Wong, W.C. (1986). *In vitro* propagation of banana (*Musa* spp.) initiation, Proliferation and development of shoot-tip cultures on modified media. *Plant Cell, Tissue and organ culture* 6 (2): 159-166.

Wöstemeyer, J. and A. Kreibich (2002). Repetitive DNA elements in fungi (mycota): impact on genomic architecture and evolution. *Current Genetics* 41: 189-198.

Wu, R.Y. (1987). Characterization and monoclonal antibodies of the virus causing banana bunchy top. *Ph. D. Disseration, Dep. of Plant Path. and Entomology, National Taiwan University, Taipei, Taiwan.*

- Wu, R.Y. and H.J. Su (1990a).** Purification and characterization of banana bunchy top virus. *J. of Phytopathology* 128: 153-160.
- Wu, R.Y. and H.J. Su (1990b).** Production of monoclonal antibodies against banana bunchy top virus and their use in enzyme linked immunosorbent assay. *J. of Phytopathology* 128: 203-208.
- Wu, R.Y. and H.J. Su (1991).** Regeneration of healthy banana plantlets from banana bunchy top virus infected cultured at high temperature. *Plant Phytopathology* 40: 4-7.
- Wyatt, S.D. and R.J. Shepherd (1969).** Isolation and characterization of virus inhibitor from *Phytolacca americana*. *Phytopathology* 59: 1786-1794.
- Xiao, H.; J.S. Hu and H.G. Xiao (1999).** Detection of banana bunchy top virus by polymerase chain reaction assays. *Journal of South China Agricultural University* 20: 5-8.
- Xie, W.; J. Hu and D. Sether (1994).** Molecular characterization and detection of banana bunchy top virus in Hawaii. *Phytopathology* 84(10): 1105
- Xie, W. and J. Hu (1995).** Molecular cloning, sequence analysis, and detection of banana bunchy top virus in Hawaii. *Phytopathology* 85(3): 339-347.
- Zamora, A.B.; O.P. Damasco and S. Landicho (1989).** Development of a minimal growth medium for *in vitro* storage of banana and plantain (*Musa* spp.) germplasm. *Philippine Agriculturist* 72 (4): 466-472.
- Zhang, H.B.; X.R. Zhu; W.Lui and Y.K. Zhang (1995).** The detection of banana bunchy top disease with monoclonal antibody of BBTV. *Acta Phytophylacia Sinica*. 22: 75-79.
- Zhou-Lijuan; Zheng-Weiwen; L.J. Zhou and W.W. Zheng (2001).** Detection of banana bunchy top virus (BBTV) by PCR. *Fujian- Journal-of-Agricultural-Sciences*. 2001, 16: 4, 45-48.