

REFERENCES

REFERENCES

1. Abd-Allah, M.A., Abdel-Fatah, A., El-Mazni, H. and Refai, M. (1971): Clinical and Mycological study of the macerated toe web in Egypt. *Mykosen.*, 14(2):83-88.
2. Abel, E.A., Goldberg, L.H. and Farber, E.I. (1980): Treatment of Palmoplantar Psoriasis with topical Methoxsalen plus long-wave ultraviolet light. *Arch Dermatol* 116: 1257-1261.
3. Ackerman, A.B., (1970): Histopathologic concepts of Epidermolytic Hyperkeratosis. *Arch. Dermatol.* 102: 253-259.
4. Allenby, C.F., (1966): Relapsing pustular Eruption of Hands and feet treated with local methotrexate. *Br. J. Dermatol.*, 78: 154-157.
5. Andersen, L.B. and Bierring, F. (1981): Akeratoderma Elastoidosis. *Acta Derm.* 61(1):79- 82.
6. Anderson, I.F., and Klintworth, G.K. (1966): Hypovitaminosis A in a family with tylosis and clinodactyly. *Br. Med. J.*, 1:1293-1297.
7. Bach, J.N. and Levan, N.E. (1968): Papillon-lefèvre syndrome. *Archs Derm.*, 97:154-158.
8. Baden H.P. (1974): Hand Eczema. *Archs Derm.* 110: 237.

9. **Baden, H.P., (1979):** Keratoderma of palm and soles.in: Dermatology in General Medicine (edited by: Thomas B. Fitzpatrick, Arthur Z. Eisen, Klaus Wolff, Irwin M. Freedberg and K. Frank Austen) 2nd Edition, McGraw-Hill Book Company. Chapter 32, pp. 275-279.
10. **Baden, H.P., and Roth, S.I. (1968):** Oral lesions in pityriasis rubra pilaris. *Oral Surgery* 25(5): 691-694.
11. **Baker, H., (1979):** -The skin as a Barrier, Vol. I, p.289 - Reiter's Disease Vol. II, p. 139 In: Textbook of Dermatology, (Ed. by A. Rook, D.S., Wilkinson, F.J. Ebling) 3rd ed., Blackwell Scientific Publications, Oxford, London.
12. **Baker, H., and Wilkinson, D.S. (1979):** Psoriasis. In: Textbook of Dermatology, (Ed. by A. Rook, D.S. Wilkinson, F.J. Ebling), 3rd ed. Vol II, Ch. 38, Blackwell scientific publications, Oxford, London. p. 1315.
13. **Balkin, S.W. (1975):** Corns. *Archs Derm.* 111; 1143.
14. **Baxter, D.L., (1975):** Superficial and deep Mycotic infections in: Dermatology. edited by Moschella, S.L., Pillsbury, D.M. and Hurley H. W.B. Saunders Company. Chapter 13 p.639.

15. Bean, S.F. (1969): Hyperkeratosis lenticularis perstans. Archs. Derm., 99:705-709.
16. Bean, S.F., Foxley, E.G., and Fausaro, R.M. (1968): Palmar kerstosis and internal malignancy. Archs. Derm., 97:528-532.
17. Besnier, E. (1889): Observations pour servir a l'histoire clinique due pityriasis rubra pilaire, Ann Derm Syph (Series 1) 11:253-260. quoted from Lamar, L.M. & Gaeth, G. (1964).
18. Bettley, F.R. (1961): The influence of Soap in the permeability of the epidermis, Brit. J. Derm 73:448-454.
19. Beveridge, G.W. and Langlands, A.O., (1963): Familial hyperkeratosis lenticularis perstans associated with tumors of skin. Brit. J. Dermat. 88:453-458.
20. Binnick, S.A., (1978): Pityriasis Rubra pilaris Responding to Aminonicotinamide Arch. Dermatol 114:1348-1349.
21. Bititci, O.O. (1975): Familial hereditary progressive sensori-neural hearing loss with keratosis palmaris and plantari. J. of laryngology 89:1143-1146.
22. Blasik, L.G., Dimond, R.L. and Banghman, R.D., (1981): Hereditary Edpidermolytic Palmoplantar Keratoderma. Arch Dermatol. 117; 229-231.

23. Bloom, W., and Fawcett, W.D. (1975): Skin
In: Textbook of histology, 10th ed
Ch. 23 (ed. by W. Bloom and W.D.
Fawcett).
W.B. Saunder's Company, Philadelphia.
pp. 563-597.
24. brodie, B.C. (a) (1818): Pathological and surg-
ical observations on Diseases of the
joints, p. 55. London: Longman.
(b) (1836) - 4th ed., p. 57. Quoted
from King, A., Nicol, C. & Rodin .
(1980): in Venereal Diseases 4th
edition. English Language Book
Society and Baillière Tindall pp. 307.
25. Brooke, H.G. (1891): Notes on some keratosis of
palms and soles. Br. J. Derm., 3: 19.
Cited by: Lynch, F.W. (1943).
26. Brown, J., and Perry, H.O. (1966): P.R.P. treat-
ment with folic acid antagonists Archs.
Derm., 94:636-638.
27. Buchanan, R.N. (1963): Keratosis punctata palmaris
at plantaris. Archs Derm. 88:64-650.
28. Burks, J.W., and Montgomery, H. (1943): histo-
pathologic study of psoriasis. Archs.
Derm., Syph. 48(5):479-491 .
29. Burks, J.W.; Wise, I.J., and Clark, W.H. (1960):
Degenerative collagenous plaques of the
hands. Archs Derm. 82:362-366

30. Cantu, J.M., Corona, J.S., Fragoso, R., Ruiz, E.M., and Cruz, D.G. (1978): A new autosomal dominant genodermatosis characterized by hyperpigmented spots and palmo-plantar hyperkeratosis. *Clinical Genetics* 14:165-168.
31. Champion, R.H. (1979): Disorders of Lymphatic vessels. In: *Text Book of Dermatology*. (ed. by: A. Rook, D.S. Wilkinson, and F.J. Ebling), 3rd ed., vol. I. Ch. 14. Blackwell scientific publications. Oxford, London. p. 1103.
32. Chang Sing Pang, A.F. I., Oranje, A.P., Iuzevski, V.D., Stolz, E., (1981): Successful treatment of keratoderma Hereditaria Mutilans with an Aromatic Retinoid. *Arch Dermatol*, 117:225-228.
33. Claudius Tarral (1828): Quoted from Lama, M.L., and Gaethe G. (1964).
34. Coccia, C.T., McDonald, R.E., and Mitchell, D.V. (1966): Papillon-Lefevre Syndrome: Precocious Periodontosis with palmo-plantar hyperkeratosis, *J. Periodontol.* 37(5):408-14.
35. Cole L.A. (1976): Hypopigmentation with punctate keratosis of the palms and soles. *Archs Derm.*, 112:998-1000.

36. Costa, O.G. (1952): Acrokerato-elastoidosis lichenoides. Anais do X. congresso Brasileiro de Higiene. Belo Horizonte, Imprensa oficial do Estado de Minas Gerais, 851, Cited by: Andersen, B.L. and Barring, F. (1981).
37. Coupe R., and Usher B. (1963): Keratosis punctata palmaris et plantaris, Archs Derm., 87:91-95.
38. Cram D.L. (1966): Lichen planus of soles. Archs Derm. 93; 692.
39. Crosby, E.F., and Vidurizaga, R.H. (1976) Knuckle pads, Leukonychia, deafness and keratosis palmo-plantaris: Report of a family Johns Hopkins med. J., 139 Sup 1.:90-92.
40. Davidson, C.L., Winkelmann, R.K., and Kiehl, R.R. (1969): P.R.P., a follow up study of 57 patients. Archs Derm., 100: 75-178.
41. Dobson, R.L. Young, M.R., and Pinto, J.S. (1965): Palmar keratosis and cancer. Archs Derm., 92:553-556.
42. Dogliotti, M., and Schmaman, A., (1971): Acrokeratosis verruciformis: Malignant transformation. Dermatologica, 143:95-99.
43. Ebling, F.J. (1979): The normal skin. IN: Textbook of Dermatology. (Edited by: Atkinson, F.J. Ebling, and D.S. Wilkinson) 3rd ed.,

vol. I., Ch. 2. Blackwell Scientific Publication . Oxford, London. p. 5.

44. Ebling F.J., and Rook A. (1979): Disorder of keratinization. IN: Textbook of Dermatology (Edited by; A. Rook, F.J. Ebling, and D.S. Wilkinson) 3rd ed., vol. II, Ch. 37. Blackwell Scientific publication. Oxford, London. pp. 1270-1313.
45. El-Mofty, A., Mostafa, M.A., Mohareb, R.W., El-Komy, M., Nada, M.M., and Moawad, M.K. (1975): Onychomycosis, Paronychia, Tinea pedum, and Tinea manum in Egypt. Al-Azhar Med. J., vol. 4. No. 1:p.17-24.
46. Farb, R.M., Lazarus G.S., Chiaramonti, A., Goldsmith, L.A., Gilgor, R.S., and Balakrishnan, C.V. (1980): The effect of 13-cis Retinoic Acid on Epidermal lysosomal Hydrolase Activity in Darier's Disease and Pityriasis Rubra pilaris. The J. of invest. Dermatol, 75:133-135.
47. Fellman, J.H., Vanbellinghen P.J., Jones, R.T., and Koler, R.D. (1969): Soluble and mitochondrial forms of tyrosine aminotransferase: relationship to human tyrosinemia. Biochemistry 8:615-622.
48. Fellner, M.J. (1980): What is known recently in Lichen planus.: International J. of Derm., 19:2.

49. Flegel, H. (1958): Hyperkeratosis Lenticularis Perstans, Hautarzt 9:362-364. Quoted from Hunter and Donald (1968).
50. Franceschetti, A. and Schnyder, U.W. (1971): Attempt at clinical-genetic classification of hereditary palmo-plantar keratoses with consideration of associated symptoms. Dermatologica 120:154-178.
51. Fred, H.L., Gieser, R.G., Berry W.R., and Eiband, J.M. (1964): Keratosis palmaris et plantaris. Arch Int. Med. 113:866-871.
52. Fritsch, P., Hönigsmann, H., and Jaschke, E. (1978): Epidermolytic hereditary palmo-plantar keratoderma Br. J. Derm. 99:561-568.
53. Ghalioungui P. and El Dawakhly Z., (1965): In: Health and Healing in ancient Egypt. By Ghalioungui P. and El Dawakhly Z.), The Egyptian organization for Authorship and translation, Dar - Al-Maaref, Cairo. Fig. 92, 93 & 94.
54. Gibbs, R.C., and Frank, S.B. (1966): Keratoderma Hereditaria Mutilans. (Vohwinkel). Archs Derm., 94:619-624.
55. Glickman, F.S., and Silvers, S.H. (1967): Hand Eczema and Atopy in Housewives, Arch Derm. 95:487-489.
56. Goldberg, I.C. (1939): Keratoderma climactericum, Arch. Dermat. and Syph. 40:67.

57. Goldsmith, L.A. (1978): Tyrosine induced skin disease. Br.J. Derm. 98:119-121.
58. Goldsmith, L.A. Kang, E., Bienfang, D.C., Jimbow, K., Gerald, P., and Baden, H.P. (1973): Tyrosinemia with plantar and palmar keratosis and keratitis. J. Pediat. 83:798-805.
59. Gorlin, R.J. (1976): Focal palmoplantar and Marginal Gingival hyperkeratosis. Birth Defects 12:239-242.
60. Gorlin, R.J., Pindborg, J.J., and Cohen, M.M.Jr. (1976): Syndromes of the Head and Neck, ed. 2, New York, McGraw-Hill Book Company, p. 258-261, 371-372, 373-376.
61. Gorlin, R.J., Sedano, H., and Anderson, J.E. (1964): The syndrome of palmo-planar hyperkeratosis and premature pericontal destruction of teeth. J. Pediat. 66:895-908.
62. Greither, A. (1952): Keratosis extremitatum progressiva mit dominantem Erbgang. Hautarzt 3:198-203, Cited by Ksnsky, A., and Arzensek, J. (1979).
63. Griffiths, W.A.D. (1980): Pityriasis Rubra Pilaris. Clinical and Experimental Dermatology, 5(1):105-112.
64. Grimble, A. (1965): Antiprosthetic antibodies in arthritis. Br. Med. J. 2:263-264.

65. Gross, D.A., Landan, J.W., and Newconer V.D.
(1969): Pityriasis rubra pilaris; Report
of a case and analysis of literature.
Archs Derm., 99:710-716.
66. Guss, S.B., Osbourn, R.A., and Lutzner, M.A.
(1971): Porokeratosis plantaris-palmaris
et disseminata. Archs Derm., 104: 66-373.
67. Hallopeau (1887): Quoted from Rowell, (1979).
68. Hammar H. (1978); Plantar lesions of lichen
sclerosus et atrophicus accompanied by
erythralgia. Acta Derm Venereol 58:91-92.
69. Hancock, J.A.H. (1960): Keratoderma ble orrhagica
Br.J. Vener. Dis., 36; 36.
70. Haneke, E., Hornstein, O.P., and Lex., ., (1975):
Increased susceptibility to infections in
the papillon-lefevre syndrome Dermatologica,
150:283-286.
71. Hanhart, E., (1947): Neue Sonderformen von keratosis
palmo-plantaris, U.A., eine regelma g-dominate
mit systematisierten lipomen, ferner 2
einfachrezessive mit Schwachison 2 and Z.T.
mit Horinhaut-veranderungen des Auges
Dermatologica 94:286-308. Cited by: Goldsmith
et al., 1973).

72. Haxthausen, H. (1934): Keratoderma climaticum
Br.J. Derm. 46:161.
73. Hjorth, N., and Fregent, S. (1979): Contact
dermatitis. Chapter 14, Textbook of
Dermatology 3rd ed. (ed. by A. Rocca, D.S.
Wilkinson, and F.J.G. Ebling) Blackwell
Scientific publication Oxford. London. p. 388.
74. Hopf, G. (1930): Ueber eine bisher nicht be-
schriebene disseminierte keratose, cited
by Niedelman, M.L. (1947).
75. Howel-Evans, W. (1958): Carcinoma of oesophagus
with keratosis palmaris et plantaris: A study
of two families. Quoted from Parnell, D.D.
and Johnson S.A.M. (1969).
76. Hundeiker M. and Peters J. (1968): Arsenical
keratosis. Arch. Klin. Exp. Derm. 231: 355.
77. Hunter, G.A., and Donald, G.F., (1968) Hyper-
keratosis Lenticularis Perstans or Dyakerato-
tic psoriasiform dermatosis. Arch. Derm.,
98:239-247.
78. Hunziker, N. (1980): Richner-Hanhart's syndrome and
Tyrosinemia Type II. Dermatologica
160:180-189.
79. Hureiz Cl., et al., (1971): Atti del convegno delle
dermatosi professionali, cited by Wilkinson,
D.S., (1979).

80. Ingram, J.T., (1954): The significant and management of psoriasis Br.Med. J. 9 : 823-828.
81. Jackson, A.D.M. (1951): Pachyonychia congenita: Report of six cases in one family, Ann. Eugen 16:142.
82. Jadassohn and Lewandowsky (1906): Quoted from Soderquist, W.A., and Reed, W.B. (1968).
83. Jegasothy, B.V. and Humeniuk, J.M. (1981) : Darier's Disease: A partially Immunodeficient state. J. of Invest. Dermatology, 76:129-132.
84. Jens T. and Takasi, K. (1977): Pachyonychia congenita Acta Dermatovenereologica (Stockholm), 57:63-67.
85. Jones, E.W., (1979): Biopsy In: Textbook of Dermatology, (Ed. by Rook, A., Wilkinson, D.S., Ebling, F.J. 3rd ed. vol. I, Blackwell scientific publications Oxford, London. p. 55.
86. Jung, E.G., Beil, F.U., Anton-Lamprecht, J., Gretten, H. and Nemetschek, T. (1971): Acrokeratoelastoidosis. Hautarzt 26:127-133. Cited by: Andersen, B.L. and Bierring F. (1981).

87. Kanský, A., and Arzenšek, J., (1979): Is palmo-plantar keratoderma of Greither's type a separate nosologic entity. *Dermatologica* 158:244-248.
88. Khan, M.Y., and Hall, W.H. (1965): Progression of Reiter's syndrome to psoriatic arthritis. *Arch. Intern. Med.*, 116:911.
89. King, A., Nicol, C., Rodin, P., (1980):
- Syphilis p. 33.
- Reiter's Disease. p. 294.
In: *Venereal Diseases* 4th ed. (ed. by A. King, C. Nicol and P. Rodin).
The English language Book Society and
Bailière Tindall. London.
90. King D. (1975): Ulcerative Lichen planus of Soles. *Plast. and Reconstr. Surg.* 56; 668.
91. Klaus, S., Weinstein, G.D. and Frost, P., (1970):
Localised Epidermolytic Hyperkeratosis.,
A form of keratoderma of the palms and soles.
Archs Derm., 101:272-275.
92. Korting, G.W., and Denk, R. (1976): Palmo-plantar keratoderma. In: *Differential diagnosis in Dermatology* (edited by G.W. Korting and R. Denk) W.B. Saunders company. Philadelphia. pp. 459-473.
93. Lamar, M.L., and Gaethe G. (1964): Pityriasis Rubra Pilaris *Archs Derm.*, 89:515-521.

94. Laskaris, G., Vareltzidis, A., and Avgerinou, G.
(1980): Focal palmoplantar and oral mucosa
hyperkeratosis syndrome. Oral Surg 50(3)
250-253.
95. Lawler, D., and Renwick, J.H. (1957): Quoted from
Anderson, I.F., and Klintworth, G.I. (1961).
96. Lever, W.F., and Lever, G.S. (1975):
- Histology of the Skin p. 9.
- Congenital diseases p. 71.
- Non-infectious erythematous, papular,
and squamous diseases. p. 144, 145.
- Treponemal disease p. 304.
- Diseases caused by Viruses p. 352
In: Histopathology of the skin 5th ed. (ed. by
W.F. Lever and G.S. Lever).
J.B. Lippincott company Philadelphia.
97. Levo, Y., Wollner, S. and Hacham-Zabeh, S., (1980).
Immunological study of patients with the
papillon-Lefevre syndrome. Clin. exp.
Immunol., 40; 407-410.
98. Leyden J.J. & Kligman A.M. (1975): Tinea pedis
Archs Derm, 111; 1004.
99. Loeffel, E.D., (1978): Psoriasis in adolescent
In: Adolescent Dermatology (ed.
by L.M. Solomon, N.B. Esterly, and E.D.
Loeffel). W.B. Saunders Company. Philadelphia.
p. 143.

100. Lomholt G. (1979): Syphilis, Yaws, and Finta
In: Text Book of Dermatology 3rd ed Vol. I.
(ed. by A. Rook., D.S. Wilkinson, and F.J.G.
Ebling.) The Blackwell Scientific publication.
Oxford, London. p. 701.
101. Lynch, F.W. (1943): Keratoderma climactericum
Archs Derm. 48:270-281.
102. Mackmo Robert, W. (1945): Diseases of the skin.
A Manual for student and Practitioners.
4th Ed., Bailli Tindell and Cox, p. 499-501.
103. Mantoux, C. (1903): Porokeratosis of Mantoux
Annls Derm. Syph. 4: 15.
104. Marche, J. (1950): Keratoderma blenorrhagica
Rev. Rheum. 17: 449.
105. Marcussen P.V., (1956): Tinea manuum. Act
derm. Vener., Stockh. 36: 272.
106. Marshall, J. (1952): Mucous membrane lesions
in pityriasis rubra pilaris. Archs Derm.,
66:626-627.
107. Mc Gibbon, D.H., and Watson, R.T. (1977):
Vohwinkel's Syndrome and deafness.
J. Laryngol Otol. 91:853-857.

108. Millard, L.G., and Gould, D.J. (1976): Hyperkeratosis of palms and soles associated with internal malignancy and elevated levels of immunoreactive human growth hormone. Clin. and Experimental Derm.; atol. 1:363-368.
109. MoHareb, R.W. and El-Komy H.M. (1966): Gaz. Egypt. Soc. Derm. Ven. I, 127, Quoted from Jung et al., (1974).
110. Morison, W.L., Parish, J.A. and Fitzpatrick, T.B., (1978): Oral methoxsalen phototherapy of recalcitrant dermatoses of the palms and soles. British J. Dermatol 99; 297-302.
111. Magington, J. and Rook, A. (1979): Virus and Related Infection chapter 20. In: Textbook of Dermatology ed. by A., Rook. D.S. Wilkinson, and F.J. Ebling. The Blackwell Scientific publication. Oxford, London. p. 608.
112. Nelson, H.M., and Mackie, R.M. (1980): The use of the Psorilux 3050 A machine in the management of psoriasis of the hands and feet. British J. Dermatol. 102; 297-300.
113. Niedelman, M.L. (1947): Acrokeratosis verruciformis (Hopf): Archs Derm. Syph. 56:48-63.
114. Niedelman, M.L., and McKusick, V.R. (1952): Acrokeratosis Verruciformis (Maff). Archs Derm. 86:779-782.

115. Niles, H.D., and Klumpp, M.M. (1939): Mal de Meleda: Review of the Literature and report of 4 cases Archs Derm., 39:409-419.
116. Odland, G.F., (1964): In: the Epidermis, (Ed. Montagna W., and Lobitz W.C.Jr.) New York, Academic Press, p. 237.
117. Odland, G.F., and Short, J.M. (1979): Structure of the skin. In: Dermatology in General Medicine (edited by: Fitzpatrick, T.B., et al) 2nd ed. ch.3, McGraw-Hill Book Company. A. Lakiston publication New York. pp. 39- 8.
118. Ohkawara, A., Miura, Y., and Ishikawa, . (1974): Papillon-Lefevre Syndrome. Archs Derm. 109:726-728.
119. Orms and Montgomery (1942): Diseases of the skin. 6th Ed., Henry Kimpton, p. 53 -535.
120. Papillon, M.M. and Lefèvre, P. (1924): Deux cas de Keratodermie palmaire et plantaire symétrique familiale chez la mère et La alternations dentaires graves. Bull. Soc. Franc. de Dermat. et Syph., 31:82. Quoted from Coccia et al., (1966).
121. Parish, L.C., and Woo, T.H., (1969): Pityriasis Rubra Pilaris in Korea Dermatologica 139:399-403.

122. Parnell, D.D., and Johnson, S.A.M. (1969)
Tylosis palmaris et plantaris, its
occurrence with internal malignancy.
Archs Derm., 100:7-9.
123. Perry, H.O. and Mayne J.G. (1965): Psoriasis
and Reiter's Syndrome Archs Derm.,
92:129-136.
124. Petrozzi, J.W., Wood, M.G., and Tisa, V., (1979):
Palmo-Plantar lichen sclerosis et
atrophicus. Archs Derm., 115:88 .
125. Pinkus, H., and Mehregan, A.H., (1976):
Eczematous Tissue Reaction
In: A Guide to Dermatohistopathology
2nd ed. (ed. by H. Pinkus and A H.
Mehregan) Appleton Century-Crofts.
New York. p. 115.
126. Purres J., and Krull E.A.: (1971): Lichen
sclerosus et atrophicus involving the
palms. Arch Dermatol 104:68-69.
127. Rabbiosi, G., Borroni, G., Pinelli, P. and Cosi,
V., (1980): Palmoplantar Keratoderma and
charcot-Marie-Tooth Disease. Arch
Dermatol. 116, 789-790.
128. Rahbari, H. (1977): Punctate and palmoplantar
porokeratosis, J. Cut. Path. 4, 338.
129. Rasmussen K.A. (1958): Plantar warts. Acta derm-
vener., Stockh. 38, (Supp. 39).

130. Reed, M.L., Stanley, J., Stengel, F., Shumack, J.L., and Benjamin, D.M., (1979):
Mal de meleda treated with 13-cis
Retinoic Acid Archs Derm., 115: 605-608.
131. Reiter, H. (1916): Dtsch. med. Wschr., 42, 1535.
Quoted from: King, A., Nicol, C., and
Rodin p.(1980).
132. Rhodes, E.L., (1970): Palmar and plantar seed
keratosis and internal malignancy.
Br.J. Derm., 82:361-363.
133. Richner, H. (1938): Hornhautaffektion bei keratoma
palmare et plantare hereditarium, Klin
Monatsbl. Augenheilkd. 100:58 . Cited
by: Goldsmith et al., (1973).
134. Roberts, S.O.B. and Mackenzie D.W.R. (1979):
Mycology chapter 24: in Textbook of
dermatology (edited by A. Rook D.S.
Wilkinson, and F.J.G. Ebling) Black-
well Scientific publications. Oxford.
pp. 800-803.
135. Rook, A., (1979): Genetics in Dermatology
chapter 5, In: Textbook of
Dermatology (Edited by: Rook, A.,
Ebling, F.J., and Wilkinson, D.S.,
3rd ed., Blackwell Scientific publica-
tion. Oxford, London. p. 97.
136. Rook, A., and Wilkinson, D.S. (1979): Eczema,
Lichen simplex and prurigo chapter 12
In: Textbook of dermatology Edited by:
(Rook, A., Wilkinson, D.S., Ebling, F.J.)
3rd ed., Black well scientific publications
Oxford, London. p. 327.

137. Roth, S.I. and Clark W.H. Jr. (1964): In The Epidermis, (Ed. Montagna W., and Lobitz W.C.Jr.). New York, Academic press. p.303.
138. Roth, W., Penneys, N.S., and Fawcett N. (1978): Hereditary painful callosities. Archs Derm., 114:591-592.
139. Rowell, N.R. (1979): Lupus Erythematosus, Scleroderma and Dermatomyositis. In textbook of Dermatology (edited by A. Rook, D.S., Wilkinson, and F.J.G. Ebling) Blackwell scientific publication, Oxford, London. p. 1118.
140. Rubenstein, D.J., Schwartz, R.A., Hansen, L.C., and Payne, C.M., (1980): Punctate hyperkeratosis of the palms and soles. J. Am. Acad. Dermatol. 3:43-44.
141. Samman, P.D., (1979): Lichen planus and lichenoid eruptions. In: Textbook of Dermatology 3rd ed. (Ed. by A. Rook, D.S. Wilkinson, and F.J.G. Ebling.) Blackwell scientific publications. Oxford. p. 1343.
142. Sadik Farid (1970): O-T-C products for corns, calluses, warts.. J. of the A. Pharm. Assoc., 10:8-12.
143. Samitz, M.H. and Albom, J.J. (1951): Psoriasis, Archs Derm. Syph. 64, 199-204.

144. Sanderson, K.V. and Mackie, R. (1979): Tumours of the Skin, Chapter 66 . In Textbook of Dermatology (edited by A., Rook, D.S., Wilkinson and F.J.G Ebling) Blackwell scientific publications. Oxford. London. p. 2129.
145. Schaffer, A.W., and Pearlstein H.H. (196): HYperkeratosos palmo-plantaris with periodontosis (Papillon-Lefevre syndrome) Oral medicine 24(2):180-185.
146. Schlansky R., Kucer, K.A., Dehoratius, F.J., Abruzzo, J.L., and Smukler, N.A. (1981): Arthritis and Distal tuft Resorption associated with keratosis palmaris et plantaris. Arthritis and Rheumatism, 24,5, 726-728.
147. Senear, F.E. and Caro, M.R. (1947): Pso iasis of the Hands: Nonpustular Type, Arch. Dermat. and Syph. 56:629-633
148. Shine, I., and Allison, P.R., (1966): Carcinoma of the oesophagus with tylosis. The Lancet p. 951-953.
149. Shrank, A.B., (1966): Keratosis circum scripta. Archs Derm., 93:408-410.
150. Soderquist, A., and Reed, W.B. (1968): Pachyonychia Congenita. Arch . Derm. 97:31-33.

151. Sparrow, G.P., Samman, P.D., and Wells, R.S.,
(1976): The hyperpigmentation and
hypohidrosis. (The Naegeli-Frances-
chetti-Jadassohn Syndrome) Clin. and
Exper. Derm., 1:127-140.
152. Stanoeve L., Konstantinov, D., and Ristov, R.,
(1971): Clinical aspect of P. .P. in
childhood. Dermatologica 142: -6.
153. Stewart, D., (1974): Lichen planus, Ch. 21.
In: Dermatology Diagnosis and Treatment
of Cutaneous Disorders 3rd ed (ed.
by: W.M.D. Stewart, J.L. Danto, and
S. Madin. The C.V. Mosby Company. Saint
Louis. p. 316.
154. Stolman, L.P., Kopf, A.W., and Garfinkel, L.,
(1970): Are palmar keratosis a sign of
internal malignancy. Archs Derm.,
101:52-55.
155. Stulli, A. (1826): Quoted from Niles, .P. and
Klump, M.M., (1939).
156. Sulzberger, M.B., and Baer, R.J. (1948) :
Eczematous Eruptions of the hands, Year
book Derm, pp. 7-44.
157. Taplin, D., Zaias, N., and Blank, H. (1967):
The role of temperature in tropical
immersion foot syndrome J.A.M.A.
202:546.

158. Thomsen, K., and Østerbye, P. (1973): Mastulosis palmaris et plantaris Brit.J. Dermatol, 89, 293-296.
159. Tseng, W.B. (1968): Arsenical keratosis J. natn. cancer Inst. 40, 453.
160. Unna and Thost (1880): Quoted from Anderson and Klintworth (1961).
161. Voernex, H. (1901): Zur Kenntniss des Keratoma hereditarium palmare et plantare. Arch Dermatol Syphil, 56:3-3 Cited by Blasik, L.G. et al., (198).
162. Vohwinkel, K.H., (1929): Keratoderma hereditarium mutilans. Arch. F. Dermat. Syphil. 158:354. Quoted from: Gibbs & Frank, (1966).
163. Weiss, R.M., and Rasmussen, J.E., (198): Keratosis Punctata of the palmar creases. Arch Derm., 116, 669-671.
164. Wilkin, J.K., Rosenberg, E.W., and Kanaki, T. (1978): Cornoid Lamella in Pterygium congenita Archs Derm., 114:195-1796.
165. Wilkinson D.S., (1970): House wives eczema st. John's Hosp. derm. Soc. 56; 19.
166. Wilkinson, D.S. (1979): Cutaneous reactions to mechanical and thermal injury, Ch. 16.

In: Text Book of Dermatology 3rd ed. Vol. I,
(Ed. by A. Rook., D.S. Wilkinson; and
F.J.G. Ebling). The Blackwell Scientific
publications. Oxford. p. 485.

167. Wolff, J. (1941): Keratoderma climactericum,
Arch. Dermat. and Syph. 43:731.
168. Woodside, J.R. and Dobson, R.L. (1968): Histo-
pathology of Palmar Keratoses Associated
with Cancer. Arch Derm 98:648-651.
169. Wright, V. & Reed, W.B. (1964): The link between
Reiter's syndrome and psoriatic arthritis
Ann. Rheum. Dis., 23:12-20.
170. Yesudian, P., Premalatha, S., and Thambiah, A.S.,
(1980): Genetic tylosis with malignancy:
a study of a South Indian Pedigree.
British J. Derm., 102, 597-600.

....