
REFERENCES

Aron-Rosa, D. ; Cohn, H ; Aron, J.J. ; Bouquety, C.(1983)

Methylcellulose instead of Healon in extracapsular surgery with intraocular lens implantation.

Am. Acad. Ophthalmol., 90:1235-1238

Azen, S.P. ; Smith, E. ; Burg, K.A. et al (1981)

Variation in central and vertical corneal endothelial cell density in normal subjects. Acta. Ophthalmol., 59:94-99.

Balazs, E.A. (1983)

Sodium hyaluronate and viscous surgery. In Miller,D. & Stegmann, R. eds: Healon- a guide to its use in ophthalmic surgery. John Wiley & sons. New York. 5-28.

Barfort, P. and Maurice, D. (1974)

Electrical potential and fluid transport across the corneal endothelium.

Exp. Eye Res., 19:11

Barron, B.A. ; Busin, M. ; Page, C. et al. (1985)

Comparison of the effects of Viscoat and Healon on postoperative intraocular pressure.

Am. J. Ophthalmol., 100:791-792.

Binkhorst, C.D. (1980)

Inflammation and intraocular pressure after the use of Healon in intraocular lens surgery.

Am. Intraocular implant Soc. J., 6:340-341.

Blackwell, W.L. ; Gravenstein, N. ; Kaufman, H.E. (1977)

Comparison of central corneal endothelial cell numbers with peripheral areas.

Am. J. Ophthalmol., 84:473-476.

Bourne, W.M. and Enoch, J.M. (1976a)

Some optical principles of the clinical specular microscope.

Invest. Ophthalmol., 15:29.

Bourne, W.M. and Kaufman, .E. (1976b)

Specular microscopy of human corneal endothelium in vivo.

Am. J. Ophthalmol., 81:319.

Bourne, W.M. ; Brubaker, R.F. and O'Fallon, M. (1979)

Use of air to decrease endothelial cell loss during intraocular lens implantation. Arch. Ophthalmol., 97:1437.

Bourne, W.M.; Liesegang, T.J.; Waller, R.R. & Ilstrup, D.M. (1984)

The effect of sodium hyaluronate on endothelial cell damage during extracapsular cataract extraction and posterior chamber lens implantation.

Am. J. Ophthalmol., 98:759-762.

Cherfan, G.M. ; Rich, W.J. ; Write, G. (1983)

Raised intraocular pressure and other problems with sodium hyaluronate and cataract surgery.

Trans. Ophthalmol. Soc. UK, 103:277-297.

Choyce, D.P. 1981

Healon in anterior chamber lens implantation.

Am. Intraocular Implant Soc. J., 7:138-139.

Cogan, D.G. and Kuwabara, T. (1971)

Growth and regenerative potential of Descemet's membrane.
Trans. Ophthalmol. Soc. UK, 875-894.

Davson, H. (1955)

The hydration of the cornea.
Biochem. J., 59:24.

Dikstein, S. and Maurice, D.M. (1972)

The metabolic basis to the fluid pump in the cornea.
J. Physiol., 221:29.

Donaldson, D.D. (1966)

A new instrument for the measurement of corneal thickness.
Archives of Ophthalmology, 153:25-31.

Draeger, J. & Winter, R. (1982)

Kunstlinsenimplanation unter verwendung hochviskoser
Hyaluronsaure.
Klin Monatsbl Augenheikd, 181:421-424.

Drews, R (1981)

The highlights on intraocular lenses, merits of extracapsulars versus
intracapsulars. In Boyd B. ed.
Highlights of ophthalmology 25th. ed. panama.
Highlights of ophthalmology 2:904.

Fechner, P.U. and Fechner. M.U. (1983)

Methylcellulose and lens implantation.
Br. J. Ophthalmol., 67:259-263.

Fechner, P.U. (1985)

Preparation of 2% hydroxypropyl methylcellulose fo viscous surgery.
Am. Intraocular Implant Soc. J., 11:606-607.

Fischbarg, J. ; Lim, J., and Bourguet, J. (1977)

Adenosine stimulation of fluid transport across rabbit corneal endothelium.

J. Membr. Biol., 35:95.

Garsd, A. ; Ford, G.E. ; Rosenblatt, L.S. et al.(1981)

Minimum sample size required for the quantitative description of the endothelial density.

ARVO Abstract, Investigative Ophthalmology and Visual Science, 20 (suppl).

Glasser, B.D. ; Matsuda, M. ; Edelhauser, H.F. (1986)

A comparison of the efficacy and toxicity of and intraocular pressure response to viscous solutions in the anterior chamber.

Arch. Ophthalmol., 104:1819-1824.

Goldman, H. (1932)

Ein Neues messokular fur die spaltlampe.

Ber. Deutsch Ophthal. Ges., 49:435-437.

Goldminz, D. ; Voldavsky, I. ; Johnson, L.K., et al (1979)

Contact inhibition and the regulation of endocytosis in the corneal endothelium.

Exp. Eye Res., 29:331-351.

Gospodarowicz, D.; Greenburg, G.; Voldavsky, I., et al (1979)

The identification and localization of fibronectin incultured corneal endothelial cells: cell surface polarity and physiological implications.

Exp. Eye Res., 29:485-509.

Graves, B. (1924)

A bilateral chronic affection of the endothelial face of the cornea of elderly persons with an account of the technical and clinical principles of its slit lamp observation B. J. Ophthalmol., 8:50

Harris, J.E. and Nordquist, L.T. (1955)

The hydration of the cornea. I. The transport of water from the cornea.

Am. J. Ophthalmol., 40(Part II):100-111.

Harris, J.E. (1957)

The physiologic control of corneal hydration.

Am. J. Ophthalmol., 44(suppl):262

Hedbys, B.O. ; Mishima, S. and Maurice, D.M. (1963)

The imbibition pressure of the corneal stroma.

Exp. Eye Res., 2:99.

Hedbys, B.O. and Mishima, S. (1962)

Flow of water in the corneal stroma.

Exp. Eye Res., 1:262-275.

Hedbys, B.O. and Dohlman, C.H. (1963)

A new method for the determination of the swelling pressure of the corneal stroma in vitro.

Exp. Eye Res., 2:122.

Hirsch, M.;Renard, G.;Faure, J.P. and Pouliquen, Y. (1977)

Study of the ultrastructure of the rabbit corneal endothelium by the freeze-fracture technique. Apical and lateral junctions.

Exp. Eye Res., 25:277.

Hodson, S. and Miller, F. (1976)

The bicarbonate ion pump in the endothelium which regulate the hydration of rabbit cornea.

J. Physiol., 263:563-577.

Hoffer, J.K. (1982)

Effects of extracapsular implant techniques on the endothelial cell density.

Arch. Ophthalmol., 100:791-792.

Hogan, M.J. ; Alvarado, J.A. ; Weddell, J.E. (1971)

Histology of the human eye.

Philadelphia: WB Saunders , 102-109.

Holm, O. (1978)

High magnification photography of the anterior segment of the human eye.

Acta Ophthalmologica, 56:475.

Holmberg, A.S. & Philipson, B.T. (1984a)

Sodium hyaluronate in cataract surgery. I. Report on the use of Healon in two different types of intracapsular cataract surgery.

Ophthalmology, 91:45 - 52.

Holmberg, A.S. & Philipson, B.T. (1984b)

Sodium hyaluronate in cataract surgery. II. Report on the use of Healon in extracapsular cataract surgery using phacoemulsification.

Ophthalmology, 91:53-59.

Hull, D.S. ; Green, K. ; Boyd, M. , et al. (1977)

Corneal endothelium bicarbonate transport and the effect of carbonic anhydrase inhibitors on endothelial permeability and fluxes and corneal thickness.

Invest. Ophthalmol. Vis. Sic., 16:883-892

- Jaffe, N.S. (1984)**
Cataract surgery and its complications. 4th. edn. C.V. Mosby Company. St. Louis, Toronto, Princeton.
- Jaeger, W. (1952)**
Tiefenmessung der menschlichen Vorderkammer mit planparallelen platten (Zusatz-gerat zur Splatlampe)
Graefe Arch. Ophthal., 153:120-131.
- Katz, J.; Kaufman, H.E. ; Goldberg, E.P. ; Sheets, J.W. (1977)**
Prevention of endothelial damage from intraocular lens insertion.
Trans. Am. Acad. Ophthalmol. & Otolaryngol., 83:204-212
- Kaye, G.I. and Tice, L.W. (1966)**
Studies on the cornea. V. Electron microscopic localization of adenosine triphosphate activity in the rabbit cornea in relation to transport.
Invest. Ophthalmol., 5:22-32
- Kaye, G.I. ; Sibley, R ; and Hoefle, F.B. (1973)**
Recent studies on the nature and function of the corneal endothelial barrie
Exp. Eye Res., 15:585-613.
- Kaye, G.I. ; Mishima, S. ; Cole, J.D. , et al. (1968)**
Studies on the cornea. VII. Effects of perfusion with a Ca^{++} free medium on the corneal endothelium.
Invest. Ophthalmol., 7:53-66.
- Kenneth, J. ; Hoffer, M.D. ; Manus, C. & Kraff, M.D. (1980)**
Normal endothelial count range.
Ophthalmology, 87:861-866.
- Kenney, M ; Hinds, D. ; Waring, G.O. (1982)**

Localization of fibronectin and fibrinogen/fibrin in Descemet's membrane fromal , Fuch's endothelial dystrophy and keratokonus corneas.

ARVO Abstracts. Invest. Ophthalmol. Vis. Sic., 22(suppl):27.

Kerr Muir, M.G.; Sherrard, E.S.; Andrews, V. and Steel, A.o.(1987)

Air, Methylcellulose , Sodium hyaluronate and the corneal endothelium.

Eye, 1:480-486.

Kim, J.H.; Green, K.; Martinez, M. and Paton, D. (1971)

Solute permeability of the corneal endothelium and Descemet's membrane.

Exp. Eye Res., 12:231.

Koester, C.J.; Roberts, C.W.; Donn, A. & Hoefle, F.B. (1980)

Wide-field specular microscopy. Clinical and research applications. Ophthalmology, 87:849.

Koester, C.J. (1980)

A scanning mirror with optical sectioning characteristics: applications in ophthalmology.

Applied optics, 19:1449.

Kreutziger, G.O. (1976)

Lateral membrane morphology and gap junction structure in rabbit corneal endothelium.

Exp. Eye Res., 23:285.

Laing, R.A. ; Sandstorm, M.M. and Leibowitz, H.M. (1975)

In vivo photomicrography of the corneal endothelium.

Archives of Ophthalmology, 93:143.

Laing, R.A. ; Sandstorm, M.M. ; Berrospi, A.R., et al.(1976)

Changes in the corneal endothelium as a function of age.
Exp. Eye Res., 22:587-594.

Laing, R.A. ; Sandstorm, M.M. ; and Leibowitz, H.M. (1979a)

Clinical specular microscopy I. Optical principles.
Archives of Ophthalmology, 97:1714.

Laing, R.A. ; Sandstorm, M.M. and Leibowitz, H.M. (1979b)

Clinical specular microscopy II. Qualitative evaluation of corneal endothelial photomicrographs.

Langham, M.E. and Taylor, I.S. (1956) Factors affecting the hydration of the cornea in the excised eye and the living animal.
Br. J. Ophthalmol., 40:321.

Langston, R.H.S. and Reisman, T.S. (1981)

Comparison of endothelial evaluation techniques.
Am. Intraocular Impl. Soc. J., 7:239.

Lazenby, G.W. & Broocker, G. (1981)

The use of sodium hyaluronate (Healon) in intracapsular cataract extraction with insertion of anterior chamber lenses.
Ophthalmic surg., 12:646-649.

Leuenberger, P.M. (1973)

Lanthanum hydroxide tracer studies on rat corneal endothelium.
Exp. Eye Res., 15:85.

Leuenberger, P.M. and Novicoff, A.B. (1974)

Localization of transport adenosine triphosphate in rat cornea.
J. Cell. Biol., 60:721-731.

Lewen, R. and Insler, M.S. (1985)

The effect of prophylactic acetazolamide on the intra-ocular pressure rise associated with Healon-aided intraocular lens surgery.

Ann. Ophthalmol., 17:315-318.

Lohman, L.E. ; Rao, G.N. and Aquavella, J.V. (1981)

Optics and clinical application of wide-field specular microscopy.

Am. J. Ophthalmol., 92:43.

Lohman, L.E. ; Roa, G.N. and Aquavella, J.V. (1982)

The normal human corneal epithelium: in vivo microscopic observations.

Arch. Ophthalmol., 100:991.

Lonnerholm, G. (1974)

Carbonic anhydrase in the cornea.

Acta. Physiol. Scand., 90:143-152.

MacRae, S.M. ; Edelhauser, H.F. ; Hyniuk, R.A. et al.(1983)

The effects of sodium hyaluronate, chondroitin sulphate and methylcel-lulose on the corneal endothelium and intraocular pressure.

Am. J. Ophthalmol., 95:332-341.

Mastuda, M. ; Suda, T. and Manabe, R. (1984)

Quantitative analysis of endothelial mosaic pattern changes in anterior keratoconus.

Am. J. Ophthalmol., 98:43.

Maurice, D.M. and Giardini, A.A. (1951)

A simple optical apparatus for measuring the corneal thickness, and the average thickness of the human cornea.

Br. J. Ophthalmol., 35:169-177.

Maurice, D.M. (1968)

Cellular membrane activity in the corneal endothelium of the intact eye.

Experientia, 57:1094.

Maurice, D.M. (1974)

A scanning slit optical microscope.

Invest. Ophthalmol., 13:1033.

Maurice, D.M. (1979)

The cornea and sclera. In Davson, H. (ed): The eye,

2nd ed. New York, Academic press, vol. 1. pp 489-600.

Maurice, D.M. (1972)

The location of the fluid pump in the cornea.

J. Physiol., 221:43.

McCarey, B.E. (1979)

Non-contact specular microscopy. A macro-photography technique and some endothelial cell findings.

Ophthalmology, 86:1848.

Miller, D. ; O'conner, P. and Williams, J. (1977)

Use of sodium hyaluronate during intraocular lens implantation in rabbits.

Ophthalmic Surg., 7:8-58.

Miller, D. and Stegmann, R. (1980)

Use of sodium hyaluronate in anterior segment eye surgery.

Am. Intraocular Implant Soc. J., 6:13-15.

Miller, D. and Stegmann, R. (1981)

Use of sodium hyaluronate in human intraocular lens implantation.

Ann. Ophthalmol., 13:811-815.

Miller, D. and Stegmann, R. (1982)

Secondary intraocular lens implantation using sodium hyaluronate.

Ann. Ophthalmol., 14:621-623.

Mishima, S. and Kudo, T. (1967)

In vitro incubation of rabbit cornea.

Invest. Ophthalmol., 6:329.

Mishima, S. and Trenberth, S.M. (1968)

Permeability of the corneal endothelium to nonelectrolytes.

Invest. Ophthalmol., 7:34.

Mishima, S. and Hayakawa, M. (1972)

The function of the corneal endothelium in relation to corneal hydration and nutrition.

Isr. J. Med. Sci., 8:1507.

Mishima, S. (1973)

Physiology and pathology of the corneal endothelium.

Acta. Soc. Ophthalmol. Jpn., 77:1736.

Mishima, S. (1982)

Clinical investigations on the corneal endothelium.

Am. J. Ophthalmol., 93:1.

Naeser, K. ; Thim, K. ; Hansen, T.E. ; Degn, T. ; Madeson, S. and Skov, J. (1986)

Intraocular pressure in the first days after implantation of posterior chamber lenses with the use of Healon.

Acta ophthalmol., 64:330-337.

Ng, M and Riley, M.V. (1980)

Relation of intracellular levels and redox state of glutathion to endothelial function in the rabbit cornea.

Exp. Eye Res., 30:511.

Olivius, E. and Thorburn, W. (1985)

Intraocular pressure after cataract surgery with Healon.

Am. intraocular Implant Soc. J., 11:480-482.

Oslen, T. (1979)

Non-contact specular microscopy of human corneal endothelium.

Acta Ophthalmologica, 57:986.

Pape, L.G. (1980)

Intracapsular and extracapsular techniques of lens implantation with Healon.

Am. Intraocular Implant Soc. J., 6:342-343.

Pape, L.G., Balazs, E.A. (1980)

The use of sodium hyaluronate(Healon) in human anterior segment surgery.

Ophthalmology, 87:699-705.

Percival, P. (1981)

Protective role of Healon during lens implantation.

Trans. Ophthalmol. Soc. UK., 101:77-78.

Percival, S. (1982)

Complications from use of sodium hyaluronate (Healon) in anterior segment surgery.

Br. J. Ophthalmol., 66:714-716.

Percival, S. (1985a)

Sodium hyaluronate in perspective : experiences from
a four-year clinical trial.

Trans. Ophthalmol. Soc. UK, 104:616-620.

Percival, S. (1985b)

Results of a clinical trial of sodium hyaluronate in
lens implant surgery.

Am. Intraocular Implant Soc. J., 11:257-259.

Rao, G.N. ; Lohman, L.E. ; Aquavella, J.V. (1982)

Cell size-shape relationships in corneal endothelium.

Invest. Ophthalmol. Vis. Sic., 22:271-274.

Riley, M.V. (1969)

Glucose and oxygen utilization by the rabbit cornea.

Exp. Eye Res., 8:193-200.

Riley, M.V. (1977a)

A study of the transfer of amino acids across the
endothelium of the rabbit cornea.

Exp. Eye Res., 24:35-44.

Riley, M.V. (1977b)

Anion-sensitive ATPase in rabbit corneal endothelium
and its relation to corneal hydration.

Exp. Eye Res., 25:483-494.

Rosen, E.S. ; George, R.F. ; Barnett, F. (1986)

Is 2% HPMC a safe solution for intraoperative clinical application.

J. Cataract Ref. Surg., 12:679.

Saiichi Mishima, M.D. (1982)

Clinical investigation on the corneal endothelium.

Am. J. Ophthalmol., 93:1-30.

Sawa, M. and Tanishima, T. (1979)

The morphometry of the human corneal endothelium and follow-up of postoperative changes.

Jpn. J. Ophthalmol., 23:337-350.

Swartz, B. ; Danes, B. ; and Leinfeledr, P.J. (1954)

The role of metabolism in the hydration of the isolated lens and cornea.

Am. J. Ophthalmol., 38:182.

Shaw, E.L. ; Rao, G.N. ; Arthur, E.J. and Aquavella, J.V.(1978)

The functional reserve of corneal endothelium.

Ophthalmology, 85:640.

Sherrard, E.S. and Buckley, R.J. (1981a)

Contact clinical specular microscopy of the corneal endothelium: Optical modifications to the applanating objective cone.

Invest. Ophthalmol. Vis. Sic., 2:816.

Sherrard, E.S. and Buckley, R.J. (1981b)

Corneal endothelial microscopy.

Trans. of the Ophth. Soc. of th U.K., 101:13.

Sherrard, E.S. and Buckley, R.J. (1981c)

Optical advantage of soft contact lens in specular microscopy.

Arch. Ophthalmol., 99:511.

Sherrard, E.S. and Buckley, R.J. (1981d)

Endothelial Wrinkling : a complication of clinical specular microscpy.

Trans. VI Congress European Society Ophthalmology

London : Academic press.

Sherrard, E.S. and Buckley, R.J. (1981e)

The relocation of specific endothelial features with the clinical specular microscope.

Br. J. Ophthalmol., 65:820.

Sherrard, E.S. and Buckley, R.J. (1982)

The relief mode : a new application of the corneal specular microscope.

Archives of Ophthalmology, 100:296.

Singer, S.J. and Nicolson, G.L. (1972)

The fluid mosaic model of the structure of cell membrane science.

Arch. Ophthalmol., 175:720-731.

Sperling, S. and Gunderson, H.J.G. (1978)

The precision of unbiased estimates of numerical density of endothelial cells in donor corneas.

Acta Ophthalmologica, 56:793.

Stegmann, R. and Miller, D. (1982)

Extracapsular cataract extraction with hyaluronate sodium.

Ann. Ophthalmol, 14:813-815.

Sturrock, G.D. ; Sherrard, E.S. ; Rice, N.S (1987)

Specular microscopy of the corneal endothelium.

Br. J. Ophthalmol., 62:809-814.

Svedbergh, B. and Bill, A. (1972)

Scanning electron microscopic studies of the corneal endothelium in man and monkeys.

Acta. Ophthalmol., 50:321-336.

- Thoft, R.A. ; Friend, J. ; Dohlman, C.H. (1971)**
Corneal glucose flux II. Its response to anterior chamber blockade and endothelial damage.
Arch. Ophthalmol., 86:685-691.
- Trenberth, S.M. and Mishima, S. (1968)**
The effect of ouabain on the rabbit corneal endothelium.
Invest. Ophthalmol., 7:44.
- Vogt, A. (1928)**
Die Sichtbarkeit des Lebenden Hornhautendothels, Ein Beitrag Zur Methodik der Spaltlampen mikroskopie.
Graefes Archives Klin. Ophthalmology, 101:123.
- Vogt, A. (1930)**
Lehrbuch und atlas der spaltlampen mikroskopie des lebenden auges.
Berlin:Springer
- Von Bahr, G. (1948)**
Measurement of the thickness of the cornea.
Acta Ophthal., 26:247-266.
- Waring, G.O. ; Krohn, M.A. ; Ford, G.E. et al. (1980)**
Four methods of measuring human corneal endothelial cells from specular photomicrographs.
Archives Ophthalmology, 98:848.
- Weissman, B.A. ; Fatt, I. ; Rasson, J. (1981)**
Diffusion of oxygen in human corneas in vivo.
Invest. Ophthalmol. Vis. Sic., 20:123-125.
- Whikehart, D.R. and Edelhauser, .F. (1978)**

Glutathion in rabbit corneal endothelium. The effects
of selected perfusion fluids.

Invest. Ophthalmol. Vis. Sic., 17:455

Whikehart, D.R. and Soppet, D.R. (1981)

Activates of transport enzymes located in the plasma
membranes of corneal endothelial cells.

Invest. Ophthalmol. Vis. Sic., 21:819-825.

Yokota, S. and Waller, W.K. (1975)

Electron microscopic localization of carbonic
anhydrase(CA) activity in rabbit cornea.

Albrecht Von Graefes Arch. Klin. Exp. Ophthalmol.97:145-152.
