

REFERENCES

- AGGER,P(1971): Scrotal and testicular temperature .Its relation to sperm count before and after operation for varicocele. Fertil. Sterilit.,22: 286- 290.
- AMELAR, R.I. (1966): Infertility in man. F.A. Davis Co .Philadelphia.p.83 .
- AMELAR, R.D.; Dubin, L. and Scoefeld. C.(1980):Sperm motility. Fertility. Steril.,34:1977- 215.
- AMELAR, R.D. Dubin, L. and Walsh, P.C.(1977): Male infertility. W.B. Saunders company. Philadelphia.p107-111
- BARROS,C; and Franklin, L.E.(1968): Behaviour of the gamete membranes during sperm entry into the mammalian egg, J.cell Biol.,37:p.13
- BARROS, A. ;Tavares, M..C.;Gomes,M.P. and Tavares, M.P.(1987): Pericenteric inversion and sterility J.Meed.Genet.24 (8): 510

- BEDFORD, J.M.(1972): An electron microscopic study of the sperm penetration into rabbit egg after natural mating. AM.J. Anat. 133: 213-221.
- BERNESTEIN, R.; Pinto, M.R; Almeida, M. ;Solarsh, S.M.; Meck, J.; and Jenckins, T.(1980): XY translocation in an adolescent mentally normal phenotypic male with features of hypogonadism. J. M. Genet. 17: 437
- Brown, J. Dubin, L. and Hotckins, R.(1967): The varicocele as related to fertility. Fertil.Steril., 18:46
- CAMATINI, M.(1980): Ultrastructure of spermatogenesis in normal and pathologic testis. In: Descended and cryptorchid testis Edited by E.S.E. Hafez. Martinus Nizhaff Publisher. Boston. London. P.32
- CASTELIANI, L.(1980): Germ cells In: Descended and cryptorchid testis. Edited by E.S.E. Hafez. Martinus Nizhoff. Publisher. Boston. London. p.21
- CARROTHER, A.D.;(1987): Down syndrome and Maternal age. The effect of erroneous assignement of parental origin. Am.J. Hum. Genet. 40: 147.
- CHRIS and MELVIN (1992): Sex determination and gonadogenesis. A transcription cascade of sex chromosome

and autosome genes . Seminars in perinatology .Vol. 16,
number 5.p.266

- CLERMONT, Y.(1963): The cycle of seminiferous epithelium in man. Am. J. Anat.,112: 35-52
- CLERMONT ,Y. (1970): Dynamic of human spermatogenesis. The human testis. Edited by: E. Rosemberg and C. A. Paulser. Plenum press, New York.
- COOLEEN- JACKSON COOK(1991): X- inactivation and genetic factors in sex determination. From Thompson and Thompson Cientic .InMed. 5 Th. edition p.231
- DENVER (1960): Denver report. A proposed standard system of nomenclature of human mitotic chromosomes.Lancet 1: 1063- 1065.
- DUTRILLAUX, B. (1982): Chromosomal factors in infertile male. In: aspect of male infertility .Williams and Wilkins. Baltimore, London.
- DYN, M. (1977): The male reproductive system. In: Histology text book. .Edited by: Leon Weiss and Roy, O. Greep. Mc. Graw- Hill book company. Blockisten publication. New York. P.979

- ELIASSON, R. (1971): Standards for investigation of human semen. *Andrologia* 3:49
- FAIRLEY, K. E. ; Barrie, J. U. ; and Johnson, W. (1972): Sterility and testicular atrophy related to cyclophosphamide therapy. *Lancet*, 1: 568.
- FAWCETT, D.W. (1958): The structure of the mammalian spermatozoa. *Int. Rev. Cytol.*, 7: 195- 202.
- FAWCETT, D. W. (1975): The mammalian spermatozoon .a review. *Dev. biol.* ,394-397
- FAWCETT, D. W.; Anerson, W.A. and Philips, D.M. (1971): Morphogenetic factors influencing the shape of sperm head. *Dev. Biol.*,26: 220-228
- FAWCETT, W and Philips, D.W. (1969): The fine structure and development of the neck region of the mammalian spermatozoon. *Anat. Rec.*, 168:153-184
- FERGUSON, SMITH, M.A. ; Lennox, B. ;Mack, W.S. and Stewart, J.S.S.(1957): Klinfilter syndrome ,Frequency and testicular morphology in relation to nuclear sex.
- FRACCARO, M. ;Tiepolo, L.; Zuffardi, O.; Giarola, A. and Chiara, F. (1977): The role of chromosome imbalance in

male subfertility from medical genetics. Excerpta medica.
P. 210

- FRENCH, D.J.; Leeb, C.S. and Jecht, E.W. (1973):
Reduction in sperm output by febrile attacks of familial
mediteranean fever. A case report. Fertil. Steril., 24: 490-
496
- FREUND, M. (1966): Standards for the rating of human
sperm morphology. Int: J. Fertl., 11:97-102
- FUJITA, T. ;Miyoshi, M. and Tekunaga,J. (1970):
Scanning and transmission electron microscopy of human
ejaculate spermatozoa with special reference to their
abnormal forms. Z. Zellforsch, Miknosk, anat., 105: 483
- GIBBONS, I. R. and Rowe ,A. J. (1965): Dynein: a protein
with adenosine triphosphatase activity from cilia. Science,
149: 424-431
- GOULD, K. ; Zaneveld, L. J. D. and Williams, W. L.
(1971): Scanning electron microscopy of mammalian
gametes. Arch, Gynaec. ,210:235-244
- GRAY (1973): The main stages of a male meiotic cycle.
Cytology in Gray's anatomy .The edition, Warich R. and
Williams Longman's comp. P.25

- HAFEZ, E.S.E. (1980): Human reproduction: Conception and contraception. Harper and Row. New York, London, p.91-122
- HAFEZ, M. (1982): Principles of medical genetics p.89-117 Al- Ahram press, Cairo
- HALBRECHT, I.(1960): Nuclear sex determination of azoospermic adults and in new borns with hypospadias. Fertil. Steril. 11:112
- HAM, A.W. Conmack ,D. H. (1979): Histology eighth edition. J. B. Lippincott company, Philadelphia; Toronto, p.878
- HAMERTON, J. L. : Human cytogenetics, Academic press, p. 545. New York
- HARGREAVE, T. B. (1983): Male infertility. Springer-Verlag, New York, Tokyo p. 126-127
- HARTMAN, C. G. (1965): Science and safe period The williams and Wilkins Co. Baltimore
- HARTUNG, M. ;Devictor, M. ;Codaccioni, J. L. and Stahi, A. (1988): Yq deletion and faillure of spermatogenesis. Ann. Genet. 31: 21

- HELLER, C.G. and Clermont, Y. (1963): Spermatogenesis in man ,estimation of its duration. *Science*, 140: 184- 190
- HENDRY, W.F. ;Polani, P.E. and Pugh, R.C. B. (1976): 200 infertiles males correlation of chromosomes, histological, endocrine and clinical studies. *Brit . J. Urol.* 47: 899- 908
- HENEGARIUE, O. (1994): Rapid screening of the Y chromosome in idiopathic sterile men, diagnostic for deletion in A.ZF , a genetic factor expressed during spermatogenesis. *Andrologia* ,26(2) :97-106
- HOLSTEIN, A.E. and Wartemberg, H. (1970): On the cytochemistry of human spermatogenesis. Morphological aspects of andrology. Edited by A.F. Holstein and E.F. Horstman .Grose Verlag, Berlin
- HORSTMAN< E. (1970): Structure of karyoplasm during the differentiation of spermatids. Morphological aspects of andrology .Grose, Berlin,p. 24
- HUCKINS, C. (1971): The spermatogonial stem cell population in adult rats. Their morphology , proliferation and maturation. *Anat. Rec.* 169: 533-549
- HUGENHOLTZ, A.D.; Moens, P.B. (1975): The arrangement of the germ cells in the rat seminiferous

- LEVITAN, M. (1988): Text book of human genetics .3rd edition p. 10-35
- MACLEOD, J. (1951): Semen quality in 1000 men of known fertility and 800 cases of infertile marriages. Fertil. Steril., 2:115-120
- MACLEOD, J. (1965): The semen examination .Clin ., Obst. Gynaec., 8:115-121
- MACLEOD, J. Hotckins, R.S. and Sitterson, B.W> (1964): Recovery of male fertility after sterilization by nuclear radiation. JAMA, 187:637
- MACLEOD, J. (1970): Semen quality in one thousand men of known fertility and in eight hundred cases of infertile marriages. Fertil. steril. , 2:115-122
- MANN, T. (1964): The biochemistry of semen and of the male reproductive tracts. Methuen, London , p.96
- MENDEZ, H.M. ;D.J. ;Souto, C.A. and Salomzo ,F.M. (1982): Genetic and cytogenetic studies in patients with intersexuality or infertility. J.Genet. Ham. 30(1) :5-16
- MERLIN, K.E. (1972): Azoospermia caused by colchicine .Acase report. Fertil. Steril. 23: 180- 184

- MINIMBERG, D.T. ;Bingal, N. and Davis, J. E. (1976):
Genetic aspects of male infertility p. 416 In Hafez
E.S.E.(ed) , Human semen and infertility regulation in men.
The C.V. Mosby Company, Saint Louis.
- MOENS, P.B. and Hugenholtz, A.D. (1975): The
arrangement of germ cells in the rat seminiferous tubules
.An electron microscopic study . J.cell sci. 487- 493
- MUENCH, K.H. (1988): Genetic medicine p. 48 New3
York
- NELSON. I.C. and Bunge,R. (1974): Semen analysis.
Evidence for changing parameters of male fertility
potentials. Fertil. Steril. .,25:503- 508.
- PEDERSON, (1970): Observations on the axial filament
complex of the human spermatozoon. J. Ultrastruct.
Rec.,33:451- 455
- PEDERSEN, H. and REBBE, H. (1974): Fine structure of
round -headed human spermatozoon .J. Reprod. Fertil. .,37:
51-56
- PEDERSEN, H, (1972 a): Further observations on the fine
structure of the human spermatozoon. Z Zellforsch.
Mikrosk. Anat., 123:305

- PEDERSEN, H. (1972b): The postacrosomal region of the spermatozoa of man and Macaca arcuata. J. ultrastructure. Res. ,40: 366
- PEDERSEN, H. and Fawcett, D.W. (1976): Functional anatomy of the human spermatozoon. In: Human semen and fertility regulation in men. (Edited by Hafez E.S.E.) first ed.p. 65-75
- PHADKE, A.M. ; Samant, N.R. and Dewal, S.D. (1973): Small pox as an aetiological factor in male infertility. Fertil. Steril. 24: 802- 808
- PHILIP, E.E. and carruthers, G.B. (1981): Infertility William Heinman Medical books Ltd. London p. 191-200
- POLAKOSKI, K.L.; Syner, F.N. and Zaneveld, L.J.D. (1976): Biochemistry of human seminal plasma .In: Human semen and fertility regulation in men Edited by Hafez,E.S.E.C.V. Mosby co. St. Louis
- RAO, M.M and Rao, O. M. (1977): cytogenetic studies in primary infertility. Fertil.steril. 28(2): 209
- Rattner, J.B.(1972): observations of centriole formation in male meiosis. J. Cell Biol. ,54: 20-28

- REHAN, N.E.; Sabrero, A. and Fertig, J.W.(1975): The semen of fertile men: Statistical analysis of 1300 men. Fertil. Steril. ,26: 492- 495
- ROBINSON, D. and Rock, J.(1967): Intrascrotal hyperthermia induced by scrotal insulation effect on spermatogenesis. Obst. Gynaecol., 29: 217- 220
- ROSS, M.H. (1976): The sertoli cell functional specialization during spermiogenesis and spermiation. Anat.Rec.,186: 79-85
- ROSS, A.;Christie, S. and Kerr, M.G. (1971): An electron microscopic study of a tail abnormality in spermatozoa from a subfertile man.J. Reprod. Fertil.,24:99-103
- ROWLEY, M.J.; Teshima, F. and Hellar, C.G. (1970): Duration of transit of spermatozoa through the human male ductular system. Fertil.,steril.,21: 390- 393
- SEARCY, R.L.; Craig, R.G. and Berquist, L.M.(1964): Immunochemical properties of normal and pathologic seminal plasma. Fertil. Steril. ,15: 1-8
- SETCHELL, B.P. (1982): In reproduction in mammals. Book 2 Autin CR. Short RV.(eds) Cambridge university press. Cambridge, p 63- 101

- SOLARI, A.J. and Tress,L.L.(1970): Ultrastructure and histochemistry of the nucleus during male meiotic prophase. In: Rosemberg, E. and Paulsen C.A. (eds), Advances in experimental medicine and biology. The human testes. Plenum press, New York
- SPEROFF, L.; Glass,R.H. and Kase, N.(1973): Clinical gynaecologic endocrinology and infertility. Williams and Wilkins, Baltimore, p.204
- TAYMOR, M.L.(1978): Infertility. Grune and Stratton, London, p.10-14
- TELKA, A.; Fawcett, D.W. and Christensen, A.K.(1961):Further observations of the sperm tail. Anat. Rec. 141: 231-245
- Thompson and Thompson (1992): Genetics in medicine 5th edition, Philadelphia 1991, chp 10
- p 231
- Tietze, C.; Guttmacher, A.F. and Rubin, S. (1950): Time required for conception in 1727 planned pregnancies. Fertil. Steril., 1: 338- 340
- Tress, L.L.;Solari, A. J. (1970): Ultrastructure and histochemistry of the nucleus during male meiotic

prophase. Rosenberg, and Paulsen, C.A. (eds). Advances in experimental medicine and biology, the human testis. Plenum, New York.

- Vermeulen, A. (1979): Declines in sexual activity in aging men. Correlation with sex hormones level and testicular changes. J. Biosis. Sci. (supl), 6: 5-18
- Villar, O. (1973): Spermatogenesis. In: Human reproduction. Conception and contraception. Edited by E.S.E. Hafez and I.N. Evans, Harper and Row, New York p12
- Villar, O. Paulsen, C.A. and Moore, D.J. (1970): Electron microscopy of the human seminiferous tubules. In: the human testis. Edited by: E. Rosenberg and C.A. Paulsen Plenum, press New York
- Villar, O.; Perez, del. Cerro, M.I. and Mancini, R.E. (1962): The sertoli cell as a bridge cell between the basal membrane and the germinal cells .Exper. cell Res. ,27: 158- 164
- Walker, K. (1964): The critical age in men. Sexuology, 30: 705-709
- Wartemberg, H. and Holstein ,A,F. (1970): Morphology of the spindle shaped body in the developing tail of human spermatids. Cell tissue Res, 159: 435

- Wilfred, M. (1971): Diagram of cellular relationship in the seminiferous tubules. Bailey's text book of histology .Seventh edition,p. 614
- Yanagimashi, R.;Noda,Y.O. ;Fujimoto, M. and Nicolson, G.I. (1972): The distribution of negative surface charges on mammalian spermatozoa .Am.J. Anat. ,135: 497- 501
- Yunis ,J.J.(1974): Human chromosome methodology ,p. 59Academic press. New York, London
- Zamboni,L. (1971): Acrosome loss in fertilizing mammalian spermatozoa. A clarification. J. Ultrastructure Res., 34: 401-410
- Zorgniotti, A. W. and Macleod, J. (1973): Studies in temperature ,human semen quality and varicocele. Fertil. Steril. ,24: 854-857